

PC-1
Revamping of THQ Hospital, Alipur District Muzaffargarh

ORIGINAL APPROVED COST	PKR Million. 355.484/-
ORIGINAL APPROVED GESTATION	72 Months Till June 2025
APPROVAL FORUM	DDSC (DDSC)

1. NAME OF THE PROJECT

Revamping of THQ Hospital, Alipur District Muzaffargarh

2. LOCATION OF THE PROJECT

- **2.1. DISTRICT(S)**
 - I. MUZAFFARGARH
- **2.2. TEHSIL(S)**
 - I. ALIPUR

3. AUTHORITIES RESPONSIBLE FOR

- 3.1. SPONSORING AGENCY
 - PRIMARY AND SECONDARY HEALTH CARE
- 3.2. EXECUTION AGENCY
 - PRIMARY AND SECONDARY HEALTH CARE
- 3.3. OPERATIONS AND MAINTENANCE AGENCY
 - PRIMARY AND SECONDARY HEALTH CARE
- 3.4. CONCERNED FEDRAL MINISTRY
 - NATIONAL HEALTH SERVICES, REGULATIONS AND COORDINATION

•	AUTHORITIES RESPONSIBLE	
	3.1 Sponsoring	Government of the Punjab, Primary and Secondary Healthcare Department
	3.2 Execution	PMU for Revamping Program of Primary and Secondary Healthcare Department, District Health Councils and C&W Department.
	3.3 Operation & Maintenance	PMU for Revamping Program of Primary and Secondary Healthcare Department and District Health Authority
	3.4 Concerned Federal Ministry	Ministry of National Health Services, Regulation and Coordination Pakistan

4. PLAN PROVISION

Sr#	Description	
1	Source of Funding: Scheme Listed in ADP CFY	
2	Proposed Allocation: 0.000	
3	GS No:5261	
4	Total Allocation: 0.000	
5	Funds Diverted:0.000	
6	Balance Funds: 0.000	
7	Comments: Funded out of block provision reflected at G.S No.658 with an allocation of Rs. 1,800 million (Capital = Rs. 1.300 Million & Revenue = Rs. 500 Million).	

5. PROJECT OBJECTIVES

attached

5. Project objectives and its relationship with Sectorial Objectives and Components

The Government of Punjab is making strenuous efforts for a better and effective Health Care system. The Defining step in this direction was to recognize the importance of Health Care at Primary & Secondary Levels. As a first step towards better health care at primary and secondary level, the department under the guidance of Government of the Punjab has decided to launch massive revamping of 40 THQ & DHQ Hospitals in the financial year 2016-17 along with revamping of emergencies of 15 selected THQs and emergencies of all Hospitals. In addition to that, Government has assigned the task of revamping of all remaining 85 THQ Hospitals of Punjab during 2017-18. The Project Management Unit, Revamping Program, Primary and Secondary Healthcare Department has started the 2nd Phase of the said revamping program in September, 2017.

5.1 Background of Primary & Secondary Healthcare Department

Effective primary and secondary healthcare is particularly important in resource-poor countries. Effective delivery of vaccinations, maternal and child care (MCH) and treatment of common pathologies (such as malaria, gastroenteritis, respiratory tract infections and other vector borne diseases) is essential for the achievement of Sustainable Development Goals (SDGs). Effective diagnostic triage, an organized system of prescription and queue management, an effective and stringent sterilization regime, quality nursing and consultant care, implementation of minimum service delivery standards (MSDS) and delivery of care for chronic pathologies lie at the center for the provision of universal health care at a cost that the community can afford as envisaged in domains established by the 1978 Alma-Ata Declaration of WHO. Primary care serves as the cornerstone for building a strong healthcare system that ensures positive health outcomes and health equity. The deficiencies in quality of care represent neither the failure of professional compassion nor necessarily a lack of resources rather, they result from gaps in knowledge, inappropriate applications of available technology and unstructured planning. Local health care systems in our setup have practically not been able to implement department's objectives. Result is continuous lack of quality improvement to lower health outcomes.

Quality health care is actually provision of health care by timely, skillful application of medical technology in a culturally sensitive manner within the available resource constraints. Eliminating poor quality involves not only giving better care but also eliminating under provision of essential clinical services (system wide microscopy for diagnosing tuberculosis, for example); stopping overuse of some care (prenatal ultrasonography or unnecessary injections, for example); and ending misuse of unneeded services (such as unnecessary hysterectomies or antibiotics for viral infections). A sadly unique feature of quality is that poor quality can obviate all the implied benefits of good access and effective treatment. At its best, poor quality is wasteful and at its worst, it causes actual harm.

Keeping in view this basic essence of primary and secondary health care, The Government of Punjab is dedicated in making strenuous efforts for ensuring a better and effective Health Care system .The Defining step in this direction was to recognize the importance of Health Care at Primary & Secondary Levels. As a first step towards better health care at primary and secondary level, a separate department was created by bifurcating the Health department into two departments Specialized Health Care & Medical Education Department and Primary & Secondary Health Care (P&SH) Department. The principle reason for bifurcation has been to improve governance and service delivery in the spheres of health care across the province. Primary and Secondary Health Care Department has been entrusted the responsibility of primary and secondary level health facilities including preventive health services and Vertical Programs. P&SH Department accordingly has its functional responsibility in respect of 26 District Headquarter Hospitals (DHQs), 129 Tehsil Headquarter Hospitals (THQs), 322 Rural Health Centers (RHCs) and 2,504 Basic Health Units (BHUs). Moreover, specialized programs like Expanded Program for Immunization (EPI), TB Control (DOTS), Hepatitis Control Programs as well as special campaigns such as Dengue Campaign, Polio Eradication Campaigns also fall in purview of the department. The establishments like Director General Health Services (DGHS), Drug Testing Labs (DTLs) and Biomedical Engineering Workshops also assist the department in discharge of its functions efficiently. Establishment of Internal delivery Unit at Primary and Secondary Health Care Department has been aimed for institutional strengthening and capacity building of Primary and Secondary Health Care Department. Monitoring and follow up remains one of key ingredients for good governance and is at heart of all management models. Therefore, an Internal Delivery Unit, comprising well qualified and experienced persons, is being established within P&SH Department. Internal Delivery Unit shall be manned with qualified and experienced consultants. Internal Delivery Unit shall be responsible for every such task needed to strengthen the PSHD which may range from operational matters to monitoring e.g. tracking pace of all initiatives of the Department through the process such as tracking procurement of medicines by districts, procurement of vaccine by Director EPI, pace of various development schemes and performance of Drug Testing & Bio-mechanical Labs etc.

The basic mandate of Primary & Secondary Health Department is to focus on preventive health care in primary sector along with basic diagnostics and treatment facilities at secondary level. The context is to primarily lessen the load on tertiary care health establishments and to reduce treatment costs. The major challenge for Primary & Secondary Health Department is to boost the confidence of masses and raise the level of trust in the primary health care system. The reality is that most of the health care establishments at secondary level are not currently providing health care services up to the optimal level, owing to a myriad of reasons including heavy patient load, scarcity of resources, human resource constraints and dysfunctional biomedical and allied equipment.

Due to lack of structured planning and monitoring, previous efforts did not materialize into an integrated health care regime, rather these have resulted in haphazard construction, poor repair and maintenance, lack of basic amenities, absence of waiting areas, substandard diagnostics and therapeutics, shabby outlook and suboptimal level of patient care over all. Such state of affairs has severely jolted level of trust in health care system by common man and hence the patients prefer to visit tertiary level hospitals or even private health facilities for treatment of even very common pathologies. This subsequently has a cascade effect on socioeconomics of common man who has to spend more in shape of travelling from villages to district headquarters and then bearing costs of private treatment, secondly, this has also increased disease load on our tertiary health care establishments.

Keeping in view this importance of primary and secondary health care, the department decided to launch massive revamping program for all DHQs and THQs all over the Punjab.

5.2 Project Management Unit (PMU), Primary & Secondary Healthcare Department

In order to successfully complete the program objectives in the given timeframe, it is imperative to establish a dedicated Program Management Unit (PMU) having technical and administrative expertise and autonomy, as the regular machinery of the department is too busy with the routine work and cannot successfully steer the program. The PMU is responsible for the successful implementation of the Revamping Program through completion of all related projects. After the implementation of all these projects, the Primary & Secondary Healthcare network will be improved. The PMU shall ensure that the DHQ & THQ hospitals have a well-constructed physical infrastructure with vibrant management model for efficient service delivery and improved processes to focus on patient distress in prompt manner. It adheres to Minimum Service Delivery Standards (MSDS) to address the patients' needs in the most efficient and systematic manner.

In this regard, a dedicated team of Project Management Unit (PMU) has been established to execute the project. PMU's office is located at 31-E/1, Shahrah-e-Imam Hussain, Gulberg-III, near Qaddaffi stadium, Lahore. It is headed by a Project Director with a committed team comprising of Deputy Project Director, Finance and Administration, ICT), Project Managers, Project Officers, Engineers, supporting administrative and technical staff, experienced and qualified Health consultants., Directors (Operations, Human Resource & Planning and infrastructure, Outsourcing) as well as Procurement Specialist.

5.3 Infrastructural Interventions

The construction of various new blocks of hospital complex is constructed without any proper planning and necessary connection to existing blocks. On the whole, the complete infrastructure of hospital is quite complex and scattered, access to various blocks of hospital is quite inadequate and there is no proper connection or link between different blocks of hospital. In the revamping program of

DHQ and THQ Hospitals, the placement of various facilities of hospitals are replanned keeping in view the layout of existing blocks for facilitation of patients and some modifications/alterations were proposed in the blocks for necessary link or connection between the blocks.

Major infrastructural interventions can be divided in the following four categories

- **5.3.1 External Development**
- **5.3.2 Internal Development**
- **5.3.3 Medical Infrastructure Development**
- **5.3.4 Emergencies Development**

5.3.1 External Development

5.3.1.1 External Platforms

In order to improve the communication between blocks, necessary interventions are taken to improve the existing internal metaled road network. Moreover, new internal metaled road network is also designed and proposed to access the blocks of hospital accordingly. Despite the improvement in metaled road network, external platforms except metaled road is also designed and proposed for patients to access the blocks by simply walking among the blocks.

5.3.1.2 Façade Improvement

In order to improve the aesthetics of hospital, façade uplift with aluminum composite panels with aluminum cladding, false steel structures, façade aluminum windows and aluminum doors are designed in order to give the feel of modern architectural era.

5.3.1.3 Sewerage System

The most important entity of a hospital lies in its cleanliness. Infrastructural interventions to keep the hospital clean were taken in the form of <u>improvement of sewerage system</u> of the hospital. These interventions include the re designing of sewerage system, construction of new manholes, laying of new sewer lines and connection between trunk sewer and hospital sewer.

5.3.1.4 Landscaping (Horticulture)

Landscaping in hospital adds aesthetic & beauty to the built environment as well as improves in reducing the pollution. Soft & hard landscape reduces dust particles moment in air, hence contributes in a clean environment. The hours spent

in a hospital can be stressful for patients, staff and visitors. According to research easy access to a natural environment can contribute to stress management and potentially improve health outcomes: physiological studies indicate that 3-5 minutes spent in such Hospital Outdoor Landscape Design environments reduces anger, anxiety and pain and induces relaxation. Research also shows that "positive distractions" can reduce stress and their visual forms include gardens, scenic views and artwork, which play a critical role in modern hospital design: gardens, fountains, and water features provide patients, staff and visitors with restorative experiences of nature. In this regard complete lawns development, placement of benches, dust bins, playing equipment, fruit trees, flower plants, fruit trees and gazebos are proposed in all hospitals under revamping program

5.3.1.5 Water Filtration Plant

In the modern era, the access to clean water for everyone is becoming rare day by day. Especially in hospitals, the supply of water free from any harmful impurity is one of the most basic needs. To cope up with this problem water filtration system according to the existing nature of water is designed and water filtration plant is proposed accordingly. For ease of patients, drinking water supply network was designed to provide filtered water in wards and in various drinking stations within the hospital building

5.3.1.6 External Electrification

One of the major hindrances in functionality and ineffectiveness of electro medical equipment and other facilitating electrical appliances is either interrupted power supply or power supply with lesser voltage than required. This problem was solved by providing express line or dual electrical supply in all hospitals under revamping. Despite these two facilities based, on the current and proposed electrical load of hospital new transformers were proposed to step down the voltage to desired level and complete generator backup system was designed and generators along with automatic transfer switches were proposed accordingly. Moreover, to fully lighten up the hospital for proper utilization of all facilities of hospital during the low/no-light hours of the day, external pole lights to lighten up the pathways and garden lights to lighten up the lawns were designed and proposed.

5.3.1.7 Parking and Waiting area

Non-clinical facilitation of patients and attendants were specially considered in the revamping program. One such facilitation step is designing the parking and waiting areas on basis of daily influx of vehicles and patients/attendants during the

peak hours. <u>Parking and waiting areas</u> on several places of hospital were then proposed according to the design.

5.3.1.8 External Signage

<u>Eexternal signage system</u> is designed including various signage types for complete guidance of patient attendants and to search concerned facility promptly.

5.3.2 Internal development

5.3.2.1 Aesthetic improvement

In order to improve the aesthetics of hospital wards, corridors, rooms and toilet blocks, flooring and dado design of suitable material in these areas is proposed. Despite of aesthetics, the material of flooring and dado design were chosen to provide ease in cleaning process. For further improvement in aesthetics, paint on exterior and interior part of the hospital, poly-vinyl chloride paneling to conceal the dampness damaged areas and steel cladding of columns are proposed.

5.3.2.2 Ramp and Stretcher improvement

For hospitals having more than one floor, there is a huge problem of patient transfer with stretcher. This problem is solved by proposing new ramps/stretcher ways where needed. Moreover, in order to further improve the communication between various floors of hospitals improvement of stair cases with hand rail or guard rails is proposed.

5.3.2.3 Seamless flooring and Lead Lining

To keep high risk areas like Operation theaters, I.C.U, C.C.U, and Gynecology Operation Theater bacteria free is one of the basic medical practices. In the revamping program of hospitals low epoxy paint is proposed in these areas to provide seamless flooring so that the bacterial growth within the groves can be prevented. Moreover, to make the X-Ray rooms radio-resistant and to keep the patients away from the harm of rays, interventions are taken in X-ray rooms regarding provision of lead lining in walls, ceiling and floor.

Interventions were taken regarding hazardous radiation emitting areas to make them radio-resistant in order to keep patients/attendants away from harmful radiations. These interventions were in the form of provision of lead lining in ceiling, walls and roofs of X-Ray rooms.

5.3.2.4 Aluminum doors and windows

In order to make sound and heat proof the doors and windows of wards, corridors and major health facilities are proposed as aluminum doors and windows. Which despite of above benefits are also aesthetically pleasing. Corridor wire mesh windows and rolling blinds for windows are proposed in order to invite or stop the day light within the wards according to the requirement. Moreover, existing wooden doors having shabby and dirty look are proposed to be re-polished and washroom doors are proposed to be replaced with PVC doors to make them resistant against water.

5.3.2.5 Improvement of washroom blocks

The area of hospital which can be dirty at most is its washroom or toilet blocks. To improve the cleanliness of hospital the special interventions were taken regarding the renovation of toilet block of hospital. This renovation includes the re tiling of existing damaged flooring and skirting and addition of water closets etc.

5.3.2.6 Facilitation of attendants and patients

The facilitation of attendants is also one of the most basic things to be provided in the hospital. The facilitation of attendants contributes towards the facilitation of patients. In order to facilitate the attendants, pantries are designed at that location of hospital where attendants can be effectively facilitated. These pantries include stoves and washing machines. Moreover, it is also very important to educate the patients and attendants regarding the seasonal and general diseases along with its cure and prevention. Installation of LED televisions in various locations of hospitals especially in wards and waiting areas is also proposed in the design in this regard.

5.3.2.7 Furniture and Fixtures

One more step towards the facilitation of attendants or patients is placement of benches in waiting areas. The most rush positions of hospital are chosen in this regard and placement of benches is designed according to the patient number and flow. In order to improve the efficiency of consultants or doctors, interventions regarding the renovations of doctor or consultant office are designed in this regard. The doctor room furniture is designed for this purpose keeping in view the existing area of room and necessary required equipment. To carry and dispose of the medical and general waste material of hospital, waste bin sets are designed to place at various positions of the hospital. These positions are marked by keeping in view the general circulation of the public and sensitivity of the area.

5.3.2.8 Air Conditioners, Refrigerators and LEDs

According to the different standards, there is a separate requirement of temperature to control the environment of particular place with respect to the nature of facility. In this regard, air conditioners are proposed according to the required tonnage of the specific area. For better efficiency and performance delivery, cabinet air conditioners are proposed in the wards and other facilities having larger areas. The maintenance and repair services of these air conditioners are outsourced so that uninterrupted performance can be delivered. For further facilitation of patients and attendants, placement of refrigerator is proposed on each nursing counter. These refrigerators are proposed for items requiring specific temperature for storage purposes. LEDs will also be placed at various points to facilitate the patients and attendants.

5.3.2.9 Internal Signage and Paintings

As described earlier, the information regarding the positions of major health facility especially emergency and labor room etc. is very much essential for any person entering inside the covered area of hospital. For these purposes, different types of signage are proposed including corridor hanging signage, floor map boards, room numbers and room names plaques. For general information duty rooster boards, janitorial station signage, waste bin set signage, emergency exit signage.

Different kinds of paintings are designed according to the nature of area where it is desired to be fixed. These paintings are beneficial in a sense that it improves the aesthetics of hospital and moreover, such painting patterns are designed so that it give the relaxation and soothing feelings to aid in the healing of patients. Moreover, in order to create a healthy, positive, entertaining and friendly environment for interest of children, paintings on children wards is proposed.

5.3.3 Medical Infrastructure Development

To cope with the emergency condition of clinically serious patient, oxygen supply system is designed by proposing an individual oxygen supply system for each major health facility. This oxygen supply network comprises on copper pipe line, flow meter with bed head units, cylinders and setup and individual central oxygen supply system. The contract of filling of oxygen gas in cylinders is outsourced for uninterrupted oxygen gas supply to the patients.

For patient receiving, information, guidance, appointment or for any other task, separate reception counters are proposed in various blocks so that, all necessary information regarding the block is available on the counter round the clock. In this way, utilization of clinical facilities will be optimized. For indoor patient department, complete facilitation and care of patients admitted in wards is ensured

by proposal of nursing counter in each ward. This nursing counter will be placed or constructed in such a placement that each bed can be monitored by the nurse available.

The design regarding architectural planning of above mentioned facilities are designed according to the patient facilities and architectural planning standards. These designed facilities are then designed in the existing building structure according to the patient flow and sensitivity of facility.

5.3.3.1 Emergency Department:

All THQS and DHQs are already providing emergency services to critical ill patients. As far as the existing sources including human resources & equipment are not sufficient to fulfill the requirement. Primary and secondary healthcare department is going to take the initiative to improve emergencies of hospitals by providing new equipment and human resource in form of recruitment of doctors, nurses and paramedical staff along with Infrastructure of Causality Department. Ultimate goal of revamping of emergencies is to enhance the quality of medical services to critical ill patient in golden hour to decrease the mortality and morbidity rate in causality department of each hospital.

5.3.3.1.1 General Overview of Emergency Department

In any hospital, the most important and critical area is its emergency block. Specially, if hospital is situated on a highway where there is a huge flux of rapidly moving traffic which can be a major source of causalities, if patient treatment is not proper. Besides road trauma cases, cardiac cases and burn cases etc. are also more likely to be initially treated in emergency. Proper first aid to patient reduces morbidity and mortality. The emergency department of hospital is a block where in time service delivery is so much essential that delay in proper treatment can cause lot of lives to suffer from serious diseases for rest of their life. In a nutshell, the efficiency and in time service delivery of emergency block depicts the overall efficiency of the hospital.

In order to improve the emergency department and to ensure in time service delivery of the same, special initiatives are being taken in this regard. Infrastructure of emergency department depends a lot on its service delivery and efficiency. An emergency department with all necessary medical and general equipment and equipped with all essential medical facilities but without ineffective and poorly planned infrastructure will never fulfill its need. Conclusively, such infrastructural interventions are planned in this program so that the efficiency of emergency department can be optimized. Some of the following major interventions are listed below:

5.3.3.1.2 Position of Emergency Department

It is planned that new construction of building should be avoided at most because already existing blocks with no proper utilization are existing in all of the hospitals. The emergency block should be on such a location that the distance between that department and main entrance gate should be minimum with respect to other locations or positions of complex. To fulfill this purpose, that portion of this building block is selected for re planning of emergency department which is most near to the entrance gate. The far positioning of emergency department will result the lost in time for patient during its travelling which can be crucial.

5.3.3.1.3 Access towards the Emergency Department

The route leading towards the emergency department is important in this aspect that a smooth track and a widened path will be feasible for the movement of vehicle or stretcher. Initiatives are taken in this program for construction of new pathways or renovation of existing ones leading towards the emergency department. Such material of the external platform is selected so that a smooth movement should be observed over it rather than jerks bumps. Moreover, the width of the passage from entrance gate up to emergency department is designed by keeping in view the flux of the vehicles rushing towards the emergency block.

5.3.3.1.4 Medical Infrastructure Emergency:

The existing emergency department or other block of the hospital according to its access from entrance gate, is designed and re planned according to the above described emergency facilities. The changings or amendments in the existing covered area of the hospital are proposed according space availability. Due to the rush of patients and increased number of minor surgeries performed in the emergency department make it one of the dirtiest department of the hospital. Hence, in this regards it is very much essential to keep the floors of certain area of emergency department bacteria free. Seamless flooring is proposed in this regard to avoid the groves so that the cleaning process can be made easy. Low epoxy paint is designed and proposed in this regard on Minor OT, Gurney area and specialized healthcare unit.

Provision of medical gasses is essential to facilitate the patients suffering from breathing issue due to some disease and ailment. The filling process of oxygen in the cylinders is outsourced to ensure the continuous supply of the oxygen among the beds. The oxygen system comprises on copper pipe, central oxygen supply system for pressure maintenance, oxygen cylinders and flow meter with bed head units.

5.3.3.1.5 General Building Interventions:

In order to improve the over building condition of emergency blocks following major interventions are taken:

- 1. Provision of flooring and skirting
- 2. Painting on interior and exterior side of department

- 3. Provision of false ceiling
- 4. Replacement of damaged and renovation of existing wooden doors
- 5. Provision of aluminum doors and windows
- 6. Public health work regarding supply of water and gas along with improvement of sewerage system
- 7. Provision of LED panel lights, ceiling fans, exhaust and wall bracket fans
- 8. Improvement of existing wiring and distribution including replacement of damaged equipment and proposal of new equipment

5.3.3.2 Monitoring and Quality Assurance (Process Interventions)

During construction phase, "Construction Supervision" will be carried out by the Procuring Agency (Director Infrastructure) along with Punjab Buildings department (C&W D) who will certify construction activity.

5.3.3.2.1 MSDS (Minimum Service Delivery Standards)

MSDS are minimum level of services, which the patients and service users have a right to expect. MSDS include minimum package of services, standards of care (level specific) and mandatory requirements/systems for delivery of effective health care services. The World Health Assembly in Alma-Atta in 1978 expressed the need of action to protect and promote the health for all the people of the world. Essential health is to be made universally accessible to individuals and families through their full participation and at a cost that the community and country can afford. MSDS is now being deemed to be of vital importance at Secondary HealthCare level. The THQ hospital provides promotive, preventive, curative, diagnostics, in patients, referral services and also specialist care.

THQ hospitals are supposed to provide basic and comprehensive EmONC. THQ hospital provides referral care to the patients including those referred by the Rural Health Centers, Basic Health Units, Lady Health Workers and other primary care facilities. The District Head Quarters Hospital is located at District headquarters level and serves a population of 1 to 3 million, depending upon the category of the hospital. The THQ hospital provides promotive, preventive, curative, advance diagnostics, inpatient services, advance specialist and referral services. Services package and standards of care at SHC level are also not well defined. Deficient areas include: weak arrangements to deal with non-communicable diseases, mental, geriatric problems and specialized surgical care especially at THQ. There is disproportionate emphasis on maternal and child health services at SHC facilities. Services-package being provided at PHC and SHC are also deficient in terms of Health care providers' obligations, patients' rights and obligations.

MSDS umbrella is very vast and it requires a very extensive and planned approach towards, gap analysis, planning, development, implementation,

monitoring and evaluation. MSDS comprises of 10 thematic area, 30 standards and 162 indicators. Government of Punjab has taken an initiative to standardize all hospitals of Punjab in accordance with Punjab Health Care Commission Minimum service delivery standards. PMU team segregated MSDS indicators into various targets and sub-targets to make these targets achievable. Manuals for both clinical and non-clinical specialties are being prepared comprising of departmental organizational plan, criteria for essential human resource, essential equipment, general and specialized SOPs, departmental safety guidelines etc. Standardized Medical Protocols (SMPs) are standard steps to be taken by a health facility during medical or surgical management of a patient. Standard Operating Procedure (SOPs) are detailed description of steps required in performing a task including specifications that must be complied with and are vital to ensure the delivery of these services .It requires literature review, departmental view, facility visits, consultative visits and development of action plan for implementation of MSDS. Effective MSDS implementation requires essential documentation. Documentation is a key for record keeping, monitoring and auditing. For this purpose, registers, forms, displays have to be designed with coding for effective tracking. In addition to this it also requires analysis from field from utilization point of view.

Displays constituting of public serving messages, health related information and general facility related guidelines. In order to monitor effective implementation, compliance monitoring is required to be carried out by field experts which is followed up by further planning to ensure continuous delivery of effective, accessible, continuous and quality services to masses in uninterruptable manner.

MSDS implementation is a complex procedure. Because it requires

- 1. Capacity building for understanding, development and continuous implementation of MSDS.
- 2. Ecosystem for establishing its implementation by full cooperation, collaboration, commitment of
- 3. Continuous monitoring
- 4. Continuous audit
- 5. Continuous training, refresher courses with purpose of reinforcement
- 6. Continuous quality improvement
- 7. Continuous Strengths, Weaknesses, Opportunities, and Threats (SWOT) analysis and gap identification
- 8. Continuous strategy making and implementation with backup plan for secondary options.
- 9. Responsibility designation for clinical and non-clinical procedures and activities.
- 10. Effective utilization, calibration and maintenance of equipment with record maintenance and their audit
- 11. Establishment of plans, implementation, analysis of gaps with alternate planning regarding fire evacuation plan, hospital inflectional control plan, hospital operational and

strategic plans, disaster plan both internal (partial / complete) and external.

The PDSA cycle

- 1. Developing a plan to test the change (Plan),
- 2. Carrying out the test (Do),
- 3. Observing and learning from the consequences (Study), and
- 4. Determining what modifications should be made to the test (Act).
- 5. Monitoring effective load sharing of Human resource and equipment within hospitals.
- Addition of new HR/ rationalization on requirement of MSDS indicator compliance for effective departmental organization and their planned trainings by MPDD, UHS ETC
- 7. Standard optimization of Standard operating procedures and methods for their effective adoption by hospital human resource.
- 8. We have also extended our MSDS implementation in 20 more departments such as dentistry, ICU, CCU, Dialysis, mortuary, burn unit, physiotherapy, orthopedics, medicine, nursing, paeds, ophthalmology, derma, TB, urology, patient transfer system, store and purchase, audit and accounts, procurement, planning etc. We are also in process of preparing manuals, SOPS, plans, universal forms, and universal registers with universal tracking system of record.
- 9. We have developed an application for continuous monitoring of MSDS compliance.

Health managers are considered essential at both the strategic and operational levels of health systems. To gain an initial understanding of the management workforce for service deliver. Every health system desires managers who are competent and have the knowledge, skills and demeanor to be effective. The performance of health services managers will depend in part on how certain standard support systems function. Even good managers will have problems if procedures for running finances, staff, etc., are not working well. Functional systems should have clear rules and regulations, good guides and forms, effective monitoring and supervision and appropriate support staff, e.g. account staff, supplies and information staff and secretarial support A health manager is supposed to be competent in planning, budgeting, financial management systems personnel management systems, including performance management, procurement and distribution systems for drugs and other commodities, information management and monitoring systems, systems for managing assets and other logistics, infrastructure and transport. Support systems help to ensure uniformity in management practices and ensure that management and administrative systems function and get results.

5.3.3.3 Laboratory

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the Laboratory in THQ hospitals. Majority of patients are suffering problems some time life threatening phases due to delay in diagnosis and treatment according to diagnosis in case of lack of laboratory in vicinity.

5.3.3.4 X-Ray

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the Radiology unit in THQ hospitals. Majority of patients are suffering problems some time life threatening phases due to delay in diagnosis and treatment according to diagnosis in case of lack of Radiology unit in vicinity. A healthy human being enables not only nutrition of the physical body but also enhances social interaction and promotes self-esteem and feelings of self-esteem and feelings of wellbeing. The radiology equipment serves as a "window "to the patient treatment regarding the body.

5.3.3.5 CCU

Understanding these ground realities Primary and Secondary Healthcare Department, Government of the Punjab has decided to establish coronary care units (CCU) in THQ hospitals as a part of its Revamping Program. This will improve the quality of healthcare and timely provision of life saving treatment will be possible to large number of patients. A coronary care unit (CCU) is a special department of a hospital or health care facility that provide coronary care to patients. Coronary care units cater to patients with severe and life-threatening cardiac illnesses and which require constant, close monitoring and support from specialized equipment and medications in order to ensure normal bodily functions.

Coronary care units are staffed by highly trained doctors and nurses who specialize in caring for cardiac patients. They are also distinguished from normal hospital wards by a higher staff-to-patient ratio and access to advanced medical resources and equipment that are not routinely available elsewhere. Common conditions that are treated within CCUs including angina, myocardial infection, cardiac arrhythmia, cardiac shock etc. Patients may be transferred directly to coronary care unit from an emergency department or from a ward if they rapidly deteriorate, and immediately require cardiac care treatment.

5.3.3.6 Dialysis Unit

Chronic kidney disease is now a significant public health problem worldwide. Chronic kidney disease globally affects almost 10 % of general population with Incidence in prevalence of disease are still rising especially in

developing countries .The rise in chronic kidney disease is by aging of the populations and growing problems of obesity, diabetes, high blood pressure and cardiovascular diseases.

Tehsil head Quarter Hospital (THQ) serve large catchment populations of the district and provide a range of specialist care in addition to basic outpatient and inpatient services. Patient who are in need of dialysis, are referred to tertiary care hospital due to non-availability or insufficient number of dialysis machines. Patient's condition not only deteriorate but also compromise the effectiveness of life saving intervention due to approaching to other cites or to costly private setups of dialysis. Primary and Secondary Healthcare Department has decided to establish & strengthening already existing 5 bedded dialysis unit at THQ hospitals. This will improve the quality of healthcare and timely provision of life saving treatment will be possible to large number of patients.

Dialysis unit is a special department of a hospital or health care facility that provides a lifesaving support to patients with chronic renal disease along with pre-existing diseases like diabetes, hypertension, ischemic heart disease to ensure normal bodily functions. Dialysis units are staffed by highly trained doctors, dialysis technicians and dialysis nurses who have done specialized training in caring for such patients. Patients are usually admitted from out door and often from emergency and registered for their timing and schedule of dialysis because these patients are given regular appointments twice or thrice a week as per defined by nephrologist/physician.

5.3.3.7 <u>Labor Rooms/Nurseries</u>

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the Labor Rooms/Nursery unit in THQ hospitals.

5.3.3.8 Operation Theater

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the Operation Theater in THQ hospitals. Majority of patients are suffering problems some time life threatening phases due to delay in treatment according to diagnosis in case of lack of Operation Theater in vicinity.

5.3.3.9 Orthopedic unit

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the orthopedic unit in THQ

hospitals. Majority of patients are suffering problems some time life threatening phases due to delay in diagnosis and treatment according to diagnosis in case of lack of orthopedic unit in vicinity.

5.3.3.10 Gynecology Department

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the gynecology unit in THQ hospitals. Majority of patients are suffering problems some time life threatening phases due to delay in diagnosis and treatment according to diagnosis in case of lack of gynecology unit in vicinity.

5.3.3.11 Surgical Unit

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the surgical unit in THQ hospitals. Majority of patients are suffering problems some time life threatening phases due to delay in diagnosis and treatment according to diagnosis in case of lack of surgical unit in vicinity.

5.3.3.12 Intensive Care Unit (ICU)

Tehsil Headquarter Hospitals (THQ) serve catchment populations of the whole Tehsil (0.5-1 million) and provide a range of specialist care in addition to basic outpatient and inpatient services. They typically have about 80 to 150 beds and a broad range of specialized services including surgery, medicine, paediatrics, obstetrics, gynaecology, ENT, ophthalmology, orthopaedics, urology, neurosurgery etc. Patient who are in need of intensive care are usually referred to tertiary care hospital but due to long distance they had to travel and time consumed on road due to heavy traffic and other unavoidable circumstance ,patient's condition not only deteriorate but also compromise the effectiveness of life saving intervention. Understanding these ground realities Primary and Secondary Healthcare Department, Government of the Punjab has decided to establish intensive care units (ICU) in THQ hospitals as a part of its Annual Development Plan. This will improve the quality of healthcare and timely provision of life saving treatment will be possible to large number of patients.

Primary and Secondary Healthcare Revamping programme (PSHRP) is the initiative by the Chief Minister of Punjab to strengthen the healthcare delivery system in the province Acquisition of licenses for all THQ Hospital by developing and implementing uniform set of standard Operating procedures (SOPs) & standard medical protocol (SMP) for compliance to MSDS of PHC is planned as a part of PSHRP.

An **intensive care unit (ICU)** is a special department of a hospital or health care facility that provides <u>intensive treatment medicine</u>. Intensive care units cater to patients with <u>severe and life-threatening</u> illnesses and injuries, which require constant, close monitoring and support from specialized equipment and medications in order to ensure <u>normal bodily functions</u>. Intensive care units are staffed by highly trained <u>doctors</u> and <u>nurses</u> who specialize in caring for critically ill patients. They are also distinguished from normal hospital wards by a higher staff-to-patient ratio and access to advanced medical resources and equipment that are not routinely available elsewhere. Common conditions that are treated within ICUs include <u>ARDS</u>, <u>trauma</u>, <u>multiple organ failure</u> and <u>sepsis</u>. Patients may be transferred directly to an intensive care unit from an <u>emergency department</u> if required, or from a ward if they rapidly deteriorate, or immediately after surgery if the surgery is very invasive and the patient is at high risk of complications.

5.3.3.13 Mortuary Unit

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the mortuary unit in THQ hospitals. Postmortem or autopsy is a part of medico legal investigation into a death which is conducted by a judicial medical officer. Realizing the problems countered medico legal process focusing on following important areas;

- 1. Improving quality and motivation levels of human resource conducting medico legal Examination.
- 2. Improve methods to collect and preserve samples so that so that these may best be available for further forensic analysis.
- Improving physical infrastructure at tehsil level to provide enabling environment for better conduct of medico legal cases including improvement in state of mortuaries at tehsil level.
- 4. Improvement in legal framework including improved forms.

5.3.3.14 Dental Unit

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the dental unit in THQ hospitals. Majority of patients are suffering problems some time life threatening phases due to delay in diagnosis and treatment according to diagnosis in case of lack of dental unit in vicinity.

5.3.3.15 Physiotherapy Unit (33 THQ Hospitals)

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the physiotherapy unit in all THQ hospitals. Majority of patients are suffering problems some time life threatening phases due to delay in diagnosis and treatment according to diagnosis in case of lack of physiotherapy unit in vicinity.

- 1. Physiotherapy is a "science of healing and art of caring". It pertains to the clinical examination, evaluation, assessment, diagnosis and treatment of musculoskeletal, Neurological, Cardio-Vascular and Respiratory systems 'functional disorders including symptoms of pain, edema, and physiological, structural and psychosomatic ailments. It deals with methods of treatment based on movement, manual therapy, physical agents, and therapeutics modalities to relieve the pain and other complications. Hence, Physical therapy covers basic parameters of healing sciences i.e. preventive, promotive, diagnostic, rehabilitative, and curative.
- Physiotherapy practice has a very long history and a modern clinical practice is heavily reliant on research and evidence based practice. The Primary and Secondary Healthcare Department Government of Punjab attests to this commitment by adopting and promoting the Standards of Practice for Physiotherapy.

Importance of Physiotherapy and Rehabilitation department

- 1. Physiotherapy provides services to individuals and populations to develop maintain and restore maximum movement and functional ability throughout the lifespan. This includes providing services in circumstances where movement and function are threatened by aging, injury, disease or environmental factors. Functional movement is central to what it means to be healthy.
- 2. Physiotherapy is concerned with identifying and maximizing quality of life and movement potential within the spheres of promotion, prevention, treatment/intervention, habilitation and rehabilitation. This encompasses physical, psychological, emotional, and social wellbeing. Physiotherapy involves the interaction between physical therapist, patients/clients, other health professionals, families, care givers, and communities in a process where movement potential is assessed and goals are agreed upon, using knowledge and skills unique to physical therapists.
- 3. The proposed project entails setting up a Physiotherapy and Rehabilitation Department. Being one of the major players in human service sector, rehabilitation Departments provide a wide range of services relating to physical impairments and disabilities of all age groups. These services range from assessment, evaluation, diagnosis, treatment and plan of care of individuals, from newborns to the very oldest, who have medical problems or other health-related conditions that limit their abilities to move and perform functional activities in their daily lives. These services will be provided by qualified Physiotherapists Consultants. Our consultants

examine each individual and develop a plan using treatment techniques to promote the ability to move, reduce pain, restore function, and prevent disability. In addition, our doctor work with individuals to prevent the loss of mobility before it occurs by developing fitness- and wellness-oriented programs for healthier and more active lifestyles. The proposed Physiotherapy and Rehabilitation Department will provide all these services under one roof.

Opportunity Rationale

Due to vast media exposure over past few years, women, as well as men, have become more conscious about their health especially youngsters. In Pakistan, Rehabilitation Clinics and Fitness Centers have grown over the years. It is easy to open GP clinic as space and skill requirement is very basic. But a Rehabilitation clinic provides more professional services with qualified staff including Physiotherapy doctors and experienced support staff and therefore, requires more planning and arrangement. Quite a few Physiotherapy and Rehabilitation Departments have opened in Lahore, Islamabad, Karachi and other relatively larger cities of Pakistan, which are catering to the demand of the people, but still there is a lot of unfulfilled demand as can be judged from excessive rush at the existing Physiotherapy Departments. The patient's ratio and problems with musculoskeletal disorders and neurological disorders are same in the tehsils and districts levels of Punjab. The business is service-oriented and carries large potential for serving poor people due to its unique nature and uncontrolled spreading of joints and muscles, and neurological problems, especially in the areas where our THQ Hospitals are located. There is lot of potential in this domain, especially for those who are committed to providing quality service.

5.3.3.16 Queue Management System (QMS)

OPD in THQ has enormous patient load, due to the only big public sector serving hospital in Tehsils. At the moment the ticket system is prevailing but there is no mechanism to handle that ticket and assign number to the ticket and its being issued in manual format. This will also create dependency on the person issuing the ticket. After getting the tickets, patient will be provided with no guidance on where to go and when his term will come to meet the doctor and get the required service. This will create confusion and delayed service delivery. On the other hand it will waste lots of time on the end of doctor and patient as patient and doctor has no direct liaison with each other. Moreover, patient will again have to be dependent on some person to check that either doctor is free or any patient sitting in his facility. Here again, human intervention and dependency will come into play.

This project basically aims to remove all the human related dependency till the patient reach the doctors. Moreover, it also includes, recording basic information for a patient and guiding him to the doctors room from registration count to triage without any dependency on hospital staff. This will improve the transparency as per the vision of good governance and serve the patient in an efficient and transparent manner. This will also help the patient in estimating that time estimate till his term which will give him relief and more belief on the fair system. On the other hand doctor will always have an idea that how many patients will be in queue and give him direct liaison with the patient sitting outside.

The need of queue management system is evident in hospital from the fact of lack of proper mechanism of patient queue management at OPD's, human resource deficiency and non-functional equipment. The Implementation of Queue Management System will provide and streamline Patient Queue Management at OPD with Ticket Generation and Display of Numbers on the counters. This will help in maintaining the queue on First IN First OUT (FIFO) basis. The system will also provide the information counter to the general public to educate them in the use of queue management system and short description of the process. After implementation of this system, the incoming patient will be guided in a manner to get the service on his turn without any dependency or interference of an external resource. All will be handled in an automated way with patient are being served at their turn.

The system manages the patients load, organizes the patient's queues in an adequate manner and gives them the ease in waiting area; and they will be examined gracefully by doctors at their turn. Basic information of the patient is also linked with its ticket, being taken at the first counter. This will help established a unique ID against each patient. This will also lead to the establishment of Electronic Medical Record. The Process flow of Queue Management System at THQ is given as follows:

There are 25 counters at THQ level including basic registration counter, triage counter, consultant office and hospital pharmacy. There is one ticketing machine with a bifurcation of male, female and old age person. The ticket will be issued to the relevant category accordingly. After receiving the ticket the said number will be blinked on male, female and old age counter. The person will move to that counter where he will be asked about his basic details which will be entered in the basic registration form software linked with QMS and that specific token / ticket number. He will also be asked about the disease and accordingly the relevant consultant / specialty area e.g. pediatrics, ophthalmology etc. after registering, he will take the printout and give the slip to patient / attendant along with its token number.

The basic fee of OPD will be received at the registration counter and accounted for in the basic registration software linked with QMS. The same token number will be displayed on the triage counter where his vitals will be taken and written on the same registration slip available with the patient. Now, keeping in view the specialty area the token number will be displayed on the relevant consultant office and he will be checked by relevant consultant. The consultant than diagnosed the medicine or either to admit it after his examination. In case of medicine he will be sent to hospital pharmacy where again the same ticket number will be displayed. There have to be an option available with the doctor to either redirect him to the hospital pharmacy or other (medical tests, referred to IPD). On displaying the same token number at pharmacy counter the patient will move to pharmacy counter along with his token number and registration slip and take prescribed medicine. Patient will be disposed from that window and process of QMS will be completed. There will be no entry in the basic registration software on the counters of triage, doctor at the moment. Detail of equipment is attached.

The process described above for THQ will be implemented. The important constraints for the systems are:

- Same token number will be used at all the counters and patient will be getting the ticket from ticketing machine only once at the time of entry.
- 2. QMS will cater for missed, skipped or delayed patient at any counter.
- 3. There will be two LED displayed at different location in the waiting area to guide patients about the process details and to display token number along with announcement in URDU.
- 4. The gap between each display panel from ticketing machine to pharmacy can be customized according to requirement e.g. 5, 10, 30, 60 seconds etc.

5.3.3.17 Electronic Medical Record (EMR)

Establishment of network infrastructure, establishing a central data center, connectivity of different building through fiber, are also the major components of the revamping project in terms of ICT. This will including provision of networking point at all nursing stations and important areas where entries regarding patients' needs to be made e.g. Radiology/Pathology, Indoor, outdoor etc. This will serve as backbone to implement the Electronic Medical Record System in the Hospital which has the key feature of generating Unique Medical Record Number for each patient.

This MR number will serve as an identity for patients during their treatment, retrieval of records and for decision making.

EMR will also be able to log the patient for treatment being provided to him in different areas of hospital i.e. OPD, Pathology, Radiology, Surgery, Indoor, etc. and their integration. This will be achieved by entering the relevant information at each department against specific MR number of a patient in the Customized / Purpose build software (EMR) for these public healthcare facilities.

This entry of MR number against each patient in hospital will build a large database for patient and relevant diseases. This will help in analysis disease / epidemic prevention and better patient care through retrieval of patient history and proper diagnoses at physician end. Implementation of patient registration, Record keeping, physical queue management, E-prescription, supporting IT interventions for EMR and medicine dispensation. Detail of equipment is attached.

5.3.3.18 Video Surveillance through CCTVs

Installation of network based CCTV cameras is an important module in the ICT part of revamping project. Scope of this component is to install 60 to 80 cameras in each hospitals at important location i.e. entry, exit, OPD, waiting areas, Parking for surveillance and security purposes. This will also serve as major input to the security services by Outsourced Security Company in the hospitals. Moreover, there will be small scale central control room at each hospital to monitor the allocated locations where the cameras have been installed. This system will also have the facility to record the video for 15 days for all the cameras so that recording of specific duration can be produced on demand. This will also have the facility of central control room which has the capacity to access the camera of THQ hospitals and to view and monitor the area of specific camera within specific hospital at any given time. Therefore, it will establish a centralized surveillance and security mechanism for these 85 public sector healthcare facilities. Detail of equipment is attached.

5.3.3.19 Medicine Store

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the medicine store in THQ hospitals.

5.3.3.20 Day Care Center

On-site (or near-site) child care would lead to improve workplace satisfaction by allowing employers more frequent contact with their children,

reducing stress and anxiety over scheduling, and potentially providing financial benefit to the hospital. Therefore, P&SH Department has decided to establish the Day Care Center at every THQ Hospital. The Medical Superintendent of the concerned hospital will be the overall in-charge of the Day Care Center.

5.4 Out Sourcing of Non Clinical Services

It was planned to provide Outsourcing of following Non-clinical services through development Budget later on decided to shift to non-development Budget as per the decision of progress review meeting chaired by the Chairman P&D Board dated 01-01-2018 w.e.f. 30-06-2018:-

- 1. Janitorial services
- 2. Laundry services (On hold)
- 3. MEPG Services
- 4. CT scan
- 5. Security

5.4.1 Janitorial services

These services include cleaning of hospitals and its roads and ROW areas. Internal cleaning comprises of complete cleaning along with washrooms cleanliness and material for these services such as hand wash/sanitizer. The Outsourcing is hereby designed keeping in view the sizes of areas assigned to each sanitary worker along with condition and nature of service. Human resources are planned after measuring the total area of hospital, built up area excluding the areas of horticultural land and residential buildings. The workers shall work in three shifts in a day. Half of the total strength of sanitary workers shall work in morning shift due to patients load in OPD. The concerned sanitary work company is bound to provide cleaning services materials and their refilling as and when required.

The companies providing janitorial services will be required to provide quality janitorial services, complete their personnel strength on daily basis which will be ensured through biometric attendance. Also, the companies will be subject to pecuniary penalties by hospital authorities if services provided are not according to the contracts.

5.4.2 Laundry Services

Different models were being applied by the hospital administrations individually which were not properly catering the basic requirement of washing and disinfection of different items used for hospitals. This model includes the initial procurement of different daily use items such as three different colors bed sheets and pillow covers and are to be changed thrice a day. Moreover, the concerned company must provide washing and cleaning services of bed sheets, pillow covers, blankets along with covers, apparels/OT clothes.

5.4.3 MEPG Services

The service of the hospitals is suffering badly due to improper functionality of the existing electrical and mechanical equipment which arises due to lack of maintenance. This model satisfies the need of proper maintenance plan which comprises of regular visits of technicians for looking after of electrical and mechanical equipment and accessories. Outsourcing company will be responsible for immediate response and above mentioned services.

5.4.4 CT Scan Services

CT Scan Services in selected Hospitals of Punjab are also being undertaken as a component of Government's decision to revamp all Secondary Healthcare. The objective of this initiative is to provide high quality CT Scan Services to widely scattered population of low socio-economic groups at their door steps. It will ensure provision of satisfactory diagnose infections, muscle disorders, and bone fractures. The imaging technique of CT Scan can help doctor to study the blood vessels and other internal structures and assess the extent of internal injuries and internal bleeding.


5.4.5 Security

The outsourcing model is designed due to non-provision of security arrangements and improper parking in different areas of premises of hospital. This model consists of guards who shall work in two shifts to provide security and surveillance for complete premises of hospital excluding residential areas. The devices required for this service to operate are arms, walkie talkie, Base set per unit and torch etc.


5.6 HR & Management Interventions Structure

HR Interventions can be broadly classified into introduction of New Management Structure (NMS) staff.

New Organogram of Hospital



MS •AMS/ SUPPORT MANAGER •IT/Data Analysis •IT/ Statistical Officer •4 Data Entry Operators Admin Admin Officer •4 Monitors Security Transport Parking Janitorial Canteen •External House Keeping •Civil Works Technical works •Electrical Works •Internal House Keeping Laundry •Stores & Supplies



5.6.1 <u>Non Clinical HR Interventions (Human Resource (HR) Plan</u> <u>Management Structure)</u>

Institution will run under the administrative control of Medical Superintendent, who will control this with the collaboration and cooperation of 3 Additional Medical Superintendents including AMS (Admin), AMS (HR & Budget) and AMS (clinical), 3 Deputy Medical Superintendents (morning, evening and night) will be reporting to AMS Clinical. Each clinical facility will be further controlled by head of concerned department and 6 administrative posts of HR & Legal Officer, IT/Static Officer, Budget & Account Officer, Admin Officer, Procurement Officer and Audit Officer will be provided as supporting hands for AMS Admin and AMS HR & Budget for smooth execution of hospital tasks.

Responsibilities / Job Descriptions, Eligibility & Financial Implications for Management Structure of Hospital

5.6.2.1 Medical Superintendent

Shall be overall responsible for all the affairs of the Hospital

5.6.2.2 AMS Admin.

Shall be responsible for following functions in addition to his own duties:

- 1. General administration
- 2. IT/Data analysis/statistics keeping (biometric machines, etc.).
- In case of outsourced interventions like QMS/EMR he shall be responsible for enforcement of contract and in case of violation shall ensure action has been taken as envisaged in the contract.
- 4. He shall be responsible for entry of data on Citizen Feedback Model.
- 5. He shall be responsible for ensuring collection of report of actions taken on CFM reports and entry of that on CFM.
- 6. He shall be responsible for implementation of any IT related initiative in the hospital.
- 7. He shall be responsible for better record keeping of hospital
- 8. He shall devise and implement systems for better record keeping of hospital

9. He shall ensure generation of all types of reports/information required of hospital by District Government/P&SHD/any other authorized Public agency

New Management Structure (NMS)

In place of the clerical positions, the P&SH Department has introduced a New Management Structure (NMS), in all District and Tehsil Headquarters Hospitals. The officers recruited as a part of the NMS have a minimum of 16 years of education. Their minimum qualification is MBA / B.Sc. Engineering / M.Com / Pharm-D / M.Cs / LLB / MPA / CA Inter / ACCA / ACMA / Master Degree or equivalent in relevant field etc. Their recruitments were undertaken through a competitive process by a third party testing service.

5.6.2.3 Admin Officer

Shall be responsible for general administrative affairs of hospital along with following functions:

- 1. Security
- 2. Transport
- 3. Parking
- 4. Janitorial
- 5. External housekeeping
- 6. Electrical works
- 7. Internal housekeeping
- 8. Laundry
- 9. Stores & supplies

In case these functions have been outsourced, he shall be responsible for enforcement of these contracts and shall ensure that penalties are imposed in case of violation of contract. In case he fails to enforce contract and the outsourced function is not performed at par as per contract and penalties have not been imposed he shall be liable for non-action. Moreover, only reporting of violation of contract shall not suffice but he has to ensure follow up till the penalty has been imposed and action as envisaged in contract in case of violation has been taken.

Eligibility Criteria

 Minimum qualification Masters' degree in Economics/ Public Administration/ Finance/ MBA Finance/Administration or equivalent from HEC recognized University 2. Minimum 2 years post degree experience of administration (Additional credit may be given for hospital administration/ Public sector administration of similar nature)

5.6.2.4 <u>Human Resource Officer</u>

Shall be responsible for following:

- Issuance of monthly Duty rosters & special duty rosters of Eid,
 Muhurram etc. of all clinical & non-clinical staff in hospital
- 2. Issuance of Transfer/postings orders within hospital
- 3. Taking of joining from new incumbents and charge relieving orders of relinquishing officials
- 4. File maintenance of all employees of hospital
- 5. Record of all enquires of employees of hospital
- 6. Leave record of employees
- 7. Adjustment of officials on duty during leave of concerned employee
- 8. Litigation/ legal issues of hospital (shall ensure all court cases are well attended and all legal matters of hospital are well taken care of)
- 9. Any other HR related function assigned by MS/AMS

Eigibility Criteria

- Minimum qualification Masters' degree in Economics/ Public Administration/ Finance/ MBA HR/Management/ Finance/Administration or equivalent from HEC recognized University
- 2. Minimum 1 year post degree experience of administration (Additional credit may be given for hospital administration/Public sector experience of similar nature)

5.6.2.5 IT/Statistical Officer

He shall be responsible for IT support for all IT interventions in the hospital.

He shall be in liaison with HISDU, P&SHD for proper reflection of hospital record on HISDU dashboard. In case there is any discrepancy or error he shall resolve the issue. Moreover, he shall be responsible for functionality of all IT equipment.

Eligibility Criteria

- Minimum qualification Masters' degree in Computer Science or equivalent from HEC recognized University
- 2. 2 years post degree experience of IT/Data analysis(Additional credit may be given for similar assignment experience)

5.6.2.6 Finance & Budget Officer

Shall be responsible for following:

- 1. Handling of all financial matters of hospital
- 2. Petty cash handling
- 3. Preparation of budget
- 4. Budget review
- 5. Maintenance of accounts and record
- Any other function assigned by AMR HR & Finance/MS/P&SHD

Eigibility Criteria

- Minimum qualification Masters' degree in Finance/ MBA Finance or equivalent from HEC recognized University (Additional credit may be given to Charter accountant/ACCA)
- Minimum 2 years post degree experience of Finance, Accounts
 Budget (Additional credit may be given for Public sector experience of similar nature)

5.6.2.7 Procurement Officer

Shall be responsible for following functions:

- 1. Procurement of all kinds for hospital
- 2. Shall be in liaison with P&SHD for procurements being conducted
- 3. Any other function assigned by AMS HR & Finance /MS/P&SHD

Eigibility Criteria

- Minimum qualification Masters' degree in Finance/ MBA Finance or equivalent from HEC recognized University
- 2. 2 years post degree experience of procurement (Additional credit may be given for public sector experience of procurement)

5.6.2.8 **Quality Assurance Officer**

He shall be responsible for quality of all things in the hospital.

Eligible Criteria

 Masters in Total Quality Management / Masters in Public Health/ Masters in Health Administration/ Masters in Hospital Management / Masters in Biochemistry / Biotechnology / Molecular Biology / Microbiology from an HEC recognized University or equivalent.

OR

16 years education along with Post graduate diploma in Total Quality Management/ Post graduate diploma in Health Safety and Environmental Management System / Post graduate diploma in Healthcare and Hospital Management / Quality Assurance or equivalent.

2. Minimum 1 Year post degree relevant experience.

5.6.2.9 Logistics Officer

He shall be responsible for Supply Chain, logistics, fleet, warehousing and inventory management, clearing and forwarding in the hospital.

Eligible Criteria

- 1. M.Sc. Supply Chain Management/ MBA or Equivalent.
- 2. One year experience in Supply Chain, logistics, fleet, warehousing and inventory management, clearing and forwarding.

5.6.2.10 Data Entry Operators (DEO)

Four Data entry operators shall help IT officer in dispensation of his responsibilities.

Eligible Criteria

 Minimum qualification BA / B.Sc / B.COM / BCS or equivalent from HEC recognized University. In case of BA/B.COM candidate must have six months computer course / Diploma.

- 2. Proficient in MS Word/ MS Excel/ MS Power point (additional credit may be given for additional relevant certified computer courses)
- 3. 1 years post degree relevant experience

5.6.2.11 Assistant Admin Officer

Shall be responsible for general administrative affairs of hospital and assist the admin officer.

Eligibility Criteria

- Minimum qualification Masters' degree in Social Sciences/Economics/ Public Administration/ Finance/ MBA Finance/Administration or equivalent from HEC recognized University
- 2. Minimum 2 years post degree experience of administration (Additional credit may be given for hospital administration/Public sector administration of similar nature).

5.7 HR for QMS and MSDS and Day Care Center.

5.7.1.1 QMS Supervisor / Information Desk Officer

Shall be responsible whole QMS networking

Eligible Criteria

- M.Sc. (Comp. Engineering, Electronics, Electrical Engineering, IT, Telecommunication, Com. Science, Software Engineering, MCS), BCS (Comp. Engineering, Electronics, Electrical Engineering, IT, Telecommunication, Com. Science, Software Engineering, MBA, BBA, MPA, IT related 16 years Education.
- 2. Experience in the field of Software/Hardware/Network/DATA Quality Assurance, IT projects, IT enabled organizations, CCTV Control Room monitoring, Call Centre, Networking, Software Development will be considered as an added advantage during interview process.
- 3. Excellent communication Skill (Urdu, English) and IQ level
- 4. Age Limit of 21-28 years for Male & 21-30 years for Female
- 5. Typing Speed: 30WPM.

5.7.1.2 Computer Operators

Eight Computer operators shall help QMS Supervisor in dispensation of his responsibilities.

Eligible Criteria

- 1. Minimum qualification 14 year or Masters' degree from HEC recognized University
- 2. Proficient in MS Word/ MS Excel/ MS Power point (additional credit may be given for additional relevant certified computer courses)
- 3. 35 Word per Minute. Excellent communication in English and Urdu.

5.7.2 Consultants (MSDS) Implementation & Clinical Audit

Eligible Criteria

- 1. MBBS & Masters in Public Health, or equivalent qualification.
- 2. The consultant must have 10 years of hands on experience of third party validation, clinical audit of hospitals, Minimum Service Delivery Standards (MSDSs) implementation / hand holding; Report Writing; working knowledge of international best practices in hospital management will be preferred. Proficiency in MS Office is must. Must have strong communication skills.

5.7.2.1 <u>Terms of Reference (TORs) for Consultants Minimum Service</u> <u>Delivery Standards (MSDS) Implementation & Clinical Audit</u>

Government of the Punjab, Primary and Secondary Healthcare Department (P&SHD) is implementing multiple initiatives to improve the quality of healthcare at DHQ/THQ level across the province. One of the initiatives is Primary and Secondary Healthcare Revamping program which is being implemented by the Project Management Unit (PMU). Currently PMU is also involved in the standardization of quality of care at facility level through uniform set of Standard Operating Procedures (SOPs) & Standard Medical Protocols (SMPs) for compliance. The department intends to make all DHQs and THQ hospitals of Punjab as MSDS compliant which have been devised by Punjab Healthcare Commission.

Punjab Healthcare Commission was established under the PHC Act 2010 as an autonomous regulatory body for health sector; with the purpose of improving the quality, safety and efficiency of healthcare service delivery for all Public and Private Healthcare Establishments (including Allopaths, Homeopaths and Tibbs) in the province of Punjab. The Punjab Healthcare Commission has developed

Minimum Service Delivery Standards (MSDS) for all hospitals to improve the quality of healthcare services all over the Punjab. All Healthcare Establishments are required to implement MSDS to acquire a License to deliver healthcare services in Punjab.

This standardization effort will not only ensure availability of minimum services delivery standards (MSDS), SOPs, SMPs at all levels, but also the other essential inputs for functioning of systems and processes to ensure the smooth and safe delivery of quality healthcare services. These will also create conducive working environment for healthcare providers.

5.7.2.2 Objectives

The objective of this assignment is to implement & check all SOPs, SMPs, Minimum Service Delivery Standards (MSDS) & conduct clinical audit for 125 DHQ/THQ hospitals. Furthermore, the consultant will also monitor ongoing multiple trainings at DHQ/THQ hospitals.

5.7.2.3 Scope of Work

- 1. Develop policy & strategy for clinical audit of 125 hospitals.
- 2. Develop detailed clinical audit plan, with expected deliverables from hospitals. 360 degrees clinical audit.
- Visit DHQ/THQ hospitals, to assess MSDS implementation and detailed report generation with short coming & highlight areas of improvement.
- 4. Review SOPs, SMPs & ISO Standards in hospitals to identify non-compliance.
- Visit DHQ/THQ hospitals to implement clinical audit as per devised strategy, as well as monitoring and implementing MSDS standards.
- 6. Prepare detailed visit reports of clinical short comings; and suggest, and implement improvement plan.
- 7. Monitoring & auditing of patient referral system, detailed report on error and recommendations on rectification of errors.
- Visit DHQ/THQ hospitals to implement clinical audit as per devised strategy, as well as monitoring and implementing MSDS standards.
- 9. Prepare detailed visit reports of clinical short comings; and suggest, and implement improvement plan.
- 10. Monitoring & auditing of patient referral system, detailed report on error and recommendations on rectification of errors.
- 11. Monitoring and evaluation of multiple trainings imparted at DHQ/THQ hospitals.
- 12. Any other relevant task assigned by Project Director/Director Quality Assurance / Project Manager.

5.7.2.4 Reporting Arrangements

 The Consultant (MSDS & Clinical Audit) will report to the Project Director/Director Quality Assurance/Senior Project Manager, P&SHD

5.7.2.5 <u>Duration of Assignment</u>

 The duration of assignment will initially be for THREE MONTHS / 120 DAYS which will be extendable subject to satisfactory performance.

5.7.2.6 Outputs / Key Deliverables

- Study/desk review the relevant Minimum Service Delivery Standards (MSDS) prescribed by PHC & ISO Standards, train the hospital staff/monitor/facilitate their implementation.
- Study/desk review the existing Standard Operating Procedures (SOPs), train the hospital staff/monitor/facilitate their implementation and suggest improvements where necessary.
- Study/desk review the existing SMPs, train the hospital staff/monitor/facilitate their implementation and suggest improvements where necessary.
- Conduct hospital visits of 125 DHQ/THQ hospitals (each DHQ hospital to be visited monthly & each THQ hospital every three months).
- Conduct formal hospital survey for confirming the implementation of MSDS on the relevant Scoring Matrix.
- Submit detailed report of each hospital visit on a standard format prescribed for the purpose.
- Conduct a system, process analysis with special emphasis on clinical audit and submission of detailed report accordingly.

5.7.2.7 Remunerations

- The consultant will be paid amount of Rs. **4500-6500/- per day** with no other benefits.
- All logistics will be arranged/reimbursed by PMU for field visits (accommodation, refreshments etc).

5.7.2.8 Terms of Payment

 Consultant will be paid on monthly basis throughout the contract period.

5.7.3 HR for Day Care Center

5.7.3.1 Manager Day Care Center (DCC)

Shall be responsible for general administrative affairs of DCC.

Eligibility Criteria

- Minimum qualification Masters' degree in Economics/ Public Administration/ Finance/ MBA Finance/Administration or equivalent from HEC recognized University
- 2. Minimum 2 years post degree experience of administration (Additional credit may be given for hospital administration/ Public sector administration of similar nature)

5.7.3.2 Montessori Trained Teacher

Shall be responsible for basic education of children.

Eligibility Criteria


- 1. Minimum qualification BA/BSC or equivalent from HEC recognized University along with B.Ed.
- Minimum 1 years post degree experience of teaching (Additional credit may be given for Public sector teaching of similar nature)

5.7.3.3 Attendant / Care Giver

Shall be responsible for special care of the children.

Eligibility Criteria

Minimum qualification Matric or equivalent alongwith diploma in relevant field



The Planning & Development Board vide letter No.12(24)PO(COORD-II)P&D/2022 dated 14-07-2022 has informed that revised standard pay package were discussed and approved by the 83rd PDWP meeting held on 28-06-2022 under the chairmanship of Chairman P&D Board for all ADP funded Project posts of Department /Organizations working in Government of the Punjab:

Project Pay Scale (PPS)	Revised Project Pay Scales (Permissible Range) (PKR)	Annual Increment Up to % age
PPS-1	28,000 44,800	10
PPS-2	35,00056,000	10
PPS-3	43,750 70,000	10
PPS-4	52,500 84,000	10
PPS-5	70,000112000	10
PPS-6	105,000 172,200	8
PPS-7	157,500258,300	8
PPS-8	218,750358,750	8
PPS-9	306,250502,250	8

PPS-10	437,500700,000	5
PPS-11	612,500 980,000	5
PPS-12	875,0001,400,000	5

In view of the above the Pay package of NMS staff has been revised. Financial Implications of New Management Structure Model based on revised Standard Pay Package (PPS) approved by the 83rd PDWP meeting held on 28-06-2022:

	No. of	Original Pa	ay package	Revised Pay package			
Name of Post	Employees	Per Month Salary	Salary for One Year	Per Month Salary	Salary for One Year		
Admin Officer	1	80,000	960,000	105,000	1,260,000		
Human Resource Officer	1	80,000	960,000	105,000	1,260,000		
IT/Statistical Officer	1	80,000	960,000	105,000	1,260,000		
Finance & Budget Officer	1	80,000	960,000	105,000	1,260,000		
Procurement Officer	1	80,000	960,000	105,000	1,260,000		
Quality Assurance Officer	1	80,000	960,000	105,000	1,260,000		
Logistics Officer	1	80,000	960,000	105,000	1,260,000		
Data Entry Operator (DEO)	2	35,000	840,000	44,000	1,056,000		
Assistant admin Officer	2	50,000	1,200,000	70,000	1,680,000		
Total	11		8,760,000	849,000	11,556,000		

5.8 Other Initiatives:

There are many other initiatives which government plans to undertake in order to improve healthcare services in the province. These include:

- Rehabilitation of Emergency Ward
- Fixture of Benches
- Addition of Bracket Fans/Water Coolers/LCDs with signage
- Supply of Laboratory/ Equipment/USG/ECG etc.
- CCU Improvement
- Installation of Water filtration plants
- Replacement of Bed sheets/Pillows/Matrasses
- Installation of Transformers/Dual Connection
- Improvement of Labor rooms/Nurseries

- Maintenance and replacement of Air-conditioners through Outsourcing
- Blood Bank improvement
- Installation of CCTV Cameras
- Installation of Basic Fire-fighting Equipment
- Up gradation of Pharmacy and medicine Store
- Improvement of Internal Roads and laying of Tough pavers
- External Development
- Rehabilitation of Hepatitis/T.B Control

The PMU is essential to deliver the project end-item within budget and time limitations, in accordance with technical specifications, and, when specified, in fulfillment of project objectives.

5.9 Patient Management Protocol

5.9.1 Emergency:

- 1. Initial reception and computerization of data, issuance of medical record number and preparation of record file.
- 2. Patients seen by C.M.O. initial assessment (brief history and physical examination) is entered on the emergency slip/file initial treatment is started.
- 3. C.M.O calls the medical officer / house officer of the relevant department who takes on of the following action:
 - i. Discharges the patient from emergency department after the patient is stabilized (himself or after consultation).
 - ii. Returns the patient in emergency department and inform the consultant or call such patient is either discharged after some time i.e. 2 hours of admitted later on
 - iii. Patient is straight way admitted by the medical officer himself or in consultation with the consultant
- A separate record is maintained by each department. Each patient discusses at the morning meeting and any pitfalls are any pitfalls are corrected.
- 5. The patient who is admitted is again entered into the computer in the ward, complete history and physical examination is carried out and relevant lab & radiological investigations are ordered. (If not already done in the emergency department).

- 6. The definitive management is either started by the medical officer himself or in consultation with the consultant. (Telephone or physically). The patient is prepared for surgery if required.
- 7. At the evening round of the ward, the patients admitted throughout the day (Through OPD or emergency) are seen by the specialist. Appropriate changes in the management are carried out.
- 8. During the night, medical officer & house officer will be on duty and they will remain in contact with consultant.
- 9. In the morning round all the new admissions and old patients are thoroughly discussed management / treatment changed, surgery ordered or discharge ordered.
- 10. The discharge certificate is either prepared by the house officer or medical officer. If prepared by the house officer, it is countersigned by the medical officer

Appropriate changes are made in the computer record after discharge. The file is sent to the central record.

5.9.2 O.P.D:

- 1. After the initial registration and issuance of computerized number patient is sent to the relevant medical officer with the OPD slip/file.
- 2. The medical officer / house officer of the relevant department performs the initial assessment. The medical officer himself advises the treatment / investigation or refers the patients to the specialist or admits the patient.
- 3. After admission. The same routine is followed which has been mentioned in the case of admission through emergency.

5.9.3 Death or End of Life Management.

- 1. The decision regarding resuscitation is made at the initial stages by the medical officer / house officer or specialist in consultation with the patient himself and / attendants.
- 2. The DNR (Do not resuscitate) patients are only seen by the medical officer/ hose officer at the time of death.
- 3. For the patients to be resuscitated, a special code (blue code) is declared when patient go onto cardiac or the terminal events.
- The policy for very sick / terminal and dying patients is formulated at the hospital administration level and appropriate modifications are decided in the relevant department for each patient.

Every death is discussed weekly at the mortality committee at the department and at the hospital level cleared by the Medical Superintendent.

5.9.4 Inventory Control System

The stock keeping and issuance of such items shall also be controlled and monitored through closer supervision and checks and balance system built in the software. The stock and expense of durable and consumable items will be kept in the system and also as hard copies. The main stores computers will be linked with the sub stores computers through networking. The areas like emergency. Outpatient department, Indoor registration desks, Laboratory and Radiology Department, ICUs, etc., will have linkages with the main and sub stores to know about:-

- 1. Stock in hand of various items
- 2. New receipt of these items
- 3. The items which have been issued to other departments
- 4. The Items which are not available
- 5. The expenditure incurred on the purchase.

The budget and details of account shall be linked with the financial control system.

5.9.5 Project Monitoring Committee

A Project Monitoring Committee is proposed hereby as under to monitor the project regarding Revamping of THQ Hospital:

1.	Deputy Commissioner	(Chairman)
2.	District Monitoring Officer	(Member)
3.	Executive Engineer Buildings	(Member)
4.	Assistant Commissioner Concerned	l (Member)
5.	MS THQ Hospital (S	Secretary/Member)

The committee will monitor the progress of the project and will hold regular weekly meeting to review the progress.

5.10 Relationship with Sectoral Objectives

The Government of the Punjab, Primary & Secondary Healthcare Department is in the process of undertaking number of initiatives to improve health care delivery system in the province. The Government of the Punjab is firmly committed to provide health care services at the doorstep of the community through integrated approach. A number of projects to improve emergency health care service particularly targeting on the promptness and quality have been

initiated. Although major focus is on disease prevention and health promotion strategies by providing specialist health care services to victims of various diseases in the patients is one of the top most priority. The instant project will be a major wing to health department with line departments.

Mainly the linkage with social welfare and human empowerment, labour and manpower, Education Department, Special Education, Home of the project will be in a vibrant environment in the holistic manner. The scope of the project itself aims to establish horizontal linkage with all the stakeholders through multisectorial approach. The health care facilities and ongoing services provided in the hospital will seek strength and viability from its linkage and public ownership.

6. DESCRIPTION AND JUSTIFICATION OF PROJECT

6.1 JUSTIFICATION OF PROJECT

attached

1. Description, Justification and Technical Parameters

The scheme has been estimated on face of the factual basic requirements and if needed, alterations and has been quoted in this PC-I. The Population of Alipur District Muzaffargarh is more than 0.387 million. The area of the THQ Hospital Alipur District Muzaffargarh is 173,985 SFT land.

6.1 <u>Description and Justification</u>

The Project Management Unit, Revamping Program, Primary and Secondary Healthcare Department planned to start the 2nd Phase of the said revamping program. The instant PC-I is also meant for provision of requisite biomedical and non-biomedical equipment, Electricity, Furniture & Fixture, Signage, HR and outsourcing of services for THQ Alipur District Muzaffargarh

Revamping of THQ Alipur District Muzaffargarh constitutes of value addition in all major domains of the hospital including improvement of Civil infrastructure, addition of water filtration plant facility, value addition in Emergency ward and making the health facility more equipped with modern bio-medical equipment. State of the art furniture and fixtures complemented by interior and exterior decors are also part of this revamping project backed by the thought of dedicated express line of electricity to ensure smooth operations of hospitals will bring the modern health facilities in healthy and comfortable environment at the door step of masses. Introduction of new model of outsourcing of laundry services to ensure provision of neat and clean bed sheets, pillow covers, blankets etc. round the clock is also a part of this project. Fool proof security and adequate cleanliness measures of whole health facility are also proposed in this PC-I.

Civil work component will be carried out through C&W Department instead of District Health Authority for this hospital. Value addition in Emergency block is proposed in four domains i.e. Triage, Minor O.T, Specialized care room and emergency ward. Addition of Water Filtration Plant facility where it is not available as unclean or polluted water is devastating for human health. A key consideration was made while selecting furniture and its compatibility with hospital grade cleaners, detergents and disinfectants. Signage is an effective interface between the user and intended facility. Effective signage promotes the healthcare facility in a patient friendly manner. Access is an important part of quality of care. A crucial aspect for patient satisfaction is their comfort levels with the facility itself i.e. a person's ease in navigating a facility, and the timeliness in receiving care. Clear and proper signage at strategic points helps patients in reaching their destination without losing much of their valuable time and saves lot of their efforts in unnecessary enquiring from persons. In this regard, the Equipment of Emergency, Bio-Medical, Non-Bio-Medical, Electricity, Signage, Janitorial, Security, Laundry, Maintenance of Generator and Horticulture have been added as per actual requirement of the Hospital. The Equipment of MSDS, IT, Furniture Fixture, Day Care Center, HR, Medical Gases, Cafeteria are fixed in all hospitals as per yardstick established by P& SH Department. Prior to initiation of this exercise standardization of required facilities was done by committee of experts in P & SH Department and on the basis of it, gaps were identified which would be covered under this PC-I.

Justification for 3rd Revision of PC-I

- 1. Originally the Civil work component of the scheme was planned to be executed by the Health Council of the concerned District Health Authority based on cost estimates prepared by the Infrastructure Wing of PMU and approved by the DDSC. Accordingly, funds of Rs.3, Rs.5 and Rs.10 million were provided during FY 2017-18 for the execution of work as per parameters provided to these THQ Hospitals. However, no reasonable revamping civil work was carried out and hence did not fulfil the requirement and the objectives of the Revamping Program. Now P&SHD has decided to carry out further revamping of Civil work through Communication and Works Department Punjab to accomplish the uniformity of THQ Hospitals with already revamped hospitals of Phase-I. Hence the Rough Cost Estimates of the Punjab Buildings Department has been included in the civil work cost of this scheme.
- 2. Primary & Secondary Healthcare Department (P&SHD) made a decision to shift all the clerical posts in DHQ / THQ hospitals of Punjab to District Health Authorities as per notification dated 24th October, 2017. This administrative decision was taken due to a multiplicity of reasons which were adversely affecting healthcare service delivery in the hospitals. Primarily, these clerical posts were not specialized in any particular field, and therefore, the HR hired against these posts were generalized to the extent that they were not able to perform functions of Hospitals and Health Specific tasks that any medical administration should ideally perform. Additionally, public complaints against the clerical staff on issues such as behavior, performance created an environment of malfeasance in all hospitals. In place of the clerical positions, the Department introduced a New Management Structure (NMS), in all District and Tehsil Headquarters Hospitals. The officers/officials recruited as a part of the NMS have a minimum of 16 years of education. Introduction of New Management Structures (NMS) across all secondary hospitals in the Punjab, has allowed for the overall efficiency of District and Tehsil Headquarters Hospitals. In each Tehsil Headquarter Hospital HR under MNS has been provided for smooth running of the health services. Pay Package for NMS Staff was never been revised since 2017-18, therefore it was decided to approach the P&D Department for revision of Pay package. The PDWP approved revised pay page in its meeting held on 08-02-2022 based on PPS approved in 60th PDWP meeting as under: -

	60 th PDWP Meeting								
Name of Posts	PPS Assigned	Permissible Range (PKR) & Annual increment	Approved Pay Package						
HR & Legal Officer, IT & Statistical Officer, Admin Officer, Procurement Officer, Finance & Budget Officer, Logistics Officer, Quality Assurance Officer, Audit Officer and Biomedical Engineer	PPS-6	75,000-105,000 (8% annual incr.)	75,000						
Assistant Admin Officer	PPS-5	50,000-75000 (10% annual incr.)	50,000						
Data Entry Operator	PPS-3	35,000-55,000 (10% annual incr.)	35,000						

Now the Planning & Development Board vide letter No.12(24)PO(COORD-II)P&D/2022 dated 14-07-2022 has informed that revised standard pay package were discussed and approved by the 83rd PDWP meeting held on 28-06-2022 under the chairmanship of Chairman P&D Board for all ADP funded Project posts of Department /Organizations working in Government of the Punjab. Therefore, the revised Pay Package has been incorporated in the revised PC-I.

- 3. As the gestation period of the PC-I till 30.06.2023, therefore, the cost of NMS has been revised for smooth running of the Tehsil Headquarter Hospitals and hence PC-I has been proposed till 30- 06-2025.
- 4. Infrastructure team has conducted the Joint visits with the team of C&W Department. During the field visits, few alterations were recommended by the technical teams which have been incorporated in the Revised Rough Cost Estimates of the subject scheme and have been attached with the PC-I along with comparative statement. Therefore, Civil works component cost has been decreased from Rs. 48.733 million to Rs. 45.800 million due to few changes in the scope and MRS rates (2nd Bi-annual 2022).

85 THQ Hospitals covered under the Program:

The location map of the 85 THQ hospitals that will be taken up for rehabilitation in this program is given below:

PROJECT MANAGEMENT UNIT PRIMARY & SECONDARY HEALTHCARE DEPARTMENT



LOCATION OF DHQ AND THQ HOSPITALS IN PUNJAB



6.2 SECTORAL SPECIFIC INFORMATION

Social Sectors, Health Department

7. CAPITAL COST ESTIMATES

Financial Components: Revenue Grant Number: Development - (PC22036)

Cost Center:OTHERS- (OTHERS)

LO NO:LO17011138

Fund Center (Controlling): N/A

A/C To be Credited: Assan Assignment

PKR Million

S r #	Object Code	2019-2020		2020	2020-2021		2021-2022		2022-2023		2023-2024		-2025
		Local	Foreign	Local	Foreign	Local	Foreign	Local	Foreign	Local	Foreign	Local	Foreign
1	A12403-Other Buildings	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
2	A05270-To Others	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	Total	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

Financial Components: Capital Grant Number: Government Buildings - (PC12042)

Cost Center:OTHERS- (OTHERS)

LO NO:LO22010057

Fund Center (Controlling):LE4203 A/C To be Credited:Account-I

PKR Million

S r #	Object Code	2019-2020		2019-2020 2020-2021		2021-2022		2022-2023		2023-2024		2024-2025	
		Local	Foreign	Local	Foreign	Local	Foreign	Local	Foreign	Local	Foreign	Local	Foreign
1	A05270-To Others	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
2	A12403-Other Buildings	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

Total	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Total	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

			Δ	bstra	act of C	Cost						
Name of THQ Hospital					Revampir	ng of TH	Q Hospit	tal ALIPUR				
Scope of work					•		million					
		Original			1st Revised	t		2nd Revised	d		3rd Revised	d
	Capital	Revenue	Total	Capital	Revenue	Total	Capital	Revenue	Total	Capital	Revenue	Total
Capital component												
Internal development	0.000	24.262	24.262	0.000	24.262	24.262	20.032	10.000	30.032	50.530	10.000	60.530
External development	0.000	4.736	4.736	0.000	4.736	4.736	15.688	0.000	15.688	20.526	0.000	20.526
Water filtration plant	0.000	5.600	5.600	0.000	5.600	5.600	2.501	0.000	2.501	2.360	0.000	2.360
Total Capital Component	0.000	34.597	34.597	0.000	34.597	34.597	38.221	10.000	48.221	73.416	10.000	83.416
Revenue component												
Emergency	0.000	20.463	20.463	0.000	20.463	20.463	0.000	27.876	27.876	0.000	47.336	47.336
MSDS	0.000	8.647	8.647	0.000	8.647	8.647	0.000	9.654	9.654	0.000	13.438	13.438
Med. Machinery and Equipment	0.000	44.540	44.540	0.000	44.540	44.540	0.000	59.123	59.123	0.000	85.975	85.975
Electricity	0.000	16.130	16.130	0.000	16.130	16.130	0.000	16.630	16.630	0.000	28.186	28.186
IT & QMS & Surveillance	0.000	14.515	14.515	0.000	14.515	14.515	0.000	16.715	16.715	0.000	20.120	20.120
Furniture and Fixtures	0.000	13.504	13.504	0.000	13.504	13.504	0.000	13.504	13.504	0.000	18.788	18.788
Interior and Exterior decorations/ Signage	0.000	3.124	3.124	0.000	3.124	3.124	0.000	4.271	4.271	0.000	4.271	4.271
Day Care Center	0.000	1.600	1.600	0.000	1.600	1.600	0.000	1.600	1.600	0.000	1.600	1.600
Human resource (HR) plan	0.000	17.220	17.220	0.000	17.220	17.220	0.000	35.520	35.520	0.000	50.058	50.058
LC Deficit during procurement (currency							0.000	2.248	2.248	0.000	2.248	2.248
fluctuation)												
Total Revenue component	0.000	139.743	139.743	0.000	139.743	139.743	0.000	187.140	187.140	0.000	272.020	272.020
Outsourcing component												
Janitorial Services	0.000	13.182	13.182	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Security and Parking services	0.000	5.854	5.854	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Laundry Services	0.000	2.400	2.400	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Maintenance (Generator)	0.000	2.670	2.670	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
MEP	0.000	3.958	3.958	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Medical Gases	0.000	1.304	1.304	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Cafeteria	0.000	6.743	6.743	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Horticulture services	0.000	2.945	2.945	0.000	0.048	0.048	0.000	0.048	0.048	0.000	0.048	0.048
Total outsourcing cost	0.000	39.056	39.056	0.000	0.048	0.048	0.000	0.048	0.048	0.000	0.048	0.048
Total	0.000	213.397	213.397	0.000	174.389	174.389	38.221	197.188	235.409	73.416	282.068	355.484
Contingency (1%) only on Civil	0.000	0.346	0.346	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Component	0.000	0.404	0.40:	0.000	0.000	0.005	0.000	0.000	2.225	0.000	0.000	0.005
Third Party Monitoring (TPM) (1%)	0.000	2.134	2.134	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Third Party Validation (TPV) (1%)	0.000	2.134	2.134	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Grand Total	0.000	218.011	218.011	0.000	174.389	174.389	38.221	197.188	235.409	73.416	282.068	355.484

													Oud Davis ad			
					rigina	1		Revis	ed		l Revis	ed		l Revise	ed	
Sr. No.	Area	ITEM DESCRIPTION	Yard Stick	Required Quantity (T=6+S=0+E=6)	Actual Unit Price	Actual Total Cost(Rs)	Required Quantity (T=6+S=0+E=6)	Actual Unit Price	Actual Total Cost(Rs)	Required Quantity (T=6+S=0+E=6)	Actual Unit Price	Actual Total Cost(Rs)	Required Quantity (T=6+S=0+E=6)	Actual Unit Price	Actual Tota Cost(Rs)	
1	D	Table	0		99,750			99,750	-		99,750			99,750	-	
2	Reception Area	Chairs	0		26,775	-		26,775	-		26,775	-		30,000	-	
3		Computer Data Entry With Printer	1	1	141,750	141,750	1	141,750	141,750	1	141,750	141,750	1	195,000	195,00	
4	3	Table (2.5 X 4)*(N)	0	0	101,850	-	0	101,850	-	0	101,850	-	0	101,850	-	
5	6	Chairs *(N)	0	0	26,775	-	0	26,775	-	0	26,775	-	0	30,000	-	
6		B.p apparatus wall type*(N)	3	6	15,750	94,500	6	15,750	94,500	6	30,000	180,000	6	30,000	180,00	
7		Gurney WITH FOOT STEP)*(N)	3	6	420,000	2,520,000	6	420,000	2,520,000	6	460,000	2,760,000	6	800,000	4,800,00	
8		Mercury B.P apparatus*(N)	2	4	33,600	134,400	4	33,600	134,400	4	36,000	144,000	4	36,000	144,00	
9		Laryngoscope paeds &adult each*(N)	2	4	10,500	42,000	4	10,500	42,000	4	12,000	48,000	4	20,000	80,00	
10		Diagnostic set*(N)	1	2	45,150	90,300	2	45,150	90,300	2	50,000	100,000	2	85,000	170,00	
11		ECG Machine (with trolley) *(N)	1	2	169,785	339,570	2	169,785	339,570	2	180,000	360,000	2	300,000	600,00	
12	Triage area	Central oxygen with accessories FOR each	0	0	420,000	-	0	420,000	-	0	-	-	0	-	-	
13		NEBULIZER HD*(N)	2	4	125,265	501,060	4	125,265	501,060	4	215,000	860,000	4	300,000	1,200,00	
14		SUCKER MACHINE*(N)	1	2	259,350	518,700	2	259,350	518,700	2	275,000	550,000	2	300,000	600,00	
15		Resuscitation Trolley (fully equipped))*(N)	1	2	244,733	489,466	2	244,733	489,466	2	400,000	800,000	2	600,000	1,200,00	
16		INSTRUMENT CABINET*N	1	2	69,300	138,600	2	69,300	138,600	2	69,300	138,600	2	69,300	138,60	
17		MEDICINE TROLLY*N	1	2	60,900	121,800	2	60,900	121,800	2	60,900	121,800	2	60,900	121,80	
18	1	O.T table WITH foot step	1	1	1,417,500	1,417,500	1	1,417,500	1,417,500	1	2,000,000	2,000,000	1	2,500,000	2,500,00	
19		Anesthesia Machine	1	1	2,509,554	2,509,554	1	2,509,554	2,509,554	1	3,000,000	3,000,000	1	7,000,000	7,000,00	
20		Sucker machine	1	1	259,350	259,350	1	259,350	259,350	1	275,000	275,000	1	300,000	300,00	
21		Portable O.T Lights	1	1	304,220	304,220	1	304,220	304,220	1	500,000	500,000	1	900,000	900,00	
22	Minor O.T	Ceiling o.t light	1	1	414,750	414,750	1	414,750	414,750	1	800,000	800,000	1	950,000	950,00	
23	WIIIIOI O.1	Hot air oven	1	1	110,000	110,000	1	110,000	110,000	1	385,000	385,000	1	450,000	450,00	
24		Autoclave	1	1	441,000	441,000	1	441,000	441,000	1	550,000	550,000	1	850,000	850,00	
25		Instrument trolley*N	1	1	54,000	54,000	1	54,000	54,000	1	54,000	54,000	1	55,000	55,00	
26		Defibrillator*N	1	1	310,000	310,000	1	310,000	310,000	1	650,000	650,000	1	800,000	800,00	
27		Instrument cabinet	1	1	69,300	69,300	1	69,300	69,300	1	69,300	69,300	1	69,300	69,30	
28		GURNEYS*N	4		420,000	-		420,000	-		460,000	-		850,000	-	
29		Sucker machine *(N)	2		259,350	-		259,350	-		275,000	-		300,000	-	
30		Nebulizer HD*(N)	2		125,265	-		125,265	-		215,000	-		300,000	-	
31		Center Oxygen supply*N	1		420,000	-		420,000	-		-	-		-	-	
32	Constant /	Resuscitation Trolley (fully equipped))*(N)	1		237,618	-		237,618	-		400,000	-		600,000	-	
33	specialized	Defibrillator*N Pulse- oximeter*(N)	1		302,605	-		302,605	-		650,000	-		800,000	-	
35	care room	Bedside-monitor*(N)	4		104,000	-		104,000	-		160,000	-		225,000	-	
36		ECG MACHINE)*(N)	4		301,665	-		301,665	-		550,000	-		1,200,000	-	
37		BP APPARATUS*N	1		169,785 15,750	-		169,785 15,750	-		169,785 16,000	•		300,000 16,000	-	
38		FOOT STEP)*(N)	1		3,150	-		3,150	-		4,000	-		5,500	-	
39		ATTANDANT BENCH)*(N)	1		5,250	-		5,250			8,000	-		10,000	-	
40	7	(MOTRIZED BEDS) with accessories (with foot steps*(N)	7	6	210,000	1,260,000	6	210,000	1,260,000	6	400,000	2,400,000	6	600,000	3,600,00	
41	6	ECG machine(with trolley) *(N)	1	1	169,785	169,785	1	169,785	169,785	1	169,785	169,785	1	300,000	300,00	
42		Pulse- oximeter *(N)	6	6	104,000	624,000	6	104,000	624,000	6	160,000	960,000	6	225,000	1,350,00	
43		Bedside-monitor*(N)	3	3	301,665	904,995	3	301,665	904,995	3	550,000	1,650,000	3	1,200,000	3,600,00	

Emergency Equipment

				C	rigina	I	1st Revised			2nd Revised			3rd Revised		
Sr.	. Area	ITEM DESCRIPTION	Yard	Required Quantity	Actual Unit	Actual Total									
44		B.P apparatus wall type *(N)	6	6	26,250	157,500	6	26,250	157,500	6	30,000	180,000	6	30,000	180,000
45	word	Nebulizer HD *(N)	2	2	125,265	250,530	2	125,265	250,530	2	215,000	430,000	2	300,000	600,000
46	ward	Resuscitation Trolley (fully equipped))*(N)	1	1	237,618	237,618	1	237,618	237,618	1	400,000	400,000	1	600,000	600,000

					<u></u>	, <u>–</u> 9	a.p								
				C	rigina	I	1st	Revis	ed	2nd	d Revis	ed	3rc	l Revise	ed
Sr		ITEM DESCRIPTION	Yard	Required Quantity	Actual Unit	Actual Total									
47	7	Defibrillator*N	1	1	299,153	299,153	1	299,153	299,153	1	650,000	650,000	1	800,000	800,000
48	3	Sucker machine *(N)	2	2	259,350	518,700	2	259,350	518,700	2	275,000	550,000	2	300,000	600,000
49)	Wheal chairs *(N)	0	0	31,500	-	0	31,500	-	0	35,000	-	0	35,000	-
50)	Stretcher *(N)	0	0	69,300	-	0	69,300	-	0	69,300	-	0	69,300	-
51		ambo bag paeds with Mask*N	5	5	15,750	78,750	5	15,750	78,750	5	19,000	95,000	5	19,000	95,000
52	Generalized	ambo bag adult with Mask* N	5	5	15,750	78,750	5	15,750	78,750	5	19,000	95,000	5	19,500	97,500
53	3	patient stool * N	2	2	4,085	8,169	2	4,085	8,169	2	4,500	9,000	2	5,000	10,000
54	l .	Portable x-rays (300 M.A)	1	1	3,450,350	3,450,350	1	3,450,350	3,450,350	1	4,300,000	4,300,000	1	9,800,000	9,800,000
55	5	Portable ultra-sound	1	1	1,403,325	1,403,325	1	1,403,325	1,403,325	1	1,500,000	1,500,000	1	2,400,000	2,400,000
		Total				20,463,445			20,463,445		22,172,770	27,876,235		38,241,400	47,336,200
						20.463	·		20.463		22.173	27.876		38.241	47.336

MSDS

		(Origina	al	1s	t Revi	sed	2n	d Revi	sed	3rc	d Revis	ed
Sr. No.	ITEM DESCRIPTION	Quantity Required	Actual Unit Price	Actual Total Cost(Rs)									
1	Histology slide boxes	3	3,100	9,299	3	3,100	9,299	3	4,500	13,500	3	4,500	13,500
2	Labeling Device connected with	3	60.000	180.000	3	60,000	180.000	3	80.000	240.000	3	80,000	240,000
_	Computer		,	,		· ·	,		,	-,		,	· ·
3	Safe Transportation Boxes	2	15,750	31,500	2	15,750	31,500	2	18,000	36,000	2	18,000	36,000
4	Portable Safety Exhaust Hood	0	160,000	160,000	0	160,000	160,000	0	250,000	250,000	0	450,000	450,000
5 6	Centrifuge Machine Hot plates	2	149,336 26,250	52,500	2	149,336 26.250	- 52.500	2	250,000 45.000	90.000	2	325,000 55.000	110.000
7	Water bath	1	157,500	157,500	1	157,500	157,500	1	157,500	157,500	1	300,000	300,000
	Complaint boxes	10		31,500	10	3,150	31,500	10			10		31,500
9	Spine boards with Neck holders	4	3,150 31,080	124,320	4	31,080	124,320	4	3,150 31,080	31,500 124,320	4	3,150 31,080	124,320
10	Sensitometer	1	137,325	137,325	1	137,325	137,325	1	137,325	137,325	1	137,325	137,325
11	Densitometer personal	2	191,391	382,782	2	191,391	382,782	2	191,391	382,782	2	191,391	382,782
12	Box of Films	2	26,250	52,500	2	26,250	52,500	2	30,000	60,000	2	30,000	60,000
13	Aluminium Step Wedge	1	26,250	26,250	1	26,250	26,250	1	26,250	26,250	1	26,250	26,250
14	Non-Mercury thermometer	10	305	3,045	10	305	3,045	10	350	3,500	10	750	7,500
15	Brass or copper mesh screen	2	5,250	10,500	2	5,250	10,500	2	5,250	10,500	2	5,250	10,500
16	Wheel Chairs	0	31,500	-	0	31,500	10,500	0	35,000	-	0	35,000	10,500
17	Statures	0	67.830		0	67.830		0	75,000		0	75,000	
18	Blood Warmer	3	246.750	740.250	3	246.750	740.250	3	275.000	825.000	3	275.000	825.000
19	Sequence Compression Device	2	210,000	420.000	2	210.000	420.000	2	230,000	460.000	2	600.000	1,200,000
20	Blood Bank Refrigerators with	0	682,500	420,000	0	682,500	420,000	0	700,000	400,000	0	,	1,200,000
21	Data Coder	1	84.000	84,000	1	84.000	84,000	1	100,000	100,000	1	1,469,900	-
22	Plasma Separator 1	0	4,200,000	04,000	0	4,200,000	04,000	0	4,500,000	100,000	0	4,500,000	
23	Blood Storage Cabinet	1	682,500	682,500	1	682,500	682,500	1	700,000	700,000	1	1,469,900	1,469,900
24	Resuscitation Trolley	0	244,733	-	0	244,733	-	0	400,000	700,000	0	491,350	1,409,900
25	Ultra sound machine gyne	0	1,403,325	-	0	1,403,325		0	1,700,000		0	2,150,000	
26	Delivery Table	0	47,250	-	0	47,250		0	47,250	_	0	48,500	_
27	Height and weight scale	4	8.400	33.600	4	8.400	33.600	4	10,000	40.000	4	31,500	126,000
28	Suction Electronic	0	259,350	-	0	259,350	-	0	275,000		0	275,000	120,000
29	Fetal Heart Rate Detector	1	144,375	144,375	1	144,375	144,375	1	175,000	175,000	1	275,000	275,000
30	Ambo bag	0	17,325	144,575	0	17,325	-	0	19.000	173,000	0	19,000	273,000
31	Neonatal size face mask	4	578	2,310	4	578	2,310	4	1,200	4,800	4	1,500	6,000
32	Exchange transfusion trays	2	10,000	20,000	2	10,000	20,000	2	10,000	20,000	2	12,000	24,000
33	Shoe racks SS	4	39,900	159,600	4	39,900	159,600	4	39,900	159,600	4	39,900	159,600
34	Sterilizer	0	2,940,000	-	0	2,940,000	-	0	3,500,000	-	0	7,800,000	-
35	Washer disinfector	0	-	-	0	-,010,000	_	0	-	-	0	-	-
36	Packing table	0	_	-	0	-	_	0	_	-	0	-	-
37	Digital Sealer Printer	1	420.000	420.000	1	420.000	420.000	1	480.000	480.000	1	520.000	520.000
38	Backup Auto Clave	0	441,000	-	0	441,000	-	0	550,000	-	0	789,625	-
39	Racks for Manual	10	21,000	210,000	10	21,000	210,000	10	37,500	375,000	10	56,160	561,600
40	Locked Racks for MSDS Data	2	21,000	42,000	2	21,000	42,000	2	37,500	75,000	2	56,160	112,320
41	Eye Wash Station with shower	3	300,000	900,000	3	300,000	900,000	3	350,000	1,050,000	3	350,000	1,050,000
42	Air Curtain	4	50,190	200,760	4	50,190	200,760	4	60,000	240,000	4	60,000	240,000
43	Fire Sand Buckets with stand	5	15,000	75,000	5	15,000	75,000	5	20,000	100,000	5	20,000	100,000
44	Smoke Detectors	10	7,350	73,500	10	7,350	73,500	10	8,500	85,000	10	8,500	85,000
45	Heat Detector	5	8,400	42,000	5	8,400	42,000	5	10,000	50,000	5	10,000	50,000
46	Gas Detector	5	6,300	31,500	5	6,300	31,500	5	7,500	37,500	5	7,500	37,500
47	Fire Blankets	10	2,783	27,825	10	2,783	27,825	10	3,200	32,000	10	3,200	32,000
48	Fire Alarms	10	5,250	52,500	10	5,250	52,500	10	6,500	65,000	10	6,500	65,000

MSDS

		Origin	al	1s	t Revi	sed	2n	d Revi	sed	3rd	d Revis	ed
Sr. No. ITEM DESCRIPTION	Quantity Required	Actual Unit Price	Actual Total Cost(Rs)									
49 Identification Bands	100	3	315	100	3	315	100	3	300	100	3	300
50 Wet Flooring Signages	0	431	-	0	431	-	0	550	-	0	750	-
51 Key Box	6	8,190	49,140	6	8,190	49,140	6	10,000	60,000	6	10,000	60,000
52 Dehumidifier	0	58,800	-	0	58,800	-	0	70,000	-	0	100,000	-
53 Tourniquet	4	840	3,360	4	840	3,360	4	850	3,400	4	1,500	6,000
54 LAB SAFETY BOX	2	3,150	6,300	2	3,150	6,300	2	4,000	8,000	2	4,000	8,000
55 densitometer	0	210,000	-	0	210,000	-	0	210,000	-	0	210,000	-
56 vending machine	0	630,000	-	0	630,000	-	0	630,000	-	0	630,000	-
57 Automatic shoe cover machine	2	296,100	592,200	2	296,100	592,200	2	332,500	665,000	2	332,500	665,000
58 Vein Finder	2	630,000	1,260,000	2	630,000	1,260,000	2	630,000	1,260,000	2	630,000	1,260,000
59 Blood Sample Vials (BOXES)	3	13	38	3	13	38	3	15	45	3	15	45
60 Bassinets	5	21,000	105,000	5	21,000	105,000	5	22,000	110,000	5	22,000	110,000
61 Chemical Spill Cleanup kit	2	100,000	200,000	2	100,000	200,000	2	100,000	200,000	2	100,000	200,000
62 Digital Tempurature Humidity Guage	4	15,000	60,000	4	15,000	60,000	4	15,000	60,000	4	15,000	60,000
63 Bio Cleaning and Disinfection System	1	650,000	650,000	1	650,000	650,000	1	650,000	650,000	1	2,200,000	2,200,000
Total			8,647,094			8,647,094			9,653,822			13,437,942
			8.647	•		8.647			9.654	_		13.438

			M	edical	Equip	ment									
				Orig	inal		1s	t Revi	sed	2n	d Revi	sed	3r	d Revi	sed
Sr. Area	Name of Equipment	Yard Stick	Available Quantity	Required Quantity	Cost per Unit	Total Cost	Required Quantity	Cost per Unit	Total Cost	Required Quantity	Cost per Unit	Total Cost	Required Quantity	Cost per Unit	Total Cost
1	Semi Auto Clinical Chemistry Analyzer	1	1	0	449,295	-	0	449,295	-	0	550,000	-	0	550,000	-
2	Hematology Analyzer	1	0	1	427,350	427,350	1	427,350	427,350	1	550,000	550,000	1	750,000	750,000
3	Electrolyte Analyzer	1	0	1	427,350	427,350	1	427,350	427,350	1	550,000	550,000	1	550,000	550,000
4	Blood Gas Analyzer	0	0	0	2,744,858	-	0	2,744,858	-	0	3,200,000	-	0	1,400,000	-
5	Clinical Microscope	1	2	0	132,825	-	0	132,825	-	0	180,000	-	0	250,000	-
6 Laboratory	Water Bath	1	0	1	60,000	60,000	1	60,000	60,000	1	157,500	157,500	1	325,000	325,000
7	Hot air Oven	1	0	1	210,000	210,000	1	210,000	210,000	1	385,000	385,000	1	450,000	450,000
8	Distilled water plant	1	0	1	52,500	52,500	1	52,500	52,500	1	75,000	75,000	1	125,000	125,000
9	Auto pipettes	10	2	8	31,500	252,000	8	31,500	252,000	8	40,500	324,000	8	45,000	360,000
10	glass wares	0	0	0	105,000	-	0	105,000	-	0	105,000	-	0	105,000	-
11	Centrifuge Machine	2	1	1	149,336	149,336	1	149,336	149,336	1	250,000	250,000	1	400,000	400,000
12	Static X-ray Machine	1	1	0	4,200,000	-	0	4,200,000	-	0	6,000,000	-	0	12,000,000	-
13	Mobile X-Ray Machine	0	1	0	3,850,524	-	0	3,850,524	-	0	4,300,000	-	0	9,800,000	-
14	Computerized Radiography System	0	0	0	4,018,245	-	0	4,018,245	-	0	4,500,000	-	0	4,500,000	-
15	Dental X-Ray	0	0	0	282,975	-	0	282,975	-	0	350,000	-	0	525,000	-
16 X-Rays	Lead apron and PPE	2	1	1	52,500	52,500	1	52,500	52,500	1	60,000	60,000	1	85,000	85,000
17	Density meter personal (Add)	0	0	0	210,000	-	0	210,000	-	0	210,000	-	0	250,000	-
18	Lead glass /shield	0	1	0	105,000	-	0	105,000	-	0	105,000	-	0	150,000	-
19	Lead Walls	0	0	0	525,000	-	0	525,000	-	0	525,000	-	0	525,000	-
20	Portable/Mobile Ultrasound	0	2	0	1,371,331	-	0	1,371,331	-	0	1,500,000		0	2,400,000	-
21 Ultrasound	Color Doppler RADIOLOGY	1	0	1	3,698,310	3,698,310	1	3,698,310	3,698,310	1	4,500,000	4,500,000	1	5,500,000	5,500,000
22	ICU MONITOR	2	0	2	301,665	603,330	2	301,665	603,330	2	900,000	1,800,000	2	1,250,000	2,500,000
23	Temporary pace maker	0	0	0	315,000	-	0	315,000	-	0	315,000		0	550,000	-
24	Defibrillator	1	0	1	299,153	299,153	1	299,153	299,153	1	650,000	650,000	1	800,000	800,000
25 CCU	ECG Machine Three Channel	2	0	2	169,785	339,570	2	169,785	339,570	2	169,785	339,570	2	300,000	600,000
26	ETT Machine	0	0	0	2,021,838	-	0	2,021,838	-	0	2,200,000		0	3,000,000	-
27	Color doplor CARDIOLOGY	0	0	0	4,681,790	-	0	4,681,790	-	0	4,800,000		0	6,000,000	-
28	Suction Pump	2	0	2	259,350	518,700	2	259,350	518,700	2	275,000	550,000	2	300,000	600,000
29	Blood Cabinet	1	1	0	690,539	-	0	690,539	-	0	700,000		0	1,500,000	-
30	Centrifuge Machine	2	1	1	149,336	149,336	1	149,336	149,336	1	250,000	250,000	1	400,000	400,000
31 Blood Bank	Slide viewer	1	0	1	42,000	42,000	1	42,000	42,000	1	55,000	55,000	1	55,000	55,000
32	Clinical Microscope	1	1	0	132,825	-	0	132,825	-	0	180,000	-	0	250,000	-
33 Dialysis Unit	Computerized Hemo Dialysis Machine	5	0	5	1,050,000	5,250,000	5	1,050,000	5,250,000	5	1,600,000	8,000,000	5	3,200,000	16,000,000
(10 beds)	, ,	10	3	7	14.669	102.680	7	14.669	102.680	7	16.000	112.000	7		112.000
35	Baby Cot	2	0	2	,	260,400	2	130,200	260,400	2	-,	,	2	16,000 850,000	,
36	Phototherapy Unit	2	2		130,200	260,400				0	655,000	1,310,000	0		1,700,000
37 Nursery	Infant Warmer Pulse Oximeter	6	0	6	335,638 104,500	627,000	6	335,638 104,500	627,000	6	985,000 160,000	960,000	6	1,050,000 225,000	1,350,000
38 Nursery			2	0		627,000	0		627,000	0		900,000			1,350,000
39	Infant Incubator	2			858,932			858,932			900,000		0	1,750,000	200.000
40	Suction Pump Hospital Grade Nebulizer Heavy Duty	2	0	1	259,350 125,265	259,350 125,265	1	259,350 125,265	259,350 125,265	1	275,000 215,000	275,000 215,000	1	300,000	300,000
41									125,265	·					300,000
42	Anesthesia Machine with Ventilator	1	1	0	2,509,554	-	0	2,509,554		0	3,000,000	-	0	7,000,000	
43	BED SIDE PATIENT MONITOR	2	2	0	441,000	- 047.405	0	441,000	- 047.405	0	550,000	4 200 000	0	1,200,000	4 000 000
44	Defibrillator	2	0	2	308,713	617,425	2	308,713	617,425	2	650,000	1,300,000	2	800,000	1,600,000
45	Electrosurgical Unit	1	1	0	507,530		0	507,530		0	700,000		0	900,000	
	Operation Table	1	2	0	1,426,215	-	0	1,426,215	-	0	2,000,000	-	0	2,500,000	-
46 O.T (04)	Ceiling Operating Light	1	2	0	413,013	-	0	413,013	-	0	800,000	-	0	950,000	-
	STEAM STERILIZER	1	2	0	3,465,000	-	0	3,465,000	-	0	4,000,000	-	0	7,800,000	-
48	Suction Pump	2	0	2	259,350	518,700	2	259,350	518,700	2	275,000	550,000	2	300,000	600,000
	Resuscitation trolley With Crash Cart	2	0	2	244,733	489,466	2	244,733	489,466	2	400,000	800,000	2	600,000	1,200,000
50	mayo table	4	0	4	21,000	84,000	4	21,000	84,000	4	23,000	92,000	4	23,000	92,000
51	MOBILE OPERATING LIGHT	1	0	1	304,220	304,220	1	304,220	304,220	1	400,000	400,000	1	900,000	900,000

				M	edical	Equip	ment									
					Orig	inal		1s	t Revi	sed	2n	d Revi	sed	3r	d Revi	sed
Sr.	Area	Name of Equipment	Yard	Available Quantity	Required	Cost per	Total Cost	Required	Cost per	Total Cost	Required	Cost per	Total Cost	Required	Cost per	Total Cost
No. 52		Operation Table	Stick 0	Quantity	Quantity	Unit 1,426,215		Quantity	Unit 1,426,215		Quantity	Unit 2,000,000		Quantity 0	Unit 5,000,000	-
53		ORTHOPEDIC DRILL	0	0	0	1,108,740	_	0	1,108,740		0	1,500,000	-	0	4,000,000	-
54	Orthopedic	Plaster Cutting Pneumatic	1	0	1	276,250	276,250	1	276,250	276,250	1	450,000	450,000	1	1,500,000	1,500,000
55	1	Pneumatic Tourniquets	0	0	0	262,500	-	0	262,500	-	0	262,500	-	0	300,000	-
56		Orthopedic Instruments	0	0	0	432,623		0	432,623		0	550,000		0	550,000	-
57		Portable/Mobile Ultrasound	1	1	0	1,418,958	-	0	1,418,958		0	1,500,000		0	2,400,000	-
58		Autoclave	1	1	0	441,000	-	0	441,000	-	0	550,000	-	0	850,000	-
59		Delivery Set	10	1	9	31,500	283,500	9	31,500	283,500	9	40,000	360,000	9	65,000	585,000
60		Delivery Table	2	4	0	47,250	-	0	47,250	-	0	47,250	-	0	55,000	-
61		BED SIDE PATIENT MONITOR	2	0	2	294,000	588,000	2	294,000	588,000	2	550,000	1,100,000	2	1,200,000	2,400,000
62		D & C Set	2	1	1	34,650	34,650	1	34,650	34,650	1	40,000	40,000	1	60,000	60,000
63	Gynea (20 beds)	Vaccume Extractor	1	1	0	259,350	-	0	259,350	-	0	300,000	-	0	350,000	-
64	beasi	CTG Machine	1	1	0	628,049	-	0	628,049		0	725,000	-	0	900,000	-
65		ECG Machine Three Channel	1	0	1	169,785	169,785	1	169,785	169,785	1	180,000	180,000	1	300,000	300,000
66		Portable O.T Light	2	1	1	304,220	304,220	1	304,220	304,220	1	400,000	400,000	1	900,000	900,000
67		Baby Cot	2	1	1	14,669	14,669	1	14,669	14,669	1	16,000	16,000	1	16,000	16,000
68		Delivery trolly	2	1	1	47,250	47,250	1	47,250	47,250	1	47,250	47,250	1	47,250	47,250
69		Desktop Fetal Heart Rate Detector	1	1	0	144,375		0	144,375		0	175,000		0	200,000	-
70		Steam Sterilizer	0	0	0	3,355,849	-	0	3,355,849		0	4,000,000	-	0	7,800,000	-
71		Operation Table	0	0	0	1,426,215	-	0	1,426,215		0	2,000,000	-	0	2,500,000	-
72	Surgical	MOBILE OPERATING LIGHT	0	1	0	285,466	-	0	285,466		0	400,000	-	0	900,000	-
73	Emergency (10 beds)	Suction Pump	0	6	0	259,350	-	0	259,350		0	275,000	-	0	300,000	-
74		Laryngoscope	0	1	0	9,744	-	0	9,744		0	12,000	-	0	20,000	-
75		Set of Surgical Instruments	0	2	0	141,750		0	141,750		0	160,000		0	220,000	-
76		Stretcher	10	0	10	68,250	682,500	10	68,250	682,500	10	69,300	693,000	10	69,300	693,000
77		wheel chair	10	0	10	31,500	315,000	10	31,500	315,000	10	35,000	350,000	10	35,000	350,000
78		foot support	6	0	6	4,200	25,200	6	4,200	25,200	6	4,500	27,000	6	5,148	30,888
79		Resuscitation trolly With Crash Cart	5	0	5	237,618	1,188,091	5	237,618	1,188,091	5	400,000	2,000,000	5	600,000	3,000,000
80		BP Appratus	15	15	0	15,750	-	0	15,750		0	16,000	-	0	16,000	-
81	Others	Ventilator	0	0	0	2,195,080	-	0	2,195,080	-	0	3,500,000	-	0	5,500,000	-
82		CPAP	1	0	1	1,098,510	1,098,510	1	1,098,510	1,098,510	1	2,100,000	2,100,000	1	2,800,000	2,800,000
83		X-RAY PROCESSOR	1	0	1	858,440	858,440	1	858,440	858,440	1	925,000	925,000	1	1,200,000	1,200,000
84		Hand wash Scrub Double Bay	2	0	2	94,500	189,000	2	94,500	189,000	2	100,000	200,000	2	140,000	280,000
85		Image Inensifier	0	0	0	4,667,460	-	0	4,667,460	-	0	4,667,460	-	0	12,000,000	-
86		Central Medical Gass Pipe Line System	7	0	7	850,000	5,950,000	7	850,000	5,950,000	7	-	-	7	-	-
87		Motorized Patient bed with bed side,Mattress,IV stand, Attendant Bench	4	0	4	210,000	840,000	4	210,000	840,000	4	400,000	1,600,000	4	600,000	2,400,000
88		Sphygmomanometer wall mtd	4	0	4	15,750	63,000	4	15,750	63,000	4	30,000	120,000	4	35,000	140,000
89		Resuscitation trolly With Crash Cart	2	0	2	244,733	489,466	2	244,733	489,466	2	400,000	800,000	2	600,000	1,200,000
90		Defibrilator	1	0	1	299,153	299,153	1	299,153	299,153	1	650,000	650,000	1	800,000	800,000
91		Defibrillator with Monitor	0	0	0	330,750	-	0	330,750	-	0	650,000	•	0	800,000	-
92		ECG Machine Three Channel	0	0	0	169,785	-	0	169,785		0	180,000		0	300,000	-
93		Syringe pump	1	0	1	108,780	108,780	1	108,780	108,780	1	125,000	125,000	1	200,000	200,000
94	ICU	Suction Pump	0	0	0	259,350	-	0	259,350	-	0	275,000	-	0	300,000	-
95		ICU Monitor	0	0	0	298,200	-	0	298,200	•	0	900,000	-	0	1,250,000	-
96		Instrument Trolley	1	0	1	55,000	55,000	1	55,000	55,000	1	55,000	55,000	1	55,000	55,000
97		Ward instruments	0	0	0		-	0	-	•	0	-	•	0	-	-
98		Ventilator intensive care	2	0	2	1,600,000	3,200,000	2	1,600,000	3,200,000	2	3,500,000	7,000,000	2	5,500,000	11,000,000
99		CPAP with humidifier	0	0	0	1,098,510	-	0	1,098,510	•	0	2,100,000	-	0	2,800,000	-
100		DELIVERY TROLLY STAINLESS STEEL	1	0	1	23,835	23,835	1	23,835	23,835	1	47,250	47,250	1	47,250	47,250
101		Ambu-Bag, adult	4	0	4	17,325	69,300	4	17,325	69,300	4	19,000	76,000	4	19,000	76,000
102		Ambu-Bag, paeds	4	0	4	17,325	69,300	4	17,325	69,300	4	19,000	76,000	4	19,000	76,000

				Me	edical	Equip	ment									
					Orig	inal		1s	t Revi	sed	2n	d Revi	sed	3re	d Revi	sed
Sr. No.	Area	Name of Equipment	Yard Stick	Available Quantity	Required Quantity	Cost per Unit	Total Cost									
103	MORTUERY	TWO BODY REFRIGERATOR WITH CASTERS 220v 50Hz Along with Atopsy Table & Lifter Trolley	1	0	1	2,470,546	2,470,546	1	2,470,546	2,470,546	1	3,000,000	3,000,000	1	3,500,000	3,500,000
104		Dental Unit	2	0	2	2,190,000	4,380,000	2	2,190,000	4,380,000	2	2,820,000	5,640,000	2	2,820,000	5,640,000
105		Autoclave	1	0	1	441,000	441,000	1	441,000	441,000	1	550,000	550,000	1	850,000	850,000
106		Dental X-RAY Machine	1	0	1	282,975	282,975	1	282,975	282,975	1	350,000	350,000	1	525,000	525,000
107		Digital Intra Oral Camera	0	0	0	94,500	-	0	94,500	-	0	150,000	-	0	600,000	-
108		DENTAL CAUTERY	0	0	0	84,000	-	0	84,000	-	0	160,000	-	0	900,000	-
109	Dental Unit	Ultrasonic scaling	1	0	1	120,750	120,750	1	120,750	120,750	1	175,000	175,000	1	300,000	300,000
110		Curing lights	1	0	1	52,500	52,500	1	52,500	52,500	1	95,000	95,000	1	150,000	150,000
111		Endo motor system	1	0	1	199,601	199,601	1	199,601	199,601	1	265,000	265,000	1	500,000	500,000
112		Dental cabinet	0	0	0	42,000		0	42,000		0	70,000	-	0	160,000	
113		Dental examination/surgical instrument sets	4	0	4	157,500	630,000	4	157,500	630,000	4	175,000	700,000	4	175,000	700,000
114	Beds	Fowler beds with Mattress	40	0	40	70,000	2,800,000	40	70,000	2,800,000	40	110,000	4,400,000	40	150,000	6,000,000
		Total					44,540,212			44,540,212			59,122,570			85,975,388
							44.540			44.540			59.123			85.975

				Elec	tricity								
			Origina			1st Revis	ed	2	2nd Revis	ed	;	3rd Revis	ed
Sr. No.	Item Name	Quantity	Per Unit Cost	Total Cost	Quantity	Per Unit Cost	Total Cost	Quantity	Per Unit Cost	Total Cost	Quantity	Per Unit Cost	Total Cost
1	Transformers (200 KVA)	1	600,000	600,000	1	600,000	600,000	1	600,000	600,000	1	600,000	600,000
2	Transformers (100 KVA)	1	450,000	450,000	1	450,000	450,000	1	450,000	450,000	1	450,000	450,000
3	Transformers (50 KVA)	0	300,000	ı	0	300,000	-	0	300,000	1	0	300,000	-
4	Generator (200 KVA)	0	4,000,000	-	0	4,000,000	-	0	4,000,000	-	0	4,000,000	-
5	Generator (100 KVA)	1	2,300,000	2,300,000	1	2,300,000	2,300,000	1	2,300,000	2,300,000	1	2,300,000	2,300,000
6	2 Ton air conditioners (split)	40	55,500	2,220,000	40	55,500	2,220,000	40	55,500	2,220,000	40	139,150	5,566,000
7	2 Ton air conditioners (Cabinet)	47	78,000	3,666,000	47	78,000	3,666,000	47	78,000	3,666,000	47	187,200	8,798,400
8	4 Ton air conditioners (Cabinet)	11	120,000	1,320,000	11	120,000	1,320,000	11	120,000	1,320,000	11	353,899	3,892,889
9	Ceiling Fans 56"	100	3,090	309,000	100	3,090	309,000	100	3,090	309,000	100	6,975	697,500
10	Exhaust Fans	36	3,000	108,000	36	3,000	108,000	36	3,000	108,000	36	6,600	237,600
11	Bracket Fans 18"	48	3,280	157,440	48	3,280	157,440	48	3,280	157,440	48	3,000	144,000
12	Dual Connection of Electricity / Express Line	1	5,000,000	5,000,000	1	5,000,000	5,000,000	1	5,500,000	5,500,000	1	5,500,000	5,500,000
	Total	286	12,912,870	16,130,440	286	12,912,870	16,130,440	286	13,412,870	16,630,440	286	13,846,824	28,186,389
				16.130			16.130			16.630			28.186

IT & QMS & Surveillance

					·· <u> </u>	QIIIO (x	Jiiiai	100				
			Origin	nal	1:	st Rev	ised	2 r	nd Rev	rised	3	rd Rev	ised
Sr. No.	Item Name	Quantit y	Per Unit Cost	Total Cost									
1	Desktop, UPS, LED	30	75,000	2,250,000	30	75,000	2,250,000	30	130,000	3,900,000	30	216,000	6,480,000
2	MS Windows License	30	20,000	600,000	30	20,000	600,000	30	20,000	600,000	30	20,000	600,000
3	Scanner Flatbed with ADF	3	90,000	270,000	3	90,000	270,000	3	150,000	450,000	3	150,000	450,000
4	Heavy duty Printer	7	40,000	280,000	7	40,000	280,000	7	50,000	350,000	7	110,000	770,000
5	Multimedia Projector with Screen	1	100,000	100,000	1	100,000	100,000	1	100,000	100,000	1	100,000	100,000
6	Tabs	4	50.000	200,000	4	50.000	200,000	4	50.000	200,000	4	50.000	200,000
7	Laptop	1	100,000	100,000	1	100,000	100,000	1	100,000	100,000	1	100,000	100,000
8	MS Windows License	1	20,000	20,000	1	20,000	20,000	1	20,000	20,000	1	20,000	20,000
9	QMS System	1	3,700,000	3,700,000	1	3,700,000	3,700,000	1	4,000,000	4,000,000	1	4,000,000	4,000,000
10	Networking	1	995,000	995,000	1	995,000	995,000	1	995,000	995,000	1	1,200,000	1,200,000
11	Monitoring & Surveillance (CCTV)	1	5,000,000	5,000,000	1	5,000,000	5,000,000	1	5,000,000	5,000,000	1	5,000,000	5,000,000
12	Public Address System	1	1,000,000	1,000,000	1	1,000,000	1,000,000	1	1,000,000	1,000,000	1	1,200,000	1,200,000
	Total			14,515,000			14,515,000			16,715,000			20,120,000
	1			14.515			14.515			16.715			20.120

Furniture and Fixtures

			Origin	al	19	st Revi	ised	2n	d Rev	ised	3r	d Revi	sed
Sr. No.	Item Name	Quantity	Unit Price	Total	Quantity	Unit Price	Total	Quantity	Unit Price	Total	Quantity	Unit Price	Total
1	Benches (internal)	60	30,000	1,800,000	60	30,000	1,800,000	60	30,000	1,800,000	60	40000	2,400,000
2	Benches (external)	10	10,000	100,000	10	10,000	100,000	10	10,000	100,000	10	40000	400,000
3	Electric Water Cooler	8	45,000	360,000	8	45,000	360,000	8	45,000	360,000	8	60000	480,000
4	Doctors rooms Furniture	30	70,000	2,100,000	30	70,000	2,100,000	30	70,000	2,100,000	30	125000	3,750,000
5	Examination couches	10	35,000	350,000	10	35,000	350,000	10	35,000	350,000	10	35000	350,000
	Fire Blanket	5	2,500	12,500	5	2,500	12,500	5	2,500	12,500	5	3000	15,000
7	Fire Extinguisher (Water Based)	30	8,000	240,000	30	8,000	240,000	30	8,000	240,000	30	2500	75,000
8	Acrylic Board	150	2,200	330,000	150	2,200	330,000	150	2,200	330,000	150	2000	300,000
9	Rostrum	2	18,000	36,000	2	18,000	36,000	2	18,000	36,000	2	20000	40,000
10	Blinds for windows	6000	150	900,000	6000	150	900,000	6000	150	900,000	6000	200	1,200,000
11	Paintings	100	6,000	600,000	100	6,000	600,000	100	6,000	600,000	100	5000	500,000
12	Waste Bin Sets (3 bin)	40	6,000	240,000	40	6,000	240,000	40	6,000	240,000	40	9000	360,000
13	Printing			1,000,000			1,000,000			1,000,000			1,000,000
	Machinery and Equipment's												
14	Refrigerator(Domestic) front glass double door	2	160.000	320,000	2	160.000	320,000	2	160.000	320,000	2	150000	300,000
15	Refrigerator glass single door	5	80,000	400,000	5	80,000	400,000	5	80,000	400,000	5	90000	450,000
	Refrigerator 16 cft	5	36,000	180,000	5	36,000	180,000	5	36,000	180,000	5	50000	250,000
17	Air Curtain On Door	5	50,000	250,000	5	50,000	250,000	5	50,000	250,000	5	75000	375,000
	Washing machines for pantries	3	13,000	39,000	3	13,000	39,000	3	13,000	39,000	3	11000	33,000
19	Gas Burner for pantries	10	4,800	48,000	10	4,800	48,000	10	4,800	48,000	10	80000	800,000
	Fire Extinguishers DCP	30	4,800	144,000	30	4,800	144,000	30	4,800	144,000	30	6500	195,000
21	LED TV	15	55,000	825,000	15	55,000	825,000	15	55,000	825,000	15	140000	2,100,000
22	Industrial Exhaust	5	50,000	250,000	5	50,000	250,000	5	50,000	250,000	5	60000	300,000
23	Acrylic Display Board	4	20,000	80,000	4	20,000	80,000	4	20,000	80,000	4	20000	80,000
	Laundry & Washing												
24	Bed Sheets and pillow covers	300	1,250	375,000	300	1,250	375,000	300	1,250	375,000	300	2500	750,000
25	Pillows	150	400	60,000	150	400	60,000	150	400	60,000	150	500	75,000
26	Blankets with covers	100	5,000	500,000	100	5,000	500,000	100	5,000	500,000	100	4000	400,000
	Medicine Store												
27	Medicine (Iron Racks) 8x6x2 (Required)	20	50,000	1,000,000	20	50,000	1,000,000	20	50,000	1,000,000	20	60000	1,200,000
28	Moveable Iron Stairs (Required)	2	15,000	30,000	2	15,000	30,000	2	15,000	30,000	2	20000	40,000
29	Lifters (Required)	2	37,000	74,000	2	37,000	74,000	2	37,000	74,000	2	35000	70,000
30	Pallets 3x4 (Plastic) (Required)	20	12,000	240,000	20	12,000	240,000	20	12,000	240,000	20	10000	200,000
	Dehumidifier (Required)	1	100,000	100,000	1	100,000	100,000	1	100,000	100,000	1	125000	125,000
32	Insect Killer (Required)	25	8.000	200,000	25	8,000	200,000	25	8,000	200,000	25	6500	162,500
33	Thermometer (Required)	20	16,000	320,000	20	16,000	320,000	20	16,000	320,000	20	600	12,000
	Total	7169	951100	13,503,500	7169		13,503,500	7169	951100	13,503,500	7169	1288300	18,787,500
	10141	7.00	331.00	13.504	7.00	551100	13.504		331.00	13.504	7.00	1200000	18.788
		+	ł	13.304			13.304		1	13.304		 	10.700

Signage and plaques

			<u> </u>	<u>g</u> -	<u> </u>									
			0	rigin	al	1st	t Rev	ised	2n	d Re	vised	3rd	Rev	ised
Sr No	Type	Kinds of Sign Boards	Quantity	Rates	Cost	Quantity	Rates	Cost	Quantity	Rates	Cost	Quantity	Rates	Cost
		External Sign Boards												
1	A1	External Platform/Road Signage (Circular)	6	10,221	61,326	6	10,221	61,326	6	13,951	83,706	6	13,951	83,706
2	A2	External Platform/Road Signage (Triangular)	6	9,350	56,100	6	9,350	56,100	6	12,762	76,574	6	12,762	76,574
3	В1	Main Directional Board	1	113,632	113,632	1	113,632	113,632	1	155,107	155,107	1	155,107	155,107
4	C1	Directional Board (Single Sheet)	10	14,600	146,000	10	14,600	146,000	10	19,929	199,290	10	19,929	199,290
5	C2	Directional Board (Two Sheets)	1	22,722	22,722	1	22,722	22,722	1	31,016	31,016	1	31,016	31,016
6	C3	Directional Board (Three Sheets)	1	30,463	30,463	1	30,463	30,463	1	41,581	41,581	1	41,581	41,581
7	C4	Directional Board (Four Sheets)	1	37,619	37,619	1	37,619	37,619	1	51,351	51,351	1	51,351	51,351
8	C5	Directional Board (Five Sheets)	1	45,685	45,685	1	45,685	45,685	1	62,360	62,360	1	62,360	62,360
9	C6	Directional Board (Six Sheets)	1	53,341	53,341	1	53,341	53,341	1	72,810	72,810	1	72,810	72,810
10	C7	Additional Panel (For Fixation on existing Foundation & Posts)	3	8,024	24,072	3	8,024	24,072	3	10,952	32,857	3	10,952	32,857
11	D1	Departmental Signage on Building	6	47,683	286,098	6	47,683	286,098	6	65,087	390,524	6	65,087	390,524
12	E1	External Map Boards	2	41,603	83,206	2	41,603	83,206	2	56,788	113,576	2	56,788	113,576
		Internal Signage	0		-	0		-	0	-	-	0	-	-
1	F1	Internal Hanging Signage (Main Entrance)	5	90,791	453,955	5	90,791	453,955	5	125,294	626,472	5	125,294	626,472
2	F2	Internal Hanging Signage (Main Entrance 2)	5	69,887	349,435	5	69,887	349,435	5	95,396	476,980	5	95,396	476,980
3	F3	Internal Hanging Signage (Corridor)	4	51,759	207,036	4	51,759	207,036	4	70,651	282,604	4	70,651	282,604
4	F4	Internal Hanging Signage (Corridor 2)	4	52,359	209,436	4	52,359	209,436	4	71,470	285,880	4	71,470	285,880
5	G1	Internal Department Signage on wall	7	13,239	92,673	7	13,239	92,673	7	18,071	126,498	7	18,071	126,498
6	Цί	Specialist Name Plaques fixed on wall	20	3,805	76,100	20	3,805	76,100	20	5,194	103,880	20	5,194	103,880
7	J1	Room Name Plaques and Numbers fixed on wall	100	875	87,500	100	875	87,500	100	1,194	119,420	100	1,194	119,420
8	K1	Internal Wall Signage	100	1,437	143,700	100	1,437	143,700	100	1,961	196,140	100	1,961	196,140
9	L1	Room Numbers Fixed on Wall	50	3,647	182,350	50	3,647	182,350	50	4,978	248,920	50	4,978	248,920
10	M1	Advance Fire Exit Sign	10	1,856	18,560	10	1,856	18,560	10	2,534	25,340	10	2,534	25,340
11	M2	Fire Exit Sign Mounted Above the Door	10	1,284	12,840	10	1,284	12,840	10	1,753	17,528	10	1,753	17,528
12	N1	Fire Safety/Equipment Signage	20	2,459	49,180	20	2,459	49,180	20	3,357	67,144	20	3,357	67,144
13	P1	Floor Map Board	5	21,301	106,505	5	21,301	106,505	5	29,075	145,376	5	29,075	145,376
14	Q1	Caution Signage	25	2,195	54,875	25	2,195	54,875	25	2,996	74,900	25	2,996	74,900
15	Q2	Caution Signage	5	660	3,300	5	660	3,300	5	902	4,508	5	902	4,508
16	Q3	Caution Signage	10	1,155	11,550	10	1,155	11,550	10	1,576	15,764	10	1,576	15,764
17		Caution Signage	15	897	13,455	15	897	13,455	15	1,225	18,375	15	1,225	18,375
		Total			3,032,714			3,032,714			4,146,482			4,146,482
		Designing and Site Supervision			90,981			90,981			124,394			124,394
		Grand Total			3,123,695			3,123,695			4,270,877			4,270,877
		*			3.124	1		3.124			4.271			4.271

			DA	Y CAR	E CENTE	R]		
			tick as per	er Wome	n Dvelopment	Departm Revised	nent	2nd	Revised		3rd	Revised	
Sr. No.	ITEMS	Yard Stick (DCC of 25 Kids)	Unit Cost	Total	Yard Stick (DCC of 25 Kids)	Unit Cost	Total	Yard Stick (DCC of 25 Kids)	Unit Cost	Total	Yard Stick (DCC of 25 Kids)	Unit Cost	Total
1	Cylinder Block	1	3,000	3,000	1	3,000	3,000	1	3,000	3,000	1	3,000	3,000
2	Geometrical Cabinet (36 pcs)	1	4,000	4,000	1	4,000	4,000	1	4,000	4,000	1	4,000	4,000
3	Geometrical Solids (10 pcs)	1	2,200	2,200	1	2,200	2,200	1	2,200	2,200	1	2,200	2,200
4	Base for Geometrical Solids (14 pcs)	1	2,000	2,000	1	2,000	2,000	1	2,000	2,000	1	2,000	2,000
5	Constructive Triangles (4 box)	1	400	400	1	400	400	1	400	400	1	400	400
	Metal Insets (10 - shape)	1	1,000	1,000	1	1,000	1,000	1	1,000	1,000	1	1,000	1,000
7	Stand for metal insets	1	2,000	2,000	1	2,000	2,000	1	2,000	2,000	1	2,000	2,000
8	Paper Board for metal insets (10 Boards)	1	5,000	5,000	1	5,000	5,000	1	5,000	5,000	1	5,000	5,000
9	Sandpaper Alphabets (English)	3	2,000	6,000	3	2,000	6,000	3	2,000	6,000	3	2,000	6,000
10	Sandpaper Alphabets (Urdu) Sandpaper Number	3	3,500 2.000	10,500 6,000	3	3,500 2,000	10,500 6.000	3	3,500 2,000	10,500 6,000	3	3,500 2.000	10,500 6,000
	Hammer Case	2	1.000	2.000	2	1.000	2.000	2	1.000	2.000		1.000	2.000
	Soft Reading Book	15	200	3,000	15	200	3,000	15	200	3,000	15	200	3,000
	Shape Sorting Case	2	500	1,000	2	500	1,000	2	500	1,000	2	500	1,000
15	Transport Set (Model)	2	700	1,400	2	700	1,400	2	700	1,400	2	700	1,400
	Model Puzzles (S)	7	300	2,100	7	300	2,100	7	300	2,100	7	300	2,100
	Model Puzzles (B)	7	500	3,500	7	500	3,500	7	500	3,500	7	500	3,500
	Storybook	20	100	2,000	20	100	2,000	20	100	2,000	20	100	2,000
	Information Book (Large) Basket (L)	20 10	350 1,000	7,000 10,000	20 10	350 1,000	7,000 10,000	20 10	350 1,000	7,000 10,000	20 10	350 1,000	7,000 10,000
	Basket (S)	10	600	6.000	10	600	6.000	10	600	6.000		600	6.000
	Color table Box	2	1.000	2.000	2	1.000	2.000	2	1.000	2.000		1.000	2.000
	ABC Block	4	500	2,000	4	500	2,000	4	500	2,000	4	500	2,000
	Number Block	4	500	2,000	4	500	2,000	4	500	2,000	4	500	2,000
	Color Pensils (Large)	5	450	2,250	5	450	2,250	5	450	2,250		450	2,250
26	Color Crayons (Large)	5	300	1,500	5	300	1,500	5	300	1,500	5	300	1,500
27	Marker Color (Board and Permanent)	15	395	5,925	15	395	5,925	15	395	5,925	15	395	5,925
	Fruits Basket (Model Set)	2	1,000	2,000	2	1,000	2,000	2	1,000	2,000	2	1,000	2,000
	Vegetables Basket (Model Set)	2	1,000	2,000	2	1,000	2,000	2	1,000	2,000	2	1,000	2,000
	Animal Sets	2	600	1,200	2	600	1,200	2	600	1,200	2	600	1,200
	Insects sets Shape Sorting House	2	400 1,500	3,000	2	400 1,500	3,000	2	400 1,500	3.000	2 2	400 1,500	3,000
	Flash card (Small)	10	1,300	1,200	10	120	1,200	10	1,500	1,200	10	1,500	1,200
	Flash card (Big)	10	325	3,250	10	325	3,250	10	325	3,250	10	325	3,250
	Sand Play	2	1,000	4,000	2	1,000	4,000	2	1,000	4,000	2	1,000	4,000
	Gym Play	2	2,000	3,000	2	2,000	3,000	2	2,000	3,000		2,000	3,000
	Straight Mats	20	1,500	40,000	20	1,500	40,000	20	1,500	40,000	20	1,500	40,000
	Folding Mats	20	2,000	6,000	20	2,000	6,000	20	2,000	6,000	20	2,000	6,000
	Diaper Changing Mats	3 2	300	1,500	3	300	1,500	3	300	1,500	3 2	300	1,500
	Cube Cushion Square Cushion	2	500 500	1,000 600	2	500 500	1,000 600	2 2	500 500	1,000 600	2	500 500	1,000 600
	Baby Mirror	3	300	2.400	3	300	2.400	3	300	2.400	3	300	2.400
	Pink Tower With Stand	1	800	500	1	800	500	1	800	500	1	800	500
44	Dressing Frames	10	500	8,000	10	500	8,000	10	500	8,000	10	500	8,000
	Monkey Stuffed	2	800	2,400	2	800	2,400	2	800	2,400	2	800	2,400
	Lion Stuffed	2	1,200	3,400	2	1,200	3,400	2	1,200	3,400	2	1,200	3,400
47	Cater Pillar Stuffed	2	1,700	3,000	2	1,700	3,000	2	1,700	3,000	2	1,700	3,000
48	Stuffed toys (Animal shaped i.e. Moneky, lion, caterpillar etc)	6	1,500	9,000	6	1,500	9,000	6	1,500	9,000	6	1,500	9,000
49	Long Roads with Stands	1	1,500	1,500	1	1,500	1,500	1	1,500	1,500	1	1,500	1,500
50	Number Rods	1	500	500	1	500	500	1	500	500	1	500	500

				_	E CENTE								
			tick as po riginal	er Wome	n Dvelopment	Departn Revised	nent	2nd	Revised		3rd	Revised	
		Yard Stick	riginai			Reviseu			Reviseu			Reviseu	
Sr. No.	ITEMS	(DCC of 25 Kids)	Unit Cost	Total	Yard Stick (DCC of 25 Kids)	Unit Cost	Total	Yard Stick (DCC of 25 Kids)	Unit Cost	Total	Yard Stick (DCC of 25 Kids)	Unit Cost	Total
	Stand Number Rods	1	800	800	1	800	800	1	800	800	1	800	800
_	Soft toys	2	700	1,400	2	700	1,400	2	700	1,400	2	700	1,400
	Infants Manual Weight Machine	1	1,000	1,000	1	1,000	1,000	1	1,000	1,000	1	1,000	1,000
	Toddlers Manual Weight Machine	11	1,000	1,000	1	1,000	1,000	1	1,000	1,000	1	1,000	1,000
	Tri Cycles	<u>4</u> 10	3,500 10,000	14,000 100,000	4 10	3,500	14,000 100,000	4 10	3,500 10,000	14,000 100,000	4 10	3,500 10,000	14,000 100,000
	Wooden Cots Mattresses for Cots	10	1,200	12,000	10	10,000 1,200	12,000	10	1,200	12,000	10	1,200	12,000
	Pillows	10	300	3,000	10	300	3,000	10	300	3,000	10	300	3,000
	Bed Sheets and pillow covers	20	400	8,000	20	400	8.000	20	400	8.000	20	400	8,000
	Nets	10	600	6,000	10	600	6,000	10	600	6,000	10	600	6,000
	High Chairs for feeding	15	3,000	45,000	15	3,000	45,000	15	3,000	45,000	15	3,000	45,000
	Rockers Cum Bouncer	8	2,500	20,000	8	2,500	20,000	8	2,500	20,000	8	2,500	20,000
63	Cot Mobile	10	1,500	15,000	10	1,500	15,000	10	1,500	15,000	10	1,500	15,000
64	Plastic Chairs (Round edges Animal Shapes)	7	600	4,200	7	600	4,200	7	600	4,200	7	600	4,200
	Multi-Purpose Table	2	3,000	6,000	2	3,000	6,000	2	3,000	6,000	2	3,000	6,000
	Writing Board	1	500	500	1	500	500	1	500	500	1	500	500
	Electric Sterilizer	2	5,000	10,000	2	5,000	10,000	2	5,000	10,000	2	5,000	10,000
	Electric Warmer	2	5,000	10,000	2	5,000	10,000	2	5,000	10,000	2	5,000	10,000
	Table sets	2	4,000 3,200	8,000	2 6	4,000	8,000 19,200	2 6	4,000	8,000	2	4,000	8,000
	Rocker Activity Gym (Infants)	<u>6</u> 5	2,000	19,200 10,000	5	3,200 2,000	10,000	5	3,200 2,000	19,200 10,000	6 5	3,200 2,000	19,200 10,000
	Plav Gvm	5	2,000	13,500	5	2,700	13,500	5	2,000	13,500	5	2,000	13,500
	Activity Gym (Toddlers)	5	2,700	10,000	5	2,700	10.000	5	2,700	10,000	5	2,700	10.000
	Toiler Training Seat	10	3.000	30,000	10	3.000	30,000	10	3,000	30,000	10	3.000	30,000
	Infant Toys	30	4,000	120,000	30	4,000	120,000	30	4,000	120,000	30	4,000	120,000
	Bath Toys	15	1,000	15,000	15	1,000	15,000	15	1,000	15,000	15	1,000	15,000
	Fun Links Teether	15	300	4,500	15	300	4,500	15	300	4,500	15	300	4,500
	Fun Pal Teether	15	500	7,500	15	500	7,500	15	500	7,500	15	500	7,500
	Fun Rattle	15	400	6,000	15	400	6,000	15	400	6,000	15	400	6,000
	Mother feeding Chair	11	3,000	3,000	1	3,000	3,000	1	3,000	3,000	11	3,000	3,000
	Soft Books (duplication)	20	500	10,000	20	500	10,000	20	500	10,000	20	500	10,000
	Bottle Brushes	3 Electric items	300	900	3	300	900	3	300	900	3	300	900
	of others Items i.e. Kitchen, Office, Water Dispenser	1	14.000	14,000	1	14,000	14,000	1	14,000	14,000	1	14.000	14,000
	Microwave Oven	<u>1</u> 1	12,400	12,400	1	12,400	12,400	1	12,400	12,400	1	12,400	12,400
	Fridae	1	34.000	34,000	1	34.000	34.000	1	34,000	34.000	1	34.000	34,000
	Kitchen Accessories / Cutleries etc.	24	200	4.800	24	200	4.800	24	200	4.800	24	200	4,800
	Sofa Set	1	40,000	40,000	1	40,000	40,000	1	40,000	40,000	1	40,000	40,000
	Office Table	1	5,000	5,000	1	5,000	5.000	1	5,000	5,000	1	5,000	5,000
	Office Chairs	5	10,000	50,000	5	10,000	50,000	5	10,000	50,000	5	10,000	50,000
	Air Conditioner	2	42,000	84,000	2	42,000	84,000	2	42,000	84,000	2	42,000	84,000
_	LCD	1	27,000	27,000	1	27,000	27,000	1	27,000	27,000	1	27,000	27,000
	DVD player	1	5.000	5.000	1	5.000	5.000	1	5,000	5,000	1	5.000	5,000
	CCTV Cameras	1	100,000	100,000	1	100,000	100,000	1	100,000	100,000	1	100,000	100,000
	Fire Alarms	3	5,000	15,000	3	5,000	15,000	3	5,000	15,000	3	5,000	15,000
	UPS	1	10,000	10,000	1	10,000	10,000	1	10,000	10,000	1	10,000	10,000
14	Vacuum Cleaner	1	7,000	7,000	1	7,000	7,000	1	7,000	7,000	1	7,000	7,000
15	Fire Extinguishers (Large)	2	5,000	10,000	2	5,000	10,000	2	5,000	10,000	2	5,000	10,000
	Electric Insect Killer	2	7,800	15,600	2	7,800	15,600	2	7,800	15,600	2	7,800	15,600
	Electric Hand Dryer	1	4,000	4,000	1	4,000	4,000	1	4,000	4,000	1	4,000	4,000
	Electric Heater	2	5,000	10,000	2	5,000	10,000	2	5,000	10,000	2	5,000	10,000
19	Ceiling/bracket Fans	4	8,000	32,000	4	8,000	32,000	4	8,000	32,000	4	8,000	32,000

			riginal		n Dvelopment 1st	Revised		2nd	Revised		3rd Revised		
Sr. No.	ITEMS	Yard Stick (DCC of 25 Kids)	Unit Cost Total		Yard Stick (DCC of 25 Kids)	Unit Cost	Total	Yard Stick (DCC of 25 Kids)	Unit Cost	Total	Yard Stick (DCC of 25 Kids)	Unit Cost	Total
20	Curtains	2	45,000	90,000	2	45,000	90,000	2	45,000	90,000	2	45,000	90,000
21	Carpets	1	100,000	100,000	1	100,000	100,000	1	100,000	100,000	1	100,000	100,000
22	Other miscellaneous items	1	218,675	218,675	1	218,675	218,675	1	218,675	218,675	1	218,675	218,675
	TOTAL			1,600,000			1,600,000			1,600,000			1,600,000
				1.600			1.600			1.600			1.600

			Hui	man Re	source	e Model	of THO	Q Hosp	ital									
		jinal		1st Revised				2nd Revised				3rd Revised						
Sr. No.		No. of Employees	Per Month Salary	Per Month Salary for Person	Salary for One Year	No. of Employees	Per Month Salary	Per Month Salary for Person	Salary for One Year	No. of Employees	Per Month Salary	Per Month Salary for Person	Salary for Two Years	No. of Emplyees	Project Pay Scale	Per Month Salary	Per Month Salary for all Person	Salary for Two Years
1	ADMIN OFFICER	1	60,000	60,000	720,000	1	60,000	60,000	720,000	1	80,000	80,000	1,920,000	1	6	105,000	105,000	3,255,000
2	HUMAN RESOURCE & LEGAL OFFICER	1	60,000	60,000	720,000	1	60,000	60,000	720,000	1	80,000	80,000	1,920,000	1	6	105,000	105,000	3,255,000
3	IT/STATISTICAL OFFICER	1	60,000	60,000	720,000	1	60,000	60,000	720,000	1	80,000	80,000	1,920,000	1	6	105,000	105,000	3,255,000
4	FINANCE, BUDGET & AUDIT OFFICER	1	60,000	60,000	720,000	1	60,000	60,000	720,000	1	80,000	80,000	1,920,000	1	6	105,000	105,000	3,255,000
5	PROCUREMENT OFFICER	1	60,000	60,000	720,000	1	60,000	60,000	720,000	1	80,000	80,000	1,920,000	1	6	105,000	105,000	3,255,000
6	QUALITY ASSURANCE OFFICER	1	60,000	60,000	720,000	1	60,000	60,000	720,000	1	80,000	80,000	1,920,000	1	6	105,000	105,000	3,255,000
7	LOGISTICS OFFICER	1	60,000	60,000	720,000	1	60,000	60,000	720,000	1	80,000	80,000	1,920,000	1	6	105,000	105,000	3,255,000
8	DATA ENTRY OPERAOTOR (DEO)	2	25,000	50,000	600,000	2	25,000	50,000	600,000	2	35,000	70,000	1,680,000	2	3	44,000	88,000	2,728,000
9	ASSISTANT ADMIN OFFICER	2	40,000	80,000	960,000	2	40,000	80,000	960,000	2	50,000	100,000	2,400,000	2	5	70,000	140,000	4,340,000
10	HR FOR QMS and MSDS and Day Care Center																	
11	QMS Supervisor / Information Desk Officer	2	25,000	50,000	600,000	2	25,000	50,000	600,000	2	25,000	50,000	600,000	2		25,000	50,000	600,000
12	Computer Operator	8	20,000	160,000	1,920,000	8	20,000	160,000	1,920,000	8	20,000	160,000	1,920,000	8		20,000	160,000	1,920,000
13	Consultants (MSDS) Implementation & Clinical Audit	1	100,000	100,000	1,200,000	1	100,000	100,000	1,200,000	1	100,000	100,000	1,200,000	1		100,000	100,000	1,200,000
	Training on MSDS Compliance for Staff of THQ Hospital	1000	4,000	4,000,000	4,000,000	1000	4,000	4,000,000	4,000,000	1000	4,000	4,000,000	4,000,000	1000		4,000	4,000,000	4,000,000
15					500,000				500,000				500,000				0	500,000
	Manager Day Care Center	1	45,000	45,000	540,000	1	45,000	45,000	540,000	1	45,000	45,000	540,000	1	1	45,000	45,000	540,000
	Montessori Trained Teacher	1	35,000	35,000	420,000	1	35,000	35,000	420,000	1	35,000	35,000	420,000	1	1	35,000	35,000	420,000
18		4	25,000	100,000	1,200,000	4	25,000	100,000	1,200,000	4	25,000	100,000	1,200,000	4		25,000	100,000	1,200,000
19	Office Boy	1	20,000	20,000	240,000	1	20,000	20,000	240,000	1	20,000	20,000	240,000	1		20,000	20,000	240,000
	Sub Total of H	R Model		4,860,000	17,220,000			4,860,000	17,220,000			5,040,000	28,140,000		1		5,273,000	40,473,000
					17.220				17.220				28.140					40.473
	Utilization of HR (7.380				9.58		1			
	Total of HR Cor										35.52					50.058		

	Ja	ial Ser	vices	
	(Origir	nal	From 1st Revised to onward
Assumptions				
Covered area excluding residential area	48,269	sft		
Covered area assigned to one sweeper	7,500	sft		
Number of sweepers required for covered area	6	Persons		
Road and ROW area	36,457	sft		
Road and ROW assigned to one sweeper	15,000	sft		
Number of sweepers required for road and ROW area	2	Persons		
Number of washroom blocks	11	blocks		
Number of washroom block assigned to one sweeper	3	Persons		
Number of sweepers required for total washroom blocks	4	Persons		
Total sweeper in morning shift	12	Persons		In the light of decision made during the Progress Review Meeting of Revamping of
Total number of sweepers in evening shift	6	Persons		DHQ/THQ Hospitals held on 01-01-2018 under the Chairmanship of Chairman, P&D
Total number of sweepers in night shift	6	Persons		Board; it was inter alia decided as under:
Total number of sweepers in all shifts	24	Persons		"It would be made sure by the P&SH Department that the outsourcing would be
Number of sewer men required	3	Persons		shifted to the non-development side from 1st July 2018 next FY".
Number of supervisors	3	Persons		In view of above, Outsourcing cost has been excluded from this PC-I.
Salary component				
Type of worker	No of	Salary per	Salary for	
	workers	month	One Year	
Sweepers / Janitors	25	22,000	6,654,138	
Sewer men	3	22,000	792,000	
Supervisors	3	26,000	936,000	
Cost of Supply per Month		400,000	4,800,000	
Sub Total (Salary component)			13,182,138	
			13.182	

			Secu	urity ar	nd Par	king
			Origin	al		From 1st Revised to onward
Assumptions	•					
Covered area excluding residences	48,269				48,269	
Covered Area per guard	15,000				15,000	
Number of guards	3				3	
Open area excluding parking area	36,457				36,457	
Area covered per guard per shift for	45 000				45.000	
open area excluding parking	15,000				15,000	
Number of guards for total area	2				2	
excluding parking area	2					
Number of gates	3				3	
Number of guards at gates	6				6	
Total No of Guard	12				12	
Total number of all guards for second	6					
shift					6	
Lady Searcher	2				2	
Number of parking areas	1				1	In the light of decision made during the Progress Review Meeting of Revamping of
Number of guards for parking lot per	2				2	DHQ/THQ Hospitals held on 01-01-2018 under the Chairmanship of Chairman, P&D
shift (Morning+ Evening)	2					Board; it was inter alia decided as under:
Total no. of Supervisors	2				2	"It would be made sure by the P&SH Department that the outsourcing would be
Type of worker	No of workers	Salary per month	Salary per Month for all Person	Salary for One year	No of workers	shifted to the non-development side from 1st July 2018 next FY". In view of above, Outsourcing cost has been excluded from this PC-I.
Supervisors	2	24,675	49,350	592,200	2	
Ex-Army	7	21,525	150,675	1,808,100	7	
Civilian	10	21,000	210,000	2,520,000	10	
Lady Searcher	2	21,525	43,050	516,600	2	
Parking	2	21,525	43,050	516,600	2	
Sub total				5,953,500		
Equipment cost						
Lump sum Provision (Walk Through						
Gate=1, Metal Detector=4, Walkies				400,000		
Talkies=8, Base Set=1)						
Sub total				400,000		
Subtracting Parking Fees				500,000		
Total Security and Parking Services				5,853,500		
				5.854		

		Origin	From 1st Revised to onward		
Number of beds	40				
Type of Item	Type of Item No of Beds Per bed cost per year		Total Cost		
No of Bed	40	30,000	1,200,000	In the light of decision made during the Progress Review Meeting of Revamping of DHO/THO Hospitals held on 01-01-2018 under the Chairmanship of Chairman, P&D	
Transport Charges			4 000 000	Board: it was inter alia decided as under:	
Total for laundry items			0.400.000	"It would be made sure by the P&SH Department that the outsourcing would be	
Total		2.400		shifted to the non-development side from 1st July 2018 next FY". In view of above, Outsourcing cost has been excluded from this PC-I.	

Maintenance of Generator								
	(From 1st Revised to onward						
Item Name	Quantity	Cost per Month	Total Cost					
Periodical Maintenance Cost								
Number of Generators (200 KVA)	1	500,000	500,000					
Number of Generators (100 KVA)	-	300,000	-	In the light of decision made during the Progress Review Meeting of Revamping of				
Number of Generators (50 KVA)	1	175,000	175,000	DHQ/THQ Hospitals held on 01-01-2018 under the Chairmanship of Chairman, P&D Board;				
Repairs Cost	1	675,000	675,000	it was inter alia decided as under:				
HR Cost				"It would be made sure by the P&SH Department that the outsourcing would be shifted to the non-development side from 1st July 2018 next FY".				
Supervisor	1	40,000	240,000	In view of above, Outsourcing cost has been excluded from this PC-I.				
Generator Operator	3	30,000	1,080,000	in view of above, outsourcing cost has been excluded from this 1 C-1.				
Technical Staff/Mechanic	-	30,000	-					
Total			2,670,000					
			2.670					

					MEI	
		C	Origin	al	From 1st Revised to onward	
Type of worker / Component	No of workers	Salary per month	Salary per Month for all persons	Salary for One Year	No of workers	
Supervisors	1	56,420	56,420	677,040	1	
Plumber	1	32,550	32,550	390,600	1	
AC/ Technician	1	34,720	34,720	416,640	1	
Electrician	2	31,465	62,930	755,160	2	
Car painter	1	30,380	30,380	364,560	1	
Fotal (Salary componen	t)		217,000	2,604,000		
	No.	Per Unit Cost per Year	Cost per Year for all Items	Cost for One Year	No.	In the light of decision made during the Progress Review Meeting of Revamping of DHQ/THQ Hospitals held on 01-01-2018 under the Chairmanship of Chairman, P&D Board; it was inter alia decided as under: "It would be made sure by the P&SH Department that the outsourcing would be shifted to
A/C	107	6,665	713,155	713,155	107	the non-development side from 1st July 2018 next FY".
Fridge	5	4,000	20,000	20,000	5	In view of above, Outsourcing cost has been excluded from this PC-I.
UPS	12	8,000	96,000	96,000	12	
Water Cooler	15	4,000	60,000	60,000	15	
Exhaust	7	3,000	21,000	21,000	7	
Geyser	15	4,000	60,000	60,000	15	
Water Pump	3	3,000	9,000	9,000	3	
Carpentry Work		-	180,000	180,000		
Electrical Work		-	120,000	120,000		
Plumbing Work		-	75,000	75,000		
Sub Total				1,354,155		
General Total				3,958,155		
				3.958		

	Medical Gases								
			Origin	nal	From 1st Revised to onward				
Scope of Work			Rate per Cylinder	Total Annual Cost per THQs					
	Medical Oxygen Gas in 240 CFTCylinder (MM)	12	144	1850	266,400				
Oxygen	Medical Oxygen Gas in 48 CFTCylinder (MF)	30	360	1,000	360,000	In the light of decision made during the Progress Review Meeting of Revamping of DHQ/THQ Hospitals held on 01-01-2018 under the Chairmanship of Chairman, P&D			
	Medical Oxygen Gas in 24 CFTCylinder (ME)	40	480	800	384,000	Board; it was inter alia decided as under: "It would be made sure by the P&SH Department that the outsourcing would be			
Nitrous	Nitrous Oxide in 1,620 Liter (XE)	2	24	5,000	120,000	shifted to the non-development side from 1st July 2018 next FY". In view of above, Outsourcing cost has been excluded from this PC-I.			
Oxide	Nitrous Oxide in 16,200 Liter (XM)	1	12	12,500	150,000				
Nitrogen Gas	Nitrogen Gas	1	12	2,000	24,000				
		Total		•	1,304,400				
					1.304				

Cafeteria

Pre-Fabrication Cateen (Procurement)

1 2 3 4 5 6 7 8 8 9	Description of work		(Origin	al	From 1st Revised to onward		
No. 1 2 3 4 5 6 7 8	Description of work	l						
1 2 3 4 5 6 7 8 8 9	<u> </u>	Unit	Qty	Rate (Rs)	Amount (Rs)	In the light of decision made during the Progress Review Meeting of Revamping of DHQ/THQ Hospitals held on 01-01-2018 under the Chairmanship of Chairman, P&D Board; it was inter alia decided as under:		
3 4 5 6 7 8	Excavation in foundation of building, bridges and other structures, including dagbelling, dressing, refilling around structure with excavated earth, watering and ramming lead upto one chain (30 m) and lift upto 5 ft. (1.5 m) for ordinary soil	Cft	2545	6.13	15,602	"It would be made sure by the P&SH Department that the outsourcing would be shifted to the non-development side from 1st July 2018 next FY". In view of above, Outsourcing cost has been excluded from this PC-I.		
3 4 5 6 7 8	Spraying anti-termite liquid mixed with water in the ratio of 1:40.	Sft	4305	2.21	9,514			
5 6 7 8 9	Supplying and filling sand of approved quality from outside sources under floors etc complete in all respects.	Cft	2268	15.62	35,426			
6 7 8	Providing, laying, watering and ramming brick ballast 1½" to 2"(40 mm to 50 mm) gauge mixed with 25% sand, for floor and foundation, complete in all respects.	Cft	998	39.15	39,069			
7 8 9	Providing and laying damp proof course (1½" thick (40 mm)) of cement concrete 1:2:4, with one coat bitumen and one coat polythene sheet 500gauge	Sft	318	43.34	13,789			
8 9	Brick work with cement, sand mortar ratio 1:5	Cft	1792	180.25	323,071			
9	Cement concrete plain Ratio 1: 4: 8 including placing, compacting, finishing and curing complete (including screening and washing of stone aggregate)	Cft	427	170.72	72,893			
9	Cement concrete plain Ratio 1: 2: 4 including placing, compacting, finishing and curing complete (including screening and washing of stone aggregate)	Cft	1043	190.48	198,746			
	Placing Granite tiles (24"x24"x0.5") using white cement over a bed of ¾" (20 mm) thick cement mortar 1:6.	Sft	2160	200.00	432,000			
10	Providing and laying Tuff pavers, having 7000 PSI, crushing strength of approved manufacturer, over 2" to 3" sand cushion i/c grouting with sand in joints i/c finishing to require slope. complete in all respect.	Sft	720	118.00	84,960			
	Total Amount of Platform Construction Fabrication of Canteen Structure				1,225,070			
11	Providing and fixing aluminium frame window with double glazzed glass 6mm+6mm thick complete in all respect as approved by engineer	Sft	48	1100.00	52,800			
12	Providing and fixing aluminium frame door with single glazzed glass 6mm thick complete in all respect as approved by engineer	Sft	56	700.00	39,200			
13	Fixing of frameless Glass wall of approved quality and design as approved by engineer	Sft	550	1500.00	825,000			
14	Providing Granite skirting or dado 4/8"(13 mm) thick including rounding of corner and straight ening of top edge and finishing to smooth surface afterplastering	Sft	491	212.00	104,177			
15	Placing & erection of pre-painted Box section tube Columns of M.S sheet 4mm thick of size 4" x4" complete in all respect. Placing & erection of pre-painted Box section tube	Kg	693	150.00	103,950			
16	Rafters of M.S sheet 4mm thick of size 3" x3" with all fittings, complete in all respect.	Kg	1040	150.00	155,925			
17	Placing & erection of pre-painted Box section tube Purlins of M.S sheet 1.6 mm thick (16 Gauge) of size 2" x2", with all fittings, complete in all respect.	Rft	676	120.00	81,144			
18	Placing & erection of pre-painted, Galvanized Sandwitched board of 0.5 mm thick M.S sheet with 50mm PU insulation with all fittings, complete in all respect.	Sft	2640	400.00	1,055,800			
	Placing & fixing glass wool complete in all respect. Placing & fixing Gypsum False Ceiling, complete in all	Sft	3024	50.00	151,200			
20	Providing & Fixing corrugated galvanized iron sheets 22 gauge with EPDM screw fittings, complete in all	Sft Sft	3024	70.00	211,680 526.176			
	respect.	Oit	5023	1-13.00				
	Total Cost of Pre-Fabrication of Canteen Structure				3,307,052			
22					4,532,121			
23	Total Amount (Rs)				998 735			
24	Electrification Plumbing and Sanitory				998,735 410,000			
Ĺ	Electrification							

LANDSCAPE DEVELOPMENT WORKS								
	COST ESTIMATE							
			0	rigina	l	From 1st Revised to onward		
Sr. No.	Description	Unit	Quantity	Unit Rate Rs.	Amount Rs.	In the light of decision made during the Progress Review Meeting of Revamping of DHQ/THQ Hospitals held on 01-01-2018 under the Chairmanship of Chairman, P&D Board; it was inter alia decided as under:		
1	SOFT LANDSCAPE					"It would be made sure by the P&SH Department that the outsourcing would be shifted to the non-development side from 1st July 2018 next		
1.1	TOP SOIL					FY".		
	Providing, spreading and leveling of topsoil (sweet soil including manure and fertilizers) as required complete in all respects as per Drawings, Specifications and as approved by the Engineer.	Cft	7,199	22	158,378	In view of above, Outsourcing cost has been excluded from this PC-I whereas Rs. 0.048 million has been charged in this scheme against Design Consultancy from development side before the above said decision, hence it is reflected in this PC-I.		
1.2	STONE / PEBBLES							
	Supply and laying a layer of pebbles/stone at specified locations with Landscape base as in Landscape Design approved by the Engineer.	Truck	1	34,375	34,375			
1.3	GRASSING							
а	GRASSING (EXISTING NON MAINTANE LAWNS)							
	Providing and dibbing of Fine Dacca grass where required, including mud filling/leveling and contour shape preparation confirming to the criteria outlined in the Specifications, complete in all respects as per Drawings, Specifications and as approved by the Englineer.	Sft	9,872	7	69,104			
b	GRASSING (NEW LAWNS)							
	Providing and dibbing of Fine Dacca grass, including mud filling/leveling and contour shape preparation confirming to the criteria outlined in the Specifications, complete in all respects as per Drawings, Specifications and as approved by the Engineer.	Sft	12,341	11.25	138,836			
1.4	TREE / SHRUBS (SPREADING)							
	Providing and planting tree / shrub as listed and as arrangement and type shown in the Drawings, in pits of size 305mm x 305mm x 305mm. Dug in improved soil 610mm. deep filled by adding 10% cow dung manure and confirming to the criteria outlined in the Specifications, complete in all respects and to the satisfaction of Engineer:							
а	Trees 18" pot 6'-7' - Terminally, Cassia Fistula, Bauhinia Variegated, Alstonia Choirs, Ficus Yellow, Ficus Black, Jacaranda, Pilken, Mangifera etc.	No's	50	1,500	75,000			
b	Trees 12° pot 3'-4' - Polyalthia Long folia, Terminally, Cassia Fistula, Bauhinia Variegated, Latonia Choirs, Delonix Regia, Ficus Yellow, Focus Black, fichus Starlight, Melaluca, Mimuspps, Pine, Ficus Amestal, Pilken, Palms etc.	No's	12	270	3,240			
С	Plantation of Fruit Plants in the vacant area 12" pot 3'- 4' - Am rood, Jaman, Berri, Mango, Citrus. Including site preparation, plantation, watering and maintenance for six months.	No's	40	600	24,000			
1.5	Shrubs and Ornamental Plants 10" pot Pittosporum Variegated, Murray Small, Ixora Coccinea, Junipi Varigated, Hibiscus Varigated, Carronda Dwarf Spp, Jasmine Sambac(Mottya), Leucophyllum Frutescens(Slivery), Rose, Nerium, Lantana, Canna, Asparagrass, Conocarpus, Acalypha, Callistemon Dwarf, Cestrum, Thabernaemontara Variegated etc.	No's	4,487	69	309,603			

	LANDSCAPE DEVELOPMENT WORKS						
			COS	T EST	IMATE		
			0	rigina		From 1st Revised to onward	
а	Shrubs and Ornamental Plants 12" pot Pittosporum Varigated, Ixora Cochineal, Juniper Variegated, Carronade Dwarf, Jasmine Thai, Plumier Robar, Cassia Malacca, Largest mea, Euphorbia, Jestropha Thai etc	No's	705	195	137,475		
1.6	GROUND COVERS Providing and planiting ground covers as listed and as arrangement and type shown in the Drawings, in pits of size 150mm x 150mm x 150mm. Dug in improved soil 610mm deep filled by adding 10% cow dung manure and confirming to the criteria outlined in the Specifications, complete in all respects and to the satisfaction of Engineer. Ground Cover Plastic Bag Plants Alternant Hera,						
	Dianella, Iresine (Red), Hemercollis(Daylily), Duranta etc	No's	4,792	12	57,504		
1.7	PALMS						
	Providing and planting palms as per Drawings, specifications and to the satisfaction of Engineer .						
а	Palm 18" pot - Queen Palm, Wodyetia Bifurcate, Washingtonian Palm, Biskarkia etc.	No's	6	3,675	22,050		
b 1.8	Palm 18" pot - Phoenix Palm, Cyrus Palm CREEPERS	No's	8	1,800	14,400		
	Providing and planting Creepers as listed and as arrangement and type shown in the Drawings, in pits of size 305mm x 305mm x 305mm. Dug in improved soil 610mm. deep filled by adding 10% cow dung manure and confirming to the criteria outlined in the Specifications, complete in all respects and to the satisfaction of Engineer.						
	Creepers 12" Pot - Bougainvillea, Bonsai, Qusqualus, Bombay Creeper etc.	No's	24	195	4,680		
2	HARD LANDSCAPE						
2.1	WALK WAYS						
	Excavation of walkways and edging including brick ballast under 12"X14" curb stones fixing with 1:2:4 PCC, supply of 7000PSI tuff tiles 60mmas per approved design fixing on 4" brick ballast compacted and grouting with sand.	Sft	987	150	148,050		
2.2	BENCHES						
	Concrete Bench 5' wide complete in all respects and to the satisfaction of Engineer as per approved design.	No's	5	14,698	73,490		
2.3	DUSTBINS						
2.4	Complete in all respects and to the satisfaction of Engineer as per approved design. PLAYING EQUIPMENTS	No's	3	27,700	83,100		
	Complete in all respects and to the satisfaction of Engineer as per approved design.	No's	1	544,939	544,939		
2.5	PLANTERS						
	Concrete planters 2' X 2-1/2' complete in all respects and to the satisfaction of Engineer as per approved design.	No's	4	3,850	15,400		
2.6	WATER POINTS (Injector Pump 1HP)	No's	1	45,000	45,000		
3	SOFT LANDSCAPE MAINTENANCE (Including maintenance and up keeping of site for 6 months) after development as per specifications and to the satisfaction of Engineer.	Sft	24,681	9.00	222,129		
4	CONSTRUCTION OF PLANTERS	l		l			

	LANDSCAPE DEVELOPMENT WORKS								
			COS	ΓEST	IMATE				
	Original From 1st Revised to onward								
4.1	Large Size with keystones fixed with cement with top concrete slab as per design and to the satisfaction of Engineer.	No's	96	550	52,800				
4.2	Medium Size with keystones fixed with cement with top concrete slab as per design and to the satisfaction of Engineer.	No's	12	550	6,600				
4.3	Small Size with keystones fixed with cement with top concrete slab as per design and to the satisfaction of Engineer.	No's	23	550	12,650				
5	GAZEEBO Construction of Gazebo 12" X 12" with top fiberglass 3 layer canopy as per approved design and to the satisfaction of Engineer.	No's	1	200,000	200,000				
	Total Amount of - Landscaping				2,452,803				
	PRA(16%)				392,449				
	Design Consultancy				100,000				
	Grand Total				2,945,252				
					2.945				

From

The Chief Engineer,

Punjab Buildings Department, South Zone, Lahore.

To

The Secretary,

Government of the Punjab, Primary & Secondary Healthcare Department, Lahore.

Memo No.76-Dev/2014/

3135

/Dev. Dated | O .11.2022

Subject:

REVISED ROUGH COST ESTIMATE FOR THE WORK "PROGRAMME REVAMPING OF ALL THO HOSPITALL IN PUNJAB ONE AT THO HOSPITAL ALI PUR DISTRICT MUZAFFARGARH" ADP NO.658 FOR THE YEAR 2022-23.

Please find enclosed copy of Revised Rough Cost Estimate amounting to Rs.66.794(M) duly vetted by the Chief Engineer for arranging Revised Administrative Approval.

The Revised Rough Cost Estimate has been prepared on the basis of rates meant for

2nd Bi-annual 2022.

DA/As Above.

DEPUTY DIRECTOR-II

for Chief Engineer, South Zone, Punjab Buildings Department, Lahore.

Endst: No.

/Dev, Dated

.11.2022.

A copy is forwarded for information to:-

- 1 The Superintending Engineer, Buildings Circle, D.G.Khan for information with reference to his letter No.1024/DB, dated 07.11.2022.
- 2 The Executive Engineer, Buildings Division, Muzaffargarh.
- 3 The Chief Draftsman (Local).

DA/Nil.

DEPUTY DIRECTOR-II

for Chief Engineer, South Zone, Punjab Buildings Department, Lahore.

RECEI Diary No:	VED &	ENTERED
Date:	10-	1-2022
PM/PQ IA		
P	MU. P&S	SHD
Deputy Po)	1
Finance &	Admin	1
Procureme	ent	
Outsourci		
Infrastruct		
Planning 8		
ICT		
Operations	-	
Health		
Legal		
1 & C		
BERC		
MARKING		
SIGNATUR	ES	



BUILDINGS CIRCLE DERA GHAZI KHAN

BUILDINGS DIVISION MUZAFFARGARH

AMENDED ROUGH COST ESTIMATE FOR
THE WORK "REVAMPING OF TEHSIL HEAD
QUARTER HOSPITAL ALI PUR DISTRICT
MUZAFFARGARH"

Amount Rs: 73.416 (M)

BUILDINGS SUB DIVISION ALI PUR

(3

PROVINCE: -	PUNJAB
CIRCLE:	BUILDINGS CIRCLE DERA GHAZI KHAN
DIVISION:	BUILDINGS DIVISION MUZAFFARGARH
SUB DIVISION:	BUILDINGS SUB DIVISION ALI PUR
NAME OF WORK:	AMENDED ROUGH COST ESTIMATE FOR THE WORK "REVAMPING OF TEHSIL HEAD QUARTER HOSPITAL ALI PUR DISTRICT MUZAFFARGARH"
MAJOR HEAD:	
MINOR HEAD:	
Amount	Do : 72 /16 (M)

HISTORY:

The "Rough Cost Estimate for the Work Revamping of THQ Hospital Ali Pur District Muzaffargarh" has been Prepared on the basis of Plinth Area Rates 2nd Bi-annual Period (1st July to 31st December 2022) amounting to Rs: 49.365 (M).

Hence, this Rough Cost estimate amounting to **Rs**: 73.416 (M) is prepared according to the scope of work provided by the Director Infrastructure PMU.

DESIGN AND SCOPE:

1	Link Passage of Main Building	1 Job
2	Revampingof Old Building (Main Building)	1 Job
3	Revampingof Old Building (Operation Theatre)	1 Job
4	Revampingof Old Building (Emergency Ward)	1 Job
5	Sewerage & Water Supply	. 1 Job
6	WATER PURIFICATION PLANT	1 Job
7	WATER CHILLER UNIT	1 Job
8	Provision of Sheds for Generators	800 Sft
9	Provision of Street Lights	1 Job
10	Boundary WALL 9" thick	500 Rft

DESIGN:

The work will be got executed in accordance with the Buildings Department's specifications and with consultation of the Client Deptt:, after observing all codal formalities.

SPECIFICATION/ CARRYING OUT OF WORK:

The work will be carried out according to building department specifications with latest edition through the approved contractors of C & W Department after calling tenders on competitive grounds.

RATES:

The estimate is based on Plinth Area Rates 2nd BI-Annual 1st July to 31st December 2022 for Muzaffargarh District circulated by the Finance department, Punjab.

LAND:

Land will be provided by the Client Department.

COST:

The total cost of this project comes to Rs: 73.416 (M)

TIME LIMIT:

It will take about (12) months to complete the work from the date of actual commencement of the work on the provision of funds.

Sub Divisional Officer Buildings Sub Division Ali Pur Executive Engineer Buildings Division Muzaffargarh

				Plinth	Area Rate	s/MRS (2n	d BI-Annı	nai 1st July	to 31:	st Dec	embe	er 2022)		
Sr. No.	Name of work	Plinth area	Unit	в.Р	Extra for Strip/ isolated column footing	Extra cost for lst and subsequent floor for labour	Extra for frame structure	Extra cost for deduction of 1st and Subsequent floor	Р.Н	E.I	S.I	Total	Amount	Remarks
(A)	Main Building													
2	Revamping of old Builidng (Main Building	1	P.Job	15617700	,							15617700	15617700	Plinth Area Rates/MRS issued by the Chief Engineer Bldgs: Deptt: south Zone Punjab Lahore, for the period 2nd Bl-Annual 1st July to 31st December 2022.
3	(Operation Theatre)	11	P.Job	19364300								19364300	19364300	Detail Attached
										Щ.				
4	(Emergency)	1	P.Job	5806400								5806400	5806400	Detail Attached
5	(Gynae Block)	1	P.Job	4965300								4965300	4965300	Plinth Area Rates/MRS issued by the Chief Engineer Bldgs: Deptt: south Zone Punjab Lahore, for the period 2nd Bi-Annual 1st July to 31st December 2022.
6	Provision of Sewerage and Water Supply	1	P.Job	2498700								2498700	2498700	Detail Attached
7	P/INSTALLATION OF R.O (REVERSE OSMOSIS) WATER PURIFICATION PLANT COMPLETE IN ALL RESPECT OF APPROVED QUALITY THE SPECIFICATION OF PURIFICATIONO PLANT CAPACITY 1000 L.P.H AS APPROVED BY THE ENGINEER INCHARGE.	1	P.Job	2051500					i			2051500	2051500	Analysis Attached
8	P/INSTALLATION OF R.O (REVERSE OSMOSIS) WATER CHILLER UNIT COMPLETE IN ALL RESPECT OF APPROVED QUALITY THE SPECIFICATION OF PURIFICATIONO PLANT CAPACITY 200 L.P.H AS APPROVED	1	P.Job	308000								308000	308000	Analysis Attached
10	Provision of Street Lights	1	P.Job	2886333								2886333	2886333	MRS & Analysis Attached
11	External Electricfication	1	P.Job	7856119								7856119	7856119	Detail Attached

6

1	Link Passage of Main Building	1200	Sft	3568			120	227	65	3980	4776000	Plinth Area Rates/MRS issued by the Chief Engineer Bldgs: Deptt: south Zone Punjab Lahore, for the period 2nd BI-Annual 1st July to 31st December 2022.
12	Boundary WALL 9" thick and 8' Height above Plinth Level	500	P.Rft	7580						7580	3790000	Plinth Area Rates
										Total =	69920352	

al = 69920352

Add 5%P.S.T

3496018

Total 73416370

Say 73416400

Or Rs. 73.416 (M)

Sub Engineer

Sub Divisional Officer Buildings Sub Division Ali Pur Executive Engineer Buildings Division Muzaffargarh




Sr.		(As	per P-Arc	As per R.C.E/ ea/MRS 2nd 1	A.A Bi-annual 2021)			evised Rough Co Area/MRS 2nd Bi		Excess	Saving	Remarks
No.	Name of work	Plinth area	Unit	Rate	Amount	Plinth Area	Unit	Rate	Amount	Excess		Remai &S
(A)	Main Building											
1	Revamping of old building											
i)	Schedule Items	1	P.Job	15636500	15636500						15636500	Due to changed scope of work
ii)	Additional / Non Schedule Items											
	P/F False ceilling (DAMPA) sheet 2'x2' imported fixed with Aluminum frame (TEE & L) hanged with 10 No wire with RCC roof slab i/c cost of Hook & Scaffolding, carriage charges complete in all respect & as approved by the Engineer Incharge.	4288	P.Sft	150	643200			·		-	643200	Due to changed scope of work
£.\	24. Supply and erection of fancy LED Panel light 2'x2' i/c LED Light & Driver 36 (W) (Philips / Alpha LED Ultra Slim) or Equivalent i/c fixing in false ceiling and electric connection complete in all respect as approved/ directed by the Engineer Incharge	20	Each	9500	190000							Due to changed scope of work
c)	P/F of UPVC wall paneling UPVC section like plank, beading gola, angle gola 200 mm wide 9mm thick designed grooved planks fixed with inter locking system nails scew on existing wall produced in plumbs using wooden strips (Anti termite) i/c carriage of material from market to site work complete in all respect as approved/ directed by the Engineer Incharge	1410	P.Sft	130	183300						183300	Due to changed scope of work
2	Provision of Approach Road	1	P.Job	2244700	2244700						2244700	Due to changed scope of work

1



3	P/INSTALLATION OF R.O (REVERSE OSMOSIS) WATER PURIFICATION PLANT COMPLETE IN ALL RESPECT OF APPROVED QUALITY THE SPECIFICATION OF PURIFICATIONO PLANT CAPACITY 1000 L.P.H AS APPROVED BY THE ENGINEER INCHARGE.	1	P.Job	2051500	2051500	1	P.Job	2051500	2051500	0	0	
4	P/INSTALLATION OF R.O (REVERSE OSMOSIS) WATER CHILLER UNIT COMPLETE IN ALL RESPECT OF APPROVED QUALITY THE SPECIFICATION OF PURIFICATIONO PLANT CAPACITY 200 L.P.H AS APPROVED BY THE ENGINEER INCHARGE.	1	P.Job	308000	308000	1	P.Job	308000	308000	0	0	
5	Waiting shed 65x30	1950	P.Sft	704	1371895						1371895	
6	Provision of Sheds for Generators (20X20)*2=800	800	P.Sft	704	563200					-563200		
7	Provision of Street Lights	1	P.Job	2208800	2208800	1	P.Job	2886333	2886333	677533		
8	Boundary WALL 9" thick and 8' Height above Plinth Level	500	P.Rft	4636	2318000	500	P.Rft	7580	3790000	1472000		
9	Razor Cut Wire	500	P.Rft	460	230000						230000	
	NON RESIDENTIAL PORTION											
(A)	Main Building						I				-	
1	Revamping of old Builidng					1	P.Job	15617700	15617700	15617700		
2	Revamping of old Builidng (Operation Theatre)					1	P.Job	19364300	19364300	19364300		
3	Revamping of old Builidng (Emergency)					1	P.Job	5806400	5806400	5806400		
4	Revamping of old Builidng (Gynae Block)					1	P.Job	4965300	4965300	4965300		
7	Provision of Sewerage and Water Supply					1	P.Job	2498700	2498700	2498700		



GENERAL ABSTRACT OF COST

(8.6 - 1 - Duil Ji -)	
(Main Building) 1 Main Building	= Rs. 15617700/-
2 OT	= Rs. 19364300/-
3 EMERGENCY	= Rs. 5806400/-
4 LABOUR	= Rs. 4965300/-
5 Sewarge and water supply	= Rs. 2498700/-
5 Provision of Electric Equipment of approved by PM	UI = Rs. 7856119/-
	i i

Sub Engineer

Sub Divisional Officer Buildings Sub Division Ali Pur Executive Engineer Buildings Division Muzaffargarh

Total

= Rs. 56108519/-

GENERAL ABSTRACT OF COST

1 Renovation/Rehabilitation of Main Building (Main Building)

= Rs. 14335600/-

2 Electric Installation

= Rs. 836100/-

3 Sanitary Installation

= Rs. 446000/-

Total = Rs. 15617700/-

Sub Engineer

Sub Divisional Officer Buildings Sub Division Ali Pur Executive Engineer Buildings Division Muzaffargarh

Detail of Main Building

Sr. No Description	No		Length	Breadth	Dej	pth	Contents	Amount	
Dismantling glazed or encaust	ic tiles, etc.								· · · · · ·
skirting Clerk Room	2x1	x(13.833 +	11.833)x	4	=	205 Sft	:	ì
S.M.O		x(13.833 +	11.833)x	4	=	205 Sft	t	
Childern Doctor	2x1	x(13.833 +	11.833)x	4	=	205 Sft		
Doctor Room		x(13.667 +	11.833)x	4	=	204 Sft		;
Exam		x(8 +	7)x	4	=	240 Sft		
W.R		x(7.75 +	4.125)x	4	=	190 Sft		
Waiting Area		x(24 +	17.75)x	4	=	334 Sft 162 Sft		
Isolation		x(11.5 +	8.75)x	4	=	162 Sft 186 Sft		
Chara		x(11.5 + 9.875 +	11.75)x 11.5)x	4 4	=	171 Sf		
Store Ward		x(x(41,167 +	20)x	4	=	489 Sft		
Bath opening			11.5 +	6.25)x	7	_	249 Sft		
Baths		x(3.625 +	4)x	7	=	320 Sft		
Medical Store		x(•			80 Sft		
		x(24.33 +	15.75)x		/2 =			
Store		x(11.5 +	11.5)x		/2 =	23 Sft		
Store		x(12 +	11.5)x		/2 =	24 Sft		
Cloth Store		x(11.833 +	11.5)x		/2 =	23 Sft		
Store		x(9.875 +	11.5)x		/2 =	21 Sf		
		x(15.875 +	7.25)x	1,	/2 =	23 Sf		
Dengue	2x1	x(11.05 +	8.75)x	4	=	158 Sf		
Male Medical Ward	2x1	x(41.167 +	20)x	4	=	489 Sfi	t	1
Female Medical Ward	2x1	x(41.167 +	20)x	4	=	489 Sf	t	,
W.R	2x2	x(11.5 +	6.25)x	7	=	497 Sf	t	ļ
Baths	2x6	x(3.625 +	8.75)x	7	=	1040 Sft	t	
Childern Ward	2x1	x(41.167 +	20)x	4	=	489 Sf	t	•
W.R	2x2	x(11.5 +	6.25)x	7	=	497 Sf	t	•
Baths .	2x6	x(3.625 +	8.75)x	7	=	1040 Sf	t	ţ
Medicene Store	2x1	x(10.167 +	10)x	1,	/2 =	20 Sft	t	ļ
Store	2x1	x(10.167 +	4.25)x	1,	/2 =	14 Sf		i
Nursery		x(11.625 +	9.125)x	4	=	166 Sf		ļ
Vacination		x(24.625 +	7)x	4	-	253 Sf		1
W.R		x(11.5 +	6.25)x	7	=	497 Sf	t	į
Baths	2x6	x(3.625 +	8.75)x	7	=	1040 Sft	t	į
Opening	2x1	x(11.5 +	24.5)x	7	=	504 Sf		į.
Nursing	2x1	x(11.5 +	14.167)x	4	=	205 Sf	t	}
ECG	2x1	x(16.167 +	10.25)x	4	=	211 Sf	t	3
Bath	2x2	x(3.625 +	4.75)x	7	=	235 Sf	t	
Eye Ward	2x2	x(32.5 +	20)x	4	=	840 Sf	t	:
W.R	2x2	x(11.25 +	15)x	7	=	735 Sf	t	!
Baths		x(3.625 +	4.75)x	7	=	704 Sf	t	į
Counter		x(10.75 +	6.5)x	7	=	483 Sf	t	- ;
Gallary Eye		x(41.5 +	7)x	4	=	388 Sf	t	1
Gallary Medical Ward		x(67.5 +	7)x	4	=	1192 Sf		
Gallary Childern Ward		x(67.5 +	7)x	4	=	1192 Sf		1
D.D.O		x(13.875 +	10.875)x		/2 =	25 Sf		;
Drug Controller		x(13.875 +	10.875)x		/2 =	25 Sf		;
D.D.O		x(13.875 +	10.875)x		/2 =	25 Sf		į
Social Welfare		^(x(13.875 +	10.875)x		/2 =	25 Sfi		ţ
	-71	~(15.070	10.070 /	1,	, –	20 011	-	i

	Ver	2x1	x(37 +	16.25)x	4 7	=	426 Sft 235 Sft	1
	Baths	2x2	x(3.625 +	4.75)x				1
						Total		17493 Sft 2335.85 %Sft	Rs. 408616/-
_		galar ib. gair		المالية المستقالة المستقالة المالية الم			· ·	2555.65 705H	KS. 400010/-
5	.Scraping:-White wash or co			40.000	44.000 \	-		250.00	Ĭ.
	skirting Clerk Room	2x1	x(13.833 +	11.833)x	7 7	=	359 Sft 359 Sft	ļ
	S.M.O	2x1	x(13.833 + 13.833 +	11.833)x 11.833)x	7	_	359 Sft	
	Childern Doctor Doctor Room	2x1 2x1	x(x(13.667 +	11.833)x	7	_	357 Sft	į
	Exam	2x2	x(8 +	7)x	7	=	420 Sft	
	W.R	2x2	x(7.75 +	4.125)x	7	=	333 Sft	
	Waiting Area	2x1	x(24 +	17.75)x	7	=	585 Sft	
	Isolation	2x1	x(11.5 +	8.75)x	7	=	284 Sft	
		2x1	x(11.5 +	11.75)x	7	=	326 Sft	
	Store	2x1	x(9.875 +	11.5)x	7	=	299 Sft	
	Ward	2x1	×(41.167 +	20)x	7	=	856 Sft	
	Bath opening	2x1	x(11.5 +	6.25)x	4	=	142 Sft	
	Baths	2x3	x(3.625 +	4)x	4	=	183 Sft	
	Medical Store	2x2	×(24.33 +	15.75)x	7	=	1122 Sft	
	Store	2x1	x(11.5 +	11.5)x	7	=	322 Sft	
	Store	2x1	x(12 +	11.5)x	7	==	329 Sft	
	Cloth Store	2x1	x(11.833 +	11.5)x	7	=	327 Sft	
	Store	2x1	x(9.875 +	11.5)x	7	=	299 Sft	
		2x1	x(15.875 +	7.25)x	7	=	324 Sft	
	Dengue	2x1	×(11.05 +	8.75)x	7	=	277 Sft	
	Male Medical Ward	2x1	×(41.167 +	20)x	7	=	856 Sft	
	Female Medical Ward	2x1	x(41.167 +	20)x	7	=	856 Sft	
	W.R	2x2	x(11.5 +	6.25)x	4	=	284 Sft	
	Baths	2x6	x(3.625 +	8.75)x	4	=	594 Sft	•
	Childern Ward	2x1	×(41.167 +	20)x	7	=	856 Sft	¥
	W.R	2x2	x(11.5 +	6.25)x	4	=	284 Sft	}
	Baths	2x6	x(3.625 +	8.75)x	4	=	594 Sft	₹ 1
	Medicene Store	2x1	x(10.167 +	10)x	7	=	282 Sft	
	Store	2x1	x(10.167 +	4.25)x	7	=	202 Sft	
	Nursery	2x1	x(11.625 +	9.125)x	7	=	291 Sft	}
	Vacination	2x1	x(24.625 +	7)x	7	=	443 Sft	1
	W.R	2x2	x(11.5 +	6.25)x	4	=	284 Sft	
	Baths	2x6	x(3.625 +	8.75)x	4	=	594 Sft	
	Opening	· 2x1	x(11.5 +	24.5)x	4	=	288 Sft	
	Nursing	2x1	x(11.5 +	14.167)x	7	=	359 Sft	
	ECG	2x1	x(16.167 +	10.25)x	7	-	370 Sft	Ĭ
	Bath	2x2	×(3.625 +	4.75)x	4	= '	134 Sft	
	Eye Ward	2x2	x(32.5 +	20)x	.7	=	1470 Sft) i
	W.R	2x2	x(11.25 +	15)x	4	=	420 Sft	;
	Baths	2x6	x(3.625 +	4.75)x	4	=	402 Sft	į
	Counter	2x2	x(10.75 +	6.5)x	4	=	276 Sft	
	Gallary Eye	2x1	x(41.5 +	7)x	7	=	679 Sft	į.
	Gallary Medical Ward	2x2	x(67.5 +	7)x	7	=	2086 Sft	ļ
	Gallary Childern Ward	2x2	x(67.5 +	7)x	7	=	2086 Sft	ļ
	D.D.O	2x1	x(13.875 +	10.875)x	7	=	347 Sft	1
	Drug Controller	2x1	x(13.875 +	10.875)x	7	=	347 Sft	1
	D.D.O	2x1	x(13.875 +	10.875)x	7	=	347 Sft	Ţ
	Social Welfare	2x1	x(13.875 +	10.875)x	7	=	347 Sft	, and the second
	Ver	2x1	x(37 +	16.25)x	7	=	746 Sft	} 2
			`		,				;

							:
	Baths	2x1 x(3.625 +	4.75)x	7 =	117 Sft	ŧ
	Deduct Openings	1 x	50	3.5 x	3	-525	}
	Windows	1 x	35	4 x	3	-420	-
					Total: =	24156 sft	;
			., 2	4	@	253.95 %Cft	Rs. 61344/-
6	Dominion de constitue de cons	dent			_		
6	Removing door with chow		40			10.31-	1
		1 x	10		= <u> </u>	10 Nos.	1
					Total: =	10 Nos.	5 40004
					@	438.00 P-No.	Rs. 4380/-
7	Removing windows and sl	ky light with chowkat.					
		1 x	46		=	46 Nos.	
					Total: =	46 Nos.	
					@	341.50 P-No.	Rs. 15709/-
14							
	plain.Cement concrete plai						
	compacting, finishing and						
	screening and washing of	stone aggregate):(f) Rati	o 1: 2: 4.				
	Clash Danna	1 x	13.833 x	11.833 x	1/8 =	20 Cft	
	Clerk Room S.M.O	1 x 1 x	13.833 x	11.833 x	1/8 =	20 Cft	
	S.M.O Childern Doctor	1 x 1 x	13.833 x	11.833 x	1/8 =	20 Cft	
	Doctor Room	1 x 1 x	13.667 x	11.833 x	1/8 =	20 Cft	
	Exam	2 x	8 x	7 x	1/8 =	14 Cft	
	W.R	2 x	7.75 x	. 4.125 x	1/8 =	8 Cft	
	Waiting Area	1 x	24 x	17.75 x	1/8 =	53 Cft	
	W.R	4 x	11.5 x	6.25 x	1/8 =	36 Cft	
	Baths	12 x	3.625 x	8.75 x	1/8 =	48 Cft	
	Bath opening	1 x	11.5 x	6.25 x	1/8 =	9 Cft	1
	Baths	3 x	3.625 x	4 x	1/8 =	5 Cft	
	W.R	2 x	11.5 x	6.25 x	1/8 =	18 Cft	<i>!</i>
	Baths	6 x	3.625 x	8.75 x	1/8 =	24 Cft	
	Opening	1 x	11.5 x	24.5 x	1/8 =	35 Cft	Ļ
	W.R	2 x	11.25 x	15 x	1/8 =	42 Cft	,
	Baths	10 x	3.625 x	4.75 x	1/8 =	22 Cft	
					Total: =	395 Cft	1
					@	38126.10 %Cft	Rs. 150775/-
15	Description and Issues Door	aliahad Cassita of associ	Cod				1
	Providing and laying Prep thickness and shade of full						ŧ
	with adhesive bond over 3						\$
	bed, complete in all respec						1
	Engineer Incharge.(i) 3/4"		ica by the				1
	Englicer menarge.(i) 5/ 4	unck.	•				
		1 x	13 x	13 x	=	169 SFT	
		1 x	8 x	2 x	= _	<u>16</u> SFT	
					Total: =	185 SFT	
					@	1308.95 P-SFT	Rs. 242156/-
16							}
	Providing and laying supe						*
	flooring of MASTER brand					•	-
	design, Color and Shade w						,
	thick (1:3) cement plaster i						1
	the joints i/c cutting grind		ect as				
	approved and directed by						į,
	d) (Non-Skid Chequred Ti	ies) 300mmx300mm.					į
	Main Entrance Ramp	1 x	4 x	5 x	=	20 SFT	
	Limite Milly	- ^	- ^		Total: =	20 SFT	i
					@ @	211.55 P-SFT	Rs. 4231/-
					•	TIMO I DI	110. 12.1/-

Providing and fixing aluminium glazed partition of anodized / powder coated using section of M/s. Al-Cop/ Pakistan Cable having 2 mm thick Frame size D48-A, i/c12 mm tinted TEMPERED glass with sand blastingandedge polishing i/c the cost of tear resistance..... film,rubber gasket and hardware etc. complete in all

respectas approved and directed by the EngineerIncharge.(Floor hinge will be paid separately)

1 x 8.5 x 77 Sft 77 Sft Total: = 1244.20 P-Sft

Providing and fixing heavy duty 3 mm thick SS Plate, diecast metal auotomatic hydraulic operated door stopper (Concealed floor hinge) embeded in floor i/c the cost of Top pivot hinge, hardware, cutting of floor and making it good complete in all respect as approved and directed by the Engineer Incharge

> 2 No. 1 x Total: = 2 No.

Rs. 11158/-5579.00 Each

Rs. 95181/-

Rs. 175017/-

17

P/F 1-1/2" thick solid flush door comprising of 2.5 mm thick Commercial ply compressed over 2.5 mm thick commercial ply over 1" thick packing wood in style and rails under proper pressure i/c the cost of nails, tower bolt, handles, glue, sawing charges, Painting charges, sand papering and 3/8" thick matching wooden lipping as approved and directed by the Engineer Incharge.

19 Providing and fitting all types of double glazed aluminium windows of anodised bronze colour partly fixed and partly sliding using delux sections of approved manufacturer having frame size of 100 x 20 mm (4"x¾") and leaf frame sections of 50 x 20 mm (2"x3/4"), all of 1.6mm thickness including 5 mm thick imported tinted glass with rubber gasket using approved standard latches, hardware etc., as approved by the Engineer in-charge

win W1 32 x 6 = 1536 Sft 504 Sft 6 = win W1 14 x x x 11/2 x -81 Sft c.w1 36 x 15 =2121 Sft Total: =

Rs. 2859956/-@ 1348.40

(i) i/c Providing and fixing Aluminum Fly screen comprising of Fiber / Aluminum wire guaze (Malasian) fixed in aluminum frame of approved manufacturer brownze Colour / powder coated of size 1-1/2"x1/2" and 1.6mm thick with rubber gasket i/c cost of Hardwares as approved and directed by the engineer incharge. complete in all respect.

win W1	32 x	8 x -	x	6 =	1536 Sft
win W1	14 x	6 x -	x	6 =	504 Sft
c.w1	36 x	$11/2 \times -$	x	1.5 =	81 Sft
				Total: =	2121 Sft
					1061

Rs. 522880/-@ 493.05 P.Sft

Providing and fixing M.S. grill fabricated with MS Square polished Vertical/horizontal Bars of specified size @ 4" c/c" passed through punched holes in MS Patti of 1-1/4"x1/8" i/c the cost of 1-1/4"x1/8" MS patti for Frame of windows and painting 3 coat complete in all respect as approved and directed by the Engineer Incharge. (i) 3/8" Squar Bars

						4.85 P.St
					Total: =	2121 Sft
c.w1	36 x	1 1/	2 x -	x	1.5 =	81 Sft
win W1	14 x	6	x -	x	6 =	504 Sft
win W1	32 x	8	x	x	6 =	1536 Sft

P.Sft Rs. 1813137/-

20

Providing and laying superb quality Porcelain glazed tiles flooring of MASTER brand of specified size in approved design, Color and Shade with adhesive/bondover 3/4" thick (1:3)cement plaster i/c the cost of sealer for finishing the joints i/c cutting grinding complete in all respect as approved and directed by the Engineer Incharge.

a) Full body Glazed tiles (i) 600 mm x 600 mm

					@ 24	in so P.S.
				Tot	tal: =	1191 Sft
Waiting Area	1 x	24 x	17.75 x	-	=	426 Sft
Exam	2 x	8 x	7 x		=	112 Sft
Doctor Room	1 x	13.667 x	11.833 x		=	162 Sft
Childern Doctor	1 x	13.833 x	11.833 x		=	164 Sft
S.M.O	1 x	13.833 x	11.833 x	_	=	164 Sft
skirting Clerk Room	1 x	13.833 x	11.833 x	_	=	164 Sft

Rs. 405460/-P.Sft

Providing and laying superb quality Porcelain glazed tiles of Master brand, skirting/dado of specified size, Color and Shade with adhesive/bondover 1/2"thick (1:2)cement plaster i/c the cost of and sealer for finishing the joints, cutting grinding complete in all respect as approved and directed by the Engineer Incharge Full body Glazed Tile (i) 600 mm x 600

skirting Clerk Room	2x1	x(13.833 +	11.833)x	4	=	205 Sft
S.M.O	2x1	x(13.833 +	11.833)x	4	=	205 Sft
Childern Doctor	2x1	x(13.833 +	11.833)x	4	=	205 Sft
Doctor Room	2x1	x(13.667 +	11.833)x	4	=	204 Sft
Exam	2x2	×(8 +	7)x	4	=	240 Sft
W.R	2x2	x(7.75 +	4.125)x	4	=	190 Sft
Waiting Area	2x1	x(24 +	17.75)x	4	=	334 Sft
Isolation	2x1	×(11.5 +	8.75)x	4	=	162 Sft
	2x1	x(11.5 +	11.75)x	4	=	186 Sft

						@	340.50	P.S
					Tota	1: =	10065	
Dedcut Openings	3	1 x(3.5 +	0)x	4	=	-434	Sft
Gallary Childern Ward	2x2	x(67.5 +	7)x	4	=	1192	Sft
Gallary Medical Ward	2x2	x(67.5 +	7)x	4	=	1192	Sft
Gallary Eye	2x1	x(41.5 +	7)x	4	=	388	Sft
Eye Ward	2x2	x(32.5 +	20)x	4	=	840	Sft
ECG	2x1	x(16.167 +	10.25)x	4	=	211	Sft
Nursing	2x1	x(11.5 +	14.167)x	4	=	205	Sft
Vacination	2x1	x(24.625 +	7)x	4	=	253	Sft
Nursery	2x1	x(11.625 +	9.125)x	4	=	166	Sft
Store	2x1	x(10.167 +	4.25)x	4	=	115	Sft
Medicene Store	2x1	x(10.167 +	10)x	4	=	161	Sft
Childern Ward	2x1	x(41.167 +	20)x	4	=	489	Sft
Female Medical Ward	2x1	x(41.167 +	20)x	4	=	489	Sft
Male Medical Ward	2x1	x(41.167 +	20)x	4	=	489	Sft
Dengue	2x1	x(11.05 +	8.75)x	4	=	158	Sft
	2x1	x(15.875 +	7.25)x	4	=	185	Sft
Store	2x1	x(9.875 +	11.5)x	4	=	171	Sft
Cloth Store	2x1	x(11.833 +	11.5)x	4	=	187	Sft
Store	2x1	×(12 +	11.5)x	4	=	188	Sft
Store	2x1	x(11.5 +	11.5)x	4	=	184	Sft
Medical Store	2x2	x(24.33 +	15.75)x	4	=	641	Sft
Ward	2x1	x(41.167 +	20)x	4	=	489	Sft
Store	2x1	x(9.875 +	11.5)x	4 .	=	171	Sft

P.Sft

Rs. 3427138/-

Rs. 486265/-

Providing and laying superb quality Ceramic tile floors of Master brand of specified size, Glossy/Matt/Texture of approved Color and Shade as per approved design with adhesive bond, over 3/4" thick (1;2) cement sand plaster i/c the cost of sealer for finishing the joints i/c cutting grinding complete in all respects and as approved and directed by the Engineer Incharge.

i)12"x18"/12"x24"/10"x24"/8"x24"/12"x36"

				@	202.70 P.Sft
				Total: =	2399 Sft
Baths	10 x	3.625 x	4.75 x	_ =	172 Sft
W.R	2 x	11.25 x	15 x	_ =	338 Sft
Opening	1 x	11.5 x	24.5 x	- =	282 Sft
Baths	6 x	3.625 x	8.75 x	_ =	190 Sft
W.R	2 x	11.5 x	6.25 x	=	144 Sft
Baths	3 x	3.625 x	4 x	- =	44 Sft
Bath opening	1 x	11.5 x	6.25 x	 =	72 Sft
Baths	12 x	3.625 x	8.75 x	- =	381 Sft
W.R	4 x	11.5 x	6.25 x	_ =	288 Sft
Waiting Area	1 x	24 x	17.75 x	=	426 Sft
W.R	2 x	7.75 x	4.125 x	_ =	64 Sft

Providing and laying superb quality Ceramic tiles dado of Master brand of specified size, Glossy/Matt/Texture skirting/dado of approve Color and Shade with adhesive bond over 1/2"thick (1:2) cemen plaster i/c the cost of sealer for finishing the joints i/c cutting grindin complete in all respects as approved and directed by the Engineer in

i) 12"x18"/12"x24"/10"x24" /8"x24"/12"x36"

								;
W:R	2	2 x(13.833 +	11.833)x	7	=	719 Sft	Ĭ
Waiting Area		x(13.833 +	11.833)x	7	=	359 Sft	í
W.R		ł x(13.833 +	11.833)x	7	=	719 Sft	
Baths		2 x(13.667 +	11.833)x	7	=	2142 Sft	<u> </u>
Bath opening		x(8 +	7)x	7	=	210 Sft	1
Baths		3 x(7.75 +	4.125)x	7	=	499 Sft	Ÿ
W.R		2 ×(24 +	17.75)x	7	=	1169 Sft	,
Baths		5 x(11.5 +	8.75)x	7	=	851. Sft	•
Opening		. x(11.5 +	11.75)x	7	` =	326 Sft	Ī
W.R		2 x(9.875 +	11.5)x	7	=	599 Sft	
Dedcut Openings	22	2 x(2.5 +	0)x	7	_ =	-385 Sft	•
					Tota		7206 Sft	: D 4840844/
						@ 2	09.65 P.Sft	Rs. 1510711/-
Preparing surface and painting	with emu	alsion paint	:- 02 coat					•
on new surface.	21	(12 022 ±	11 022 \	7	=	359 Sft	
skirting Clerk Room	2x1	x(13.833 +	11.833)x	7		359 Sft	
S.M.O	2x1	x(13.833 +	11.833)x		=	359 Sft	i
Childern Doctor	2x1	x(13.833 +	11.833)x	7	=		,
Doctor Room	2x1	x(13.667 +	11.833)x	7	=	357 Sft	1
Exam	2x2	x(8 +	7)x	7	=	420 Sft	i
W.R	2x2	x(·	7.75 +	4.125)x	7	=	333 Sft	i
Waiting Area	2x1	x(24 +	17.75)x	7	=	585 Sft	
Isolation	2x1	x(11.5 +	8.75)x	7	=	284 Sft	i .
	2x1	x(11.5 +	11.75)x	7	=	326 Sft	
Store	2x1	x(9.875 +	11.5)x	7	=	299 Sft	
Ward	2x1	x(41.167 +	20)x	7	=	856 Sft	
Bath opening	2x1	x(11.5 +	6.25)x	4	=	142 Sft	
Baths	2x3	x(3.625 +	. 4)x	4	=	183 Sft	
Medical Store	2x2	x(24.33 +	15.75)x	7	=	1122 Sft	
Store	2x1	x(11.5 +	11.5)x	7	=	322 Sft	
Store	2x1	x(12 +	11.5)x	7	=	329 Sft	ļ
Cloth Store	2x1	x(11.833 +	11.5)x	7	_	327 Sft	į.
Store	2x1	x(9.875 +	11.5)x	- 7	=	299 Sft	į
Store				•			324 Sft	
	2x1	x(15.875 +	7.25)x	7	=		ļ
Dengue	2x1	x(11.05 +	8.75)x	7	.=	277 Sft	
Male Medical Ward	2x1	x(41.167 +	20)x	7	=	856 Sft	
Female Medical Ward	2x1	x(41.167 +	20)x	7	=	856 Sft	ì
W.R	2x2	x(11.5 +	6.25)x	4	=	284 Sft	-
Baths	2x6	x(3.625 +	8.75)x	4	=	594 Sft	į.
Childern Ward	2x1	x(41.167 +	20)x	7	=	856 Sft	1
W.R	2x2	x(11.5 +	6.25)x	4	_	284 Sft	; }
Baths	2x6	^(x(3.625 +	8.75)x	4	=	594 Sft	Į.
Medicene Store	2x1	^(x(10.167 +	10)x	7	=	282 Sft	Ì
Store Store	2x1	x(x(10.167 +	4.25)x	7	<u>-</u>	202 Sft	}
Nursery	2x1	x(x(11.625 +	9.125)x	7	=	291 Sft	i
Vacination	2x1 2x1	x(x(24.625 +	9.125)x 7)x	7	=	443 Sft	
W.R								ţ.
	2x2	x(11.5 +	6.25)x	4	=	284 Sft	\$ 2
Baths	2x6	x(3.625 +	8.75)x	4	=	594 Sft	į
Opening	2x1	x(11.5 +	24.5)x	4	=	288 Sft	1
Nursing	2x1	x(11.5 +	14.167)x	7	=	359 Sft	
ECG	2x1	x(16.167 +	10.25)x	7	=	370 Sft	į
Bath	2x2	x(3.625 +	4.75)x	4	=	134 Sft	1
Eye Ward	2x2	x(32.5 +	20)x	7	=	1470 Sft	•
*					•			;
W.R	2x2	x(11.25 +	15)x	4	=	420 Sft	

Baths	2x6	x(3.625 +	4.75)x	4	=	402 Sft
Counter	2x2	x(10.75 +	6.5)x	4	_	276 Sft
Gallary Eye	2x1	x(41.5 +		7	=	679 Sft
Gallary Medical Ward	2x2	x(67.5 +	7)x	7	=	2086 Sft
Gallary Childern Ward	2x2	x(67.5 +	7)x	7	=	2086 Sft
D.D.O	2x1	x(13.875 +	10.875)x	7	_	347 Sft
Drug Controller			13.875 +	10.875)x	7	=	347 Sft
D.D.O	2x1	x(•	7	=	347 Sft
	2x1	x(13.875 +	10.875)x		=	347 Sft
Social Welfare	· 2x1	x(13.875 +	10.875)x	7		
Ver	2x1	x(37 +	16.25)x	7	=	746 Sft
Baths	2x2	x(3.625 +	4.75)x 11.833 x	7	=	235 Sft 164 sft
Roofs	2x1 2x1	x x	13.833 x 13.833 x	11.833 x		=	164 sft
	2x1	x	13.833 x	11.833 x		=	164 sft
	2x1	x	13.667 x	11.833 x		=	162 sft
	2x2	×	8 x	7 x		=,	56 sft
	2x2	x	7.75 x	4.125 x		=	32 sft
	2x1 2x1	x x	24 x 11.5 x	17.75 x 8.75 x		=	426 sft 101 sft
	2x1	x	11.5 x	11.75 x		=	135 sft
	2x1	x	9.875 x	11.5 x		=	114 sft
	2x1	x	41.167 x	20 x		=	823 sft
	2x1	x	11.5 x	6.25 x		=	72 sft
	2x3	x	3.625 x	4 x		=	15 sft
	2x2	X	24.33 x 11.5 x	15.75 x 11.5 x		=	383 sft 132 sft
	2x1 2x1	x x	11.5 x	11.5 x		=	132 sft
	2x1	×	11.833 x	11.5 x		=	136 sft
	2 x1	x	9.875 x	11.5 x		=	114 sft
	2x1	×	15.875 x	7.25 x		=	115 sft
	2x1	X	11.05 x	8.75 x		=	97 sft
	2x1 2x1	x x	41.167 x 41.167 x	20 x 20 x		=	823 sft 823 sft
	2x2	x	11.5 x	6.25 x		_	72 sft
•	2x6	x	3.625 x	8.75 x		=	32 sft
	2x1	x	41.167 x	20 x		=	823 sft
	2x2	x	11.5 x	6.25 x		-	72 sft
	2x6	X	3.625 x	8.75 x		=	32 sft
	2x1 2x1	x x	10.167 x 10.167 x	10 x 4.25 x		=	102 sft 43 sft
	2x1	x	11.625 x	9.125 x		=	106 sft
	2x1	x	24.625 x	7 x		=	172 sft
•	2x2	x	11.5 x	6.25 x		=	72 sft
	2x6	x	3.625 x	8.75 x		-	32 sft
	2x1	X	11.5 x	24.5 x 14.167 x		=	282 sft 163 sft
	2x1 2x1	x x	11.5 x 16.167 x	10.25 x		=	166 sft
	2x2	x	3.625 x	4.75 x		=	17 sft
	2x2	x	32.5 x	20 x		=	650 sft
	2x2	x	11.25 x	15 x		=	169 sft
	2x6	x	3.625 x	4.75 x		-	17 sft
	2x2 2x1	X	10.75 x 41.5 x	6.5 x 7 x		=	70 sft 291 sft
	2x1	x x	67.5 x	7 x		=	473 sft
	2x2	x	67.5 x	7 x		=	473 sft
	2x1	x	13.875 x	10.875 x		=	151 sft
	2x1	x	13.875 x	10.875 x		=	151 sft
	2x1	X	13.875 x	10.875 x		=	151 sft
	2x1 2x1	x x	13.875 x 37 x	10.875 x 16.25 x		=	151 sft 601 sft
•	2x1	x	3.625 x	4.75 x		-	17 sft
Deduct Openings		0 x	3.5 x	3 x		=	-420 sft

							.]
Deduct Windows Openings	50 x	4 x	6 x	m-s-t-		1200 sft	1
		1151.55 +	883.1 =	Total:		4334 sft 4.65 %Cft	Rs. 698577/-
Providing and applying weath quality on external surface of to of surface, application of prima new surface: 3 coats	ouilding including pr	proved eparation	883.1 -		S 200	4.00 /VCI	1.
External surface	2 x(107 +	36.5)x	15.125	= .	4341 Sft	
External surface	2 x(157.75 +	58.25)x	15.125		6534 Sft	:
	2 x(125 +	21.5)x	15.125		4432 Sft	
	(,	Total:	= 1	5307 Sft	
Deduct	25 x	6 x -	- x	8		1200 Sft	}
20000	13 x	11/2 x -	- x	1.5	=	29 Sft	:
	20 17	,		Total:		1229 Sft	
Net Qty:		15307 -	1229			4077 Sft	į
1101 2191		3319.85 +	1925.45		@ 5245	.30 % Sft	Rs. 738394
inside wide with 20 mm wide per approved and directed by attatched).	panel groves on both Engineer in charge (a	i sides as Analyis 21/2 x	7 x		=	385 Sft	
	—	,		Total:	=	385 Sft	ţ
					@ 1040	.00 % Sft	Rs. 400400,
		-		_		Total:	Rs. 14031486
Detail of Old Material							-
Doors		1 x	1 x	10	=	10 No	
	@		2600	Each	=	26000	ļ
Windows	•	1 x	1 x	46	=	46 No	į
Willdows		1 ^	1 ^	40		20140	Į.
	@		1900	Each	=	87400	•
	₩		1900	Each			:
	•				,	otal 113400	
Control March							Po 112400
Cost of Old Material	•					fr_r -1	Rs. 113400
4.1100/ 62						Total:	Į.
Add 3% Contingency:-							Rs. 417543
						Total:	Rs. 14335628
						Say:	Rs. 14335600
Sub Engineer	Sul					Executive Engineer	ì

Electric Installation Main Building

Sr. No	Description	No	Length	Breadt	h	Depth	Contents	Am	ount
1	Supply and Erection of PVC pipe for resessed i/c inspection boxes pull breducer and prepairing surface etc.	oxes hool	k bends						
	Duct Pipe	15 x	'		x	= Total: =	330 Rf	ft	
2	Supply and erection of single core P copper conductor cables, in prelaid conduit/ G.I pipe/wooden strip batt and capping/G.I.wire /trenches (rate for cables only):- a) 2 insulated:	PVC pipe ten/wood	/M.S. len casing			0	81.70	P.Rft	Rs. 26961/-
(i)	3/0.029™	7 x	130 x		x	=	910 Ri	ft	
		8 x	270 x	_	×		2160 Ri		
						Total: =	3070 Rs	ft P.Rft	Rs. 78899/-
(ii)	7/0.029"	6 x	270 x		x	_ =	25.70 1620 Ri		R3. 70037/
()	77 0.025					Total: =	1620 R		
							40.75	P.Rft	Rs. 66015/-
iii	7/0.036"	3 x	170 x		x	= Total: =	510 R		
							53.80	P.Rft	Rs. 27438/-
103	P/F PVC double layer Switch kit Face plate with specified switch holes i/c the cost of switches / sockets / dimmer made of Hi-Life / Bush / Schenider, screws complete as approved and directed by the Engineer Incharge								
	(a) One way Gange Switch								
	Small		20				745.8		14916
	(iii) 03 Gange (iv) Three pin Light Plug 10/13 Amp		30	x x			613.8		18414
	(vi) Fan Dimmer		30	x			601.8		18054
	(vii) Bell push		5	x			481.8		2409
	(viii) Three Pin Power Plug 15-32 Ar	np	25	x			757.8		18945
	Large (i) 04 Gange		25	х х			805.8		20145
	(iii) 06 Gange		20	x			1,165.80		23316
	Providing and fixing SMD lights 7 Watts		400	x			700.00		280000
64	shade and glass, etc., for fitting 125/250 watts mercury vapour							53	
	lamp (excluding cost of lamps): ii) Philips design		8	x			8,773.10		70184.8
5	Supply and erection of LED Bulb 40 approved by the engineer incharge) watt bes		-			J		. 525 110
	approved by the engineer incharge	2 x	50 x	-	x	= Total: =	100 N 100 N		Rs. 165000/-
6	Supply and Erection of button hold	er backlit	e large				200000		1131 10300dj
	size.	2 x	50 x		x	=	100 N	los	
		۷.	50 X	-	^	Total: =	100 N		
							53.75	P.Each	Rs. 5375/-
								Total:	Rs. 836072/-

Say: Rs. 836100/-

Sub Engineer

Sub Divisional Officer Buildings Sub Division Ali Pur Executive Engineer
Buildings Division
Muzaffargarh

Sanitary Installation Main Building

Sr. No	Description	No	Length		В	Breadth		Depth	Contents		Amount
1	Providing, laying, testing and comm POLYPROPYLENE RANDOM COI water supply pipe made of (Dadex, with specified pressure rating PN (I NOMINAL) and conforming to DII cost of solvent, specials, making jha respect as approved and directed by (Internal/External Diameters ment	POLYMER /Popular/ PRESSURI N 8077-807 Irries comp y Engineer	R (PPRC) Beta/BBJ) E 8 code i/c blete in all r Incharge.	-							
	(iii)(1") 32 mm	2 x 3 x	150 40	x - x -	- 	x x		= = Total: =	300 Rf 120 Rf 420 Rf	ft	Rs. 44898
2	Providing and fixing, chromium ple for wash hand basin, sink or showe		ig valve,					e e	7 100.50	r.Kit	Ns. 11 070
		3 x	6	х -	-	x	_	= Total: = @	18 N 18 N 2228.75		Rs. 40118
3	P/F Plastic made low down flushir capacity i/c bracket set, waste pipe Coloured.										·
		3 x	4	х -		x	_	= Total: = @	12 N 12 N 4029.10		Rs. 48349
4	Providing and fitting glazed earthe basin / vanity 56x40 cm (22"x16") in waste pipe and waste coupling, etc i) white, with pedestal	cluding b		•							; ;
		2 x	4	x -	_	x		= Total: =	8 N 8 N 5169.95		Rs. 41360
	(v) under counter vanity basin	2 x	4	x ·		. x		= Total: =	8 N 8 N 7347.45	о.	Rs. 58780
5	Providing and fitting Europeon Co Closet (WC) and flushing Cistern o size) i/c the cost of CP/rubber con- cover and rawal bolts complete in a approved and directed by the Engi	f PORTA I nection, th all respects	brand (full imble, seat as								<u> </u>
		2 x	3	х -	_	x		= Total; = @	6 N 6 N 13915.80		Rs. 83495
6	Providing and fixing, "P" trap (glaz	ed) 4" dia.									
		2 x	14	х -		x		= Total: =	28 N 28 N 283,10		Rs. 7927

	2 x	14	X	Tanan i tanan maka ka da	"x		=		28 No.		-
2011						Total:	= -		28 No.		į
							@ 6	27.75	I	P.Each	Rs. 17577/-
Providing and fixing brass stop co	ck/bib cock:-	-a)									· ·
15 mm (½") dia	. 2 x	14	x		x		=		28 No.		
	. 2 %	1.3	^ -		^	Total:			28 No.		,
							@ 5	53.75	I	P.Each	Rs. 15505/-
Providing and fixing, gully trap of concrete chamber all round, and C		cluding									:
	2 x	14	x		x		=		28 No.		
				*		Total:	= -		28 No.	•	
			_				@ 6	27.75]	P.Each	Rs. 17577/-
Providing, fixing, testing and con (Unplasticized Polyvinyl Chloride											
make of Dadex /Popular/Beta or equivalent, plain /socket ended of 1329 of specified SDR (Standard D	onforming to Dimension Ra	code El tio)	N-								3
equivalent, plain / socket ended co	onforming to Dimension Ra Solvents com	code El tio) plete in	N-		×	_	=		270 No		,
equivalent, plain / socket ended co 1329 of specified SDR (Standard D	onforming to Dimension Ra	code El tio)	N-		x	 Total:	<u> </u>		270 No. 270 No.		,
equivalent, plain / socket ended co 1329 of specified SDR (Standard D	onforming to Dimension Ra Solvents com	code El tio) plete in	N-		x	 Total:			270 No		Rs. 70389/-
equivalent, plain / socket ended co 1329 of specified SDR (Standard D	onforming to Dimension Ra Solvents com	code El tio) plete in	N-		x	 Total:			270 No	•	Rs. 70389/- Rs. 445975/-
equivalent, plain / socket ended co 1329 of specified SDR (Standard D	onforming to Dimension Ra Solvents com	code El tio) plete in	N-		x	 Total:			270 No	P.Each 	
equivalent, plain / socket ended co 1329 of specified SDR (Standard D	onforming to Dimension Ra Solvents com	code El tio) plete in	N-		x	 Total: ·			270 No	P.Each Total:	Rs. 445975/
equivalent, plain / socket ended co 1329 of specified SDR (Standard D	onforming to Dimension Ra Solvents com	code El tio) plete in	N-		x	 Total:			270 No	P.Each Total:	Rs. 445975/
equivalent, plain / socket ended co 1329 of specified SDR (Standard D	onforming to Dimension Ra Solvents com	code El tio) plete in 15	N- ' x -	ual Offic		 Total:		260.70	270 No	P.Each Total:	Rs. 445975/

AMENDED ROUGH COST ESTIMATE FOR THE WORK "REVAMPING OF TEHSIL HEAD QUARTER HOSPITAL ALI PUR DISTRICT MUZAFFARGARH"

GENERAL ABSTRACT OF COST

1 Renovation/Rehabilitation of Main Building (Operation Theatre) = Rs. 18398800/-

2 Electric Installation = Rs. 674800/-

3 Sanitary Installation = Rs. 290700/-

Total = Rs. 19364300/-

Sub Engineer

Sub Divisional Officer Buildings Sub Division Ali Pur Executive Engineer Buildings Division Muzaffargarh

Detail of Operation Theatre

Sr. No	Description	No		Length	Breadth	Dep	th	Contents		Amount	
4	Scraping:-White wash or colour w	ash.	- 11	·· - ===	, ,					}	
		2x1	x(11.5 +	· 8)x	8	=	312 Sf	t	Ì	
		2x1	×(11.5 +	7.5)x	8	=	304 Sf	t	ļ	
			x(11.5 +	6)x	8	=	280 Sf		1	
			x(5.25 +	6.75)x	8	=	384 Sf			
	-		x(7 +	6)x	8	=	208 Sf		!	
			x(11 1/2 +	16)x	8 8	=	440 Sf 424 Sf		;	
		2x1 2x1	x(11 1/2 + 7 +	, 15)x 35)x	8	_	672 Sf		į	
		2x1	x(x(7 +	15.5)x	8	_	360 Sf		5	
		2x1	^(x(16 +	16)x	8	-	512 Sf			
			x(81/2+	16)x	8	=	388 Sf			
		2x2	x(10 +	7)x	8	=	544 Sf	t	į.	
		2x1	x(10 +	7)x	. 8	=	· 272 Sf	t		
		2x1	x(12 +	11)x	8	=	368 Sf	t		
		2x1	x(7 +	5)x	8	=	192 Sf			
		2x1	x(51/2+	6)x	8	=	180 Sf			
						Tota		5840 sf			
							@	253.95	%Cft	Rs. 1483	1/-
5	Removing door with chowkat.										
		1	x	20			-	20 N	os.		
						Tota	ıl: =	20 N	os.		
							œ	438.00	P-No.	Rs. 876	0/-
6	Removing windows and sky light	with ch	owk	at.							
	, ,		x	14			=	14 N	os.		
		-	-			Tota	վ։ =	14 N			
		٠					@	341,50	P-No.	Rs. 478	1/-
				•							
10	D. CD. 11 C. Decelled	C11-	- c -	:0:1						1	
	Providing and laying Prepolished thickness and shade of full width of									ļ	
	laid with adhesive bond over 3/4"									ļ	
	sand mortor bed, complete in all re										
	and directed by the Engineer Incha									,	
			x	7 x	5 x		_	70 SI	et.		
		2	*	/ X	, ,	Tota	- :1: =	70 S			
						200	 @		P-SFT	Rs, 9162	7/-
											•
12	Providing and fixing 1½" (40 mm)	thick de	oda	r wood						:	
	panelled or panelled and glazed, d										
	withmild steel chowkat (frame), et										
	respects(excluding sliding bolt or l	ock) wit	th:-N	A.S. angle						. ,	
	iron 1½"x1½"x¼", welded	d	/11 /-	· ·						:	
	(40 mmx 40 mmx 6mm) with M.S.	tlat 2"x\	4 (5	U mm x 6							
	mm).	-		21/2.	'o =		_	200 00			
			x x	3 1/2 x 4 1/2 x	8.5 x 8.5 x		=	208 Sf 153 Sf			
		*	^	31/21	0.0 X	Tota	ıl: =	361 sf			
							 @		P-Sft	Rs. 55338	1/-

14 Providing and fixing M.S. grill fabricated with MS Square polished Vertical/horizontal Bars of specified size @ 4" c/c" passed through punched holes in MS Patti of 1-1/4"x1/8" i/c the cost of 1-1/4"x1/8" MS patti for Frame of windows and painting 3 coat complete in all respect as approved and directed by the Engineer Incharge. (i) 3/8" Squar Bars

				,	@ 854	4.85 P.Sft
					Total: =	567 Sft
3 x	71/	′2 x		x	1.5 =	34 Sft
3 x	71/	′2 x		x	4 =	90 Sft
1 x	18	х	-	x	10 =	180 Sft
1 x	18	x	_	x	10 =	180 Sft
9 x	2	x		x	1.5 =	27 Sft
7 x	2	x		x	4 =	56 Sft

Rs. 484486/-

15

Providing and fitting all types of Double glazed aluminium windows of anodised bronze colour partly fixed and partly sliding using delux sections of approved manufacturer having frame size of 100×20 mm (4"x¾") and leaf frame sections of 50×20 mm (2"x¾"), all of 1.6mm thickness including 5 mm thick imported tinted glass with rubber gasket using approved standard latches, hardware etc., as approved by the Engineer in-charge

7 x	2	x	_	x	4 =	56	Sft
9 x	2	x		x	1.5 =	27	Sft
1 x	18	x	_	x	10 =	180	Sft
1 x	18	x		x	10 =	180	Sft
3 x	71/	′2 x		x	4 =	90	Sft
3 x	71/	′2 x	_	x	1.5 =	34	Sft
					Total: =	567	Sft
					@	1348.40	P.Sft

Rs. 764206/-

15

(i) i/c Providing and fixing Aluminum Fly screen comprising of Fiber /Aluminum wire guaze (Malasian) fixed in aluminum frame of approved manufacturer brownze Colour / powder coated of size 1-1/2"x1/2" and 1.6mm thick with rubber gasket i/c cost of Hardwares as approved and directed by the engineer incharge. complete in all respect.

Rs. 139718/-

Rs. 164178/-

Rs. 2510676/-

Rs. 1206630/-

1	Providing and fixing openable door comparising of
	3mm thick upvc hollow perfile chowkat frame of 60 mm
	x 64mm leaf 60mmx106mm both duly reinforced with
	g.i box frame inside wide with 20 mm wide panel
	groves on both sides as per approved and directed by
	Engineer in charge.

$$9 \times 21/2 \times 7 \times = 158 \text{ Sft}$$

$$Total: = 158 \text{ Sft}$$
@ 1042.40 P.Sft

Supply and installation anti microbial Hygenic flooring (with anti bacterial agent) conforming to (ISO:22196) of specified thickness duly welded with thermoplastic equipment placed over self levelling adhesive as approved and directed by the Engineer Incharge.

$$3 \times 20 \frac{1}{2} \times - \times 20.5 = 1261 \text{ sft}$$
 $3 \times 20 \frac{1}{2} \times - \times 15.5 = 953 \text{ sft}$

$$15.5 = 953 \text{ sft}$$

$$100 \times 134.00 \text{ P.Sft}$$

3 Supply and installation of clip-in tiles of specified thickness non-porous Aluminum flase ceiling of specified size fitted with Clip-in suspension system hanged on concealed T/Shiplap edge/runners as approved and directed by the Engineer In-charge @ 600mm x600mm mm grid Edge Trims fasten on wall with plug and screw @ 500 mm c/c i/c cuting charges of tiles to required size suspension rods and joints sealed with cilicon if required of DAMPA/DEmark, as approved and directed by the Engineer incharge.

$$3 \times 20 \frac{1}{2} \times - \times 20.5 = 1261 \text{ sft}$$
 $3 \times 20 \frac{1}{2} \times - \times 15.5 = 953 \text{ sft}$

$$100 \times 100 \times 100$$

Supply and installation premimum graded/scratch-resistant Hygienic anti-microbial Pvc wall cladding of 2.5mm thick duly thermoplastic welded conforming to (ISO:22196) and pasted over 12mm thick gypsum board with adhesive/solvent fixed over 14-SWG G.I Channael of size 3.5"X 2"X3.5" duly screwed on wall i/c the cost of hardwares as approved and directed by the Engineer In-charge

bath

$$3x2$$
 x($20.5 + 20.5$)x $12 = 2952$ Sft
 $3x2$ x($20.5 + 15.5$)x $12 = 2592$ Sft
 2592 Sft

al: = 5544 Sft @ 2150.00 P.Sft

P.Sft Rs. 11919600/-Total Rs. 17862873/-

Add 3% Contingency:-

Rs. 535886/-

Total: Rs. 18398759/-

Say: Rs. 18398800/-

Sub Engineer

Sub Divisional Officer

Executive Engineer

Buildings Division Muzaffargarh noiziviO du2 sgnibliu8 1u7 ilA

Electric Installation Operation Theatre

Sr. No	Description	No	Lengt	h	F	Breadth		Depth	Contents	Amount
1	Supply and Erection of PVC pipe for i/c inspection boxes pull boxes how and prepairing surface etc complete.	ok bends re		đ				<u> </u>		
		15 x	30	x		×		= Total: = @	450 Rf 450 Rf 81.70	
2	Supply and erection of single core I copper conductor cables, in prelaid conduit/G.I pipe/wooden strip bat and capping/G.I.wire /trenches (rate for cables only):- a) insulated:	PVC pipe tten/wood	/M.S. en casing			·				
(i)	3/0.029"	13 x	125			x		=	1625 R	
		20 x	250	X	-	x	-	= T-4-1: -	5000 Ri 6625 Ri	
						•		Total: =	25.70	rt P.Rft Rs. 170263
(ii)	7/0.029"	5 x	635	x		x		=	3175 R	•
()	,, 0.025							Total: =	3175 R	
								0	40.75	P.Rft Rs. 129381
iii	7/0.036"	8 x	150	x		x		=	1200 R	
								Total: =	1200 R 53.80	ft P.Rft Rs. 64560
103	Face plate with specified switch holes i/c the cost of switches / sockets / dimmer made of Hi-Life / Bush / Schenider, screws complete as approved and directed by the Engineer Incharge									
	(a) One way Gange Switch									
	Small		_						745.0	. 1401
	(iii) 03 Gange (iv) Three pin Light Plug 10/13 Amp			.O .O	X				745.8 613.8	1491 1841
	(vi) Fan Dimmer	J		0	x x				601.8	1805
	(vii) Bell push			5	×				481.8	240
	(viii) Three Pin Power Plug 15-32 A	mp	2	:5	x				757.8	1894
	Large				x					
	(i) 04 Gange			5	x				805.8	2014
	(iii) 06 Gange		2	:0	x				1,165.80	2331
64	shade and glass, etc., for fitting 125/250 watts mercury vapour									
	lamp (excluding cost of lamps): ii) Philips design			8	х				8,773.10	70184.
6	Supply and erection of LED Bulb 4 approved by the engineer incharge			-	^				0,7,5,20	, 3104.
	, , , ,	1 x	50	x		x		=	50 N	los.
								Total: =	50 N	
								@	1650.00	P.Each Rs. 82500
7	Supply and Erection of button hold size.	ler backlite	large							

50 Nos. 50 Nos. Total: = P.Each Rs. 2688/-@ 53.75 8 Supply and erection of 3 pin switch and plug combined, recessed type: ii) 10/15 Amp..... 15 Nos. 15 P.Each Rs. 2247/-@ 149.80 Rs. 674788/-Total: Rs. 674800/-Say:

Sub Engineer

Sub Divisional Officer Buildings Sub Division Ali Pur Executive Engineer Buildings Division Muzaffargarh

Sanitary Installation Operation Theatre

Sr. No	Description	No	Length	E	Breadth	Depth	Contents	Amount
1	Providing laying, testing and comm POLYPROPYLENE RANDOM COI water supply pipe made of (Dadex, with specified pressure rating PN (I NOMINAL) and conforming to DII cost of solvent, specials, making jha respect as approved and directed by (Internal/External Diameters menti	POLYMER Popular/ PRESSURE N 8077-807 Tries comp y Engineer	(PPRC) Beta/BBJ) E 8 code i/c blete in all Incharge.					
	(iii)(1") 32 mm	3 x	150 x	_	x	=	450 Rf	and the second s
		2 x	75 x	_	X	= Total: =	150 Rf	•
							@ 106.90	P.Rft Rs. 64140/-
2	Providing and fixing, chromium platfor wash hand basin, sink or showe		g valve,					
		1 x	12 x	-	x	=	12 N	
						Total: =	9 2228.75	P.Each Rs. 26745/-
3	P/F Plastic made low down flushin capacity i/c bracket set, waste pipe Coloured.	_	-		·			
		1 x	3 x		x	_ =	3 N	
						Total: =	3 N @ 4029.10	o. P.Each Rs. 12087/-
4	Providing and fitting glazed earthe basin /vanity 56x40 cm (22"x16") in waste pipe and waste coupling, etc. i) white, with pedestal	cluding b						
		1 x	3 x	-	x	=	3 N	!
	•					Total: =	3 N @ 5169.95	o. ; P.Each Rs. 15510/-
	(v) under counter vanity basin						9 0107.70	Total Rose
		2 x	4 x	:	x	=	8 N	',
						Total: =	8 N @ 7347.45	o. P.Each Rs. 58780/-
5	Providing and fitting Europeon Co Closet (WC) and flushing Cistern o size) i/c the cost of CP/rubber con cover and rawal bolts complete in a approved and directed by the Engin	f PORTA b nection, that all respects	orand (full imble, seat as		·			
		1 x	2 x	: -	x	= Total: =	2 N 2 N @ 13915.80	
6	Providing and fixing, "P" trap (glaz	ed) 4" dia						I
		1 x	15 x	· -	x	_ =	15 N	o.

				1	Total:	@ 283.10	15 No. P.Each	Rs. 4247/-
Providing and fixing, floor trap of ca concrete chamber all round, and C.I.		uding						EX.
	1 x	1 5	x -	x	 Total:	= = @ 627.75	15 No. 15 No. P.Each	Rs. 9416/-
8 Providing and fixing brass stop cock 15 mm (½") dia	k∕bib cock:-a	a)						<u> </u>
	1 x	12	х –	X	 Total:	= = @ 553.75	12 No. 12 No. P.Each	Rs. 6645/-
9 Providing and fixing, gully trap of concrete chamber all round, and C.I.		luding						
	1 x	12	x -	x	 Total:		12 No. 12 No.	
10 Providing, fixing, testing and comm (Unplasticized Polyvinyl Chloride) make of Dadex /Popular/Beta or equivalent, plain /socket ended con 1329 of specified SDR (Standard Dir including the cost of specials and Sc	Nikasi/ wa aforming to onension Rat	ste pipe code EN io)	:	: x		@ 1096.60	<u>200</u> No.	Rs. 13159/-
					Total:	= @ 260.70	200 No. P.Each	Rs. 52140/-
							Total:	Rs. 290701/-
							Say:	Rs. 290700/-

Sub Engineer

Sub Divisional Officer Buildings Sub Division Ali Pur

AMENDED ROUGH COST ESTIMATE FOR THE WORK "REVAMPING OF TEHSIL HEAD OUARTER HOSPITAL ALI PUR DISTRICT MUZAFFARGARH"

GENERAL ABSTRACT OF COST

1 Renovation/Rehabilitation of Main Building (Emergency Ward)

= Rs. 4567400/-

2 Electric Installation

= Rs. 778200/-

3 Sanitary Installation

= Rs. 460800/-

Total = Rs. 5806400/-

Sub Engineer

Sub Divisional Officer Buildings Sub Division Ali Pur

Detail of Emergency

Sr. No	Description	Description No Length Brea		Breadth	Depth		Contents		Amount	
1						•		·		
	Dismantling glazed or encaustic til	es, eu								
	skirting Waiting	2x2	x(23.5 +	15.75)x	_	=	314 S		
	Medical Ward	2x1	x(23 +	21.875)x	-	=	359 S		
	Treatment	2x1	×(14.5 +	12.5)x	-	=	216 S		
	Receiption	2x1	x(9.875 +	10.875)x	•	=	166 S		
	W.R	2x1	x(6+	6)x	•	=	168 S		
	_	2x1	x(8.5 +	8.167)x	•	=	233 S		
	Baths	2x1	×(3.75 +	4.875)x	•	= =	121 S 179 S		
	Store	2x1	x(12.5 +	9.875)x	=	=	243 S		
	M.O	2x1	x(14.333 + 7.833 +	16)x 7.25)x		=	121 S		
	Exam	2x1 2x1	x(7.833 +	7.23)x 8)x		_ _	222 S		
	W.R	2x1	x(23.33 +	22.667)x		=	368 S		
	Male Ward Female Ward	2x1	x(x(23.33 +	22.667)x	_	=	368 S		
	W.R	2x2	^(x(5.875 +	7)x	-	=	361 S		
	Galary	2x1	×(74.667 +	8)x		=	661 S		
	Galary		~(, 1.00,	- ,	Total:		4099 S		
								2335.85	%Sft	Rs. 95743/-
6	Scraping:-White wash or colour wa	ash.								
		2x2	x(23.5 +	15.75)x	6	=	942 S	ft	
	skirting Waiting Medical Ward	2x1	x(23.5 +	21.875)x		_	539 S		
	Treatment	2x1	×(14.5 +	12.5)x		=	648 S	-	
	Receiption	2x1	^(x(9.875 +	10.875)x		=	249 S		
	W.R	2x1	×(6 +	6)x		=	96 S		
	W.R	2x1	x(8.5 +	8.167)x		=	133 S		
	Baths	2x1	x(3.75 +	4.875)x	-	=	69 S		
	Store	2x1	×(12.5 +	9.875)x		=	537 S		
	M.O	2x1	x(14.333 +	16)x	6	=	364 S	ft	
	Exam	2x1	x(7.833 +	7.25)x		=	181 S	ft	
	W.R	2x1	x(7.833 +	8)x	4	=	253 S	ft	
	Male Ward	2x1	x(23.33 +	22.667)x	6	=	1104 9	ft	
	Female Ward	2x1	×(23.33 +	22.667)x	6	=	552 S	ft	
	W.R	2x2	×(5.875 +	7)x	4	=	103 S	ft	
	Galary	2x1	×(74.667 +	8)x	6	=	2976 5	ft	
	•					Total:	= -	8746 5	ft	
							@	253.95	%Sft	Rs. 22211/-
7	Removing doors with chowkat.									
			1 x	12			= _	12 N		
						Total:	=	12 N	los.	
							œ	438.00	P-No.	Rs. 5256/-
8	Removing windows and sky light	with	chow	kat.						
			1 x	14			= _	14 N	Nos.	
						Total:	=	14 N	los.	
							@	341.50	P-No.	Rs. 4781/-
9	Excavation in foundation of buildi other structure i/c watering and re chain and lift up to 5' feet (in ordin	ammi	ng le							
	• , , , , , , , , , , , , , , , , , , ,	, -	1 x	24 x	2 x	11/2	=	72 (Cft	
			1 x	51/2 x	2 x	11/2		16 (
				•		Total:	= -	88 (
							@	10677.75	%Cft	Rs. 937/-
10	Dry rammed brick or stone ballast 50 mm) gauge, in foundation and			(40 mm to						
			1 x	24 x	2 x	1/2	=	24 (Cft	
			1 x	51/2 x	2 x	1/2		5 (

					 -		~~		
					Total: = @	29 (8891.50	n %Cft	-	Rs. 2601/-
11	Pacca brick work in foundation and plinth in cer	ment				5571.50	/vc14		101 200 4
	sand mortar having Ratio 1:6.	24		1 105	21/2 =	68 (~£1		
	1 x 1 x	24 51/	2 x	1.125 x 1.125 x	21/2 =	15 (
	• •	,			Total: =	82			
					@	28578.70	%Cft		Rs. 23510/-
13	Providing and laying superb quality Porcelain g tiles flooring of MASTER brand of specified size approved design, Color and Shade with adhesiv bond over 3/4" thick (1:3) cement plaster i/c the sealer for finishing the joints i/c cutting grindin complete in all respect as approved and directed Engineer Incharge. d) (Non-Skid Chequred Tiles) 300mmx300mm.	e in re / e cost of g							
	1 x	24	x	5 x		120 9			
					Total: = @	120 S 1308.95	P-SFT		Da 157074/
14	Providing and laying Prepolished Granite of spethickness and shade of full width of approved q laid with adhesive bond over 3/4" thick (1:2) cersand mortor bed, complete in all respect as apprand directed by the Engineer Incharge.(i) 3/4" the specific of the second specific or the second specific	uality ment roved			ų.	1304.73			Rs. 157074/-
	1 x	2 3	x	10 x	=	230 5	SFT		
	1 x	18	x	2 x	= -	36 9			
					Total: = @	266 5 1308.95	P-SFT		Rs. 348181/-
16	Providing and fixing 2'-9" high stair railing com of non magnetic (304) Stain less steel 2" dia pipe of 18 SWG welded with vertical posts of 2" dia s steel round/ Squar pipe @ 2-ft c/c fixed on alter steps with 3" long steel screws and brass rawal p Nos diagonal stainless steel pipes of 1/2" dia pa through goties fixed on vertical post, i/c stainles welding, fixing & polishing complete in all resp approved and directed by the Engineer Incharge	railing stainless mate plugs , 3 sses s steel ects as	3		= Total: =	24 1	Rft		D. 40001
					. @	1775.10	P-SFT		Rs. 42602/-
17									
	P/F 1-1/2" thick solid flush door comprising of thick Commercial ply compressed over 2.5 mm commercial ply over 1" thick packing wood in s rails under proper pressure i/c the cost of nails, bolt , handles, glue, sawing charges, Painting ch sand papering and 3/8" thick matching wooder as approved and directed by the Engineer Incha	thick tyle and tower arges, t lipping	I						

 Providing and fixing 1½" (40 mm) thick deodar wood panelled or panelled and glazed, doors and windows, withmild steel chowkat (frame), etc. complete in all respects(excluding sliding bolt or lock) with:-M.S. angle iron 1½"x1½"x¼", welded (40 mmx 40 mmx 6mm) with M.S. flat 2"x¼" (50 mm x 6 mm).

4 x 51/2 x 8.5 x = 187 SFT

Total: = 187 SFT

1531.85 P-SFT Rs. 286456/-

19 Providing and fixing M.S. grill fabricated with MS Square polished Vertical/horizontal Bars of specified size @ 4" c/c' passed through punched holes in MS Patti of 1-1/4"x1/8" i/c the cost of 1-1/4"x1/8" MS patti for Frame of windows and painting 3 coat complete in all respect as approved and directed by the Engineer Incharge. (i) 3/8" Squar Bars

2 x 5 x -- x 4 = 40 Sft 2 x 6 x -- x 4 = 48 Sft 4 x 4 x -- x 8.5 = 136 Sft 6 x 6 x -- x 6 = 216 Sft 6 x 2 x -- x 1.5 = 18 Sft Total: = 458 Sft

@ 854.85 P.Sft Rs. 391521/-

20

Providing and fitting all types of glazed aluminium double glazed windows of anodised bronze colour partly fixed and partly sliding using delux sections of approved manufacturer having frame size of 100 x 20 mm (4"x¾") and leaf frame sections of 50 x 20 mm (2"x¾"), all of 1.6mm thickness including 5 mm thick imported tinted glass with rubber gasket using approved standard latches, hardware etc., as approved by the Engineer in-charge

40 Sft win W1 2 x 48 Sft 2 x 136 Sft 4 x 8.5 = 216 Sft 6 x 6 = 18 Sft 6 x 2 1.5 =7 . 8.5 = 60 Sft 1 x x -18 Sft C.W 6 x 1.5 = 536 Sft Total: =

@ 1348.40 P.Sft Rs. 722068/-

20

(i) i/c Providing and fixing Aluminum Fly screen comprising of Fiber / Aluminum wire guaze (Malasian) fixed in aluminum frame of approved manufacturer brownze Colour / powder coated of size 1-1/2"x1/2" and 1.6mm thick with rubber gasket i/c cost of Hardwares as approved and directed by the engineer incharge complete in all respect.

```
48 Sft
                                          2 x
                                                                                              136 Sft
                                                                                8.5 =
                                          4 x
                                                                                             -216-Sft
                                          -6-x
                                                                                               18 Sft
                                                                                1.5 =
                                          6 x
                                                    2
                                                           x --
                                                                       x
                                                                                8.5 =
                                                                                               60 Sft
                                          1 x
                                                                                               18 Sft
   C.W
                                          6 x
                                                    2
                                                                                1.5 =
                                                                                              536
                                                                             Total: =
                                                                                              268 Sft
                                                                                                                     Rs. 132014/-
                                                                                    @ 493.05
                                                                                                     P.Sft
<sup>22</sup> Providing and laying superb quality Porcelain glazed
   tiles of Master brand, skirting/dado of specified
   size, Color and Shade with adhesive/bondover
   1/2"thick (1:2)cement plaster i/c the cost of and sealer
   for finishing the joints, cutting grinding complete in all
   respect as approved and directed by the Engineer
   Incharge Full body Glazed Tile (i) 600 mm x 600 mm.
                                                                 15.75 )x
                                                                                              314 Sft
   Flooring Waiting
                                                                21.875 )x
   Medical Ward
                                      2x1
                                                       23 +
                                                                                              359 Sft
                                      2x1
                                                      14.5 +
                                                                   12.5 )x
                                                                                              216 Sft
   Treatment
                                            x(
                                                     9.875 +
                                                                 10.875 )x
                                                                                              166 Sft
   Receiption
                                      2x1
                                            x(
                                                      12.5 +
                                                                  9.875 )x
                                                                                              179 Sft
                                      2x1
   Store
                                            x(
                                                                                              243 Sft
                                                    14.333 +
                                                                    16 )x
                                      2x1
   M.O
                                                     7.833 +
                                                                                              121 Sft
                                                                  7.25 )x
   Exam
                                      2v1
                                                                                              368 Sft
   Male Ward
                                      2x1
                                                     23.33 +
                                                                22.667 )x
                                                                22.667 )x
                                      2x1
                                                     23.33 +
                                                                                              368 Sft
   Female Ward
                                      2x1
                                                    74.667 +
                                                                     8 )x
                                                                                           661.336 Sft
   Galary
                                                                             Total:
                                                                                             2995 Sft
                                                                                     @ 340 50
                                                                                                     P.Sft
                                                                                                                    Rs. 1019667/-
   Providing and laying superb quality Ceramic tile floors
   of Master brand of specified size, Glossy/Matt/Texture
    of approved Color and Shade as per approved design
    with adhesive bond, over 3/4" thick (1;2) cement sand
   plaster i/c the cost of sealer for finishing the joints i/c
   cutting grinding complete in all respects and as
    approved and directed by the Engineer Incharge.
    i)12"x18"/12"x24"/10"x24"/8"x24"/12"x36"
    W.R
                                                         6 x
                                                                                               36 Sft
                                                       8.5 x
                                                                  8.167 x
                                                                                               69 Sft
                                          1 x
                                                                                               18 Sft
    Baths
                                          1 x
                                                      3.75 x
                                                                  4.875 x
                                                     7.833 x
                                                                     8 x
                                                                                               63 Sft
    W.R
                                          1 x
                                                                                               41 Sft
   W.R
                                          1 x
                                                     5.875 x
                                                                                     @ 202.70
                                                                                                     P.Sft
                                                                                                                      Rs. 46112/-
24 Providing and laying superb quality Ceramic tiles
    dado
                Master brand of specified size,
           of
    Glossy/Matt/Texture skirting/dado of approve Color
    and Shade with adhesive bond over 1/2"thick (1:2)
    cemen plaster i/c the cost of sealer for finishing the
    joints i/c cutting grindin complete in all respects as
   approved and directed by the Engineer in charge. i) 12"x18"/12"x24"/10"x24"/8"x24"/12"x36"
                                                                                              168 Sft
                                      2x1
                                                         6+
                                                                      6 )x
                                      2x1
                                                       8.5 +
                                                                  8.167)x
                                                                                              233 Sft
                                      2x1
                                                      3.75 +
                                                                  4.875)x
                                                                                              121 Sft
                                            x(
                                      2x1
                                                     7.833 +
                                                                     8 )x
                                                                             7
                                                                                              222 Sft
                                            x(
                                                     5.875 +
                                                                              7
                                                                                              180 Sft
                                      2x1
                                                                      7)x
                                            x(
                                                                                              924 Sft
                                                                             Total: =
                                                                                     @ 209.65
                                                                                                     P.Sft
                                                                                                                     Rs. 193717/-
    Preparing surface and painting with emulsion paint:- 02
    coat on new surface.
                                                                                              740 Sft
    skirting Waiting
                                          2 x
                                                      23.5 x
                                                                 15.75
    Medical Ward
                                           1 x
                                                       23 x
                                                                 21.875
                                                                                              503 Sft
                                                      14.5 x
                                                                   12.5
                                                                                              363 Sft
    Treatment
                                           2 x
    Receiption
                                           1 x
                                                      9.875 x
                                                                 10.875
                                                                                              107 Sft
```

				,		24.0	4	
W.R		1 x	6 x	6	=	36 S		
		1 x	8.5 x	8.167	=	69 S 18 S		
Baths ·	15	1.x	3.75 x	4.875	=			
Store		1 x	12.5 x	9.875	=	123 S		
M.O		1 x	14.333 x	16	=	· 229 S		
Exam		1 x	7.833 x	7.25	- =	57 S		
W.R		2 x	7.833 x	8	=	125 S		
Male Ward		2 x	23.33 x	22.667	=	1058 S	ft	
Female Ward		1 x	23.33 x	22.667	` =	529 S	ft	
W.R		1 x	5.875 x	7	=	41 S	ft	
Galary		3 x	74.667 x	8	=	1792 S	ft	
Waiting	2x2	x(23.5 +	15.75)x	6 =	942 S	ft	
Medical Ward	2x1		23 +	21.875)x	6 =	539 S		
	2x1	•	14.5 +	12.5)x	6 =	648 S		
Treatment			9.875 +		. 6 =	249 S		
Receiption	2x1	•		10.875)x				
W.R	2x1	,	6 +	6)x	4 =	96 S		
	2x1	x(8.5 +	8.167)x	4 =	133 S		
Baths	2x1	x(3.75 +	4.875)x	4 =	69 S		
Store	2x1	×(12.5 +	9.875)x	6 =	537 S		
M.O	2x1	×(14.333 +	· 16)x	6 =	364 S	ift	
Exam	2x1		7.833 +	7.25)x	6 =	181 S	ift	
W.R	2x1	•	7.833 +	8)x	4 =	25 3 S	ift	
Male Ward	2x1	•	23.33 +	22.667)x	6 =	1104 S		
Female Ward	2x1		23.33 +	22.667)x	6 =	552 S		
	2x1 2x2	,	5.875 +	7)x	4 =	103 S		
W.R		•		•				
Galary	2x1	x(74.667 +	. 8)x	6 =			
				883.1 =	Total: =	14538 s 2034.65	tt %Cft	Rs. 29578
Providing and applying approved quality on exte including preparation of complete in all respect: a External surface	ernal surface of surface, applic	f buildin cation o 3 coats 2 x(ng of primer 75 +	61 1/4)x	15.125 =			
approved quality on exterincheding preparation of complete in all respect: a External surface Providing and fixing op 3mm thick upvc hollow	ernal surface of surface, applic) new surface: enable door co perfile chowka	f building cation of 3 coats 2 x(2 x(2 mparis	75 + 50 + 3319.85 + ing of e of 60 mm	61 1/4)x 30)x 1925.45	15.125 = Total: =	2420 9	Sft	Rs. 34259
approved quality on exterior including preparation of complete in all respect: a External surface Providing and fixing op	ernal surface of surface, applic) new surface: enable door co perfile chowka nm both duly r e with 20 mm v	f building cation of a coats 2 x(2 x(2 mparis at frame reinforce wide pa	ring f primer 75 + 50 + 3319.85 + ing of of 60 mm ed with unel	30)x	15.125 = Total: =	2420 S 6531 S 5245.30	oft oft % Sft % Sft	Rs. 34259
approved quality on exterincheding preparation of complete in all respect: a External surface Providing and fixing op 3mm thick upvc hollow x 64mm leaf 60mmx106m g.i box frame inside wide groves on both sides as p	ernal surface of surface, applic) new surface: enable door co perfile chowka nm both duly r e with 20 mm v	f buildin cation of 3 coats 2 x(2 x(emparis at frame reinforc wide pa and dire	75 + 50 + 3319.85 + ing of of 60 mm ed with unel cted by	30)x 1925.45	15.125 = Total: =	2420 9 6531 9 5245.30	Sft Sft % Sft Sft Sft	
approved quality on exterincheding preparation of complete in all respect: a External surface Providing and fixing op 3mm thick upvc hollow to 64mm leaf 60mmx106m g.i box frame inside wide groves on both sides as p	ernal surface of surface, applic) new surface: enable door co perfile chowka nm both duly r e with 20 mm v	f buildin cation of 3 coats 2 x(2 x(emparis at frame reinforc wide pa and dire	75 + 50 + 3319.85 + ing of of 60 mm ed with unel cted by	30)x 1925.45	15.125 = Total: =	2420 S 6531 S 5245.30	oft oft % Sft % Sft	
approved quality on exterincheding preparation of complete in all respect: a External surface Providing and fixing op 3mm thick upvc hollow to 64mm leaf 60mmx106m g.i box frame inside wide groves on both sides as p	ernal surface of surface, applic) new surface: enable door co perfile chowka nm both duly r e with 20 mm v per approved a	f buildin cation of 3 coats 2 x(2 x(emparis at frame reinforc wide pa and dire	75 + 50 + 3319.85 + ing of of 60 mm ed with unel cted by	30)x 1925.45	15.125 = Total: =	2420 9 6531 9 5245.30	Sft Sft % Sft Sft Sft	Rs. 10945
approved quality on exterior and complete in all respect: a External surface Providing and fixing op 3mm thick upvc hollow at 64mm leaf 60mmx106m g.i box frame inside wide groves on both sides as present in charge. Detail of Old Materia	ernal surface of surface, applic) new surface: enable door co perfile chowka nm both duly r e with 20 mm v per approved a	f buildin cation of 3 coats 2 x(2 x(emparis at frame reinforc wide pa and dire	75 + 50 + 3319.85 + ing of of 60 mm ed with unel cted by	30)x 1925.45	15.125 = Total: = Total: =	2420 S 6531 S 5245.30 105 S 105 S	Sft Sft % Sft Sft W Sft Total:	Rs. 10945
approved quality on exterior and complete in all respect: a External surface Providing and fixing op 3mm thick upvc hollow at 64mm leaf 60mmx106m g.i box frame inside wide groves on both sides as present in charge. Detail of Old Materia	ernal surface of surface, applic) new surface: enable door co perfile chowka nm both duly r e with 20 mm v per approved a	f buildin cation of 3 coats 2 x(2 x(mparis at frame reinforce wide pa and dire	ng f primer 75 + 50 + 3319.85 + ing of of 60 mm ed with unel cted by 21/2 x	30)x 1925.45 7 x	15.125 = Total: = Total: = 4	2420 9 6531 9 5245.30 105 9 1042.40	Sit Sit % Sit Sit Sit W Sit Total:	Rs. 10945
approved quality on exterinchading preparation of complete in all respect: a External surface Providing and fixing op 3mm thick upvc hollow to 64mm leaf 60mmx106m g.i box frame inside wide groves on both sides as p Engineer in charge.	ernal surface of surface, applic) new surface: enable door co perfile chowka nm both duly r e with 20 mm v per approved a	f buildin cation of 3 coats 2 x(2 x(mparis at frame reinforce wide pa and dire	ng f primer 75 + 50 + 3319.85 + ing of of 60 mm ed with unel cted by 21/2 x	30)x 1925.45 7 x	15.125 = Total: = Total: =	2420 5 6531 5 5245.30 105 5 105 5 1042.40	Sft Sft % Sft Sft Total:	Rs. 34259 Rs. 10945 Rs. 449213
approved quality on exterincheding preparation of complete in all respect: a External surface Providing and fixing op 3mm thick upvc hollow x 64mm leaf 60mmx106m g.i box frame inside wide groves on both sides as p Engineer in charge. Detail of Old Material Doors	ernal surface of surface, applic) new surface: enable door co perfile chowka nm both duly r e with 20 mm v per approved a	f building cation of 3 coats 2 x(2 x(2 x(comparise at frame reinforce wide paind direct to 4 x	ng of primer 75 + 50 + 3319.85 + ing of of 60 mm ed with unel cted by 21/2 x	30)x 1925.45 7 x 1 x 2600	15.125 = Total: = Total: = G	2420 5 6531 5 5245.30 105 5 105 5 1042.40	Sft Sft % Sft Sft Total:	Rs. 10945.
approved quality on exterinchading preparation of complete in all respect: a External surface Providing and fixing op 3mm thick upvc hollow x 64mm leaf 60mmx106m g.i box frame inside wide groves on both sides as p Engineer in charge. Detail of Old Materia	ernal surface of surface, applic) new surface: enable door co perfile chowka nm both duly r e with 20 mm v per approved a	f building cation of 3 coats 2 x(2 x(2 x(comparise at frame reinforce wide paind direct to 4 x	75 + 50 + 3319.85 + ing of of 60 mm ed with mel cted by 21/2 x	30)x 1925.45 7 x 1 x 2600 1 x	15.125 = Total: = Total: = G	2420 5 6531 5 5245.30 105 5 105 5 1042.40	Sft % Sft Sft Sft Total: Jo 31200	Rs. 10945
approved quality on exterinchading preparation of complete in all respect: a External surface Providing and fixing op 3mm thick upvc hollow x 64mm leaf 60mmx106m g.i box frame inside wide groves on both sides as p Engineer in charge. Detail of Old Materia	ernal surface of surface, applic) new surface: enable door co perfile chowka nm both duly r e with 20 mm v per approved a	f building cation of 3 coats 2 x(2 x(2 x(comparise at frame reinforce wide paind direct to 4 x	75 + 50 + 3319.85 + ing of of 60 mm ed with mel cted by 21/2 x	30)x 1925.45 7 x 1 x 2600 1 x	15.125 = Total: = Total: = G	2420 5 6531 5 5245.30 105 5 105 5 1042.40	Sft Sft % Sft Sft Sft Sft Sft Total: 10 31200 10 26600 57800	Rs. 10945 Rs. 449213 Rs. 5780
approved quality on exterincheding preparation of complete in all respect: a External surface Providing and fixing op 3mm thick upvc hollow is 64mm leaf 60mmx106m g.i box frame inside wide groves on both sides as prepared in charge. Detail of Old Material Doors Windows	ernal surface of surface, applic) new surface: enable door co perfile chowka nm both duly r e with 20 mm v per approved a	f building cation of 3 coats 2 x(2 x(2 x(comparise at frame reinforce wide paind direct to 4 x	75 + 50 + 3319.85 + ing of of 60 mm ed with mel cted by 21/2 x	30)x 1925.45 7 x 1 x 2600 1 x	15.125 = Total: = Total: = G	2420 5 6531 5 5245.30 105 5 105 5 1042.40	Sft % Sft Sft Sft Total: 10 31200	Rs. 10945 Rs. 449213

Executive Engineer Buildings Division Muzaffargarh Spirit Officer on a spirit one of the spirit of the spirit

Sub Engineer

Say: Rs. 4567400/-

Total: Rs. 4567361/-

Electric Installation Emergency Ward

Sr. No	Description	No	Leng	th	E	Breadth		Depth	Co	ntents		Amount
	Supply and Erection of PVC pipe for i/c inspection boxes pull boxes hoo prepairing surface etc complete. 3/4	k bends r			<u> </u>		<u>'</u>		•			
	preparing surface the complete. of a	20 x	50	×		x	-	= Total: =	<u> </u>	1000 I		,
	Supply and erection of single core P conductor cables, in prelaid PVC pipipe/wooden strip batten/woo capping/G.l.wire / trenches (rate 250/440 volts, PVC insulated:	pe/M.S. o oden ca	onduit/onduit/onduit/	G.I nd				,	@ 81.7 0)	P.Rft	Rs. 81700/-
(i)	3/0.029"	20 x	130	x	-	x	-	=		2600 I		
		25 x	175	x	_	x	_	Total: =		4375 1 6975 1		Rs. 179258/-
(ii)	7/0.029"	30 x	65	x		x	-	= Total: =		1950 I	Rft	,
	T (0.00(II	15 x	100			×		_	@ 40.75 -	5 1500 I	P.Rft	Rs. 79463/-
111	7/0.036"	15 X	100	х	_	X	_	Total: =		1500		
	·								@ 53.8	0	P.Rft	Rs. 80700/-
103	P/F PVC double layer Switch kit Face plate with specified switch holes i/c the cost of switches / sockets / dimmer made of Hi-Life / Bush / Schenider, screws complete as approved and directed by the Engineer Incharge											
	(a) One way Gange Switch Small									745.0		44045
	(iii) 03 Gange (iv) Three pin Light Plug 10/13 Amp	ı		20 30	x x					745.8 613.8		14916 18414
	(vi) Fan Dimmer			30	x					601.8		18054
	(vii) Bell push (viii) Three Pin Power Plug 15-32 Ar	mn		5 25	x x					481.8 757.8		2409 18945
	Large				x							
	(i) 04 Gange (iii) 06 Gange			25 20	x x				1,:	805.8 165.80		20145 23316
64	Supply and erection of pole mounted street light, holders, shade and glass, etc., for fitting 125/250 watts mercury vapour lamp (excluding cost of lamps):											
6	ii) Philips design Supply and erection of LED Bulb 40) watt bes	t quality	8 as	x				8,	773.10		70184.8
	approved by the engineer incharge	1 x	50	x	-	x	-	Total:	<u> </u>		Nos. Nos.	
5	Supply and erection of LED Bulb 40 approved by the engineer incharge) watt bes	t quality	as					@ 1650		P.Each	Rs. 82500/-
	approved by the engineer micharge	1 x	50	×	_	x	_	. =	=_	50 1	Nos.	
								Total:	= @ 1650		Nos. P.Each	Rs. 82500/-
6	Supply and Erection of button hold	er backlit	e large si	ze.								
		1 x	50	×		x	-	. =	=	50	Nos.	


7	Supply and erection of 3 pin switch a	and plug c	ombined	,			To	otal: :	<u> </u>	50 Nos. P.Each	Rs. 2688/-
	recessed type. ii) 10/15 Amp	1 x	20	x	_	x	<u>:</u> To	otal:		20 Nos. 20 Nos.	n - 2004
							٠		@ 149.80	P.Each Total:	Rs. 2996/- Rs. 778189/-
										Say:	Rs. 778200/-

Sub Engineer

Sub Divisional Officer Buildings Sub Division Ali Pur

Sanitary Installation Emergency Ward

No	Description	No	Length	Breadth	Depth	Contents	Amount
	Providing laying, testing and commissi POLYPROPYLENE RANDOM COPOL supply pipe made of (Dadex/Popular/specified pressure rating PN (PRESSUF conforming to DIN 8077-8078 code i/c making jharries complete in all respect directed by Engineer Incharge. (Internamentioned).i- PN 20	YMER (PPRO Beta/BBJ) w RE NOMINA cost of solved as approved	ith L) and nt, specials, and				
	(iii)(1") 32 mm	11 x 9 x		- x	= = Total: =	1100 Rf 360 Rf 1460 Rf 106.90	t
2	Providing and fixing, chromium pl for wash hand basin, sink or show	er.	-		-		•
		1 x	8 x	- x	_ = Total: = @	8 No 8 No 2228.75	
3	P/F Plastic made low down flushir capacity i/c bracket set, waste pipe Coloured.						
		1 x	8 x	- x	= Total: = @	8 No 8 No 4029.10	
4	Providing and fitting glazed earthe basin /vanity 56x40 cm (22'x16") in waste pipe and waste coupling, etc i) white, with pedestal.	ncluding br					
		1 x	8 x	- x	= Total: = @	8 No 8 No 5169,95	
	(v) under counter vanity basin	2 x	4 x	- x	= Total; =	8 No	0.
5	Providing and fitting Europeon Co Closet (WC) and flushing Cistern osize) i/c the cost of CP/rubber con cover and rawal bolts complete in approved and directed by the Engi	of PORTA b nection, thi all respects	rand (fuli mble, seat as		@	7347.45	P. Each Rs. 58780/-



1 x 4 x -- x -- =
$$\frac{4}{\text{Total:}}$$
 No. Total: = $\frac{4}{\text{No.}}$ No. @ 13915.80 P.Each Rs. 55663/-

 6 $\,$ Providing and fixing, "P" trap (glazed) 4" dia.

Providing and fixing, floor trap of cast iron, including concrete chamber all round, and C.I. grating:-

8 Providing and fixing brass stop cock/bib cock:-a) 15 mm (½") dia.

Providing and fixing, gully trap of cast iron, including concrete chamber all round, and C.I. grating:-

1 x 20 x - x - =
$$\frac{20 \text{ No.}}{\text{Total:}}$$
 = $\frac{20 \text{ No.}}{20 \text{ No.}}$ @ 1096.60 P.Each Rs. 21932/-

x -- x -- = 200 No. Total: = 200 No.

@ 260.70 P.Eac

Rs. 52140/-

Total: Rs. 460750/-

Say: Rs. 460800/-

Sub Engineer

Sub Divisional Officer Buildings Sub Division Ali Pur

Page 169

AMENDED ROUGH COST ESTIMATE FOR THE WORK "REVAMPING OF TEHSIL HEAD QUARTER HOSPITAL ALI PUR DISTRICT MUZAFFARGARH"

Gynae Block GENERAL ABSTRACT OF COST

1 Renovation/Rehabilitation of Main Building (Gynae Block)

= Rs. 4237200/-

2 Electric Installation

= Rs. 450800/-

3 Sanitary Installation

= Rs. 277300/-

Total = Rs. 4965300/-

Sub Engineer

Sub Divisional Officer Buildings Sub Division Ali Pur

---- Detail of Gynae Block

Sr. No	Description	N	o	Length	Breadth	Depth		Contents		Amount	İ
1	Dismantling glazed or encaustic til	es, etc							<u> </u>	- 000	1
	skirting Waiting	2x1	x(15.875 +	11.5)x	4	=	219 Sf	t		
	W.M.O	2x1	x(16 +	10.5)x	4	=	212 Sf	t		i
	Exam	2x1	x(6.33 +	5.833)x	4	=	97 Sf	t		•
	Exam	2x1	x(6.33 +	5.833)x	4	=	97 Sf	t		}
	W.R	2x1	x(6.33 +	3.875)x	7	=	143 Sf	t		
	W.R	2x1	x(6.33 +	3.875)x	7	=	143 Sf	t		
	Labour Room	2x1	x(16 +	10.5)x	4	=	212 Sf	t		:
	Gyne	2x1	×(15.875 +	11.5)x	4	=	219 Sf	t		!
	Exam	2x1	x(13.5 +	4.5)x	4	=	144 Sf	t		
	W.R	2x1	x(6.5 +	6.33)x	7	=	180 Sf			!
	W.R	2x1	x(6.5 +	6.33)x	7	=	180 Sf			į
	Recovery Room	2x1	×(20.375 +	14.5)x	4	=	279 Sf			:
	Ward	2x1	x(14.833 +	14.5)x	4	=	235 Sf			1
	W.R	2x2	x(6 +	6.833)x	7	= _	359 Sf			•
						Total:		2719 Si			:
							@ 2	2335.85	%Sft	Rs. 63	502/-
5	.Scraping:-White wash or colour w	ash.									:
	W.M.O	2x1	x(16 +	10.5)x	6	=	318 Sf	ť		
	Exam	2x1	x(6.33 +	5.833)x	6	=	146 Sf	t		!
	Exam	2x1	x(6.33 +	5.833)x	6	=	146 Sf	t		
	W.R	2x1	x(6.33 +	3.875)x	4	=	82 Sf	t		
	W.R	2x1	×(6.33 +	3.875)x	4	=	82 Si	t		:
	Labour Room	2x1	x(16 +	10.5)x	6	=	318 Sf			;
	Gyne	2x1	x(15.875 +	11.5)x	6	=	329 Sf			•
	Exam	2x1	×(13.5 +	4.5)x	6	=	216 Sf			J
	W.R	2x1	x(6.5 +	6.33)x	4	=	103 Sf			
	W.R	2x1	x(6.5 +	6.33)x	4	=	103 Sf			!
	Recovery Room	2x1	x(20.375 +	14.5)x	6	=	419 Sf			ļ
	Ward	2x1	x(14.833 +	14.5)x	6	=	352 Sf			,
	W.R	2x2	x(6 +	6.833)x	4	= _	103 St			1 .
						Total:		2714 sf		n - 6	0001
,							@	253.95	%Cft	Ks. o	893/-
6	Removing door with chowkat.										İ
			1 x	10			= _	10 N			1
						Total:		10 N		n 4	-
_							@	438.00	P-No.	Ks. 4	380/-
7	Removing windows and sky light										į •
			1 x	26			= _	26 N			!
						Total:		26 N			
_							@	341.50	P-No.	Rs. 8	879/-
8	Excavation in foundation of building structures i/c dag belling refilling one chain and lift upto 5' in ordina.	dressi	ng lea								:
	Ramp	-	1 x	13 x	2 x	11/2	=	39 C	f t		1
	imii p		1 x	13 x	4 x	1 1/2	=	52 C			
				^		Total:	-	91 C			:
							@	10677.75	%Cft	Rs.	972/-
9	Dry rammed brick or stone balast? Foundaiton and Plinth.	l-1/2"	2" gau	ige in							
	Ramp		1 x	13 x	2 x	1/2	=	13 C	ft		;
	•					•					:

		1 x	13	x	4 x	•	2 = _	26		1
						Total		39		D - 2469/
	· · · · · · · · · · · · · · · · · · ·	-					@	8891.50	%Cft	Rs. 3468/-
10	Pacca brick work in F&P Ratio 1:6 wit mortar.	th cement	sand	•						1
	Ramp	1 x	13	×	1.125 x	21/.	2 =	37	Cft	i
	•	1 x	13	x	4 x		2 =	26		
		1 x	13	x	3 x	1/.	2 =	20		:
		1 x	13	x	2 x		2 =	13		}
		1 x	13	x	1 x		2 =		Cft	ŧ.
	RAMP	4 ×	10	x	1.125 x	11/	_	68		
						Tota	l; =	169	Cft	i i
							@	28578.70	%Cft	Rs. 48316/-
11	Filling watering ramming new earth upto one mile.	from out s	side leac	i						İ
	Ramp	1 ×	10.7	75 x	10.75 x	1	=	116	Cft ·	;
	r	2 x	10.0	00 x	2.75 x	1	=	55	Cft	
						Tota	l: =	171	Cft	
							@	15350.15	%Cft	Rs. 26182/-
15	Providing and laying Prepolished Gr thickness and shade of full width of a laid with adhesive bond over 3/4" th	pproved	quality							
15	thickness and shade of full width of a	pproved ick (1:2) ce ect as app	quality ement proved							
15	thickness and shade of full width of a laid with adhesive bond over 3/4" th sand mortor bed, complete in all resp	pproved ick (1:2) ce ect as app	quality ement proved	×	13 x		=	169	_	
15	thickness and shade of full width of a laid with adhesive bond over 3/4" th sand mortor bed, complete in all resp	ipproved ick (1:2) co ect as app e.(i) 3/4"	quality ement proved thick.	× ×	13 × 6.5 ×		= =	85	SFT	
15	thickness and shade of full width of a laid with adhesive bond over 3/4" th sand mortor bed, complete in all resp	approved (ick (1:2) co bect as app (e.(i) 3/4"	quality ement proved thick.			Tota	_		SFT	
	thickness and shade of full width of a laid with adhesive bond over 3/4" th sand mortor bed, complete in all resp and directed by the Engineer Incharg	approved of ick (1:2) colorect as apprecial apprecia apprecial apprecial apprecial apprecial apprecial apprecial app	quality ement proved thick. 13 13			Tota	_	85	SFT	Rs. 331819/
16	thickness and shade of full width of a laid with adhesive bond over 3/4" th sand mortor bed, complete in all resp	pproved of the control of the contro	quality ement proved thick. 13 13 glazed ge in ive / ne cost o ng ed by the	x f e	6.5 x	Tota	i; = -	85 254 1308.95	SFT SFT P-SFT	Rs. 331819/-
	thickness and shade of full width of a laid with adhesive bond over 3/4" the sand mortor bed, complete in all respand directed by the Engineer Incharge and directed by the Engineer Incharge. Providing and laying superb quality tiles flooring of MASTER brand of spapproved design, Color and Shade whond over 3/4" thick (1:3) cement plasealer for finishing the joints i/c cuttic complete in all respect as approved a Engineer Incharge.	pproved of the control of the contro	quality ement proved thick. 13 13 glazed ge in ive / ne cost o	x f			 @ 	85 254 1308.95	SFT SFT P-SFT	Rs. 331819/-
	thickness and shade of full width of a laid with adhesive bond over 3/4" the sand mortor bed, complete in all respand directed by the Engineer Incharge and directed by the Engineer Incharge. Providing and laying superb quality tiles flooring of MASTER brand of spapproved design, Color and Shade whond over 3/4" thick (1:3) cement plasealer for finishing the joints i/c cuttic complete in all respect as approved a Engineer Incharge.	pproved of the control of the contro	quality ement proved thick. 13 13 glazed ge in ive / ne cost o ng ed by the	x f e	6.5 x	Tota	l: = @	85 254 1308.95 50 50	SFT P-SFT SFT SFT	· :
	thickness and shade of full width of a laid with adhesive bond over 3/4" the sand mortor bed, complete in all respand directed by the Engineer Incharge and directed by the Engineer Incharge. Providing and laying superb quality tiles flooring of MASTER brand of spapproved design, Color and Shade whond over 3/4" thick (1:3) cement plasealer for finishing the joints i/c cuttic complete in all respect as approved a Engineer Incharge.	pproved of the control of the contro	quality ement proved thick. 13 13 glazed ge in ive / ne cost o ng ed by the	x f e	6.5 x		 @ 	85 254 1308.95	SFT SFT P-SFT	Rs. 331819/-

17

P/F 1-1/2" thick solid flush door comprising of 2.5 mm thick Commercial ply compressed over 2.5 mm thick commercial ply over 1" thick packing wood in style and rails under proper pressure i/c the cost of nails, tower bolt , handles, glue, sawing charges, Painting charges, sand papering and 3/8" thick matching wooden lipping as approved and directed by the Engineer Incharge.

Rs. 705251/-

19 Providing and fixing M.S. grill fabricated with MS Square polished Vertical/horizontal Bars of specified size @ 4" c/c' passed through punched holes in MS Patti of 1-1/4"x1/8" i/c the cost of 1-1/4"x1/8" MS patti for Frame of windows and painting 3 coat complete in all respect as approved and directed by the Engineer Incharge. (i) 3/8" Squar Bars

						@ 854	4.85 P.Sft
						Total: =	825 Sft
c.w1	4 x	11/	/2 x		. x	1.5 =	9 Sft
win W1	6 x	. 4	x		x	6 =	144 Sft
win W1	8 x	6	x	_	x	6 =	288 Sft
win W1	8 x	8	х		x	6 =	384 Sft

19 Providing and fitting all types of double glazed aluminium windows of anodised bronze colour partly fixed and partly sliding using delux sections of approved manufacturer having frame size of 100 x 20 mm (4"x3/4") and leaf frame sections of 50 x 20 mm (2"x¾"), all of 1.6mm thickness including 5 mm thick imported tinted glass with rubber gasket using approved standard latches, hardware etc., as approved by the Engineer in-charge

win W1	6 x	4		_	x	6 =	144	-	1
c.w1 ·	4 x	11/	2 x		x	1.5 =		Sft	1
						Total: =	825	Sft	
						@ 13	48.40	P.Sft	Rs. 1112430/-

19

(i) i/c Providing and fixing Aluminum Fly screen comprising of Fiber / Aluminum wire guaze (Malasian) fixed in aluminum frame of approved manufacturer brownze Colour / powder coated of size 1-1/2"x1/2" and 1.6mm thick with rubber gasket i/c cost of Hardwares as approved and directed by the engineer incharge, complete in all respect.

						Total: =	825 413 Sft
.w1	4 x	11,	/2 x		×	1.5 =	9 Sft
vin W1	6 x	4	x	_	x	6 =	144 Sft
vin W1	8 x	6	x		x	6 =	288 Sft
vin W1	8 x	8	x	-	x	6 =	384 Sft

Page 176

Rs. 203383/-

man Color and Ch-1.			specified · ·					i
size,Color and Shade 1/2"thick (1:2)cement pla								;
for finishing the joints,cu	tting grinding	compl	ete in all		=-:-			
respect as approved ar								t
Incharge Full body Glaze								.
	2x1	×(15.875 +	11.5)x	5	_	273.75 Sft	Į.
skirting Waiting W.M.O	2x1	^(×(16 +	10.5)x	5	=	265 Sft	i
Exam	2x1	x(6.33 +	5.833)x	5	=	122 Sft	ì
Exam	2x1	x(6.33 +	5.833)x	5	=	122 Sft	i
Labour Room	2x1	x(16 +	10.5)x	7	=	371 Sft	
Gyne	2x1	x(15.875 +	11.5)x	5	=	274 Sft	1
Exam	2x1	x(13.5 +	4.5)x	5	_	180 Sft	k
Recovery Room	2x1	x(20.375 +	14.5)x	5	=	349 Sft	
Ward	2x1	x(14.833 +	14.5)x	5	=	293 Sft	
vvalu	2,1	^(11.000	11.0 /	Tota	1: = '	2249 Sft	
						@	340.50 P.Sft	Rs. 7657
D		•	:1_ fl					
Providing and laying sup								1
of Master brand of specif								
of approved Color and S		-						
with adhesive bond, ove								
plaster i/c the cost of se		-						
cutting grinding comp		_						
approved and directed by			e.					
i)12"x18"/12"x24"/10"x24	ı" /8"x24"/12"x3	6"						
W.R	!	2 x	6.33 x	5.833 x	_	=	74 Sft	
W.R		2 x	6.33 x	3.875 x		_	49 Sft	
W.R		1 x	13.5 x	4.5 x		=	61 Sft	
						_	41 Sft	
W.R		1 ×	6.5 x	6.33 x				
W.R		1 x	14.833 x	14.5 x		. =	215 Sft	
					Tota		440 Sft	_
						@	202.70 P.Sft	Rs. 891
Providing and laying	superb quality	Cera	mic tiles					
Providing and laying dado of Master		Cera pecifie						
dado of Master	brand of sp	pecifie	d size,					
dado of Master Glossy/Matt/Texture sk	brand of sparting/dado of	pecifie appro	d size, ve Color					
dado of Master Glossy/Matt/Texture sk and Shade with adhesis	brand of spaces; brand of spaces; brand over	pecifie appro 1/2"th	d size, ove Color nick (1:2)					
dado of Master Glossy/Matt/Texture sk	brand of spairting/dado of ve bond over ost of sealer fo	pecifie appro 1/2"th r finis	d size, ove Color nick (1:2) shing the					
dado of Master Glossy/Matt/Texture sk and Shade with adhesi cemen plaster i/c the c joints i/c cutting grindi	brand of spainting/dado of ve bond over ost of sealer for n complete in	pecifie appro 1/2"th r finis all re	d size, we Color nick (1:2) shing the spects as					
dado of Master Glossy/Matt/Texture sk and Shade with adhesi cemen plaster i/c the c joints i/c cutting grindi approved and directed	brand of sparting/dado of ve bond over ost of sealer for complete in by the Engineer	pecifie appro 1/2"th r finis all re r in ch	d size, we Color nick (1:2) shing the spects as					
dado of Master Glossy/Matt/Texture sk and Shade with adhesis cemen plaster i/c the c joints i/c cutting grindi approved and directed i) 12"x18"/12"x24"/10"x20	brand of sparting/dado of ve bond over cost of sealer for complete in by the Engineer 4" /8"x24"/12"x3	pecifie appro 1/2"th r finis all re r in ch	d size, ve Color nick (1:2) shing the spects as arge.					
dado of Master Glossy/Matt/Texture sk and Shade with adhesis cemen plaster i/c the c joints i/c cutting grindi approved and directed i) 12"x18"/12"x24"/10"x22" W.R	brand of sparting/dado of ve bond over cost of sealer for complete in by the Engineer 4" /8"x24"/12"x2	pecifie appro 1/2"the finite all refer in che 36"	d size, we Color nick (1:2) shing the spects as arge.	5.833)×	7	=	170.282 Sft	
dado of Master Glossy/Matt/Texture sk and Shade with adhesis cemen plaster i/c the c joints i/c cutting grindi approved and directed i) 12"x18"/12"x24"/10"x20W.R W.R	brand of sparting/dado of ve bond over cost of sealer for complete in by the Engineer 4" /8"x24"/12"x3	pecifie appro 1/2"th r finis all re r in ch	d size, eve Color chick (1:2) shing the spects as arge. 6.33 + 6.33 +	5.833)x 3.875)x	7	===	142.87 Sft	
dado of Master Glossy/Matt/Texture sk and Shade with adhesis cemen plaster i/c the c joints i/c cutting grindi approved and directed i) 12"x18"/12"x24"/10"x22" W.R	brand of sparting/dado of ve bond over cost of sealer for complete in by the Engineer 4" /8"x24"/12"x2	pecifie appro 1/2"the finite all refer in che 36"	d size, eve Color chick (1:2) shing the spects as large. 6.33 + 6.33 + 13.5 +	3.875)x 4.5)x			142.87 Sft 252 Sft	
dado of Master Glossy/Matt/Texture sk and Shade with adhesis cemen plaster i/c the c joints i/c cutting grindi approved and directed i) 12"x18"/12"x24"/10"x20W.R W.R	brand of sparting/dado of ve bond over cost of sealer for complete in by the Engineer 4" /8"x24"/12"x3	pecifie appro 1/2"th r finis all re r in ch 36" x(x(d size, eve Color chick (1:2) shing the spects as arge. 6.33 + 6.33 +	3.875)x	7	=	142.87 Sft	
dado of Master Glossy/Matt/Texture sk and Shade with adhesis cemen plaster i/c the c joints i/c cutting grindi approved and directed i) 12"x18"/12"x24"/10"x22" W.R W.R W.R	brand of sparting/dado of ve bond over ost of sealer for complete in by the Engineer 4" /8"x24"/12"x2 1x2 1x2 1x2	pecifie appro 1/2"th r finis all re in ch 36" x(x(x(d size, eve Color chick (1:2) shing the spects as large. 6.33 + 6.33 + 13.5 +	3.875)x 4.5)x	7 7	=	142.87 Sft 252 Sft	
dado of Master Glossy/Matt/Texture sk and Shade with adhesis cemen plaster i/c the c joints i/c cutting grindi approved and directed i) 12"x18"/12"x24"/10"x22 W.R W.R W.R W.R	brand of sparting/dado of ve bond over cost of sealer for nomplete in by the Engineer 4" /8"x24"/12"x3 1x2 1x2 1x2 1x2 1x2	pecifie appro 1/2"th r finis all re r in ch 36" x(x(x(x(d size, eve Color chick (1:2) shing the spects as large. 6.33 + 6.33 + 13.5 + 6.5 +	3.875)x 4.5)x 6.33)x	7 7 7	= = =	142.87 Sft 252 Sft 179.62 Sft	
dado of Master Glossy/Matt/Texture sk and Shade with adhesis cemen plaster i/c the c joints i/c cutting grindi approved and directed i) 12"x18"/12"x24"/10"x22 W.R W.R W.R W.R	brand of sparting/dado of ve bond over ost of sealer for nomplete in by the Engineer 4" /8"x24"/12"x2 1x2 1x3 1x4 1x4 1x5 1x5 1x6 1x7 1x7 1x8 1x8 1x9 pecifie appro 1/2"th r finis all re r in ch 36" x(x(x(x(d size, eve Color nick (1:2) shing the spects as arge. 6.33 + 6.33 + 13.5 + 6.5 + 14.833 +	3.875)x 4.5)x 6.33)x 14.5)x	7 7 7 7	= = = =	142.87 Sft 252 Sft 179.62 Sft 410.662 Sft		
dado of Master Glossy/Matt/Texture sk and Shade with adhesis cemen plaster i/c the c joints i/c cutting grindi approved and directed i) 12"x18"/12"x24"/10"x22 W.R W.R W.R W.R	brand of sparting/dado of ve bond over ost of sealer for nomplete in by the Engineer 4" /8"x24"/12"x2 1x2 1x3 1x4 1x4 1x5 1x5 1x6 1x7 1x7 1x8 1x8 1x9 pecifie appro 1/2"th r finis all re r in ch 36" x(x(x(x(d size, eve Color nick (1:2) shing the spects as arge. 6.33 + 6.33 + 13.5 + 6.5 + 14.833 +	3.875)x 4.5)x 6.33)x 14.5)x	7 7 7 7 7	= = = = = :1; =	142.87 Sft 252 Sft 179.62 Sft 410.662 Sft 336 Sft	Rs. 3126	
dado of Master Glossy/Matt/Texture sk and Shade with adhesis cemen plaster i/c the c joints i/c cutting grindiapproved and directed i) 12"x18"/12"x24"/10"x2: W.R. W.R. W.R. W.R. W.R. W.R. W.R. W.R	brand of sparring/dado of ve bond over ost of sealer for complete in by the Engineer 4" /8"x24"/12"x3 1x2 1x2 1x2 1x2 2x2	pecifie appro 1/2"th r finis all re r in ch 36" x(x(x(x(x(d size, we Color nick (1:2) shing the spects as arge. 6.33 + 6.33 + 13.5 + 6.5 + 14.833 + 6 +	3.875)x 4.5)x 6.33)x 14.5)x	7 7 7 7 7	= = = = = :1; =	142.87 Sft 252 Sft 179.62 Sft 410.662 Sft 336 Sft 1491 Sft	Rs. 3126
dado of Master Glossy/Matt/Texture sk and Shade with adhesis cemen plaster i/c the c joints i/c cutting grindiapproved and directed i) 12"x18"/12"x24"/10"x22" W.R.W.R.W.R.W.R.W.R.W.R.W.R.R.R.R.R.R.R	brand of sparring/dado of ve bond over ost of sealer for complete in by the Engineer 4" /8"x24"/12"x3 1x2 1x2 1x2 1x2 2x2	pecifie appro 1/2"th r finis all re r in ch 36" x(x(x(x(x(d size, we Color nick (1:2) shing the spects as arge. 6.33 + 6.33 + 13.5 + 6.5 + 14.833 + 6 +	3.875)x 4.5)x 6.33)x 14.5)x	7 7 7 7 7	= = = = = :1; =	142.87 Sft 252 Sft 179.62 Sft 410.662 Sft 336 Sft 1491 Sft	Rs. 3126
dado of Master Glossy/Matt/Texture sk and Shade with adhesis cemen plaster i/c the c joints i/c cutting grindiapproved and directed i) 12"x18"/12"x24"/10"x22" W.R.W.R.W.R.W.R.W.R.W.R.W.R.R.R.R.R.R.R	brand of sparring/dado of ve bond over ost of sealer for nomplete in by the Engineer 4" /8"x24"/12"x3 1x2 1x2 1x2 1x2 2x2	pecifie appro 1/2"tł r finis all re r in ch. 36" x(x(x(x(x(x(x(x(x(x(x(x(x(d size, we Color nick (1:2) shing the spects as arge. 6.33 + 6.33 + 13.5 + 6.5 + 14.833 + 6 +	3.875)x 4.5)x 6.33)x 14.5)x 6)x	7 7 7 7 7	= = = = = :1; =	142.87 Sft 252 Sft 179.62 Sft 410.662 Sft 336 Sft 1491 Sft 209.65 P.Sft	Rs. 3126
dado of Master Glossy/Matt/Texture sk and Shade with adhesis cemen plaster i/c the c joints i/c cutting grindiapproved and directed i) 12"x18"/12"x24"/10"x22" W.R.W.R.W.R.W.R.W.R.W.R.W.R.R.R.R.R.R.R	brand of sparring/dado of ve bond over ost of sealer for nomplete in by the Engineer 4" /8"x24"/12"x3 1x2 1x2 1x2 1x2 2x2	pecifie appro 1/2"th r finis all re r in ch 36" x(x(x(x(x(d size, we Color nick (1:2) shing the spects as arge. 6.33 + 6.33 + 13.5 + 6.5 + 14.833 + 6 +	3.875)x 4.5)x 6.33)x 14.5)x 6)x	7 7 7 7 7	= = = = = :1; =	142.87 Sft 252 Sft 179.62 Sft 410.662 Sft 336 Sft 1491 Sft 209.65 P.Sft	Rs. 3126
dado of Master Glossy/Matt/Texture sk and Shade with adhesis cemen plaster i/c the c joints i/c cutting grindiapproved and directed i) 12"x18"/12"x24"/10"x22" W.R.W.R.W.R.W.R.W.R.W.R.W.R.R.R.R.R.R.R	brand of sparting/dado of ve bond over ost of sealer for nomplete in by the Engineer 4" /8"x24"/12"x3 1x2 1x2 1x2 1x2 2x2	pecifie appro 1/2"tł r finis all re r in ch. 36" x(x(x(x(x(x(x(x(x(x(x(x(x(d size, we Color nick (1:2) shing the spects as arge. 6.33 + 6.33 + 13.5 + 6.5 + 14.833 + 6 +	3.875)x 4.5)x 6.33)x 14.5)x 6)x	7 7 7 7 7	= = = = = :1; =	142.87 Sft 252 Sft 179.62 Sft 410.662 Sft 336 Sft 1491 Sft 209.65 P.Sft	Rs. 3126

```
74 sft
   W.R
                                          2 x
                                                      6.33 x
                                                                 5.833 x
                                          2 x
                                                      6.33 x
                                                                 3.875 x
                                                                                               49 sft
   W.R
                                                                                               25 sft
   Labour Room
                                          1 x
                                                      6.33 x
                                                                 3.875 x
                                                                                              168 sft
                                                                  10.5 x
                                                       16 x
   Gyne
                                          1 x
                                          1 x
                                                   15.875 x
                                                                  11.5 x
                                                                                              183 sft
   Exam
                                                                                               61 sft
   W.R
                                          1 x
                                                      13.5 x
                                                                   4.5 x
                                                                  6.33 x
                                                                                               41 sft
                                          1 x
                                                       6.5 x
   W.R
                                                                                               41 sft
                                           1 x
                                                       6.5 x
                                                                  6.33 x
   Recovery Room
                                                   20.375 x
                                                                  14.5 x
                                                                                              295 sft
                                          1 x
   Ward
                                                                                              215 sft
                                                                                   =
   W.R
                                           1 x
                                                   14.833 x
                                                                  14.5 x
                                                                 6.833 x
                                                                                               41 sft
                                                        6 x
                                           1 x
                                                                  10.5)x
                                                                                              318 Sft
   W.M.O
                                      2x1
                                                       16 +
                                            x(
                                                      6.33 +
                                                                 5.833)x
                                                                             6
                                                                                              146 Sft
   Exam
                                      2x1
                                            x(
                                      2x1
                                                      6.33 +
                                                                 5.833 )x
                                                                             6
                                                                                              146 Sft
   Exam
                                            x(
                                                                                   =
                                                                                               82 Sft
   W.R
                                      2x1
                                                      6.33 +
                                                                 3.875)x
                                                                             4
                                            x(
   W.R
                                      2x1
                                                      6.33 +
                                                                 3.875)x
                                                                             4
                                                                                               82 Sft
                                            x(
                                                                                              318 Sft
   Labour Room
                                      2x1
                                            x(
                                                       16 +
                                                                   10.5)x
                                                                             6
                                                                                   =
                                                                                              329 Sft
                                                   15.875 +
   Gyne
                                      2x1
                                             x(
                                                                   11.5)x
                                                                             6
                                                                                              216 Sft
   Exam
                                      2x1
                                             x(
                                                      13.5 +
                                                                   4.5)x
                                                                             6
                                                                                              103 Sft
                                                                   6.33 )x
   W.R
                                      2x1
                                             x(
                                                       6.5 +
                                                                             4
                                                                                              103 Sft
                                                       6.5 +
                                                                   6.33 )x
   W.R
                                      2x1
                                             x(
                                                                             4
                                                   20.375 +
                                                                                              419 Sft
                                                                   14.5 )x
   Recovery Room
                                      2x1
                                             x(
                                                                             6
                                                                                              352 Sft
                                                   14.833 +
                                                                  14.5 )x
                                                                             6
   Ward
                                      2x1
                                             x(
                                                                                              103 Sft
                                                                  6.833 )x
                                      2x2
   W.R
                                             x(
                                                         6+
                                                                             4
                                                                             Total: =
                                                                                             4294 sft
                                                                 883.1 =
                                                                                          2034.65
                                                                                                     %Cft
                                                                                                                       Rs. 87371/-
                                                   1151.55 +
                                                                                    @
28 Providing and applying weather shield paint of
   approved quality on external surface of building
   including preparation of surface, application of primer
   complete in all respect: a) new surface: 3 coats
   External surface
                                                    49.167 +
                                                                   34.5 )x
                                                                             15.125 =
                                                                                             2531 Sft
                                                                                             1070 Sft
                                           1 x(
                                                     25.75 +
                                                                    45)x
                                                                             15.125 =
                                                                                             3601 Sft
                                                                             Total: =
                                           2 x
                                                     6
                                                          x --
                                                                                 8 =
                                                                                                96 Sft
                                                                                                7 Sft
                                                                                1.5 =
                                           3 x
                                                     11/2 x
                                                                                              103 Sft
                                                                             Total: =
                                                                                             3498 Sft
                                                     3601 -
                                                                   103
   Net Qty:
                                                                                                                     Rs. 183495/-
                                                   3319.85 +
                                                               1925.45
                                                                                         5245.30
                                                                                                     % Sft
1 Providing and fixing openable door comparising of
   3mm thick upvc hollow perfile chowkat frame of 60 mm
   x 64mm leaf 60mmx106mm both duly reinforced with
   g.i box frame inside wide with 20 mm wide panel
   groves on both sides as per approved and directed by
   Engineer in charge.
                                                    21/2x
                                                                     7 x
                                                                                              105 Sft
                                           6 x
                                                                             Total: =
                                                                                              105 Sft
                                                                                         1042.40
                                                                                                     % Sft
                                                                                                                     Rs. 109452/-
                                                                                                          Total:
                                                                                                                    Rs. 4189196/-
   Detail of Old Material
   Doors
                                                        1 x
                                                                     1 x
                                                                             10
                                                                                               10 No
                                                @
                                                                  2600
                                                                            Each
                                                                                                           26000
   Windows
                                                         1 x
                                                                     1 x
                                                                             26
                                                                                               26 No
```

1900 49400 Each = Total 75400 Rs. 75400/-Cost of Old Material Rs. 4113796/-Total: Rs. 123414/-Add 3% Contingency:-Rs. 4237210/-Total: Rs. 4237200/-Say: V

Sub Engineer

Sub Divisional Officer Buildings Sub Division Ali Pur Executive Engineer Buildings Division Muzaffargarh

Electric Installation Eye Ward

Sr. No	Description	No	Length	Breadth	Depth	Contents	Amount
	· · · ·				,	,	<u>'</u>
1	Supply and Erection of PVC pipe for						
	resessed i/c inspection boxes pull l reducer and prepairing surface etc						•
		5 x	22 x	x	_ =	110 Rf	
					Total: =	110 Ri 81.70	ft P.Rft Rs. 8987/-
2	Supply and erection of single core I	VC insula	ated		•	01.70	1.Kit K5.0507
	copper conductor cables, in prelaid	PVC pipe	/M.S.				
	conduit/G.I pipe/wooden strip bat and capping/G.I.wire	ten/wood	ien casing				
	/trenches (rate for cables only):- a)	250/440 v	olts, PVC				•
(i)	insulated: 3/0.029"	3 x	120 x	x	_ =	360 RI	ft .
(7	-,	2 x	270 x	- x	=	540 Ri	
					Total: = @	900 Rs 25.70	ft P.Rft Rs. 23130/-
(ii)	7/0.029*	5 x	110 x	x	- =	550 R	
					Total: =	550 R	
iii	7/0.036"	3 x	120 x	x	_ =	40.75 360 Ri	P.Rft Rs. 22413/- ft
	,				Total: =	360 R	
3					0	53.80	P.Rft Rs. 19368/-
J	Supply & Erection of switch piano	type 5 Am	ıp.				
		2 x	35 x	x	= Total: =	70 N	
						72.00	P.Each Rs. 5040/-
	P/F PVC double layer Switch kit						
	Face plate with specified switch						
103	holes i/c the cost of switches / sockets / dimmer made of Hi-Life						
	/ Bush / Schenider, screws						
	complete as approved and directed by the Engineer Incharge						
						•	
	(a) One way Gange Switch Small						
	(iii) 03 Gange		20	x		745.8	14916
	(iv) Three pin Light Plug 10/13 Amp (vi) Fan Dimmer	ł	30 30	x x		613.8 601.8	18414 18054
	(vii) Bell push		5	x		481.8	2409
	(viii) Three Pin Power Plug 15-32 Ai	mp	25	x		757.8	18 9 45
	Large (i) 04 Gange		25	x x		805.8	20145
	(iii) 06 Gange		20	x		1,165.80	23316
	Supply and erection of pole						
64	mounted street light, holders,						
0-1	shade and glass, etc., for fitting						
	125/250 watts mercury vapour lamp (excluding cost of lamps):						
	ii) Philips design	1		x		8,773.10	70184.8
6	Supply and erection of LED Bulb 49 approved by the engineer incharge		t quality as				
	, , , ,	1 x	50 x	- x	=	50 N	
					Total: ≠ @	50 N 1650.00	los. P.Each Rs. 82500/-
5	Supply and erection of LED Bulb 4	0 watt bes	t quality as			_050,00	A5. 020U/
	approved by the engineer incharge		(0			/A \$ *	t
		1 x	60 x	x	_ = Total: =	60 N 60 N	
						1650.00	P.Each Rs. 99000/-

6 Supply and Erection of button holder backlite large size.

60 Nos. 60 60 Nos. Total: = **@** 53.75

P.Each

Rs. 3225/-

 7 Supply and erection of 3 pin switch and plug combined, recessed type. ii) 10/15 Amp

5 Nos. Total: = 5 Nos. P.Each

@ 149.80

Rs. 749/-Rs. 450796/-Total:

Rs. 450800/-Say:

Sub Engineer

Sub Divisional Officer Buildings Sub Division Ali Pur

Executive Engineer Buildings Division Muzaffargarh

Sanitary Installation Eye Ward

Sr. No	Description	No	Length	h	I	3readt	h]	Depth		Content	s		Amount	- - -
	Providing, laying, testing and comm POLYPROPYLENE RANDOM COI water supply pipe made of (Dadex, with specified pressure rating PN (I NOMINAL) and conforming to DII cost of solvent, specials, making jha respect as approved and directed by (Internal/External Diameters menti	POLYMER Popular/I PRESSURE N 8077-8076 Tries comp y Engineer	(PPRC) Beta/BBJ) S code i/c dete in all Incharge.												distribution, two paths of the control of the contr
	(iii)(1") 32 mm	2 x 3 x	150 40	x x	-		x x	- -	Fotal:		120 420	Rft Rft Rft	D.CL	מ	s. 44898/-
2	Providing and fixing, chromium ploor wash hand basin, sink or shower		g valve,							(E)	106.90		.Rft	K	s. 44 070/-
		1 x	8	x	-		x	7	Fotal:			No. No. P	.Each	R	s. 17830/-
3	P/F Plastic made low down flushir capacity i/c bracket set, waste pipe Coloured.														
		1 x	5	x	-		x		Total:			No. No. P	.Each	R	s. 20146/
4	Providing and fitting glazed earthet basin /vanity 56x40 cm (22"x16") in waste pipe and waste coupling, etc i) white, with pedestal	cluding br													
		1 x	5	x			x		Fotal:			5 No. 5 No. P	.Each	R	s. 25850/
	(v) under counter vanity basin	1 x	5	x			x		Total:			5 No. 5 No. P	'.Each	R	s. 36737/
5	Providing and fitting Europeon Co Closet (WC) and flushing Cistern o size) i/c the cost of CP/rubber conc cover and rawal bolts complete in a approved and directed by the Engi	f PORTA b nection, thi all respects	rand (full imble, sea as												Belleville of the first
		1 x	3	x			x		Total:			3 No. 3 No. P	'.Each	R	s. 41747/
6	Providing and fixing, "P" trap (glaz	ed) 4" dia.		•											
		1 x	15	×			x	-	Total:			5 No. 7 No.	'.Each	1	Rs. 4247/-

7	Providing and fixing, floor trap of cast iron, including
	concrete chamber all round, and C.I. grating:-

$$1 \times 15 \times - \times - = 15 \text{ No.}$$

$$Total: = 15 \text{ No.}$$

@ 627.75

P.Each

Rs. 9416/-

@ 553.75

P.Each

Rs. 8306/-

@ 627.75

P.Each

Rs. 9416/-

10 Providing, fixing, testing and commissioning of μ-PVC (Unplasticized Polyvinyl Chloride) Nikasi/ waste pipe make of Dadex / Popular/ Beta or equivalent, plain / socket ended conforming to code EN-1329 of specified SDR (Standard Dimension Ratio) including the cost of specials and Solvents complete in 15 x 15

- = $\frac{225}{\text{No.}}$ No. $\frac{225}{\text{No.}}$ No.

@ 260.70

P.Each

Rs. 58658/-

Total: Rs. 277251/-

Say:

Rs. 277300/-

Sub Engineer

Sub Divisional Officer Buildings Sub Division

Ali Pur

Executive Engineer Buildings Division Muzaffargarh

GENERAL ABSTRACT OF COST

SEWERAGE & WATER SUPPLY

1 Sewerage Line 1340500

2 Septic Tank 410500

3. Water Supply 747700

GRAND TOTAL 2498700

Sub Engineer

Sub Divisional Officer Buildings Sub Division Ali Pur **Eecutive Engineer** Buildings Division Muzaffargarh

žž.

RATE ANALYSIS FOR THE CONSTRUCTION OF MANHOLE

Earthwork excavation in open cutting for sewers and manholes as shown in drawings including shuttering and timbering, dressing to correct section and dimensions according to templates and levels, and removing surface water, in all types of soil except shingle, gravel and rock:- i) 0 ft. to 7.0 ft. (0 to 2.10 m) depth

Manhole 1 x 5.5 x 4 x 3.5 = 77 Cft.

Total 77 Cft
@ 11740.40 %oCft Rs.904/-

2 Cement concrete brick or stone ballast 1½ " to 2" (40 mm to 50 mm) gauge, in foundation and plinth:- (b) Ratio 1: 6: 12

Circular manhole

1 x 5.5 x 4 x 0.5 = 11 Cft.

Total 11 Cft

@ 21060.85 %Cft Rs.2317/-

4 Pacca brick work other than building upto 10ft. (3 m) height. i) cement, sand mortar:- Ratio 1:4

© 31336.30 %Cft Rs.13161/-5 Fabrication of mild steel reinforcement for cement concrete,

5 Fabrication of mild steel reinforcement for cement concrete, including cutting, bending, laying in position, making joints and fastenings, including cost of binding wire and labour charges for binding of steel reinforcement (also includes removal of rust from bars):- (b) Deformed bars (Grade-40)

Taking 6.75 of item no 7

1 x 8.08 x 6.75 x 0.454 = 25 Kg

Total 25 Kg

@ 31420.10 %Kg Rs.7780/-

6 Cement plaster 1:4 upto 20' (6.00 m) height:- b) ½" (13 mm) thick

2 x 2 x 5.5 x 3.5 = 77 Sft 2 x 2 x 2.5 x 3.5 = 35 Sft Total 112 Sft

@ 3241.60 %Sft Rs.3631/-

7 Reinforced cement concrete in slab of rafts / strip foundation, base slab of column and retaining walls; etc and other structural members other than those mentioned in 5(a) (i) above not requiring form work (i.e. horizental shuttering) complete in all respects:- (3) Type C (nominal mix 1: 2: 4)

MANHOLE COVER

@ 457.75 /Cft Rs.3699/-

8 Extra for making& finishing benching of floor work in manehole chambers with 1/8" thick cement finish.

1 x 2.5 x 4 = 10 Sft

Total = 10 Sft

@ 2934.10 %Sft

9 Cement concrete plain including placing, compacting, finishing and curing complete (including screening and washing of stone aggregate): (f) Ratio 1: 2: 4

M hole 1 x 2.5 x 4 x 0.25 = 2.50 Cft

Total = 2.50 Cft @ 38126.10 %Cft Rs.953/-

Rs.293/-

10 P/F RCC manhole cover 22" diaProviding and fixing 3" (75 mm) thick R.C.C. manhole

Total

1.00 Nos.

al 1 no. @ 11561.95 Each

rotal: Rs.44300/-

Say Rs: Rs.44300/-

Sub Engineer

Sub Divisional Officer Buildings Sub Divison Ali Pur Executive Engineer Buildings Divison Muzaffargarh

DETAIL ESTIMATE FOR SEWERAGE (EXTERNAL DEVELOPMENT)

1 Earthwork excavation in open cutting for sewers and manholes as shown in drawings including shuttering and timbering, dressing to correct section and dimensions according to templates and levels, and removing surface water, in all types of soil except shingle, gravel and rock:- i) 0 ft. to 7.0 ft. (0 to 2.10 m) depth

RCC sewer pipe

12" dia

1 x 570 x 3 x 3

= Total 5130 Cft.

5130 Cft @ 11740.40 %oCft

Rs.60228/-

Providing and laying R.C.C. pipe sewers, moulded with cement concrete 1:1½:3 conforming to ASTM Specification C-76-79, Class II. Wall B, including carriage of pipe from factory to site of work, lowering in trenches to correct alignment and grade, jointing with rubber ring, cutting pipes where necessary, testing, etc., complete. i) 310 mm (12") i/d

3

1 x 570

= 570 Rft
Total 570 Rft

695.60 P.Rft Rs.396492/-

4 P/ laying of PVC sewer pipe of BSS class"D" working pressure i/c lowering ,jointing, Testing complete.

PVC 4" dia

1 x 450

= 450 Rft
Total 450 Rft
@ 757.95 P.Rft Rs.341078/-

5 Construction of man hole small.

1 x 12

= 12 Nos.
Total 12 Nos.
@ 44300.00 P.Rft Rs.531600/-

6 Rehandling of earthwork: a) Lead upto a single throw of Kassi, phaorah or shovel

Take 85% of item No.1

1 x 5130 x 85 / 100

= 4361 Cft. Total 4361 Cft

@ 2539.70 %oCft Rs.11076/-

Total: Rs.1340474/-

Say Rs: Rs.1340500/-

Sub Engineer

Sub Divisional Officer Buildings Sub Divison Ali Pur Executive Engineer
Buildings Divison
Muzaffargarh

DETAIL ESTIMATE FOR WATER SUPPLY

1 Excavation of trenches in all kinds of soil, except cutting rock, for watersupply pipelines upto 5 ft. (1.5 m) depth from ground level, including trimming, dressing sides, leveling the beds of trenches to correct grade and cutting pits for joints, etc. complete in all respects.

1" dia 1 x 1520 x 2 x 3 = 9120 Cft. 2" dia 1 x 1070 x 2 x 3 = 6420 Cft. Total 15540 Cft

@ 7622.75 %oCft Rs.118458/-

2 Bitumen coating to plastered or cement concrete surface:- iii) 10 lbs. per 100 Sft. (4.54 Kg per Sq.m)

1" dia 1 x 1520 x 3.14 x 0.083 = 396 Sft 2" dia 1 x 1070 x 3.14 x 0.16 = 538 Sft Total 934 Sft

@ 1222.15 %Sft Rs.11415/-

3 Providing, laying, cutting, jointing, testing and disinfecting High Density Polyethylene Pipe (HDPE-100) working presure pipe, Beta/Dadex/Popular/IIL or equivalent, in trenches, as approved & directed by the engineer incharge, complete in all respects.
e) PN-16 (SDR-11)

i) 90 mm 1 x 1070

= 1070 Rft

Total

Total

1070 Rft 349.80 P.Rft Rs.

Rs.374286/-

ii) 110 mm 1 x 400

= 400 Rft.

400 Rft. 9 525.06 P.Rft

Rs.210024/-

4 Rehandling of earthwork: a) Lead upto a single throw of Kassi, phaorah or shovel

Take 85% of item No.1

1 x 15540 x 85 / 100

13209 Cft.

Total

13209 Cft

@ 2539.70 %oCft Rs.33547/-

Total: Rs.747730/-

Say Rs: Rs.747700/-

Sub Engineer

Sub Divisional Officer Buildings Sub Divison Ali Pur Executive Engineer Buildings Divison Muzaffargarh

DETAIL ESTIMATE FOR COLLECTING TANK

		52111	VIAI.	<u>C I</u>	<u>UK</u>	<u></u>	<u>JLLE</u>	<u> </u>	ING IAN	
S.No									Qty/Unit Rate	Amount
1	Earthwork excavation									
	manholes as shown in								-	
	timbering, dressing to									
	according to template									
	water, in all types of s									
	0 ft. to 7.0 ft. (0 to 2.10	m) dept	th							
					40		44		1050 56	
		1 x	17	х	10	X	11	=	1870 Cft	
								_	1870 Cft	D 210FF/
_								@	11740.40 %oCft	Rs.21955/-
2	Cement concrete brick									
	50 mm) gauge, in four	ndation	ana piii	ntn:-	(e) Ka	по	1: 6:12			
		1 x	17	x	10	x	0.5	=	85 Cft	
									85 Cft	
								@	21060.85 %Cft	Rs.17902/-
3	Reinforced cement cor	ncrete in	roof sla	ab, l	oeams,	, col	umns			•
	lintels, girders and oth									
	precast laid in position									
	complete in all respec									
	•						·			
		1 x	15.5	X	8	X	0.5	=	62 Cft	
									62 Cft	
								0	457.75 /Cft	Rs.28381/-
4	Fabrication of mild ste									
	including cutting, ben			_			-			
	joints and fastenings,		_		_					
	labour charges for bin									
	includes removal of re	ust from	bars):-	(b) (detorn	ned	bars			
	Take 6.75 lbs /Cft									
		1 x	62	х	6.75	x	0.454	=	190 Kg	
									190 Kg	
								@	31420.10 %Kg	Rs.59698/-
5	Pacca brick work other	er than b	uilding	upt	o 10ft.	(3 r	n)			
	height. i) cement, sand		_	-		•				
		2 "	15.125	.,	1.5	.,	0.25	_	11 Cft	
		2 x 2 x	14.75	X		x	16.5	_	548 Cft	
		2 x	14.7 <i>5</i> 5	X	1.125	x x	0.25	=	4 Cft	
		2 x	5.375	×	1.125		16.5	_	200 Cft	
		2 X	3.373		1.125	x	Total:	_	763 Cft	
							i Otali	@	31336.30 %Cft	Rs.239096/-
6	Cement plaster 1:4 up	ito 201 (6	00 m) 1	neia'	h+- h)	1/5" /	(13 mm)	44	51550.50 /0CII	143,437070/*
U	thick	20 (0	.00 111) 1	.c.g	D)	/2 (, 10 mmi)			
	GHCK .	3	2		1475		14 F	_	974 Sft	
		2 x 2 x	2 2	×	14.75 5.25	X	16.5 16.5	=		
		2 X	4	х	J.25	x		=	347 Sft 841 Sft	
							Total:	@	3241.60 %Sft	Rs.27262/-
								***	OZZINO /031(110121 204-

63

7 Cement concrete plain including placing, compacting, finishing and curing complete (including screening and washing of stone aggregate): (f) Ratio 1: 2: 4

1 x 17 x 10 x 0.250 = 42.50 Cft.

Total = 42.50 Cft

2 38126.10 %Cft Rs.16204/-Total. Rs.410498/

Say

Rs.410498/-

y Rs.410500/-

Sub Engineeer

Sub Divisional Officer Buildings Sub Division Ali Pur Executive Engineer Buildings Division Muzaffargarh

ELECTRIFICATION OF STREET LIGHTS

1	Supply and erection of PVC p	ipe for wi	ring rece	essed in w	alls, inc	cluding ins	pection box	es, pull				
	boxes, hooks, cutting jharries,	and repai			complet	e with all s						
		1	800.00				800	Rft				
						@ Rs.	183.45	P. Rft	146760			
2	Supply and erection of single	core PV	C insula	ted coppe	er condu	uctor cable	es, in prelai	id PVC.				
	pipe/M.S. conduit/G.I pipe/wo (rate for cables only) 250/440	oden strip	batten/	wooden o	asing a	in capping 9/0.064")	/G.I. wire/tr	enches				
	(Tate for cables Grilly) 2007-140	10113, 1 10	Induiate	T	I	Γ	1640	Rft				
				<u> </u>		@ Rs.	173.95	P. Rft	285278			
3	P/F Of Tubular Electric Street	Light Pol	les 4" Di	ia 15' 3"	Dia 10'							
3	Footing By Means Plates & N Incharge											
							20	No.				
						@ Rs.	94120.25	Each	1882405			
5	Supply and erection of copper conductor cables for service connection, in prelaid pipe/G.I. wire/trenches, etc. (rate for cable only) PVC insulated, PVC sheathed 4 core 660/1100 volt grade cable, armoured with G.I. wire 16 SWG 19/2.11 mm (19/0.083")											
		Ţ					130	Rft				
						@ Rs.	2715.80	P. Rft	353054			
6	S/E of Branch Distribution boa coated i/c cost of 3 No. Volt M Bar (1-1/2"x1/8") 14" thimbling	leter, 1 No	o. Ampai	ir meter, S	elector							
							1	No.				
						@ Rs.	38836.00	Each	38836			
7												
							10	No.				
						@ Rs.	18000.00	Each	180000			
								Total:-	2886333			

Sub Divisional Officer Buildings Sub Division Ali Pur Executive Engineer
Buildings Division
Muzaffargarh

THQ AliPur Provision/Installation of Electrical Equipment.										
		Provision/Instangion of Electrical Equipments		1		Amount				
.#			Qty:_	Unit	Rate	Amount				
		ALL CHARGE OF A PARTY PARTY.		L						
4	LI	ALV) SUB-STATION EQUIPMENT:								
\Box		Construction of ELECTRICAL ROOM	_ 1		As per requirement	 				
,	P/F f	loor mounted Electric Panel board of required depth and size, fabricarted with 14SWG M.S sheet (Indoor/Outdoor								
	Tyma	Adequation, zinc Phosphated, finish with electro static powder coating in approved colour i/c the cost of Lock, Indication								
	lights	s thimbles. Copper Comb. Wiring, Netural & Earth Bar, glands,Current Transformers of specified capacity,Door			ļ.					
	Earth	ing, Brass glands, bus bars, controles complete in all respects as approved and directed								
		e Engineer Incharge (Breakers will be Paid Separately).	 -							
	MD				-					
		LT Switchboards 2.50 Ft deep 4584 =	45	4						
		2.50 Ft deep 400A (3.0x6\(\times\)2.5')	•	cach	3,492.70	157171.5				
		Incoming From 200KVA Transformer								
	1	Supplying Installation and commissioning of MCCB (Moulded Case Circuit Breaker) of specified rating made of								
		LEGRAND FRANCE/ GE U.S.A./ SCHNEIDER GERMANY / TERASAKI JAPAN/SIEMEN/ABB SWITZERLAND		ŀ						
	.	(with fixed Thermal-Magnetic Trip) in prelaid DBs and Panels i/c the cost of screws, necessary wire complete in all		1						
		respect as approved and directed by the Engineer Incharge.		<u> </u>	00 404 00	(2424.2				
		Tripple Pole 400A(36 KA) * = 1	1	each	62,434.30 39,814.30	62434.3 39814.3				
		Tripple Pole 200A(36 KA) 1*1=1	1	each_	17,434.30	17434.3				
	(c)	Tripple Pole 100A(36 KA) 1*1=1 Toor mounted Electric Panel board of required depth and size, fabricarted with 14SWG M S sheet (Indoor/Outdoor	<u> </u>	caca	1 () 14 1.50	1,1010				
3	17/1-1 T	hor mounted Electric Panel board of required depth and size, fabricaried with 145WO M 3 sheet (indoor/outdoor), defusing, zinc Phosphated, finish with electro static powder coating in approved colour i/c the cost of Lock, Indication]							
	i ypt Linto	s, thimbles, Copper Comb, Wiring, Netural & Earth Bar, glands, Current Transformers of specified capacity, Door								
	Earl	ring, Brass glands, bus bars, controles complete in all respects as approved and directed by the Engineer Incharge								
		akers will be Paid Separately).								
		B-1(For PDBs)		 -	ļ					
		Incoming From Transformers	 	-	 					
		LT Switchboards	12	eft	 					
		12" deep 12x1s	14	ench	4,512.80	54153.6				
_		200A (3'x4'x12")	<u> </u>	- ACHICH	4,52,2,00					
-	1	Incoming breakers for MDB-1 Supplying , Installation and commissioning of MCCB (Moulded Case Circuit Breaker) of specified rating made of	†							
1	'	LEGRAND FRANCE/ GE U.S.A / SCHNEIDER GERMANY / TERASAKI JAPAN/SIEMEN/ABB SWITZERLAND			l i					
		(with fixed Thermal-Magnetic Trip) in prelaid DBs and Panels i/c the cost of screws, necessary wire complete in all								
		respect as approved and directed by the Engineer Incharge.								
		Tripple Pole 200A(36 KA) 1*2=2	2	each	39,814.30	79628.6				
		Outgoing breakers for MDB-1								
	(a)	Tripple Pole 150A(36 KA) 1*2=2	2	each	18,094.30	36188.6				
	(b)	Tripple Pole 150A(36 KA) 1*2=2	2	each	18,094.30	36,188.60				
		P/F floor mounted ATS (Auto Transfer Switch) panel board , fabricarted with 14S WG M.S sheet (Indoor Type) duly		ł	ļ					
		painted with 100 microns powder coated paint in approved colour, front access ,extendable, insulation class of 600 volts		-						
		IP-44, Incomining & outgoing connections from bottom with flexible copper cable suitable for 415 VAC, 3-phase 4 wire, 50 HZ TPN&E system having rated service, short circuit breaking capacity at 400VAC conforming to IEC-947-2 to		1						
4		accompdate given no of circuit components, instruments & accessories, assembled & wired with Electrolitic Copper bus			ļ					
4		bars at 50 deg and cables duly cleaned down to bare shining metal phosphate, manual change Over i/c the cost of Lock,			·					
		Indication lights, thimbles, Copper Comb, Wiring, Netural & Earth Bar, CTs, Contactors, Relays, Door Earthing, Brass			1					
		glands complete in all respects as approved and directed by the Engineer Incharge. (Breakers wil be paid additionally)			1					
					I					
		ATS (for 300 KVA Generator Transformer)			ļ					
		Incoming from Generator and ATS for dual supply	1	- and	1,833,923,45	1833923.45				
	_	12" deep	 -	each	1,000,740,40	1000720,73				
	(11)	200KVA Incoming Breakers For ATS (for 300 KVA Generator and Transformer)	— —	†	 +	*				
	ı	Supplying Installation and commissioning of MCCB (Moulded Case Circuit Breaker) of specified rating made of		t	[
	١. ١	LEGRAND FRANCE/ GE U.S.A / SCHNEIDER GERMANY / TERASAKI JAPAN/SIEMEN/ABB SWITZERLAND		1	ţ					
		(with fixed Thermal-Magnetic Trip) in prelaid DBs and Panels i/c the cost of screws, necessary wire complete in all		1						
		respect as approved and directed by the Engineer Incharge.	<u>L_</u> _							
	(a)	Tripple Pole 400A(36 KA) (1* 1=1)	1	each	62,434.30	62434,3				
		Outgoing Breakers For ATS (for 300 KVA Generator and Transformer)			L					
		Supplying ,Installation and commissioning of MCCB (Moulded Case Circuit Breaker) of specified rating made of								
		LEGRAND FRANCE/ GE U.S.A / SCHNEIDER GERMANY / TERASAKI JAPAN/SIEMEN/ABB SWITZERLAND								
	1 1	(with fixed Thermal-Magnetic Trip) in prelaid DBs and Panels i/c the cost of screws, necessary wire complete in all								
		respect as approved and directed by the Engineer Incharge.	9	-	17,434.30	156908.7				
		Tripple Pole 63A(36 KA) (3* 3=9)	1 3	ench	17,404.00	130700.1				
		P/F floor mounted ATS (Auto Transfer Switch) panel board, fabricarted with 14S WG M.S sheet (Indoor Type) duly painted with 100 microns powder coated paint in approved colour, front access, extendable, insulation class of 600 volts.		1						
		painted with 100 microns powder coated paint in approved colour, from access, extendable, insulation class of 000 vois IP-44, incoming & outgoing connections from bottom with flexible copper cable suitable for 415 VAC, 3-phase 4 wire,		1						
		50 HZ TPN&E system having rated service, short circuit breaking capacity at 400VAC conforming to IEC-947-2 to		1	1					
5		accommodate given no of circuit components, instruments & accessories, assembled & wired with Electrolitic Copper bus		1						
		bars at 50 deg and cables duly cleaned down to bare shining metal phosphate, manual change Over i/c the cost of Lock,		1	Į l					
		Indication lights, thimbles, Copper Comb, Wiring, Netural & Earth Bar, CTs, Contactors, Relays, Door Earthing, Brass			}					
		glands complete in all respects as approved and directed by the Engineer Incharge. (Breakers wil be paid additionally).		1	j					
	 		-		 					
	<u> </u>	ATS (for 50 KVA Generator Transformer)	-	-	 					
	_	Incoming from Generator and ATS for dual supply	1	each.	801,447,70	801447.7				
		6" deep	 	each	001,447,70	JULTTIII				
	(11)	50KVA Incoming Breakers For ATS (for 50 KVA Generator and Transformer)		†	 	**				
	ı	Supplying Installation and commissioning of MCCB (Moulded Case Circuit Breaker) of specified rating made of		1						
		The property of the contract o	i .	I	1					
		LEGRAND FRANCE/ GE U.S.A / SCHNEIDER GERMANY / TERASAKI JAPAN/SIEMEN/ABB SWITZERLAND			!					
		LEGRAND FRANCE/ GE U.S.A / SCHNEIDER GERMANY / TERASAK! JAPAN/SIEMEN/ABB SWITZERLAND (with fixed Thermal-Magnetic Trip.) in prelaid DBs and Panels i/c the cost of screws, necessary wire complete in all								

		<u></u>				
S.#			Qty:	Unit	Rate	Amount
	(a)	Tripple Pole 100A(36 KA) (1* 1=1)	1	each	17,434.30	17434.3
		Outgoing Breakers For ATS (for 50 KVA Generator and Transformer) Supplying ,Installation and commissioning of MCCB (Moulded Case Circuit Breaker) of specified rating made of				
		Supplying Installation and commissioning of MCCB (Motificed Case Circuit Bleaker) of specific fluing made of LEGRAND FRANCE/ GE U.S. A / SCHNEIDER GERMANY / TERASAKI JAPAN/SIEMEN/ABB SWITZERLAND				
		(with fixed Thermal-Magnetic Trip) in prelaid DBs and Panels i/c the cost of screws, necessary wire complete in all				
		respect as approved and directed by the Engineer Incharge.				
	(a)	Tripple Pole 63A(36 KA) (3* 3=9)	9	each	17,434.30	156908.7
6	Γ	P/F wall mounted DB (Distribution Board) made with 16SWG Sheet (Recessded/Surface mounted Type), Powder coated				
		Paint, i/c the cost of Lock, Indication lights, Thimble, Copper Comb, Wiring, Netural & Earth Bar, Door Earthing, Digital				
		Voluneter, Digital Ammeter, Volt Selector Switch, Ammeter selector switch, Current Transformers and Controles Complete in all respect as approved and directed by the Engineer Incharge (Breakers will be Paid Separately).				
	ľ	in all respect as approved and directed by the Engineer Inchange (Dicakers with be 1 and Separates).				
		PDBs (Pharmacy & Indoor & Peads & OT & Eye OT & MS Block)		ett		
		12" deep	36	ench	13,809.80	497152.8
	(11)	150A (3'x3'x12") (9 X 4)	<u> </u>	ежен	1,3,807.00	45/152.0
	1	Incoming Breakers for PDBs (Pharmacy & Indoor & Peads & OT & Eye OT & MS Block) Supplying Installation and commissioning of MCCB (Moulded Case Circuit Breaker) of specified rating made of				
	١.	LEGRAND FRANCE/ GE U.S.A / SCHNEIDER GERMANY / TERASAKI JAPAN/SIEMEN/ABB SWITZERLAND				
		(with fixed Thermal-Magnetic Trip) in prelaid DBs and Panels i/c the cost of screws, necessary wire complete in all				
		respect as approved and directed by the Engineer Incharge.				
	(a)	Tripple Pole 150A(36 KA) (1*4=4)	4	each	18,094.30	72377.2
	ļ	Outgoing Breakers for PDBs (Pharmacy & Indoor & Peads & OT & Eye OT & MS Block)	 			
	2	Suppling, Installation and comissioning of MCB (Miniature Cucuit Breaker) of specified rating made of LEGRAND FRANCE/ GE U.S.A / SCHNEIDER GERMANY /SIEMEN GERMAN/TERASAKI JAPAN/ ABB SWITZERLAND in				
		prelaid DBs and Panels i/c the cost of screwes,necessary wire complete in all respect as approved and directed by the	1			
		Engineer Incharge.			<u> </u>	
	(a)	Tripple Pole 63A(10 KA) (1*4=4)	4	each	11,434.30	45737.2
	(b)	Single Pole 32A(10 KA) (3*5=15)	15	each	1,299.95	19499,25
	(d)	Single Pole 16A(10 KA) (3*5=15)	15	each	1,299.95	19499.25
		P/F wall mounted DB (Distribution Board) made with 16SWG Sheet (Recessded/Surface mounted Type), Powder coated	Ī			
-	ŀ	Paint, I/c the cost of Lock, Indication lights, Thimble, Copper Comb, Wiring, Netural & Earth Bar, Door Earthing, Digital Voltmeter, Digital Ammeter, Volt Selector Switch, Ammeter selector switch, Current Transformers and Controles Complete				
7		in all respect as approved and directed by the Engineer Incharge (Breakers will be Paid Separately).				
		In all respect as approved and directed by the Engineer Monarge (Distance Min 55 2 dis Septiment).				
		PDBs (For Gene and Eye OPD & OPD Block & Labotary & X-Rays)	-			
		12" deep	3.6	411	£ 146.40	185270.4
	(ii)	150A (3'x3'x12")	<i>F</i>	###CTI	5,146.40	1032/0.4
	-	Incoming Breakers for PDBs (For Medical Ward & Admin Block & PKLI) Supplying Installation and commissioning of MCCB (Moulded Case Circuit Breaker) of specified rating made of				
		LEGRAND FRANCE/ GE U.S.A / SCHNEIDER GERMANY / TERASAKI JAPAN/SIEMEN/ABB SWITZERLAND				
		(with fixed Thermal-Magnetic Trip) in prelaid DBs and Panels i/c the cost of screws, necessary wire complete in all				
		respect as approved and directed by the Engineer Incharge.		lL		
	(a)	Tripple Pole 150A(36 KA) (1*4=4)	4	each	18,094.30	72377.2
		Outgoing Breakers for PDBs (For Medical Ward & Admin Block & PKLI)	!			
•		Suppling, Installation and comissioning of MCB (Miniature Circuit Breaker) of specified rating made of LEGRAND				
	ļ	FRANCE/ GE U.S.A / SCHNEIDER GERMANY /SIEMEN GERMAN/TERASAKI JAPAN/ ABB SWITZERLAND in prelaid DBs and Panels i/c the cost of screwes,necessary wire complete in all respect as approved and directed by the				
		presand Diss and runers we the cost of screwespiecessary whe complete in an respect as approved and directed by the Engineer Incharge.				
	(a)	Tripple Pole 63A(36 KA) (1*4=4)	4	each	17,434.30	69737.2
		Single Pole 32A(10 KA) (3*4=12)	12	cach	1,299.95	15599,4
		Single Pole 16A(10 KA) (3*4=12)	12	each	1,299.95	15599.4
	}	P/F wall mounted DB (Distribution Board) made with 16SWG Sheet (Recessded/Surface mounted Type), Powder coated				
0		Paint, i/c the cost of Lock, Indication lights, Thimble, Copper Comb, Wiring, Netural & Earth Bar, Door Earthing, Digital				
8		Voltmeter, Digital Ammeter, Volt Selector Switch, Ammeter selector switch, Current Transformers and Controles Complete in all respect as approved and directed by the Engineer Incharge (Breakers will be Paid Separately)				
		In an respect as approved and uncodes by the engineer monarge (oreaxers will be than separately)				
		PDBs (For Speclist & Labour Room & Gynaii)		, n		
		12" deep 150A (3'x3'x12")	4	19	£ 146 40	138952.8
	(ii)	150A (3'x3'x12") Incoming Breakers for PDBs (For Cardic & SurgicalF/M & HDU)	-3	eagen	5,146.40	130734.8
		Supplying ,Installation and commissioning of MCCB (Moulded Case Circuit Breaker) of specified rating made of	-	 		
		LEGRAND FRANCE/ GE U.S.A./ SCHNEIDER GERMANY / TERASAKI JAPAN/SIEMEN/ABB SWITZERLAND		{	1	
		(with fixed Thermal-Magnetic Trip) in prelaid DBs and Panels i/c the cost of screws, necessary wire complete in all		}	1	
	L	respect as approved and directed by the Engineer Incharge.				
	(a)	Tripple Pole 150A(36 KA) (1*=3)	3	each	18,094.30	54282.9
	_	Outgoing Breakers for PDBs (For Cardie & SurgicalF/M & HDU)		 		
,		Suppling Installation and comissioning of MCB (Miniature Circuit Breaker) of specified rating made of LEGRAND			ŀ	
		FRANCE/ GE U.S.A / SCHNEIDER GERMANY /SIEMEN GERMAN/TERASAKI JAPAN/ ABB SWITZERLAND in prelaid DBs and Panels i/c the cost of screwes,necessary wire complete in all respect as approved and directed by the				
		Engineer Incharge.				
	(a)	Tripple Pole 63A(36 KA) (1*3=3)	3	each	17,434.30	52302.9
		Single Pole 32A(10 KA) (3*3=9)	9	each	1,299.95	11699.55
		Single Pole 16A(10 KA) (3*3=9)	9	each	1,299.95	11699.55
]	P/F wall mounted DB (Distribution Board) made with 16SWG Sheet (Recessded/Surface mounted Type), Powder coated	}			
9	1	Paint, i/c the cost of Lock, Indication lights, Thimble, Copper Comb, Wiring, Netural & Earth Bar, Door Earthing, Digital				
y		Voltmeter, Digital Ammeter, Volt Selector Switch, Ammeter selector switch, Current Transformers and Controles Complete in all respect as approved and directed by the Engineer Incharge (Breakers will be Paid Separately).				
		in an respect as approved and uncoled by the Engineer monarge (Dicakers will be t are separately).				
		LDBs (For Departments)		200		
	(a)	6" drep	7	40	10.001.11	
	(ii)	63A (18"x24"x6") (1.5 %b)	1	_each	18,691.40	168222.6
		Incoming Breakers for LDBs (For Departments) Supplying Installation and commissioning of MCCB (Moulded Case Circuit Breaker) of specified rating made of	<i>y</i> .			
		LEGRAND FRANCE/ GE U S A / SCHNEIDER GERMANY / TERASAKI JAPAN/SIEMEN/ABB SWITZERLAND				
		(with fixed Thermal-Magnetic Trip) in prelaid DBs and Panels i/c the cost of screws, necessary wire complete in all				
		respect as approved and directed by the Engineer Incharge.				

·			Otv:	Unit	Rate	Amount
S.#	, , 1	Tripple Pole 63A(36 KA) (1*6=6)	6	cach	17,434.30	104605 8
		Outgoing Breakers for LDBs (For Departments)			7-1111	!
		Suppling Installation and comissioning of MCB (Miniature Circuit Breaker) of specified rating made of LEGRAND				ŧ
		FRANCE/ GE U.S.A / SCHNEIDER GERMANY /SIEMEN GERMAN/TERASAKI JAPAN/ ABB SWITZERLAND in				1
		prelaid DBs and Panels i/c the cost of screwes,necessary wire complete m all respect as approved and directed by the				1
						:
		Engineer Incharge	20	 	1,299,95	25999
		Single Pole 32A(10 KA) (4*5=20)	20	\vdash	1,299,95	25999
		Single Pole 16A(10 KA) (4*5=20)	30	 	1,299.95	38998.5
	(c)	Single Pole 10A(10 KA) (6*5=30)	30		1,200.00	:
		P/F wall mounted DB (Distribution Board) made with 16SWG Sheet (Recessded/Surface mounted Type), Powder coated				
		Paint, i/c the cost of Lock, Indication lights, Thimble, Copper Comb, Wiring, Netural & Earth Bar, Door Earthing, Digital				·
10	ļ	Voltmeter, Digital Ammeter, Volt Selector Switch, Ammeter selector switch, Current Transformers and Controles Complete				
		in all respect as approved and directed by the Engineer Incharge (Breakers will be Paid Separately).				
-	H	LDBs (For Departments)				
		6" deep (1.5x4)	ما	art	10 (01 40	
	(ii)	63A (18"x24"x6")	*	erch	18,691.40	112148.4
		Incoming Breakers for LDBs (For Departments)	_	-		
		Supplying "Installation and commissioning of MCCB (Moulded Case Circuit Breaker) of specified rating made of			_	
		LEGRAND FRANCE/ GE U.S.A./ SCHNEIDER GERMANY / TERASAKI JAPAN/SIEMEN/ABB SWITZERLAND			·	ŗ
		(with fixed Thermal-Magnetic Trip) in prelaid DBs and Panels i/c the cost of screws, necessary wire complete in all				
		respect as approved and directed by the Engineer Incharge				
	(a)	Tripple Pole 63A(36 KA) (1*4=4)	4	each	17,434.30	69737 <u>.2</u>
		Outgoing Breakers for LDBs (For Departments)				
		Suppling, Installation and comissioning of MCB (Miniature Circuit Breaker) of specified rating made of LEGRAND				1
		FRANCE/ GE U.S.A / SCHNEIDER GERMANY /SIEMEN GERMAN/TERASAKI JAPAN/ ABB SWITZERLAND in		1		1
		prelaid DBs and Panels i/c the cost of screwes,necessary wire complete in all respect as approved and directed by the		l :		
		Engineer Incharge.				į.
			16	 	1,299,95	20799.2
			16	 	1,299,95	20799.2
_		Single Pole 16A(10 KA) (4*4=16)	24	1 1	1,299,95	31198.8
_	(c)	Single Pole 10A(10 KA) (6*4=24)		1 1	.,	i
					•	4
3	LT	POWER CABLE.		1	una .	i
	1	120 mm sq (37/0.083") PVC insulated, PVC sheathed 4 core, 660/1100 volt non armoured cable (For Transformer)	200	rft	4,634.45	926890
	_	95 mm sq (37/0.072") PVC insulated, PVC sheathed 4 core, 660/1100 volt non armoured cable (For Transformer)		 		• •
	2	55 mm sq (57/0.072) PVC Instituted, PVC sheathed 4 core, 666/1700 volt from armound cause (PV Transformer)	<u>150</u>	rft	3,676.95	551542.5
	_	70 mm sq (19/0,083") PVC insulated, PVC sheathed 4 core, 660/1100 volt non armoured cable (For Transformer and				
			<u>250</u>	rft	2,605.05	651262.5
		MDB-1) 50 mm sq (19/0,072") PVC insulated, PVC sheathed 4 core, 660/1100 volt non armoured cable (For PDBs)				
	4	30 mm sq (19/0,072) PVC instrated, PVC sheathed 4 cole, 000/1100 voli fion amounted cable (PV 1 2003)	<u>200</u>	rft	1,859.25	371850
	5	7/1.12 mm (7/0.044") PVC insulated, PVC sheathed twin core, 250/440 volts, copper conductor cables for service			140.55	00412.5
		connection, in prelaid pipe/G.l. wire/trenches, etc (For LDBs and ACs)	<u>550</u>	rft	160.75	88412.5
	6	7/0.74 min (7/0.029°) PVC insulated, PVC sheathed twin core, 250/440 volts, copper conductor cables for service				
	ľ	connection, in prelaid pipe/G.1, wire/trenches, etc (for Internal Wiring of Hospital)	1000	rft	87	87000
_	7	3/0.74 mm (3/0.029") PVC insulated, PVC sheathed twin core, 250/440 volts, copper conductor cables for service				-
	'	connection, in prelaid pipe/G 1 wire/trenches, etc (for Internal Wiring of Hospital)	1000	rft	43.65	43650
		connection, in presate paper of a witchiencies, etc (for internal witing of riospital)				· · · · · · · · · · · · · · · · · · ·
		TOTAL				7856118.75

werteläule

8. ANNUAL OPERATING COST (POST COMPLETION)

Financial Components: Capital Grant Number: Government Buildings - (PC12042)

Cost Center:OTHERS- (OTHERS)

LO NO:LO22010057

Fund Center (Controlling):LE4203 A/C To be Credited:Account-I

PKR Million

Sr#	Object Code	2025	-2026	2026	2026-2027 2027-2028		2028	-2029	2029-2030		
		Local	Foreign	Local	Foreign	Local	Foreign	Local	Foreign	Local	Foreign
1	A05270 -To Others	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
2	A12403-Other Buildings	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Total		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

Financial Components: Capital Grant Number: Government Buildings - (PC12042)

Cost Center:OTHERS- (OTHERS)

LO NO:LO22010057

Fund Center (Controlling):LE4203 A/C To be Credited:Account-I

PKR Million

S	r#	Object Code	2025-	-2026	2026-	-2027	2027-	2028 2028		2028-2029		-2030
			Local	Foreign	Local	Foreign	Local	Foreign	Local	Foreign	Local	Foreign
	1	A12403-Other Buildings	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	2	A05270-To Others	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	Total		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

8. <u>Annual Operating and Maintenance Cost after Completion of the Project</u>

The Annual operating and maintenance cost after completion of the project will be borne by the concerned District Health Authority (DHA) as well as Primary and secondary healthcare Department, Lahore.

9. DEMAND AND SUPPLY ANALYSIS

Semi modern health facilities and scientific diagnostics are presently available in this Hospital. This initiative of revamping Hospital will cover all departments and components of healthcare including Medical, Surgical, psychiatric, Cardiac, ENT, Ophthalmic and Pediatrician components. Moreover, women health components i.e. Gynecology and obstetric will also be emphasized upon. In emergency, calamities and natural disasters, valuable lives will be saved through revamping of Emergency Units.

10. FINANCIAL PLAN AND MODE OF FINANCING

10.1 FINANCIAL PLAN EQUITY INFORMATION

10.2 FINANCIAL PLAN DEBT INFORMATION

undefined

10.3 FINANCIAL PLAN GRANT INFORMATION

attached

8. Financial Plan and Mode of Financing

The project will be executed / financed through Annual Development Program under the sector Primary and Secondary Healthcare Department, the Government of Punjab. Year wise financial utilization is as under:

Revenue Side

(Rs.in Million)

Year	2017-18	2018-19	2019-20	2020-21	2021-22	2022-23	Total
Funds	49.000	22 414	2 206	2.405	2 225	7 1 2 4	06.494
Released	48.000	23.414	2.306	2.405	3.235	7.124	86.484
Utilization	26.744	23.114	2.073	0.803	3.143	0.667	56.544

Capital Side:

Year	2017-18	2018-19	2019-20	2020-21	2021-22	2022-23	Total
Funds	0	0	0	0	0	E 000	F 000
Released	U	U	0	U	U	5.000	5.000
Utilization	0	0	0	0	0	0	0

<u>Balance funds may be provided for completion of the project in</u> <u>subsequent years through ADP</u>

10.4 WEIGHT COST OF CAPITAL INFORMATION

undefined

11. PROJECT BENEFITS AND ANALYSIS

11.1 PROJECT BENEFIT ANALYSIS INFORMATION

Social Benefits with Indicators

Social economic burden will be decreased due to availability of better medical services in the district. Time and money of community will be saved which were expended in other cities like Lahore Islamabad etc. on treatment of patients and for boarding and logging of attendants. The social status of community will rise.

11.3.1 Social Impact:

A number of patients lose their lives or suffer serious disabilities for want of timely access to the health facilities. The project will ensure that no one is left to reach the health facilities. The most important beneficiaries will be mothers having complicated delivery conditions. The number of patients transferred to the health facilities for treatment and lifesaving will serve as indicators for performance evaluation. In long term the project will help in improving socio-economic indicators of IMR and MMR.

Employment Generation (Director and Indirect)

Revamping of this Hospital will lead to generation of employment for highly skilled /professional staff and unskilled staff leading to reduction of unemployment. Huge employments opportunity will be created from the establishment of the project. The Medical doctors and paramedics who are trained in this discipline or intended to specialize in this field can make maximum use of training. A large number of gazette and non-gazette posts will be available for employment directly or indirectly.

11.2 ENVIRONMENTAL IMPACT ANALYSIS

Environmental Impact

It will have no hazardous effect on the environment. On the other hand, addition of horticulture and landscaping will provide healthy environment to the general public. All the more, the program is environment friendly having no adverse environmental effects. Simultaneously, this shall further improve environment by creating sense of responsibility among employed and beneficiaries of the service.

11.3 PACT ANALYSIS

undefined

11.4 ECONOMIC ANALYSIS

Impact of Delays on Project Cost and Viability

Delay in the implementation of the project will lead to increase in cost and increase financial burden on the Government and general population of Punjab. Since the project is one of the major needs and a long awaited desire of the community, therefore, Government of the Punjab

contemplated plan for early execution of Revamping of Emergency Units. The delay will not only deprive the patients of the state of the art facility but also distort the public image of the Government.

11.5 FINANCIAL ANALYSIS

Financial Benefits & Analysis

Tremendous public benefits will be accrued from revamping of Emergency Units:

The Targets of Sustainable Development Goals (SDGs) will be achieved

The Human Development Index of Pakistan (HDI) will improve

Infant Mortality Rate will decrease

Mother Mortality rate will be decreased

The international commitments of Pakistan will be accomplished

Health standard of public will

Better Health Facilities to mother and

Prompt and scientific facility for operation

Rehabilitation of disables and injured

Blindness in this area will be decreased and controlled

Better social and mental health to addict

Provision of better health facilities at doorsteps

Awareness and control for communicable

Survival of heart failure

Social indicators of Pakistan will improve

This will decrease load of patients on teaching hospitals and specialized institutions by promoting physical and mental health. By adopting preventive and Hygienic principles, the number of patients and diseases will decrease. Resultantly budget load of Government for treatment will decrease and saving will be utilized for development programs.

11.1.1 Financial Impact:

In the beginning, It is extremely difficult to put a money value on each life saved by taking/shifting a critically ill patient to the appropriate health facility for treatment. However, the exact amount spent shall be calculated against each patient shifted by analyzing data collected during operations.

11.2 Revenue Generation

Revenue will be generated from:

Indoor fee

Laboratory fees

Diagnostic facility fees

Dental fee

ECG fee

Private room charges

From other fees prescribed by Government

12. IMPLEMENTATION SCHEDULE

12.1 IMPLEMENTATION SCHEDULE/GANTT CHART

Original Gestation period (From September, 2017 to June, 2019)

Extension in Gestation period for one year with no change in cost & Scope till June 2020.

1st Revised gestation period till June, 2021

2nd Revised gestation period till June, 2023.

3rd Revised gestation period till June, 2025

12.2 RESULT BASED MONITORING (RBM) INDICATORS

undefined

12.3 IMPLEMENTATION PLAN

undefined

12.4 M&E PLAN

The operation team will monitor the progress of the project and will hold regular weekly meeting to review the progress under the supervision of Project Director.

12.5 RISK MITIGATION PLAN

attached

RISK REGISTER

Programme for Revamping of all THQ Hospitals in Punjab

RISK DATA				Pre-Mitigation / Current Qualitative Assessment			MITIGATION
Risk Item No	Risk Description/Event	Cause	Effect / Consequences	Likelihood (1 to 3)	Impact (1 to 3)	Risk Score (1 to 9)	Mitigation / Actions
1	Due date for the completion of some hospital sites may be extended due to increase in scope from the Client	Direct instructions from the Medical Superintendents / Hospital Administration to revamp the remaining areas	Significant scope increase requested by the Hospital administration will result in: 1. Project delays 2. Contractor claims 3. Increase in project cost along with variations	3	3	9	Hospital administration is requested to finalize the scope during joint field visits of C&W and PMU
2	Various unexpected structural issues are being encountered	Unforeseen structural issues are expected to face during execution in hospital buildings approaching end of life	Stoppage of work Performance of the Contractor has affected Delays in the project	3	3	9	Various items which are unforeseen and expected to be used during execution may be taken in estimates so that those can be executed to address these issues
3	Change in management of the Client	Management change	Re-briefing is to be carried out	2	2	4	Acceleration of understanding for smooth and expeditious transition, without affecting the project
4	Financial Issues	Funds for these schemes should be provided as per the targets	Delay in tendering Effect on quality as the Consultant supervision will not take place Inconvenience to the patients	3	3	9	Approval of PCIs and early release of funds is requested
5	Nationwide spread of pandemic i.e. COVID-19 in 2nd and 3rd quarter of this year	Work delays during nationwide lockdown.	Delays in completion of works Claim requests received by Contractor and Consultant	3	3	9	Contractor will be asked to depute fully vaccinated labor

12.6 PROCUREMENT PLAN

undefined

13. MANAGEMENT STRUCTURE AND MANPOWER REQUIREMENTS

The Organogram of New Management Structure is available in PC-I

14. ADDITIONAL PROJECTS / DECISIONS REQUIRED

NA

15. CERTIFICATE

Focal Person Name:Mr. KHIZAR HAYAT Designation:Project Director, PMU P&SHD

Email: Tel. No.:

Fax No:

Address:31/E1, Shahrah-e-imam Hussain? Road? Block E 1 Gulberg III, Lahore, Punjab

15. It is certified that the project titled "Revamping of THQ Hospital Alipur(3rd Revised)" has been prepared on the basis of instruction provided by the Planning
Commission for the preparation of PC-I for Social Sector projects.

Prepared By:

(HISSAN ANEES)
DIRECTOR PLANNING & HR, PMU,
PRIMARY & SECONDARY HEALTHCARE
DEPARTMENT, LAHORE
(042-99231206)
(Oct-2022)

(RIZWAN SHOUKAT)
PROCUREMENT SPECIALIST, (PMU),
PRIMARY & SECONDARY HEALTHCARE
DEPARTMENT, LAHORE
(042-99231206)
(Oct-2022)

CHam= 1

(HAMZA NASEEM)
PROJECT MANAGER CIVIL, PMU,
PRIMARY & SECONDARY HEALTHCARE DEPARTMENT, LAHORE
(042-99231206)
(Oct-2022)

Checked By:

(Dr. AYESHA PARVEZ)
DEPPUTY PROJECT DIRECTOR (PMU),
PRIMARY & SECONDARY HEALTHCARE
DEPARTMENT, LAHORE

(042-99231206) (Oct-2022) (KHIZAR HAYAT)'
PROJECT DIRECTOR (PMU).
PRIMARY & SECONDARY HEALTHCARE
DEPARTMENT, LAHORE
(042-99231206)

(Oct-2022)

Approved By:

(DR. IRSHAD AHMAD) SECRETARY,

GOVERNMENT OF THE PUNJAB
PRIMARY & SECONDARY HEALTHCARE DEPARTMENT, LAHORE
(042-99204567)

(Oct-2022)

17. RELATION WITH OTHER PROJECTS