

PC-1
Revamping of THQ Hospital, Ferozewala District Sheikhupura

ORIGINAL APPROVED COST	PKR Million. 333.970/-
ORIGINAL APPROVED GESTATION	72 Months Till June 2025
APPROVAL FORUM	DDSC (DDSC)

1. NAME OF THE PROJECT

Revamping of THQ Hospital, Ferozewala District Sheikhupura

2. LOCATION OF THE PROJECT

- 2.1. DISTRICT(S)
 - I. SHEIKHUPURA

3. AUTHORITIES RESPONSIBLE FOR

- 3.1. SPONSORING AGENCY
 - PRIMARY AND SECONDARY HEALTH CARE
- 3.2. EXECUTION AGENCY
 - PRIMARY AND SECONDARY HEALTH CARE
- 3.3. OPERATIONS AND MAINTENANCE AGENCY
 - PRIMARY AND SECONDARY HEALTH CARE
- 3.4. CONCERNED FEDRAL MINISTRY
 - NATIONAL HEALTH SERVICES, REGULATIONS AND COORDINATION

•	AUTHORITIES RESPONSIBLE	
	3.1 Sponsoring	Government of the Punjab, Primary and Secondary Healthcare Department
	3.2 Execution	PMU for Revamping Program of Primary and Secondary Healthcare Department, District Health Councils and C&W Department.
	3.3 Operation & Maintenance	PMU for Revamping Program of Primary and Secondary Healthcare Department and District Health Authority
	3.4 Concerned Federal Ministry	Ministry of National Health Services, Regulation and Coordination Pakistan

4. PLAN PROVISION

Sr#	Description	
1	Source of Funding: Scheme Listed in ADP CFY	
2	Proposed Allocation: 0.000	
3	GS No:5218	
4	Total Allocation: 0.000	
5	Funds Diverted:0.000	
6	Balance Funds:0.000	
7	Comments: Funded out of block provision reflected at G.S No.658 with an allocation of Rs. 1,800 million (Capital = Rs. 1.300 Million & Revenue = Rs. 500 Million).	

5. PROJECT OBJECTIVES

Attached

5. Project objectives and its relationship with Sectorial Objectives and Components

The Government of Punjab is making strenuous efforts for a better and effective Health Care system. The Defining step in this direction was to recognize the importance of Health Care at Primary & Secondary Levels. As a first step towards better health care at primary and secondary level, the department under the guidance of Government of the Punjab has decided to launch massive revamping of 40 THQ & DHQ Hospitals in the financial year 2016-17 along with revamping of emergencies of 15 selected THQs and emergencies of all Hospitals. In addition to that, Government has assigned the task of revamping of all remaining 85 THQ Hospitals of Punjab during 2017-18. The Project Management Unit, Revamping Program, Primary and Secondary Healthcare Department has started the 2nd Phase of the said revamping program in September, 2017.

5.1 Background of Primary & Secondary Healthcare Department

Effective primary and secondary healthcare is particularly important in resource-poor countries. Effective delivery of vaccinations, maternal and child care (MCH) and treatment of common pathologies (such as malaria, gastroenteritis, respiratory tract infections and other vector borne diseases) is essential for the achievement of Sustainable Development Goals (SDGs). Effective diagnostic triage, an organized system of prescription and queue management, an effective and stringent sterilization regime, quality nursing and consultant care, implementation of minimum service delivery standards (MSDS) and delivery of care for chronic pathologies lie at the center for the provision of universal health care at a cost that the community can afford as envisaged in domains established by the 1978 Alma-Ata Declaration of WHO. Primary care serves as the cornerstone for building a strong healthcare system that ensures positive health outcomes and health equity. The deficiencies in quality of care represent neither the failure of professional compassion nor necessarily a lack of resources rather, they result from gaps in knowledge, inappropriate applications of available technology and unstructured planning. Local health care systems in our setup have practically not been able to implement department's objectives. Result is continuous lack of quality improvement to lower health outcomes.

Quality health care is actually provision of health care by timely, skillful application of medical technology in a culturally sensitive manner within the available resource constraints. Eliminating poor quality involves not only giving better care but also eliminating under provision of essential clinical services (system wide microscopy for diagnosing tuberculosis, for example); stopping overuse of some care (prenatal ultrasonography or unnecessary injections, for example); and ending misuse of unneeded services (such as unnecessary hysterectomies or antibiotics for viral infections). A sadly unique feature of quality is that poor quality can obviate all the implied benefits of good access and effective treatment. At its best, poor quality is wasteful and at its worst, it causes actual harm.

Keeping in view this basic essence of primary and secondary health care, The Government of Punjab is dedicated in making strenuous efforts for ensuring a better and effective Health Care system .The Defining step in this direction was to recognize the importance of Health Care at Primary & Secondary Levels. As a first step towards better health care at primary and secondary level, a separate department was created by bifurcating the Health department into two departments Specialized Health Care & Medical Education Department and Primary & Secondary Health Care (P&SH) Department. The principle reason for bifurcation has been to improve governance and service delivery in the spheres of health care across the province. Primary and Secondary Health Care Department has been entrusted the responsibility of primary and secondary level health facilities including preventive health services and Vertical Programs. P&SH Department accordingly has its functional responsibility in respect of 26 District Headquarter Hospitals (DHQs), 129 Tehsil Headquarter Hospitals (THQs), 322 Rural Health Centers (RHCs) and 2,504 Basic Health Units (BHUs). Moreover, specialized programs like Expanded Program for Immunization (EPI), TB Control (DOTS), Hepatitis Control Programs as well as special campaigns such as Dengue Campaign, Polio Eradication Campaigns also fall in purview of the department. The establishments like Director General Health Services (DGHS), Drug Testing Labs (DTLs) and Biomedical Engineering Workshops also assist the department in discharge of its functions efficiently. Establishment of Internal delivery Unit at Primary and Secondary Health Care Department has been aimed for institutional strengthening and capacity building of Primary and Secondary Health Care Department. Monitoring and follow up remains one of key ingredients for good governance and is at heart of all management models. Therefore, an Internal Delivery Unit, comprising well qualified and experienced persons, is being established within P&SH Department. Internal Delivery Unit shall be manned with qualified and experienced consultants. Internal Delivery Unit shall be responsible for every such task needed to strengthen the PSHD which may range from operational matters to monitoring e.g. tracking pace of all initiatives of the Department through the process such as tracking procurement of medicines by districts, procurement of vaccine by Director EPI, pace of various development schemes and performance of Drug Testing & Bio-mechanical Labs etc.

The basic mandate of Primary & Secondary Health Department is to focus on preventive health care in primary sector along with basic diagnostics and treatment facilities at secondary level. The context is to primarily lessen the load on tertiary care health establishments and to reduce treatment costs. The major challenge for Primary & Secondary Health Department is to boost the confidence of masses and raise the level of trust in the primary health care system. The reality is that most of the health care establishments at secondary level are not currently providing health care services up to the optimal level, owing to a myriad of reasons including heavy patient load, scarcity of resources, human resource constraints and dysfunctional biomedical and allied equipment.

Due to lack of structured planning and monitoring, previous efforts did not materialize into an integrated health care regime, rather these have resulted in haphazard construction, poor repair and maintenance, lack of basic amenities, absence of waiting areas, substandard diagnostics and therapeutics, shabby outlook and suboptimal level of patient care over all. Such state of affairs has severely jolted level of trust in health care system by common man and hence the patients prefer to visit tertiary level hospitals or even private health facilities for treatment of even very common pathologies. This subsequently has a cascade effect on socioeconomics of common man who has to spend more in shape of travelling from villages to district headquarters and then bearing costs of private treatment, secondly, this has also increased disease load on our tertiary health care establishments.

Keeping in view this importance of primary and secondary health care, the department decided to launch massive revamping program for all DHQs and THQs all over the Punjab.

5.2 Project Management Unit (PMU), Primary & Secondary Healthcare Department

In order to successfully complete the program objectives in the given timeframe, it is imperative to establish a dedicated Program Management Unit (PMU) having technical and administrative expertise and autonomy, as the regular machinery of the department is too busy with the routine work and cannot successfully steer the program. The PMU is responsible for the successful implementation of the Revamping Program through completion of all related projects. After the implementation of all these projects, the Primary & Secondary Healthcare network will be improved. The PMU shall ensure that the DHQ & THQ hospitals have a well-constructed physical infrastructure with vibrant management model for efficient service delivery and improved processes to focus on patient distress in prompt manner. It adheres to Minimum Service Delivery Standards (MSDS) to address the patients' needs in the most efficient and systematic manner.

In this regard, a dedicated team of Project Management Unit (PMU) has been established to execute the project. PMU's office is located at 31-E/1, Shahrah-e-Imam Hussain, Gulberg-III, near Qaddaffi stadium, Lahore. It is headed by a Project Director with a committed team comprising of Deputy Project Director, Finance and Administration, ICT), Project Managers, Project Officers, Engineers, supporting administrative and technical staff, experienced and qualified Health consultants., Directors (Operations, Human Resource & Planning and infrastructure, Outsourcing) as well as Procurement Specialist.

5.3 Infrastructural Interventions

The construction of various new blocks of hospital complex is constructed without any proper planning and necessary connection to existing blocks. On the whole, the complete infrastructure of hospital is quite complex and scattered, access to various blocks of hospital is quite inadequate and there is no proper connection or link between different blocks of hospital. In the revamping program of

DHQ and THQ Hospitals, the placement of various facilities of hospitals are replanned keeping in view the layout of existing blocks for facilitation of patients and some modifications/alterations were proposed in the blocks for necessary link or connection between the blocks.

Major infrastructural interventions can be divided in the following four categories

- **5.3.1 External Development**
- **5.3.2 Internal Development**
- **5.3.3 Medical Infrastructure Development**
- **5.3.4 Emergencies Development**

5.3.1 External Development

5.3.1.1 External Platforms

In order to improve the communication between blocks, necessary interventions are taken to improve the existing internal metaled road network. Moreover, new internal metaled road network is also designed and proposed to access the blocks of hospital accordingly. Despite the improvement in metaled road network, external platforms except metaled road is also designed and proposed for patients to access the blocks by simply walking among the blocks.

5.3.1.2 Façade Improvement

In order to improve the aesthetics of hospital, façade uplift with aluminum composite panels with aluminum cladding, false steel structures, façade aluminum windows and aluminum doors are designed in order to give the feel of modern architectural era.

5.3.1.3 Sewerage System

The most important entity of a hospital lies in its cleanliness. Infrastructural interventions to keep the hospital clean were taken in the form of <u>improvement of sewerage system</u> of the hospital. These interventions include the re designing of sewerage system, construction of new manholes, laying of new sewer lines and connection between trunk sewer and hospital sewer.

5.3.1.4 Landscaping (Horticulture)

Landscaping in hospital adds aesthetic & beauty to the built environment as well as improves in reducing the pollution. Soft & hard landscape reduces dust particles moment in air, hence contributes in a clean environment. The hours spent

in a hospital can be stressful for patients, staff and visitors. According to research easy access to a natural environment can contribute to stress management and potentially improve health outcomes: physiological studies indicate that 3-5 minutes spent in such Hospital Outdoor Landscape Design environments reduces anger, anxiety and pain and induces relaxation. Research also shows that "positive distractions" can reduce stress and their visual forms include gardens, scenic views and artwork, which play a critical role in modern hospital design: gardens, fountains, and water features provide patients, staff and visitors with restorative experiences of nature. In this regard complete lawns development, placement of benches, dust bins, playing equipment, fruit trees, flower plants, fruit trees and gazebos are proposed in all hospitals under revamping program

5.3.1.5 Water Filtration Plant

In the modern era, the access to clean water for everyone is becoming rare day by day. Especially in hospitals, the supply of water free from any harmful impurity is one of the most basic needs. To cope up with this problem water filtration system according to the existing nature of water is designed and water filtration plant is proposed accordingly. For ease of patients, drinking water supply network was designed to provide filtered water in wards and in various drinking stations within the hospital building

5.3.1.6 External Electrification

One of the major hindrances in functionality and ineffectiveness of electro medical equipment and other facilitating electrical appliances is either interrupted power supply or power supply with lesser voltage than required. This problem was solved by providing express line or dual electrical supply in all hospitals under revamping. Despite these two facilities based, on the current and proposed electrical load of hospital new transformers were proposed to step down the voltage to desired level and complete generator backup system was designed and generators along with automatic transfer switches were proposed accordingly. Moreover, to fully lighten up the hospital for proper utilization of all facilities of hospital during the low/no-light hours of the day, external pole lights to lighten up the pathways and garden lights to lighten up the lawns were designed and proposed.

5.3.1.7 Parking and Waiting area

Non-clinical facilitation of patients and attendants were specially considered in the revamping program. One such facilitation step is designing the parking and waiting areas on basis of daily influx of vehicles and patients/attendants during the

peak hours. <u>Parking and waiting areas</u> on several places of hospital were then proposed according to the design.

5.3.1.8 External Signage

<u>Eexternal signage system</u> is designed including various signage types for complete guidance of patient attendants and to search concerned facility promptly.

5.3.2 Internal development

5.3.2.1 Aesthetic improvement

In order to improve the aesthetics of hospital wards, corridors, rooms and toilet blocks, flooring and dado design of suitable material in these areas is proposed. Despite of aesthetics, the material of flooring and dado design were chosen to provide ease in cleaning process. For further improvement in aesthetics, paint on exterior and interior part of the hospital, poly-vinyl chloride paneling to conceal the dampness damaged areas and steel cladding of columns are proposed.

5.3.2.2 Ramp and Stretcher improvement

For hospitals having more than one floor, there is a huge problem of patient transfer with stretcher. This problem is solved by proposing new ramps/stretcher ways where needed. Moreover, in order to further improve the communication between various floors of hospitals improvement of stair cases with hand rail or guard rails is proposed.

5.3.2.3 Seamless flooring and Lead Lining

To keep high risk areas like Operation theaters, I.C.U, C.C.U, and Gynecology Operation Theater bacteria free is one of the basic medical practices. In the revamping program of hospitals low epoxy paint is proposed in these areas to provide seamless flooring so that the bacterial growth within the groves can be prevented. Moreover, to make the X-Ray rooms radio-resistant and to keep the patients away from the harm of rays, interventions are taken in X-ray rooms regarding provision of lead lining in walls, ceiling and floor.

Interventions were taken regarding hazardous radiation emitting areas to make them radio-resistant in order to keep patients/attendants away from harmful radiations. These interventions were in the form of provision of lead lining in ceiling, walls and roofs of X-Ray rooms.

5.3.2.4 Aluminum doors and windows

In order to make sound and heat proof the doors and windows of wards, corridors and major health facilities are proposed as aluminum doors and windows. Which despite of above benefits are also aesthetically pleasing. Corridor wire mesh windows and rolling blinds for windows are proposed in order to invite or stop the day light within the wards according to the requirement. Moreover, existing wooden doors having shabby and dirty look are proposed to be re-polished and washroom doors are proposed to be replaced with PVC doors to make them resistant against water.

5.3.2.5 Improvement of washroom blocks

The area of hospital which can be dirty at most is its washroom or toilet blocks. To improve the cleanliness of hospital the special interventions were taken regarding the renovation of toilet block of hospital. This renovation includes the re tiling of existing damaged flooring and skirting and addition of water closets etc.

5.3.2.6 Facilitation of attendants and patients

The facilitation of attendants is also one of the most basic things to be provided in the hospital. The facilitation of attendants contributes towards the facilitation of patients. In order to facilitate the attendants, pantries are designed at that location of hospital where attendants can be effectively facilitated. These pantries include stoves and washing machines. Moreover, it is also very important to educate the patients and attendants regarding the seasonal and general diseases along with its cure and prevention. Installation of LED televisions in various locations of hospitals especially in wards and waiting areas is also proposed in the design in this regard.

5.3.2.7 Furniture and Fixtures

One more step towards the facilitation of attendants or patients is placement of benches in waiting areas. The most rush positions of hospital are chosen in this regard and placement of benches is designed according to the patient number and flow. In order to improve the efficiency of consultants or doctors, interventions regarding the renovations of doctor or consultant office are designed in this regard. The doctor room furniture is designed for this purpose keeping in view the existing area of room and necessary required equipment. To carry and dispose of the medical and general waste material of hospital, waste bin sets are designed to place at various positions of the hospital. These positions are marked by keeping in view the general circulation of the public and sensitivity of the area.

5.3.2.8 Air Conditioners, Refrigerators and LEDs

According to the different standards, there is a separate requirement of temperature to control the environment of particular place with respect to the nature of facility. In this regard, air conditioners are proposed according to the required tonnage of the specific area. For better efficiency and performance delivery, cabinet air conditioners are proposed in the wards and other facilities having larger areas. The maintenance and repair services of these air conditioners are outsourced so that uninterrupted performance can be delivered. For further facilitation of patients and attendants, placement of refrigerator is proposed on each nursing counter. These refrigerators are proposed for items requiring specific temperature for storage purposes. LEDs will also be placed at various points to facilitate the patients and attendants.

5.3.2.9 Internal Signage and Paintings

As described earlier, the information regarding the positions of major health facility especially emergency and labor room etc. is very much essential for any person entering inside the covered area of hospital. For these purposes, different types of signage are proposed including corridor hanging signage, floor map boards, room numbers and room names plaques. For general information duty rooster boards, janitorial station signage, waste bin set signage, emergency exit signage.

Different kinds of paintings are designed according to the nature of area where it is desired to be fixed. These paintings are beneficial in a sense that it improves the aesthetics of hospital and moreover, such painting patterns are designed so that it give the relaxation and soothing feelings to aid in the healing of patients. Moreover, in order to create a healthy, positive, entertaining and friendly environment for interest of children, paintings on children wards is proposed.

5.3.3 Medical Infrastructure Development

To cope with the emergency condition of clinically serious patient, oxygen supply system is designed by proposing an individual oxygen supply system for each major health facility. This oxygen supply network comprises on copper pipe line, flow meter with bed head units, cylinders and setup and individual central oxygen supply system. The contract of filling of oxygen gas in cylinders is outsourced for uninterrupted oxygen gas supply to the patients.

For patient receiving, information, guidance, appointment or for any other task, separate reception counters are proposed in various blocks so that, all necessary information regarding the block is available on the counter round the clock. In this way, utilization of clinical facilities will be optimized. For indoor patient department, complete facilitation and care of patients admitted in wards is ensured

by proposal of nursing counter in each ward. This nursing counter will be placed or constructed in such a placement that each bed can be monitored by the nurse available.

The design regarding architectural planning of above mentioned facilities are designed according to the patient facilities and architectural planning standards. These designed facilities are then designed in the existing building structure according to the patient flow and sensitivity of facility.

5.3.3.1 Emergency Department:

All THQS and DHQs are already providing emergency services to critical ill patients. As far as the existing sources including human resources & equipment are not sufficient to fulfill the requirement. Primary and secondary healthcare department is going to take the initiative to improve emergencies of hospitals by providing new equipment and human resource in form of recruitment of doctors, nurses and paramedical staff along with Infrastructure of Causality Department. Ultimate goal of revamping of emergencies is to enhance the quality of medical services to critical ill patient in golden hour to decrease the mortality and morbidity rate in causality department of each hospital.

5.3.3.1.1 General Overview of Emergency Department

In any hospital, the most important and critical area is its emergency block. Specially, if hospital is situated on a highway where there is a huge flux of rapidly moving traffic which can be a major source of causalities, if patient treatment is not proper. Besides road trauma cases, cardiac cases and burn cases etc. are also more likely to be initially treated in emergency. Proper first aid to patient reduces morbidity and mortality. The emergency department of hospital is a block where in time service delivery is so much essential that delay in proper treatment can cause lot of lives to suffer from serious diseases for rest of their life. In a nutshell, the efficiency and in time service delivery of emergency block depicts the overall efficiency of the hospital.

In order to improve the emergency department and to ensure in time service delivery of the same, special initiatives are being taken in this regard. Infrastructure of emergency department depends a lot on its service delivery and efficiency. An emergency department with all necessary medical and general equipment and equipped with all essential medical facilities but without ineffective and poorly planned infrastructure will never fulfill its need. Conclusively, such infrastructural interventions are planned in this program so that the efficiency of emergency department can be optimized. Some of the following major interventions are listed below:

5.3.3.1.2 Position of Emergency Department

It is planned that new construction of building should be avoided at most because already existing blocks with no proper utilization are existing in all of the hospitals. The emergency block should be on such a location that the distance between that department and main entrance gate should be minimum with respect to other locations or positions of complex. To fulfill this purpose, that portion of this building block is selected for re planning of emergency department which is most near to the entrance gate. The far positioning of emergency department will result the lost in time for patient during its travelling which can be crucial.

5.3.3.1.3 Access towards the Emergency Department

The route leading towards the emergency department is important in this aspect that a smooth track and a widened path will be feasible for the movement of vehicle or stretcher. Initiatives are taken in this program for construction of new pathways or renovation of existing ones leading towards the emergency department. Such material of the external platform is selected so that a smooth movement should be observed over it rather than jerks bumps. Moreover, the width of the passage from entrance gate up to emergency department is designed by keeping in view the flux of the vehicles rushing towards the emergency block.

5.3.3.1.4 Medical Infrastructure Emergency:

The existing emergency department or other block of the hospital according to its access from entrance gate, is designed and re planned according to the above described emergency facilities. The changings or amendments in the existing covered area of the hospital are proposed according space availability. Due to the rush of patients and increased number of minor surgeries performed in the emergency department make it one of the dirtiest department of the hospital. Hence, in this regards it is very much essential to keep the floors of certain area of emergency department bacteria free. Seamless flooring is proposed in this regard to avoid the groves so that the cleaning process can be made easy. Low epoxy paint is designed and proposed in this regard on Minor OT, Gurney area and specialized healthcare unit.

Provision of medical gasses is essential to facilitate the patients suffering from breathing issue due to some disease and ailment. The filling process of oxygen in the cylinders is outsourced to ensure the continuous supply of the oxygen among the beds. The oxygen system comprises on copper pipe, central oxygen supply system for pressure maintenance, oxygen cylinders and flow meter with bed head units.

5.3.3.1.5 General Building Interventions:

In order to improve the over building condition of emergency blocks following major interventions are taken:

- 1. Provision of flooring and skirting
- 2. Painting on interior and exterior side of department

- 3. Provision of false ceiling
- 4. Replacement of damaged and renovation of existing wooden doors
- 5. Provision of aluminum doors and windows
- 6. Public health work regarding supply of water and gas along with improvement of sewerage system
- 7. Provision of LED panel lights, ceiling fans, exhaust and wall bracket fans
- 8. Improvement of existing wiring and distribution including replacement of damaged equipment and proposal of new equipment

5.3.3.2 Monitoring and Quality Assurance (Process Interventions)

During construction phase, "Construction Supervision" will be carried out by the Procuring Agency (Director Infrastructure) along with Punjab Buildings department (C&W D) who will certify construction activity.

5.3.3.2.1 MSDS (Minimum Service Delivery Standards)

MSDS are minimum level of services, which the patients and service users have a right to expect. MSDS include minimum package of services, standards of care (level specific) and mandatory requirements/systems for delivery of effective health care services. The World Health Assembly in Alma-Atta in 1978 expressed the need of action to protect and promote the health for all the people of the world. Essential health is to be made universally accessible to individuals and families through their full participation and at a cost that the community and country can afford. MSDS is now being deemed to be of vital importance at Secondary HealthCare level. The THQ hospital provides promotive, preventive, curative, diagnostics, in patients, referral services and also specialist care.

THQ hospitals are supposed to provide basic and comprehensive EmONC. THQ hospital provides referral care to the patients including those referred by the Rural Health Centers, Basic Health Units, Lady Health Workers and other primary care facilities. The District Head Quarters Hospital is located at District headquarters level and serves a population of 1 to 3 million, depending upon the category of the hospital. The THQ hospital provides promotive, preventive, curative, advance diagnostics, inpatient services, advance specialist and referral services. Services package and standards of care at SHC level are also not well defined. Deficient areas include: weak arrangements to deal with non-communicable diseases, mental, geriatric problems and specialized surgical care especially at THQ. There is disproportionate emphasis on maternal and child health services at SHC facilities. Services-package being provided at PHC and SHC are also deficient in terms of Health care providers' obligations, patients' rights and obligations.

MSDS umbrella is very vast and it requires a very extensive and planned approach towards, gap analysis, planning, development, implementation,

monitoring and evaluation. MSDS comprises of 10 thematic area, 30 standards and 162 indicators. Government of Punjab has taken an initiative to standardize all hospitals of Punjab in accordance with Punjab Health Care Commission Minimum service delivery standards. PMU team segregated MSDS indicators into various targets and sub-targets to make these targets achievable. Manuals for both clinical and non-clinical specialties are being prepared comprising of departmental organizational plan, criteria for essential human resource, essential equipment, general and specialized SOPs, departmental safety guidelines etc. Standardized Medical Protocols (SMPs) are standard steps to be taken by a health facility during medical or surgical management of a patient. Standard Operating Procedure (SOPs) are detailed description of steps required in performing a task including specifications that must be complied with and are vital to ensure the delivery of these services .It requires literature review, departmental view, facility visits, consultative visits and development of action plan for implementation of MSDS. Effective MSDS implementation requires essential documentation. Documentation is a key for record keeping, monitoring and auditing. For this purpose, registers, forms, displays have to be designed with coding for effective tracking. In addition to this it also requires analysis from field from utilization point of view.

Displays constituting of public serving messages, health related information and general facility related guidelines. In order to monitor effective implementation, compliance monitoring is required to be carried out by field experts which is followed up by further planning to ensure continuous delivery of effective, accessible, continuous and quality services to masses in uninterruptable manner.

MSDS implementation is a complex procedure. Because it requires

- 1. Capacity building for understanding, development and continuous implementation of MSDS.
- 2. Ecosystem for establishing its implementation by full cooperation, collaboration, commitment of
- 3. Continuous monitoring
- 4. Continuous audit
- 5. Continuous training, refresher courses with purpose of reinforcement
- 6. Continuous quality improvement
- 7. Continuous Strengths, Weaknesses, Opportunities, and Threats (SWOT) analysis and gap identification
- 8. Continuous strategy making and implementation with backup plan for secondary options.
- 9. Responsibility designation for clinical and non-clinical procedures and activities.
- 10. Effective utilization, calibration and maintenance of equipment with record maintenance and their audit
- 11. Establishment of plans, implementation, analysis of gaps with alternate planning regarding fire evacuation plan, hospital inflectional control plan, hospital operational and

strategic plans, disaster plan both internal (partial / complete) and external.

The PDSA cycle

- 1. Developing a plan to test the change (Plan),
- 2. Carrying out the test (Do),
- 3. Observing and learning from the consequences (Study), and
- 4. Determining what modifications should be made to the test (Act).
- 5. Monitoring effective load sharing of Human resource and equipment within hospitals.
- Addition of new HR/ rationalization on requirement of MSDS indicator compliance for effective departmental organization and their planned trainings by MPDD, UHS ETC
- 7. Standard optimization of Standard operating procedures and methods for their effective adoption by hospital human resource.
- 8. We have also extended our MSDS implementation in 20 more departments such as dentistry, ICU, CCU, Dialysis, mortuary, burn unit, physiotherapy, orthopedics, medicine, nursing, paeds, ophthalmology, derma, TB, urology, patient transfer system, store and purchase, audit and accounts, procurement, planning etc. We are also in process of preparing manuals, SOPS, plans, universal forms, and universal registers with universal tracking system of record.
- 9. We have developed an application for continuous monitoring of MSDS compliance.

Health managers are considered essential at both the strategic and operational levels of health systems. To gain an initial understanding of the management workforce for service deliver. Every health system desires managers who are competent and have the knowledge, skills and demeanor to be effective. The performance of health services managers will depend in part on how certain standard support systems function. Even good managers will have problems if procedures for running finances, staff, etc., are not working well. Functional systems should have clear rules and regulations, good guides and forms, effective monitoring and supervision and appropriate support staff, e.g. account staff, supplies and information staff and secretarial support A health manager is supposed to be competent in planning, budgeting, financial management systems personnel management systems, including performance management, procurement and distribution systems for drugs and other commodities, information management and monitoring systems, systems for managing assets and other logistics, infrastructure and transport. Support systems help to ensure uniformity in management practices and ensure that management and administrative systems function and get results.

5.3.3.3 Laboratory

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the Laboratory in THQ hospitals. Majority of patients are suffering problems some time life threatening phases due to delay in diagnosis and treatment according to diagnosis in case of lack of laboratory in vicinity.

5.3.3.4 X-Ray

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the Radiology unit in THQ hospitals. Majority of patients are suffering problems some time life threatening phases due to delay in diagnosis and treatment according to diagnosis in case of lack of Radiology unit in vicinity. A healthy human being enables not only nutrition of the physical body but also enhances social interaction and promotes self-esteem and feelings of self-esteem and feelings of wellbeing. The radiology equipment serves as a "window "to the patient treatment regarding the body.

5.3.3.5 CCU

Understanding these ground realities Primary and Secondary Healthcare Department, Government of the Punjab has decided to establish coronary care units (CCU) in THQ hospitals as a part of its Revamping Program. This will improve the quality of healthcare and timely provision of life saving treatment will be possible to large number of patients. A coronary care unit (CCU) is a special department of a hospital or health care facility that provide coronary care to patients. Coronary care units cater to patients with severe and life-threatening cardiac illnesses and which require constant, close monitoring and support from specialized equipment and medications in order to ensure normal bodily functions.

Coronary care units are staffed by highly trained doctors and nurses who specialize in caring for cardiac patients. They are also distinguished from normal hospital wards by a higher staff-to-patient ratio and access to advanced medical resources and equipment that are not routinely available elsewhere. Common conditions that are treated within CCUs including angina, myocardial infection, cardiac arrhythmia, cardiac shock etc. Patients may be transferred directly to coronary care unit from an emergency department or from a ward if they rapidly deteriorate, and immediately require cardiac care treatment.

5.3.3.6 Dialysis Unit

Chronic kidney disease is now a significant public health problem worldwide. Chronic kidney disease globally affects almost 10 % of general population with Incidence in prevalence of disease are still rising especially in

developing countries .The rise in chronic kidney disease is by aging of the populations and growing problems of obesity, diabetes, high blood pressure and cardiovascular diseases.

Tehsil head Quarter Hospital (THQ) serve large catchment populations of the district and provide a range of specialist care in addition to basic outpatient and inpatient services. Patient who are in need of dialysis, are referred to tertiary care hospital due to non-availability or insufficient number of dialysis machines. Patient's condition not only deteriorate but also compromise the effectiveness of life saving intervention due to approaching to other cites or to costly private setups of dialysis. Primary and Secondary Healthcare Department has decided to establish & strengthening already existing 5 bedded dialysis unit at THQ hospitals. This will improve the quality of healthcare and timely provision of life saving treatment will be possible to large number of patients.

Dialysis unit is a special department of a hospital or health care facility that provides a lifesaving support to patients with chronic renal disease along with pre-existing diseases like diabetes, hypertension, ischemic heart disease to ensure normal bodily functions. Dialysis units are staffed by highly trained doctors, dialysis technicians and dialysis nurses who have done specialized training in caring for such patients. Patients are usually admitted from out door and often from emergency and registered for their timing and schedule of dialysis because these patients are given regular appointments twice or thrice a week as per defined by nephrologist/physician.

5.3.3.7 <u>Labor Rooms/Nurseries</u>

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the Labor Rooms/Nursery unit in THQ hospitals.

5.3.3.8 Operation Theater

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the Operation Theater in THQ hospitals. Majority of patients are suffering problems some time life threatening phases due to delay in treatment according to diagnosis in case of lack of Operation Theater in vicinity.

5.3.3.9 Orthopedic unit

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the orthopedic unit in THQ

hospitals. Majority of patients are suffering problems some time life threatening phases due to delay in diagnosis and treatment according to diagnosis in case of lack of orthopedic unit in vicinity.

5.3.3.10 Gynecology Department

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the gynecology unit in THQ hospitals. Majority of patients are suffering problems some time life threatening phases due to delay in diagnosis and treatment according to diagnosis in case of lack of gynecology unit in vicinity.

5.3.3.11 Surgical Unit

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the surgical unit in THQ hospitals. Majority of patients are suffering problems some time life threatening phases due to delay in diagnosis and treatment according to diagnosis in case of lack of surgical unit in vicinity.

5.3.3.12 Intensive Care Unit (ICU)

Tehsil Headquarter Hospitals (THQ) serve catchment populations of the whole Tehsil (0.5-1 million) and provide a range of specialist care in addition to basic outpatient and inpatient services. They typically have about 80 to 150 beds and a broad range of specialized services including surgery, medicine, paediatrics, obstetrics, gynaecology, ENT, ophthalmology, orthopaedics, urology, neurosurgery etc. Patient who are in need of intensive care are usually referred to tertiary care hospital but due to long distance they had to travel and time consumed on road due to heavy traffic and other unavoidable circumstance ,patient's condition not only deteriorate but also compromise the effectiveness of life saving intervention. Understanding these ground realities Primary and Secondary Healthcare Department, Government of the Punjab has decided to establish intensive care units (ICU) in THQ hospitals as a part of its Annual Development Plan. This will improve the quality of healthcare and timely provision of life saving treatment will be possible to large number of patients.

Primary and Secondary Healthcare Revamping programme (PSHRP) is the initiative by the Chief Minister of Punjab to strengthen the healthcare delivery system in the province Acquisition of licenses for all THQ Hospital by developing and implementing uniform set of standard Operating procedures (SOPs) & standard medical protocol (SMP) for compliance to MSDS of PHC is planned as a part of PSHRP.

An **intensive care unit (ICU)** is a special department of a hospital or health care facility that provides <u>intensive treatment medicine</u>. Intensive care units cater to patients with <u>severe and life-threatening</u> illnesses and injuries, which require constant, close monitoring and support from specialized equipment and medications in order to ensure <u>normal bodily functions</u>. Intensive care units are staffed by highly trained <u>doctors</u> and <u>nurses</u> who specialize in caring for critically ill patients. They are also distinguished from normal hospital wards by a higher staff-to-patient ratio and access to advanced medical resources and equipment that are not routinely available elsewhere. Common conditions that are treated within ICUs include <u>ARDS</u>, <u>trauma</u>, <u>multiple organ failure</u> and <u>sepsis</u>. Patients may be transferred directly to an intensive care unit from an <u>emergency department</u> if required, or from a ward if they rapidly deteriorate, or immediately after surgery if the surgery is very invasive and the patient is at high risk of complications.

5.3.3.13 Mortuary Unit

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the mortuary unit in THQ hospitals. Postmortem or autopsy is a part of medico legal investigation into a death which is conducted by a judicial medical officer. Realizing the problems countered medico legal process focusing on following important areas;

- 1. Improving quality and motivation levels of human resource conducting medico legal Examination.
- 2. Improve methods to collect and preserve samples so that so that these may best be available for further forensic analysis.
- Improving physical infrastructure at tehsil level to provide enabling environment for better conduct of medico legal cases including improvement in state of mortuaries at tehsil level.
- 4. Improvement in legal framework including improved forms.

5.3.3.14 Dental Unit

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the dental unit in THQ hospitals. Majority of patients are suffering problems some time life threatening phases due to delay in diagnosis and treatment according to diagnosis in case of lack of dental unit in vicinity.

5.3.3.15 Physiotherapy Unit (33 THQ Hospitals)

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the physiotherapy unit in all THQ hospitals. Majority of patients are suffering problems some time life threatening phases due to delay in diagnosis and treatment according to diagnosis in case of lack of physiotherapy unit in vicinity.

- 1. Physiotherapy is a "science of healing and art of caring". It pertains to the clinical examination, evaluation, assessment, diagnosis and treatment of musculoskeletal, Neurological, Cardio-Vascular and Respiratory systems 'functional disorders including symptoms of pain, edema, and physiological, structural and psychosomatic ailments. It deals with methods of treatment based on movement, manual therapy, physical agents, and therapeutics modalities to relieve the pain and other complications. Hence, Physical therapy covers basic parameters of healing sciences i.e. preventive, promotive, diagnostic, rehabilitative, and curative.
- Physiotherapy practice has a very long history and a modern clinical practice is heavily reliant on research and evidence based practice. The Primary and Secondary Healthcare Department Government of Punjab attests to this commitment by adopting and promoting the Standards of Practice for Physiotherapy.

Importance of Physiotherapy and Rehabilitation department

- 1. Physiotherapy provides services to individuals and populations to develop maintain and restore maximum movement and functional ability throughout the lifespan. This includes providing services in circumstances where movement and function are threatened by aging, injury, disease or environmental factors. Functional movement is central to what it means to be healthy.
- 2. Physiotherapy is concerned with identifying and maximizing quality of life and movement potential within the spheres of promotion, prevention, treatment/intervention, habilitation and rehabilitation. This encompasses physical, psychological, emotional, and social wellbeing. Physiotherapy involves the interaction between physical therapist, patients/clients, other health professionals, families, care givers, and communities in a process where movement potential is assessed and goals are agreed upon, using knowledge and skills unique to physical therapists.
- 3. The proposed project entails setting up a Physiotherapy and Rehabilitation Department. Being one of the major players in human service sector, rehabilitation Departments provide a wide range of services relating to physical impairments and disabilities of all age groups. These services range from assessment, evaluation, diagnosis, treatment and plan of care of individuals, from newborns to the very oldest, who have medical problems or other health-related conditions that limit their abilities to move and perform functional activities in their daily lives. These services will be provided by qualified Physiotherapists Consultants. Our consultants

examine each individual and develop a plan using treatment techniques to promote the ability to move, reduce pain, restore function, and prevent disability. In addition, our doctor work with individuals to prevent the loss of mobility before it occurs by developing fitness- and wellness-oriented programs for healthier and more active lifestyles. The proposed Physiotherapy and Rehabilitation Department will provide all these services under one roof.

Opportunity Rationale

Due to vast media exposure over past few years, women, as well as men, have become more conscious about their health especially youngsters. In Pakistan, Rehabilitation Clinics and Fitness Centers have grown over the years. It is easy to open GP clinic as space and skill requirement is very basic. But a Rehabilitation clinic provides more professional services with qualified staff including Physiotherapy doctors and experienced support staff and therefore, requires more planning and arrangement. Quite a few Physiotherapy and Rehabilitation Departments have opened in Lahore, Islamabad, Karachi and other relatively larger cities of Pakistan, which are catering to the demand of the people, but still there is a lot of unfulfilled demand as can be judged from excessive rush at the existing Physiotherapy Departments. The patient's ratio and problems with musculoskeletal disorders and neurological disorders are same in the tehsils and districts levels of Punjab. The business is service-oriented and carries large potential for serving poor people due to its unique nature and uncontrolled spreading of joints and muscles, and neurological problems, especially in the areas where our THQ Hospitals are located. There is lot of potential in this domain, especially for those who are committed to providing quality service.

5.3.3.16 Queue Management System (QMS)

OPD in THQ has enormous patient load, due to the only big public sector serving hospital in Tehsils. At the moment the ticket system is prevailing but there is no mechanism to handle that ticket and assign number to the ticket and its being issued in manual format. This will also create dependency on the person issuing the ticket. After getting the tickets, patient will be provided with no guidance on where to go and when his term will come to meet the doctor and get the required service. This will create confusion and delayed service delivery. On the other hand it will waste lots of time on the end of doctor and patient as patient and doctor has no direct liaison with each other. Moreover, patient will again have to be dependent on some person to check that either doctor is free or any patient sitting in his facility. Here again, human intervention and dependency will come into play.

This project basically aims to remove all the human related dependency till the patient reach the doctors. Moreover, it also includes, recording basic information for a patient and guiding him to the doctors room from registration count to triage without any dependency on hospital staff. This will improve the transparency as per the vision of good governance and serve the patient in an efficient and transparent manner. This will also help the patient in estimating that time estimate till his term which will give him relief and more belief on the fair system. On the other hand doctor will always have an idea that how many patients will be in queue and give him direct liaison with the patient sitting outside.

The need of queue management system is evident in hospital from the fact of lack of proper mechanism of patient queue management at OPD's, human resource deficiency and non-functional equipment. The Implementation of Queue Management System will provide and streamline Patient Queue Management at OPD with Ticket Generation and Display of Numbers on the counters. This will help in maintaining the queue on First IN First OUT (FIFO) basis. The system will also provide the information counter to the general public to educate them in the use of queue management system and short description of the process. After implementation of this system, the incoming patient will be guided in a manner to get the service on his turn without any dependency or interference of an external resource. All will be handled in an automated way with patient are being served at their turn.

The system manages the patients load, organizes the patient's queues in an adequate manner and gives them the ease in waiting area; and they will be examined gracefully by doctors at their turn. Basic information of the patient is also linked with its ticket, being taken at the first counter. This will help established a unique ID against each patient. This will also lead to the establishment of Electronic Medical Record. The Process flow of Queue Management System at THQ is given as follows:

There are 25 counters at THQ level including basic registration counter, triage counter, consultant office and hospital pharmacy. There is one ticketing machine with a bifurcation of male, female and old age person. The ticket will be issued to the relevant category accordingly. After receiving the ticket the said number will be blinked on male, female and old age counter. The person will move to that counter where he will be asked about his basic details which will be entered in the basic registration form software linked with QMS and that specific token / ticket number. He will also be asked about the disease and accordingly the relevant consultant / specialty area e.g. pediatrics, ophthalmology etc. after registering, he will take the printout and give the slip to patient / attendant along with its token number.

The basic fee of OPD will be received at the registration counter and accounted for in the basic registration software linked with QMS. The same token number will be displayed on the triage counter where his vitals will be taken and written on the same registration slip available with the patient. Now, keeping in view the specialty area the token number will be displayed on the relevant consultant office and he will be checked by relevant consultant. The consultant than diagnosed the medicine or either to admit it after his examination. In case of medicine he will be sent to hospital pharmacy where again the same ticket number will be displayed. There have to be an option available with the doctor to either redirect him to the hospital pharmacy or other (medical tests, referred to IPD). On displaying the same token number at pharmacy counter the patient will move to pharmacy counter along with his token number and registration slip and take prescribed medicine. Patient will be disposed from that window and process of QMS will be completed. There will be no entry in the basic registration software on the counters of triage, doctor at the moment. Detail of equipment is attached.

The process described above for THQ will be implemented. The important constraints for the systems are:

- Same token number will be used at all the counters and patient will be getting the ticket from ticketing machine only once at the time of entry.
- 2. QMS will cater for missed, skipped or delayed patient at any counter.
- 3. There will be two LED displayed at different location in the waiting area to guide patients about the process details and to display token number along with announcement in URDU.
- 4. The gap between each display panel from ticketing machine to pharmacy can be customized according to requirement e.g. 5, 10, 30, 60 seconds etc.

5.3.3.17 Electronic Medical Record (EMR)

Establishment of network infrastructure, establishing a central data center, connectivity of different building through fiber, are also the major components of the revamping project in terms of ICT. This will including provision of networking point at all nursing stations and important areas where entries regarding patients' needs to be made e.g. Radiology/Pathology, Indoor, outdoor etc. This will serve as backbone to implement the Electronic Medical Record System in the Hospital which has the key feature of generating Unique Medical Record Number for each patient.

This MR number will serve as an identity for patients during their treatment, retrieval of records and for decision making.

EMR will also be able to log the patient for treatment being provided to him in different areas of hospital i.e. OPD, Pathology, Radiology, Surgery, Indoor, etc. and their integration. This will be achieved by entering the relevant information at each department against specific MR number of a patient in the Customized / Purpose build software (EMR) for these public healthcare facilities.

This entry of MR number against each patient in hospital will build a large database for patient and relevant diseases. This will help in analysis disease / epidemic prevention and better patient care through retrieval of patient history and proper diagnoses at physician end. Implementation of patient registration, Record keeping, physical queue management, E-prescription, supporting IT interventions for EMR and medicine dispensation. Detail of equipment is attached.

5.3.3.18 Video Surveillance through CCTVs

Installation of network based CCTV cameras is an important module in the ICT part of revamping project. Scope of this component is to install 60 to 80 cameras in each hospitals at important location i.e. entry, exit, OPD, waiting areas, Parking for surveillance and security purposes. This will also serve as major input to the security services by Outsourced Security Company in the hospitals. Moreover, there will be small scale central control room at each hospital to monitor the allocated locations where the cameras have been installed. This system will also have the facility to record the video for 15 days for all the cameras so that recording of specific duration can be produced on demand. This will also have the facility of central control room which has the capacity to access the camera of THQ hospitals and to view and monitor the area of specific camera within specific hospital at any given time. Therefore, it will establish a centralized surveillance and security mechanism for these 85 public sector healthcare facilities. Detail of equipment is attached.

5.3.3.19 Medicine Store

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the medicine store in THQ hospitals.

5.3.3.20 Day Care Center

On-site (or near-site) child care would lead to improve workplace satisfaction by allowing employers more frequent contact with their children,

reducing stress and anxiety over scheduling, and potentially providing financial benefit to the hospital. Therefore, P&SH Department has decided to establish the Day Care Center at every THQ Hospital. The Medical Superintendent of the concerned hospital will be the overall in-charge of the Day Care Center.

5.4 Out Sourcing of Non Clinical Services

It was planned to provide Outsourcing of following Non-clinical services through development Budget later on decided to shift to non-development Budget as per the decision of progress review meeting chaired by the Chairman P&D Board dated 01-01-2018 w.e.f. 30-06-2018:-

- 1. Janitorial services
- 2. Laundry services (On hold)
- 3. MEPG Services
- 4. CT scan
- 5. Security

5.4.1 Janitorial services

These services include cleaning of hospitals and its roads and ROW areas. Internal cleaning comprises of complete cleaning along with washrooms cleanliness and material for these services such as hand wash/sanitizer. The Outsourcing is hereby designed keeping in view the sizes of areas assigned to each sanitary worker along with condition and nature of service. Human resources are planned after measuring the total area of hospital, built up area excluding the areas of horticultural land and residential buildings. The workers shall work in three shifts in a day. Half of the total strength of sanitary workers shall work in morning shift due to patients load in OPD. The concerned sanitary work company is bound to provide cleaning services materials and their refilling as and when required.

The companies providing janitorial services will be required to provide quality janitorial services, complete their personnel strength on daily basis which will be ensured through biometric attendance. Also, the companies will be subject to pecuniary penalties by hospital authorities if services provided are not according to the contracts.

5.4.2 Laundry Services

Different models were being applied by the hospital administrations individually which were not properly catering the basic requirement of washing and disinfection of different items used for hospitals. This model includes the initial procurement of different daily use items such as three different colors bed sheets and pillow covers and are to be changed thrice a day. Moreover, the concerned company must provide washing and cleaning services of bed sheets, pillow covers, blankets along with covers, apparels/OT clothes.

5.4.3 MEPG Services

The service of the hospitals is suffering badly due to improper functionality of the existing electrical and mechanical equipment which arises due to lack of maintenance. This model satisfies the need of proper maintenance plan which comprises of regular visits of technicians for looking after of electrical and mechanical equipment and accessories. Outsourcing company will be responsible for immediate response and above mentioned services.

5.4.4 CT Scan Services

CT Scan Services in selected Hospitals of Punjab are also being undertaken as a component of Government's decision to revamp all Secondary Healthcare. The objective of this initiative is to provide high quality CT Scan Services to widely scattered population of low socio-economic groups at their door steps. It will ensure provision of satisfactory diagnose infections, muscle disorders, and bone fractures. The imaging technique of CT Scan can help doctor to study the blood vessels and other internal structures and assess the extent of internal injuries and internal bleeding.


5.4.5 Security

The outsourcing model is designed due to non-provision of security arrangements and improper parking in different areas of premises of hospital. This model consists of guards who shall work in two shifts to provide security and surveillance for complete premises of hospital excluding residential areas. The devices required for this service to operate are arms, walkie talkie, Base set per unit and torch etc.


5.6 HR & Management Interventions Structure

HR Interventions can be broadly classified into introduction of New Management Structure (NMS) staff.

New Organogram of Hospital



MS •AMS/ SUPPORT MANAGER •IT/Data Analysis •IT/ Statistical Officer •4 Data Entry Operators Admin Admin Officer •4 Monitors Security Transport Parking Janitorial Canteen •External House Keeping •Civil Works Technical works •Electrical Works •Internal House Keeping Laundry •Stores & Supplies



5.6.1 <u>Non Clinical HR Interventions (Human Resource (HR) Plan</u> <u>Management Structure)</u>

Institution will run under the administrative control of Medical Superintendent, who will control this with the collaboration and cooperation of 3 Additional Medical Superintendents including AMS (Admin), AMS (HR & Budget) and AMS (clinical), 3 Deputy Medical Superintendents (morning, evening and night) will be reporting to AMS Clinical. Each clinical facility will be further controlled by head of concerned department and 6 administrative posts of HR & Legal Officer, IT/Static Officer, Budget & Account Officer, Admin Officer, Procurement Officer and Audit Officer will be provided as supporting hands for AMS Admin and AMS HR & Budget for smooth execution of hospital tasks.

Responsibilities / Job Descriptions, Eligibility & Financial Implications for Management Structure of Hospital

5.6.2.1 Medical Superintendent

Shall be overall responsible for all the affairs of the Hospital

5.6.2.2 AMS Admin.

Shall be responsible for following functions in addition to his own duties:

- 1. General administration
- 2. IT/Data analysis/statistics keeping (biometric machines, etc.).
- In case of outsourced interventions like QMS/EMR he shall be responsible for enforcement of contract and in case of violation shall ensure action has been taken as envisaged in the contract.
- 4. He shall be responsible for entry of data on Citizen Feedback Model.
- 5. He shall be responsible for ensuring collection of report of actions taken on CFM reports and entry of that on CFM.
- 6. He shall be responsible for implementation of any IT related initiative in the hospital.
- 7. He shall be responsible for better record keeping of hospital
- 8. He shall devise and implement systems for better record keeping of hospital

9. He shall ensure generation of all types of reports/information required of hospital by District Government/P&SHD/any other authorized Public agency

New Management Structure (NMS)

In place of the clerical positions, the P&SH Department has introduced a New Management Structure (NMS), in all District and Tehsil Headquarters Hospitals. The officers recruited as a part of the NMS have a minimum of 16 years of education. Their minimum qualification is MBA / B.Sc. Engineering / M.Com / Pharm-D / M.Cs / LLB / MPA / CA Inter / ACCA / ACMA / Master Degree or equivalent in relevant field etc. Their recruitments were undertaken through a competitive process by a third party testing service.

5.6.2.3 Admin Officer

Shall be responsible for general administrative affairs of hospital along with following functions:

- 1. Security
- 2. Transport
- 3. Parking
- 4. Janitorial
- 5. External housekeeping
- 6. Electrical works
- 7. Internal housekeeping
- 8. Laundry
- 9. Stores & supplies

In case these functions have been outsourced, he shall be responsible for enforcement of these contracts and shall ensure that penalties are imposed in case of violation of contract. In case he fails to enforce contract and the outsourced function is not performed at par as per contract and penalties have not been imposed he shall be liable for non-action. Moreover, only reporting of violation of contract shall not suffice but he has to ensure follow up till the penalty has been imposed and action as envisaged in contract in case of violation has been taken.

Eligibility Criteria

 Minimum qualification Masters' degree in Economics/ Public Administration/ Finance/ MBA Finance/Administration or equivalent from HEC recognized University 2. Minimum 2 years post degree experience of administration (Additional credit may be given for hospital administration/ Public sector administration of similar nature)

5.6.2.4 <u>Human Resource Officer</u>

Shall be responsible for following:

- Issuance of monthly Duty rosters & special duty rosters of Eid,
 Muhurram etc. of all clinical & non-clinical staff in hospital
- 2. Issuance of Transfer/postings orders within hospital
- 3. Taking of joining from new incumbents and charge relieving orders of relinquishing officials
- 4. File maintenance of all employees of hospital
- 5. Record of all enquires of employees of hospital
- 6. Leave record of employees
- 7. Adjustment of officials on duty during leave of concerned employee
- 8. Litigation/ legal issues of hospital (shall ensure all court cases are well attended and all legal matters of hospital are well taken care of)
- 9. Any other HR related function assigned by MS/AMS

Eigibility Criteria

- Minimum qualification Masters' degree in Economics/ Public Administration/ Finance/ MBA HR/Management/ Finance/Administration or equivalent from HEC recognized University
- 2. Minimum 1 year post degree experience of administration (Additional credit may be given for hospital administration/Public sector experience of similar nature)

5.6.2.5 IT/Statistical Officer

He shall be responsible for IT support for all IT interventions in the hospital.

He shall be in liaison with HISDU, P&SHD for proper reflection of hospital record on HISDU dashboard. In case there is any discrepancy or error he shall resolve the issue. Moreover, he shall be responsible for functionality of all IT equipment.

Eligibility Criteria

- Minimum qualification Masters' degree in Computer Science or equivalent from HEC recognized University
- 2. 2 years post degree experience of IT/Data analysis(Additional credit may be given for similar assignment experience)

5.6.2.6 Finance & Budget Officer

Shall be responsible for following:

- 1. Handling of all financial matters of hospital
- 2. Petty cash handling
- 3. Preparation of budget
- 4. Budget review
- 5. Maintenance of accounts and record
- Any other function assigned by AMR HR & Finance/MS/P&SHD

Eigibility Criteria

- Minimum qualification Masters' degree in Finance/ MBA Finance or equivalent from HEC recognized University (Additional credit may be given to Charter accountant/ACCA)
- Minimum 2 years post degree experience of Finance, Accounts
 Budget (Additional credit may be given for Public sector experience of similar nature)

5.6.2.7 Procurement Officer

Shall be responsible for following functions:

- 1. Procurement of all kinds for hospital
- 2. Shall be in liaison with P&SHD for procurements being conducted
- 3. Any other function assigned by AMS HR & Finance /MS/P&SHD

Eigibility Criteria

- Minimum qualification Masters' degree in Finance/ MBA Finance or equivalent from HEC recognized University
- 2. 2 years post degree experience of procurement (Additional credit may be given for public sector experience of procurement)

5.6.2.8 **Quality Assurance Officer**

He shall be responsible for quality of all things in the hospital.

Eligible Criteria

 Masters in Total Quality Management / Masters in Public Health/ Masters in Health Administration/ Masters in Hospital Management / Masters in Biochemistry / Biotechnology / Molecular Biology / Microbiology from an HEC recognized University or equivalent.

OR

16 years education along with Post graduate diploma in Total Quality Management/ Post graduate diploma in Health Safety and Environmental Management System / Post graduate diploma in Healthcare and Hospital Management / Quality Assurance or equivalent.

2. Minimum 1 Year post degree relevant experience.

5.6.2.9 Logistics Officer

He shall be responsible for Supply Chain, logistics, fleet, warehousing and inventory management, clearing and forwarding in the hospital.

Eligible Criteria

- 1. M.Sc. Supply Chain Management/ MBA or Equivalent.
- 2. One year experience in Supply Chain, logistics, fleet, warehousing and inventory management, clearing and forwarding.

5.6.2.10 Data Entry Operators (DEO)

Four Data entry operators shall help IT officer in dispensation of his responsibilities.

Eligible Criteria

 Minimum qualification BA / B.Sc / B.COM / BCS or equivalent from HEC recognized University. In case of BA/B.COM candidate must have six months computer course / Diploma.

- 2. Proficient in MS Word/ MS Excel/ MS Power point (additional credit may be given for additional relevant certified computer courses)
- 3. 1 years post degree relevant experience

5.6.2.11 Assistant Admin Officer

Shall be responsible for general administrative affairs of hospital and assist the admin officer.

Eligibility Criteria

- Minimum qualification Masters' degree in Social Sciences/Economics/ Public Administration/ Finance/ MBA Finance/Administration or equivalent from HEC recognized University
- 2. Minimum 2 years post degree experience of administration (Additional credit may be given for hospital administration/Public sector administration of similar nature).

5.7 HR for QMS and MSDS and Day Care Center.

5.7.1.1 QMS Supervisor / Information Desk Officer

Shall be responsible whole QMS networking

Eligible Criteria

- M.Sc. (Comp. Engineering, Electronics, Electrical Engineering, IT, Telecommunication, Com. Science, Software Engineering, MCS), BCS (Comp. Engineering, Electronics, Electrical Engineering, IT, Telecommunication, Com. Science, Software Engineering, MBA, BBA, MPA, IT related 16 years Education.
- 2. Experience in the field of Software/Hardware/Network/DATA Quality Assurance, IT projects, IT enabled organizations, CCTV Control Room monitoring, Call Centre, Networking, Software Development will be considered as an added advantage during interview process.
- 3. Excellent communication Skill (Urdu, English) and IQ level
- 4. Age Limit of 21-28 years for Male & 21-30 years for Female
- 5. Typing Speed: 30WPM.

5.7.1.2 Computer Operators

Eight Computer operators shall help QMS Supervisor in dispensation of his responsibilities.

Eligible Criteria

- 1. Minimum qualification 14 year or Masters' degree from HEC recognized University
- 2. Proficient in MS Word/ MS Excel/ MS Power point (additional credit may be given for additional relevant certified computer courses)
- 3. 35 Word per Minute. Excellent communication in English and Urdu.

5.7.2 Consultants (MSDS) Implementation & Clinical Audit

Eligible Criteria

- 1. MBBS & Masters in Public Health, or equivalent qualification.
- 2. The consultant must have 10 years of hands on experience of third party validation, clinical audit of hospitals, Minimum Service Delivery Standards (MSDSs) implementation / hand holding; Report Writing; working knowledge of international best practices in hospital management will be preferred. Proficiency in MS Office is must. Must have strong communication skills.

5.7.2.1 <u>Terms of Reference (TORs) for Consultants Minimum Service</u> <u>Delivery Standards (MSDS) Implementation & Clinical Audit</u>

Government of the Punjab, Primary and Secondary Healthcare Department (P&SHD) is implementing multiple initiatives to improve the quality of healthcare at DHQ/THQ level across the province. One of the initiatives is Primary and Secondary Healthcare Revamping program which is being implemented by the Project Management Unit (PMU). Currently PMU is also involved in the standardization of quality of care at facility level through uniform set of Standard Operating Procedures (SOPs) & Standard Medical Protocols (SMPs) for compliance. The department intends to make all DHQs and THQ hospitals of Punjab as MSDS compliant which have been devised by Punjab Healthcare Commission.

Punjab Healthcare Commission was established under the PHC Act 2010 as an autonomous regulatory body for health sector; with the purpose of improving the quality, safety and efficiency of healthcare service delivery for all Public and Private Healthcare Establishments (including Allopaths, Homeopaths and Tibbs) in the province of Punjab. The Punjab Healthcare Commission has developed

Minimum Service Delivery Standards (MSDS) for all hospitals to improve the quality of healthcare services all over the Punjab. All Healthcare Establishments are required to implement MSDS to acquire a License to deliver healthcare services in Punjab.

This standardization effort will not only ensure availability of minimum services delivery standards (MSDS), SOPs, SMPs at all levels, but also the other essential inputs for functioning of systems and processes to ensure the smooth and safe delivery of quality healthcare services. These will also create conducive working environment for healthcare providers.

5.7.2.2 Objectives

The objective of this assignment is to implement & check all SOPs, SMPs, Minimum Service Delivery Standards (MSDS) & conduct clinical audit for 125 DHQ/THQ hospitals. Furthermore, the consultant will also monitor ongoing multiple trainings at DHQ/THQ hospitals.

5.7.2.3 Scope of Work

- 1. Develop policy & strategy for clinical audit of 125 hospitals.
- 2. Develop detailed clinical audit plan, with expected deliverables from hospitals. 360 degrees clinical audit.
- Visit DHQ/THQ hospitals, to assess MSDS implementation and detailed report generation with short coming & highlight areas of improvement.
- 4. Review SOPs, SMPs & ISO Standards in hospitals to identify non-compliance.
- Visit DHQ/THQ hospitals to implement clinical audit as per devised strategy, as well as monitoring and implementing MSDS standards.
- 6. Prepare detailed visit reports of clinical short comings; and suggest, and implement improvement plan.
- 7. Monitoring & auditing of patient referral system, detailed report on error and recommendations on rectification of errors.
- Visit DHQ/THQ hospitals to implement clinical audit as per devised strategy, as well as monitoring and implementing MSDS standards.
- 9. Prepare detailed visit reports of clinical short comings; and suggest, and implement improvement plan.
- 10. Monitoring & auditing of patient referral system, detailed report on error and recommendations on rectification of errors.
- 11. Monitoring and evaluation of multiple trainings imparted at DHQ/THQ hospitals.
- 12. Any other relevant task assigned by Project Director/Director Quality Assurance / Project Manager.

5.7.2.4 Reporting Arrangements

 The Consultant (MSDS & Clinical Audit) will report to the Project Director/Director Quality Assurance/Senior Project Manager, P&SHD

5.7.2.5 <u>Duration of Assignment</u>

 The duration of assignment will initially be for THREE MONTHS / 120 DAYS which will be extendable subject to satisfactory performance.

5.7.2.6 Outputs / Key Deliverables

- Study/desk review the relevant Minimum Service Delivery Standards (MSDS) prescribed by PHC & ISO Standards, train the hospital staff/monitor/facilitate their implementation.
- Study/desk review the existing Standard Operating Procedures (SOPs), train the hospital staff/monitor/facilitate their implementation and suggest improvements where necessary.
- Study/desk review the existing SMPs, train the hospital staff/monitor/facilitate their implementation and suggest improvements where necessary.
- Conduct hospital visits of 125 DHQ/THQ hospitals (each DHQ hospital to be visited monthly & each THQ hospital every three months).
- Conduct formal hospital survey for confirming the implementation of MSDS on the relevant Scoring Matrix.
- Submit detailed report of each hospital visit on a standard format prescribed for the purpose.
- Conduct a system, process analysis with special emphasis on clinical audit and submission of detailed report accordingly.

5.7.2.7 Remunerations

- The consultant will be paid amount of Rs. **4500-6500/- per day** with no other benefits.
- All logistics will be arranged/reimbursed by PMU for field visits (accommodation, refreshments etc).

5.7.2.8 Terms of Payment

 Consultant will be paid on monthly basis throughout the contract period.

5.7.3 HR for Day Care Center

5.7.3.1 Manager Day Care Center (DCC)

Shall be responsible for general administrative affairs of DCC.

Eligibility Criteria

- Minimum qualification Masters' degree in Economics/ Public Administration/ Finance/ MBA Finance/Administration or equivalent from HEC recognized University
- 2. Minimum 2 years post degree experience of administration (Additional credit may be given for hospital administration/ Public sector administration of similar nature)

5.7.3.2 Montessori Trained Teacher

Shall be responsible for basic education of children.

Eligibility Criteria


- 1. Minimum qualification BA/BSC or equivalent from HEC recognized University along with B.Ed.
- Minimum 1 years post degree experience of teaching (Additional credit may be given for Public sector teaching of similar nature)

5.7.3.3 Attendant / Care Giver

Shall be responsible for special care of the children.

Eligibility Criteria

Minimum qualification Matric or equivalent alongwith diploma in relevant field



The Planning & Development Board vide letter No.12(24)PO(COORD-II)P&D/2022 dated 14-07-2022 has informed that revised standard pay package were discussed and approved by the 83rd PDWP meeting held on 28-06-2022 under the chairmanship of Chairman P&D Board for all ADP funded Project posts of Department /Organizations working in Government of the Punjab:

Project Pay Scale (PPS)	Revised Project Pay Scales (Permissible Range) (PKR)	Annual Increment Up to % age
PPS-1	28,000 44,800	10
PPS-2	35,00056,000	10
PPS-3	43,750 70,000	10
PPS-4	52,500 84,000	10
PPS-5	70,000112000	10
PPS-6	105,000 172,200	8
PPS-7	157,500258,300	8
PPS-8	218,750358,750	8
PPS-9	306,250502,250	8

PPS-10	437,500700,000	5
PPS-11	612,500 980,000	5
PPS-12	875,0001,400,000	5

In view of the above the Pay package of NMS staff has been revised. Financial Implications of New Management Structure Model based on revised Standard Pay Package (PPS) approved by the 83rd PDWP meeting held on 28-06-2022:

	No. of	Original Pa	ay package	Revised Pa	ay package
Name of Post	Employees	Per Month Salary	Salary for One Year	Per Month Salary	Salary for One Year
Admin Officer	1	80,000	960,000	105,000	1,260,000
Human Resource Officer	1	80,000	960,000	105,000	1,260,000
IT/Statistical Officer	1	80,000	960,000	105,000	1,260,000
Finance & Budget Officer	1	80,000	960,000	105,000	1,260,000
Procurement Officer	1	80,000	960,000	105,000	1,260,000
Quality Assurance Officer	1	80,000	960,000	105,000	1,260,000
Logistics Officer	1	80,000	960,000	105,000	1,260,000
Data Entry Operator (DEO)	2	35,000	840,000	44,000	1,056,000
Assistant admin Officer	2	50,000	1,200,000	70,000	1,680,000
Total	11		8,760,000	849,000	11,556,000

5.8 Other Initiatives:

There are many other initiatives which government plans to undertake in order to improve healthcare services in the province. These include:

- Rehabilitation of Emergency Ward
- Fixture of Benches
- Addition of Bracket Fans/Water Coolers/LCDs with signage
- Supply of Laboratory/ Equipment/USG/ECG etc.
- CCU Improvement
- Installation of Water filtration plants
- Replacement of Bed sheets/Pillows/Matrasses
- Installation of Transformers/Dual Connection
- Improvement of Labor rooms/Nurseries

- Maintenance and replacement of Air-conditioners through Outsourcing
- Blood Bank improvement
- Installation of CCTV Cameras
- Installation of Basic Fire-fighting Equipment
- Up gradation of Pharmacy and medicine Store
- Improvement of Internal Roads and laying of Tough pavers
- External Development
- Rehabilitation of Hepatitis/T.B Control

The PMU is essential to deliver the project end-item within budget and time limitations, in accordance with technical specifications, and, when specified, in fulfillment of project objectives.

5.9 Patient Management Protocol

5.9.1 Emergency:

- 1. Initial reception and computerization of data, issuance of medical record number and preparation of record file.
- 2. Patients seen by C.M.O. initial assessment (brief history and physical examination) is entered on the emergency slip/file initial treatment is started.
- 3. C.M.O calls the medical officer / house officer of the relevant department who takes on of the following action:
 - i. Discharges the patient from emergency department after the patient is stabilized (himself or after consultation).
 - ii. Returns the patient in emergency department and inform the consultant or call such patient is either discharged after some time i.e. 2 hours of admitted later on
 - iii. Patient is straight way admitted by the medical officer himself or in consultation with the consultant
- A separate record is maintained by each department. Each patient discusses at the morning meeting and any pitfalls are any pitfalls are corrected.
- 5. The patient who is admitted is again entered into the computer in the ward, complete history and physical examination is carried out and relevant lab & radiological investigations are ordered. (If not already done in the emergency department).

- 6. The definitive management is either started by the medical officer himself or in consultation with the consultant. (Telephone or physically). The patient is prepared for surgery if required.
- 7. At the evening round of the ward, the patients admitted throughout the day (Through OPD or emergency) are seen by the specialist. Appropriate changes in the management are carried out.
- 8. During the night, medical officer & house officer will be on duty and they will remain in contact with consultant.
- 9. In the morning round all the new admissions and old patients are thoroughly discussed management / treatment changed, surgery ordered or discharge ordered.
- 10. The discharge certificate is either prepared by the house officer or medical officer. If prepared by the house officer, it is countersigned by the medical officer

Appropriate changes are made in the computer record after discharge. The file is sent to the central record.

5.9.2 O.P.D:

- 1. After the initial registration and issuance of computerized number patient is sent to the relevant medical officer with the OPD slip/file.
- 2. The medical officer / house officer of the relevant department performs the initial assessment. The medical officer himself advises the treatment / investigation or refers the patients to the specialist or admits the patient.
- 3. After admission. The same routine is followed which has been mentioned in the case of admission through emergency.

5.9.3 Death or End of Life Management.

- 1. The decision regarding resuscitation is made at the initial stages by the medical officer / house officer or specialist in consultation with the patient himself and / attendants.
- 2. The DNR (Do not resuscitate) patients are only seen by the medical officer/ hose officer at the time of death.
- 3. For the patients to be resuscitated, a special code (blue code) is declared when patient go onto cardiac or the terminal events.
- The policy for very sick / terminal and dying patients is formulated at the hospital administration level and appropriate modifications are decided in the relevant department for each patient.

Every death is discussed weekly at the mortality committee at the department and at the hospital level cleared by the Medical Superintendent.

5.9.4 Inventory Control System

The stock keeping and issuance of such items shall also be controlled and monitored through closer supervision and checks and balance system built in the software. The stock and expense of durable and consumable items will be kept in the system and also as hard copies. The main stores computers will be linked with the sub stores computers through networking. The areas like emergency. Outpatient department, Indoor registration desks, Laboratory and Radiology Department, ICUs, etc., will have linkages with the main and sub stores to know about:-

- 1. Stock in hand of various items
- 2. New receipt of these items
- 3. The items which have been issued to other departments
- 4. The Items which are not available
- 5. The expenditure incurred on the purchase.

The budget and details of account shall be linked with the financial control system.

5.9.5 Project Monitoring Committee

A Project Monitoring Committee is proposed hereby as under to monitor the project regarding Revamping of THQ Hospital:

1.	Deputy Commissioner	(Chairman)
2.	District Monitoring Officer	(Member)
3.	Executive Engineer Buildings	(Member)
4.	Assistant Commissioner Concerned	l (Member)
5.	MS THQ Hospital (S	Secretary/Member)

The committee will monitor the progress of the project and will hold regular weekly meeting to review the progress.

5.10 Relationship with Sectoral Objectives

The Government of the Punjab, Primary & Secondary Healthcare Department is in the process of undertaking number of initiatives to improve health care delivery system in the province. The Government of the Punjab is firmly committed to provide health care services at the doorstep of the community through integrated approach. A number of projects to improve emergency health care service particularly targeting on the promptness and quality have been

initiated. Although major focus is on disease prevention and health promotion strategies by providing specialist health care services to victims of various diseases in the patients is one of the top most priority. The instant project will be a major wing to health department with line departments.

Mainly the linkage with social welfare and human empowerment, labour and manpower, Education Department, Special Education, Home of the project will be in a vibrant environment in the holistic manner. The scope of the project itself aims to establish horizontal linkage with all the stakeholders through multisectorial approach. The health care facilities and ongoing services provided in the hospital will seek strength and viability from its linkage and public ownership.

6. DESCRIPTION AND JUSTIFICATION OF PROJECT

6.1 JUSTIFICATION OF PROJECT

Attached

1. Description, Justification and Technical Parameters

The scheme has been estimated on face of the factual basic requirements and if needed, alterations and has been quoted in this PC-1. The Population of Tehsil Ferozewala District Sheikhupura is more than 0.535 million. The area of the THQ Hospital Ferozewala District Sheikhupura is 156,265 SFT land.

6.1 <u>Description and Justification</u>

The Project Management Unit, Revamping Program, Primary and Secondary Healthcare Department planned to start the 2nd Phase of the said revamping program. The instant PC-I is also meant for provision of requisite biomedical and non-biomedical equipment, Electricity, Furniture & Fixture, Signage, HR and outsourcing for Revamping of THQ Hospital Ferozwala District Sheikhupura

Revamping of THQ Hospital Ferozwala District Sheikhupura constitutes of value addition in all major domains of the hospital including improvement of Civil infrastructure, addition of water filtration plant facility, value addition in Emergency ward and making the health facility more equipped with modern bio-medical equipment. State of the art furniture and fixtures complemented by interior and exterior decors are also part of this revamping project backed by the thought of dedicated express line of electricity to ensure smooth operations of hospitals will bring the modern health facilities in healthy and comfortable environment at the door step of masses. Introduction of new model of outsourcing of laundry services to ensure provision of neat and clean bed sheets, pillow covers, blankets etc. round the clock is also a part of this project. Fool proof security and adequate cleanliness measures of whole health facility are also proposed in this PC-I.

Civil work component will be carried out through C&W Department instead of District Health Authority for this hospital. Value addition in Emergency block is proposed in four domains i.e. Triage, Minor O.T, Specialized care room and emergency ward. Addition of Water Filtration Plant facility where it is not available as unclean or polluted water is devastating for human health. A key consideration was made while selecting furniture and its compatibility with hospital grade cleaners, detergents and disinfectants. Signage is an effective interface between the user and intended facility. Effective signage promotes the healthcare facility in a patient friendly manner. Access is an important part of quality of care. A crucial aspect for patient satisfaction is their comfort levels with the facility itself i.e. a person's ease in navigating a facility, and the timeliness in receiving care. Clear and proper signage at strategic points helps patients in reaching their destination without losing much of their valuable time and saves lot of their efforts in unnecessary enquiring from persons. In this regard, the Equipment of Emergency, Bio-Medical, Non-Bio-Medical, Electricity, Signage, Janitorial, Security, Laundry,

Maintenance of Generator and Horticulture have been added as per actual requirement of the Hospital. The Equipment of MSDS, IT, Furniture Fixture, Day Care Center, HR, Medical Gases, Cafeteria are fixed in all hospitals as per yardstick established by P& SH Department. Prior to initiation of this exercise standardization of required facilities was done by committee of experts in P & SH Department and on the basis of it, gaps were identified which would be covered under this PC-I.

Justification for 3rd Revision of PC-I

- 1. Originally the Civil work component of the scheme was planned to be executed by the Health Council of the concerned District Health Authority based on cost estimates prepared by the Infrastructure Wing of PMU and approved by the DDSC. Accordingly, funds of Rs.3, Rs.5 and Rs.10 million were provided during FY 2017-18 for the execution of work as per parameters provided to these THQ Hospitals. However, no reasonable revamping civil work was carried out and hence did not fulfil the requirement and the objectives of the Revamping Program. Now P&SHD has decided to carry out further revamping of Civil work through Communication and Works Department Punjab to accomplish the uniformity of THQ Hospitals with already revamped hospitals of Phase-I. Hence the Rough Cost Estimates of the Punjab Buildings Department has been included in the civil work cost of this scheme.
- Primary & Secondary Healthcare Department (P&SHD) made a decision to shift all the clerical posts in DHQ / THQ hospitals of Punjab to District Health Authorities as per notification dated 24th October, 2017. This administrative decision was taken due to a multiplicity of reasons which were adversely affecting healthcare service delivery in the hospitals. Primarily, these clerical posts were not specialized in any particular field, and therefore, the HR hired against these posts were generalized to the extent that they were not able to perform functions of Hospitals and Health Specific tasks that any medical administration should ideally perform. Additionally, public complaints against the clerical staff on issues such as behavior, performance created an environment of malfeasance in all hospitals. In place of the clerical positions, the Department introduced a New Management Structure (NMS), in all District and Tehsil Headquarters Hospitals. The officers/officials recruited as a part of the NMS have a minimum of 16 years of education. Introduction of New Management Structures (NMS) across all secondary hospitals in the Punjab, has allowed for the overall efficiency of District and Tehsil Headquarters Hospitals. In each Tehsil Headquarter Hospital HR under MNS has been provided for smooth running of the health services. Pay Package for NMS Staff was never been revised since 2017-18, therefore it was decided to approach the P&D Department for revision of Pay package. The PDWP approved revised

pay page in its meeting held on 08-02-2022 based on PPS approved in 60th PDWP meeting as under: -

	60 th PDWP Me	eting	
Name of Posts	PPS Assigned	Permissible Range (PKR) & Annual increment	Approved Pay Package
HR & Legal Officer, IT & Statistical Officer, Admin Officer, Procurement Officer, Finance & Budget Officer, Logistics Officer, Quality Assurance Officer, Audit Officer and Biomedical Engineer	PPS-6	75,000-105,000 (8% annual incr.)	75,000
Assistant Admin Officer	PPS-5	50,000-75000 (10% annual incr.)	50,000
Data Entry Operator	PPS-3	35,000-55,000 (10% annual incr.)	35,000

Now the Planning & Development Board vide letter No.12(24)PO(COORD-II)P&D/2022 dated 14-07-2022 has informed that revised standard pay package were discussed and approved by the 83rd PDWP meeting held on 28-06-2022 under the chairmanship of Chairman P&D Board for all ADP funded Project posts of Department /Organizations working in Government of the Punjab. Therefore, the revised Pay Package has been incorporated in the revised PC-I.

- 3. As the gestation period of the PC-I till 30.06.2023, therefore, the cost of NMS has been revised for smooth running of the Tehsil Headquarter Hospitals and hence PC-I has been proposed till 30- 06-2025.
- 4. Infrastructure team has conducted the Joint visits with the team of C&W Department. During the field visits, few alterations were recommended by the technical teams which have been incorporated in the Revised Rough Cost Estimates of the subject scheme and have been attached with the PC-I along with comparative statement. Therefore, Civil works component cost has been

increased from Rs. 33.815 million to Rs. 42.235 million due to few changes in the scope and MRS rates (2nd Bi-annual 2022).

85 THQ Hospitals covered under the Program:

The location map of the 85 THQ hospitals that will be taken up for rehabilitation in this program is given below:

PROJECT MANAGEMENT UNIT PRIMARY & SECONDARY HEALTHCARE DEPARTMENT



LOCATION OF DHQ AND THQ HOSPITALS IN PUNJAB



6.2 SECTORAL SPECIFIC INFORMATION

Social Sectors, Health Department

7. CAPITAL COST ESTIMATES

Financial Components: Revenue Grant Number: Development - (PC22036)

Cost Center:OTHERS- (OTHERS) LO NO:LO17010542

Fund Center (Controlling): N/A

A/C To be Credited: Assan Assignment

PKR Million

S r #	Object Code	2019-2020		2019-2020 2020-2021		2021	2021-2022		-2023	2023-2024 Local Foreign		2024-2025	
		Local Foreign		Local	Foreign	Local	Foreign	Local	Local Foreign		Foreign	Local	Foreign
1	A05270 -To Others	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
2	A12403-Other Buildings	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	Total	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

Financial Components: Capital Grant Number: Government Buildings - (PC12042)

Cost Center:OTHERS- (OTHERS)

LO NO:LO22010023

Fund Center (Controlling):LE4203 A/C To be Credited:Account-I

PKR Million

													TATA IVIIIIIOIT
S r #	Object Code	2019-2020		2020-2021		2021-2022		2022-2023		2023-2024		2024-2025	
		Local	Foreign										
-	A12403-Other Buildings	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
2	2 A05270 -To Others	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

Total	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Total	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

			Ab	strac	et of C	ost							
Name of THQ Hospital						Fe	rozwala						
Scope of work	Cost in million												
осоро ст истк		Original			st Revised		<u> </u>	2nd Revised	1		3rd Revised		
	Capital	Revenue	Total	Capital	Revenue	Total	Capital	Revenue	Total	Capital	Revenue	Total	
Capital component	 									-			
Internal Development	0.000	6.225	6.225	0.000	6.225	6.225	26.020	3.000	29.020	28.740	3.000	31.740	
External Development	0.000	3.878	3.878	0.000	3.878	3.878	7.796	0.000	7.796	13.495	0.000	13,495	
Water filtration plant	0.000	5.600	5.600	0.000	5.600	5.600	0.000	0.000	0.000	0.000	0.000	0.000	
Total Capital Component	0.000	15.703	15.703	0.000	15.703	15.703	33.815	3.000	36.815	42.235	3.000	45.235	
Emergency	0.000	20.673	20.673	0.000	20.673	20.673	0.000	28,276	28.276	0.000	47.936	47.936	
MSDS	0.000	8.647	8.647	0.000	8.647	8.647	0.000	9.654	9.654	0.000	13.438	13.438	
Med. Machinery and Equipment	0.000	50.143	50.143	0.000	50.143	50.143	0.000	66.582	66.582	0.000	96.437	96.437	
Electricity	0.000	15.336	15.336	0.000	15.336	15.336	0.000	16.286	16.286	0.000	29.286	29.286	
IT & QMS & Surveillance	0.000	14.515	14.515	0.000	14.515	14.515	0.000	19.540	19.540	0.000	19.540	19.540	
Furniture and Fixtures	0.000	13.504	13.504	0.000	13.504	13.504	0.000	13.504	13.504	0.000	18.788	18.788	
Interior and Exterior decorations/ Signage	0.000	2.972	2.972	0.000	2.972	2.972	0.000	4.271	4.271	0.000	4.271	4.271	
Day Care Center	0.000	1.600	1.600	0.000	1.600	1.600	0.000	1.600	1.600	0.000	1.600	1.600	
Human resource (HR) plan	0.000	17.220	17.220	0.000	17.220	17.220	0.000	37.980	37.980	0.000	55.213	55.213	
LC Deficit during procurement (currency fluctuation)							0.000	2.178	2.178	0.000	2.178	2.178	
Total Revenue component	0.000	144.611	144,611	0.000	144.611	144.611	0.000	199.871	199.871	0.000	288.687	288.687	
Outsourcing component	0.000	144.011	144.011	0.000	144.011	144.011	0.000	133.071	133.071	0.000	200.007	200.007	
Janitorial Services	0.000	12.912	12.912	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
Security and Parking services	0.000	5.854	5.854	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
Laundry Services	0.000	3.000	3.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
Maintenance (Generator)	0.000	1.920	1.920	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
MEP	0.000	3.689	3.689	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
Medical Gases	0.000	1.304	1.304	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
Cafeteria	0.000	6.743	6.743	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
Horticulture services	0.000	8.735	8.735	0.000	0.048	0.048	0.000	0.048	0.048	0.000	0.048	0.048	
Total outsourcing cost	0.000	44.157	44.157	0.000	0.048	0.048	0.000	0.048	0.048	0.000	0.048	0.048	
Total	0.000	204.471	204.471	0.000	160.362	160.362	33.815	202.919	236.734	42.235	291.735	333.970	
Contingency (1%) only on Civil Component	0.000	0.157	0.157	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
Third Party Monitoring (TPM) (1%)	0.000	2.045	2.045	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
Third Party Validation (TPV) (1%)	0.000	2.045	2.045	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
Grand Total	0.000	208.717	208,717	0.000	160.362	160.362	33.815	202.919	236.734	42.235	291.735	333.970	

				En	nerger	ncy Equ	uipment								
				Ori	ginal		1st	Revis	ed	2nd	Revis	ed	3rd	Revis	ed
Sr. No.	Area	ITEM DESCRIPTION	Yard Stick	Required Quantity (T=6+S=0+E=7)	Actual Unit Price	Actual Total Cost(Rs)									
1		Table	0	,	99,750	-	,	99,750	-	,	99,750		,	99,750	-
2	Reception Area	Chairs	0		26,775	-		26,775	-		26,775			30,000	-
3	Alea	Computer Data Entry With Printer	1	1	141,750	141,750	1	141,750	141,750	1	141,750	141,750	1	195,000	195,000
4	3	Table (2.5 X 4)*(N)	0	0	101,850	-	0	101,850	-	0	101,850	i	0	101,850	-
5	6	Chairs *(N)	0	0	26,775	-	0	26,775	-	0	26,775	i	0	30,000	-
6		B.p apparatus wall type*(N)	3	6	15,750	94,500	6	15,750	94,500	6	30,000	180,000	6	30,000	180,000
7		Gurney WITH FOOT STEP)*(N)	3	6	420,000	2,520,000	6	420,000	2,520,000	6	460,000	2,760,000	6	800,000	4,800,000
8		Mercury B.P apparatus*(N)	2	4	33,600	134,400	4	33,600	134,400	4	36,000	144,000	4	36,000	144,000
9		Laryngoscope paeds &adult each*(N)	2	4	10,500	42,000	4	10,500	42,000	4	12,000	48,000	4	20,000	80,000
10		Diagnostic set*(N)	1	2	45,150	90,300	2	45,150	90,300	2	50,000	100,000	2	85,000	170,000
11		ECG Machine (with trolley) *(N)	1	2	169,785	339,570	2	169,785	339,570	2	180,000	360,000	2	300,000	600,000
12	Triage area	Central oxygen with accessories FOR each	0	0	420,000	-	0	420,000	-	0	-	-	0	-	-
13		NEBULIZER HD*(N)	2	4	125,265	501,060	4	125,265	501,060	4	215,000	860,000	4	300,000	1,200,000
14		SUCKER MACHINE*(N)	1	2	259,350	518,700	2	259,350	518,700	2	275,000	550,000	2	300,000	600,000
15		Resuscitation Trolley (fully equipped))*(N)	1	2	244,733	489,466	2	244,733	489,466	2	400,000	800,000	2	600,000	1,200,000
16		INSTRUMENT CABINET*N	1	2	69,300	138,600	2	69,300	138,600	2	69,300	138,600	2	69,300	138,600
17		MEDICINE TROLLY*N	1	2	60,900	121,800	2	60,900	121,800	2	60,900	121,800	2	60,900	121,800
18		O.T table WITH foot step	1	1	1,417,500	1,417,500	1	1,417,500	1,417,500	1	2,000,000	2,000,000	1	2,500,000	2,500,000
19	11	Anesthesia Machine	1	1	2,509,554	2,509,554	1	2,509,554	2,509,554	1	3,000,000	3,000,000	1	7,000,000	7,000,000
20		Sucker machine	1	1	259,350	259,350	1	259,350	259,350	1	275,000	275,000	1	300,000	300,000
21		Portable O.T Lights	1	1	304,220	304,220	1	304,220	304,220	1	500,000	500,000	1	900,000	900,000
22	Minor O.T	Ceiling o.t light	1	1	414,750	414,750	1	414,750	414,750	1	800,000	800,000	1	950,000	950,000
23		Hot air oven	1	1	110,000	110,000	1	110,000	110,000	1	385,000	385,000	1	450,000	450,000
24		Autoclave	1	1	441,000	441,000	1	441,000	441,000	1	550,000	550,000	1	850,000	850,000
25		Instrument trolley*N	1	1	54,000	54,000	1	54,000	54,000	1	54,000	54,000	1	55,000	55,000
26		Defibrillator*N	1	1	310,000	310,000	1	310,000	310,000	1	650,000	650,000	1	800,000	800,000
27		Instrument cabinet	1	1	69,300	69,300	1	69,300	69,300	1	69,300	69,300	1	69,300	69,300
28		GURNEYS*N	4		420,000	-		420,000	-		460,000	-		850,000	-
29		Sucker machine *(N)	2		259,350	-		259,350	-		275,000	-		300,000	-
30		Nebulizer HD*(N)	2		125,265	-		125,265	-		215,000	-		300,000	-
		Center Oxygen supply*N	1		420,000	-		420,000	-		-	-		-	-
32	Constant /	Resuscitation Trolley (fully equipped))*(N)	1		237,618	-		237,618	-		400,000	•		600,000	-
33	specialized	Defibrillator*N	1		302,605	-		302,605	-		650,000	-		800,000	-
34	care room	Pulse- oximeter*(N)	4		104,000	-		104,000	-		160,000	-		225,000	-
35		Bedside-monitor*(N)	4		301,665	-		301,665	-		550,000	-		1,200,000	-
36		ECG MACHINE)*(N)	1		169,785	-		169,785	-		169,785	•		300,000	-
37 38		BP APPARATUS*N	1		15,750	-		15,750	-		16,000	-		16,000	-
		FOOT STEP)*(N)	1		3,150	-		3,150	-		4,000	•		5,500	-
39		ATTANDANT BENCH)*(N)	1		5,250	-		5,250	-		8,000			10,000	-
40	7	(MOTRIZED BEDS) with accessories (with foot steps*(N)	7	7	210,000	1,470,000	7	210,000	1,470,000	7	400,000	2,800,000	7	600,000	4,200,000
41	7	ECG machine(with trolley) *(N)	1	1	169,785	169,785	1	169,785	169,785	1	169,785	169,785	1	300,000	300,000
42		Pulse- oximeter *(N)	6	6	104,000	624,000	6	104,000	624,000	6	160,000	960,000	6	225,000	1,350,000
44		Bedside-monitor*(N) B.P apparatus wall type *(N)	3	3	301,665	904,995	3	301,665	904,995	3	550,000	1,650,000	3	1,200,000	3,600,000
44	Emergency	71 77	6	6 2	26,250	157,500	6 2	26,250	157,500	6	30,000	180,000	6	30,000	180,000
45	ward	Resuscitation Trolley (fully equipped)	2		125,265	250,530		125,265	250,530	2	215,000	430,000	2	300,000	600,000
46)*(N) Defibrillator*N	1	1	237,618	237,618	1	237,618	237,618	1	400,000	400,000	1	600,000	600,000
4/		Denomiator IV	1	1	299,153	299,153	1	299,153	299,153	1	650,000	650,000	1	800,000	800,000

Emergency Equipment

					nci gci	icy Equ	aipiliciii	•							
			Original					Revis	ed	2nc	l Revis	ed	3rd Revised		
Sr.	Area	ITEM DESCRIPTION	Yard	Required Quantity	Actual Unit	Actual Total									
48		Sucker machine *(N)	2	2	259,350	518,700	2	259,350	518,700	2	275,000	550,000	2	300,000	600,000
49		Wheal chairs *(N)	0	0	31,500	-	0	31,500	-	0	35,000	-	0	35,000	-
50		Stretcher *(N)	0	0	69,300	-	0	69,300	-	0	69,300	-	0	69,300	-
51		ambo bag paeds with Mask*N	5	5	15,750	78,750	5	15,750	78,750	5	19,000	95,000	5	19,000	95,000
52	Generalized	ambo bag adult with Mask* N	5	5	15,750	78,750	5	15,750	78,750	5	19,000	95,000	5	19,500	97,500
53		patient stool * N	2	2	4,085	8,169	2	4,085	8,169	2	4,500	9,000	2	5,000	10,000
54		Portable x-rays (300 M.A)	1	1	3,450,350	3,450,350	1	3,450,350	3,450,350	1	4,300,000	4,300,000	1	9,800,000	9,800,000
55		Portable ultra-sound	1	1	1,403,325	1,403,325	1	1,403,325	1,403,325	1	1,500,000	1,500,000	1	2,400,000	2,400,000
		Total				20,673,445			20,673,445			28,276,235			47,936,200
						20.673			20.673			28.276			47.936

MSDS

			Origina	al	1s	t Revi	sed	2n	d Revi	sed	3r	3rd Revis			
Sr. No.	ITEM DESCRIPTION	Quantity Required	Actual Unit Price	Actual Total Cost(Rs)											
1	Histology slide boxes	3	3,100	9,299	3	3,100	9,299	3	4,500	13,500	3	4,500	13,500		
2	Labeling Device connected with	3	60,000	180.000	3	60.000	180.000	3	80.000	240.000	3	80.000	240,000		
	Computer		· ·	,		,	,		,	-,		,	·		
3	Safe Transportation Boxes	2	15,750	31,500	2	15,750	31,500	2	18,000	36,000	2	18,000	36,000		
4	Portable Safety Exhaust Hood	1	160,000	160,000	1	160,000	160,000	1	250,000	250,000	1	450,000	450,000		
5	Centrifuge Machine	0	149,336	-	0	149,336	-	0	250,000		0	325,000			
6	Hot plates	2	26,250	52,500	2	26,250	52,500	2	45,000	90,000	2	55,000	110,000		
7	Water bath	1	157,500	157,500	1	157,500	157,500	1	157,500	157,500	1	300,000	300,000		
8	Complaint boxes	10	3,150	31,500	10 4	3,150	31,500	10	3,150	31,500	10	3,150	31,500		
9	Spine boards with Neck holders	4	31,080	124,320		31,080	124,320	4	31,080	124,320	1	31,080	124,320		
10	Sensitometer	2	137,325	137,325	2	137,325	137,325	1 2	137,325	137,325		137,325	137,325		
11	Densitometer personal		191,391	382,782		191,391	382,782		191,391	382,782	2	191,391	382,782		
12	Box of Films	2	26,250	52,500	2	26,250	52,500	2	30,000	60,000	2	30,000	60,000		
13	Aluminium Step Wedge	1	26,250	26,250	1	26,250	26,250	1	26,250	26,250		26,250	26,250		
14	Non-Mercury thermometer	10	305	3,045	10	305	3,045	10	350	3,500	10	750	7,500		
15	Brass or copper mesh screen	2	5,250	10,500	2	5,250	10,500	2	5,250	10,500	2	5,250	10,500		
16	Wheel Chairs	0	31,500	-	0	31,500	-	0	35,000	-	0	35,000	-		
17	Statures	0	67,830		0	67,830		0	75,000	-	0	75,000			
18	Blood Warmer	3	246,750	740,250	3	246,750	740,250	3	275,000	825,000	3	275,000	825,000		
19	Sequence Compression Device	2	210,000	420,000	2	210,000	420,000	2	230,000	460,000	2	600,000	1,200,000		
20	Blood Bank Refrigerators with	0	682,500	-	0	682,500	-	0	700,000	-	0	1,469,900	-		
21	Data Coder	1	84,000	84,000	1	84,000	84,000	1	100,000	100,000	1	-	-		
22	Plasma Separator 1	0	4,200,000	-	0	4,200,000	-	0	4,500,000	-	0	4,500,000	-		
23	Blood Storage Cabinet	1	682,500	682,500	1	682,500	682,500	1	700,000	700,000	1	1,469,900	1,469,900		
24	Resuscitation Trolley	0	244,733	-	0	244,733	-	0	400,000	-	0	491,350	-		
25	Ultra sound machine gyne	0	1,403,325	-	0	1,403,325	-	0	1,700,000	-	0	2,150,000	-		
26	Delivery Table	0	47,250	-	0	47,250	-	0	47,250	-	0	48,500	-		
27	Height and weight scale	4	8,400	33,600	4	8,400	33,600	4	10,000	40,000	4	31,500	126,000		
28	Suction Electronic	0	259,350	-	0	259,350	-	0	275,000	-	0	275,000	-		
29	Fetal Heart Rate Detector	1	144,375	144,375	1	144,375	144,375	1	175,000	175,000	1	275,000	275,000		
30	Ambo bag	0	17,325	-	0	17,325	-	0	19,000	-	0	19,000	-		
31	Neonatal size face mask	4	578	2,310	4	578	2,310	4	1,200	4,800	4	1,500	6,000		
32	Exchange transfusion trays	2	10,000	20,000	2	10,000	20,000	2	10,000	20,000	2	12,000	24,000		
33	Shoe racks SS	4	39,900	159,600	4	39,900	159,600	4	39,900	159,600	4	39,900	159,600		
34	Sterilizer	0	2,940,000	-	0	2,940,000	-	0	3,500,000	-	0	7,800,000	-		
35	Washer disinfector	0	-	-	0	-	-	0	-	-	0	-	-		
36	Packing table	0	-	-	0	-	-	0	-	-	0	-	-		
37	Digital Sealer Printer	1	420,000	420,000	1	420,000	420,000	1	480,000	480,000	1	520,000	520,000		
38	Backup Auto Clave	0	441,000	-	0	441,000	-	0	550,000	-	0	789,625	-		
39	Racks for Manual	10	21,000	210,000	10	21,000	210,000	10	37,500	375,000	10	56,160	561,600		
40	Locked Racks for MSDS Data	2	21,000	42,000	2	21,000	42,000	2	37,500	75,000	2	56,160	112,320		
41	Eye Wash Station with shower	3	300,000	900,000	3	300,000	900,000	3	350,000	1,050,000	3	350,000	1,050,000		
42	Air Curtain	4	50,190	200,760	4	50,190	200,760	4	60,000	240,000	4	60,000	240,000		
43	Fire Sand Buckets with stand	5	15,000	75,000	5	15,000	75,000	5	20,000	100,000	5	20,000	100,000		
44	Smoke Detectors	10	7,350	73,500	10	7,350	73,500	10	8,500	85,000	10	8,500	85,000		
45	Heat Detector	5	8,400	42,000	5	8,400	42,000	5	10,000	50,000	5	10,000	50,000		
46	Gas Detector	5	6,300	31,500	5	6,300	31,500	5	7,500	37,500	5	7,500	37,500		
47	Fire Blankets	10	2,783	27,825	10	2,783	27,825	10	3,200	32,000	10	3,200	32,000		
48	Fire Alarms	10	5,250	52,500	10	5,250	52,500	10	6,500	65,000	10	6,500	65,000		

MSDS

			Origina	al	1s	t Revi	sed	2n	d Revi	sed	3rd	d Revi	sed
Sr. No.	ITEM DESCRIPTION	Quantity Required	Actual Unit Price	Actual Total Cost(Rs)									
49	Identification Bands	100	3	315	100	3	315	100	3	300	100	3	300
50	Wet Flooring Signages	0	431	-	0	431	-	0	550	-	0	750	-
51	Key Box	6	8,190	49,140	6	8,190	49,140	6	10,000	60,000	6	10,000	60,000
52	Dehumidifier	0	58,800	-	0	58,800	-	0	70,000	-	0	100,000	-
53	Tourniquet	4	840	3,360	4	840	3,360	4	850	3,400	4	1,500	6,000
54	LAB SAFETY BOX	2	3,150	6,300	2	3,150	6,300	2	4,000	8,000	2	4,000	8,000
55	densitometer	0	210,000	-	0	210,000	-	0	210,000	-	0	210,000	-
56	vending machine	0	630,000	-	0	630,000	-	0	630,000	-	0	630,000	-
57	Automatic shoe cover machine	2	296,100	592,200	2	296,100	592,200	2	332,500	665,000	2	332,500	665,000
58	Vein Finder	2	630,000	1,260,000	2	630,000	1,260,000	2	630,000	1,260,000	2	630,000	1,260,000
59	Blood Sample Vials (BOXES)	3	13	38	3	13	38	3	15	45	3	15	45
60	Bassinets	5	21,000	105,000	5	21,000	105,000	5	22,000	110,000	5	22,000	110,000
61	Chemical Spill Cleanup kit	2	100,000	200,000	2	100,000	200,000	2	100,000	200,000	2	100,000	200,000
62	Digital Tempurature Humidity Guage	4	15,000	60,000	4	15,000	60,000	4	15,000	60,000	4	15,000	60,000
63	Bio Cleaning and Disinfection System	1	650,000	650,000	1	650,000	650,000	1	650,000	650,000	1	2,200,000	2,200,000
	Total			8,647,094			8,647,094			9,653,822			13,437,942
				8.647			8.647			9.654			13.438

				Orig		Equip		1ct D	evise	Ч		2nd	Revise	νd		3rd	Revised	4
		Yard	Available	Required	Cost per		Available	Required	Cost per		Available		Cost per		Available	Required		1
Area	Name of Equipment	Stick	Quantity	Quantity	Unit	Total Cost	Quantity	Quantity	Unit	Total Cost	Quantity	Quantity	Unit	Total Cost	Quantity	Quantity	Cost per Unit	Total Cos
	Semi Auto Clinical Chemistry Analyzer	1	2	0	449,295	-	2	0	449,295	-	2	0	550,000	-	2	0	550,000	-
	Hematology Analyzer	1	1	0	427,350	-	1	0	427,350	-	1	0	550,000	-	1	0	750,000	-
	Electrolyte Analyzer	1	0	1	427,350	427,350	0	1	427,350	427,350	0	1	550,000	550,000	0	1	550,000	550,0
	Blood Gas Analyzer	0	0	0	2,744,858	-	0	0	2,744,858	-	0	0	3,200,000	-	0	0	1,400,000	-
_	Clinical Microscope	1	2	0	132,825	-	2	0	132,825	-	2	0	180,000	-	2	0	250,000	-
Laboratory	Water Bath	1	1	0	60,000	-	1	0	60,000	-	1	0	157,500	-	1	0	325,000	-
	Hot air Oven	1	0	1	210,000	210,000	0	1	210,000	210,000	0	1	385,000	385,000	0	1	450,000	450,0
<u> </u>	Distilled water plant	1	0	1	52,500	52,500	0	1	52,500	52,500	0	1	75,000	75,000	0	1	125,000	125,0
)	Auto pipettes	10	1	9	31,500	283,500	1	9	31,500	283,500	1	9	40,500	364,500	1	9	45,000	405,0
1	glass wares	0	1	0	105,000		1	0	105,000		1	0	105,000		1	0	105,000	
2	Centrifuge Machine	2	1	1	149,336	149,336	1	1	149,336	149,336	1	1	250,000	250,000	1	1	400,000	400,0
3	Static X-ray Machine	1	1	0	4,200,000	-	1	0	4,200,000	-	1	0	6,000,000	-	1	0	12,000,000	
4	Mobile X-Ray Machine	0	0	0	3,850,524	-	0	0	3,850,524	-	0	0	4,300,000	-	0	0	9,800,000	
5	Computerized Radiography System	0	0	0	4,018,245	-	0	0	4,018,245	-	0	0	4,500,000	-	0	0	4,500,000	
X-Rays	Dental X-Ray	0	0	0	282,975	-	0	0	282,975	-	0	0	350,000	-	0	0	525,000	
7	Lead apron and PPE	2	1	1	52,500	52,500	1	1	52,500	52,500	1	1	60,000	60,000	1	1	85,000	85,0
7	Density meter personal (Add)	0	0	0	210,000	-	0	0	210,000	-	0	0	210,000	-	0	0	250,000	
	Lead glass /shield	0	1	0	105,000	-	1	0	105,000	-	1	0	105,000	-	1	0	150,000	
9	Lead Walls	0	1	0	525,000	-	1	0	525,000	-	1	0	525,000	-	1	0	525,000	+
I Hanna a name of	Portable/Mobile Ultrasound	0	1	0	1,371,331	-	1	0	1,371,331	-	1	0	1,500,000	-	1	0	2,400,000	
1	Color Doppler RADIOLOGY	1	0	1	3,698,310	3,698,310	0	1	3,698,310	3,698,310	0	1	4,500,000	4,500,000	0	1	5,500,000	5,500,0
2	ICU MONITOR	2	0	2	301,665	603,330	0	2	301,665	603,330	0	2	900,000	1,800,000	0	2	1,250,000	2,500,
3	Temporary pace maker	0	0	0	315,000	-	0	0	315,000	-	0	0	315,000	-	0	0	550,000	
	Defibrillator	1	0	1	299,153	299,153	0	1	299,153	299,153	0	1	650,000	650,000	0	1	800,000	800,
CCU	ECG Machine Three Channel	2	0	2	169,785	339,570	0	2	169,785	339,570	0	2	169,785	339,570	0	2	300,000	600,
6	ETT Machine	0	0	0	2,021,838	-	0	0	2,021,838	-	0	0	2,200,000	-	0	0	3,000,000	
7	Color doplor CARDIOLOGY	0	0	0	4,681,790	-	0	0	4,681,790	-	0	0	4,800,000	-	0	0	6,000,000	
3	Suction Pump	2	0	2	259,350	518,700	0	2	259,350	518,700	0	2	275,000	550,000	0	2	300,000	600,0
9	Blood Cabinet	1	0	1	690,539	690,539	0	1	690,539	690,539	0	1	700,000	700,000	0	1	1,500,000	1,500,0
Blood Bank	Centrifuge Machine	2	0	2	149,336	298,673	0	2	149,336	298,673	0	2	250,000	500,000	0	2	400,000	800,0
1	Slide viewer	1	0	1	42,000	42,000	0	1	42,000	42,000	0	1	55,000	55,000	0	1	55,000	55,0
2	Clinical Microscope	1	0	1	132,825	132,825	0	1	132,825	132,825	0	1	180,000	180,000	0	1	250,000	250,
Dialysis Unit	Computerized Hemo Dialysis Machine	5	0	5	1,050,000	5,250,000	0	5	1,050,000	5,250,000	0	5	1,600,000	8,000,000	0	5	3,200,000	16,000,0
(10 beds)	Baby Cot	10	0	10	14,669	146.685	0	10	14,669	146,685	0	10	16,000	160,000	0	10	16,000	160,0
5	Phototherapy Unit	2	0	2	130,200	260,400	0	2	130,200	260,400	0	2	655,000	1,310,000	0	2	850,000	1,700,0
3	Infant Warmer	2	0	2	335,638	671,276	0	2	335,638	671,276	0	2	985,000	1,970,000	0	2	1,050,000	2,100,0
Nursery	Pulse Oximeter	6	0	6	104,500	627,000	0	6	104,500	627,000	0	6	160,000	960,000	0	6	225,000	1,350,0
3	Infant Incubator	2	0	2	858,932	1,717,864	0	2	858,932	1,717,864	0	2	900,000	1,800,000	0	2	1,750,000	3,500,0
9			0		259,350	259,350			259,350	259,350	-		275,000	275,000			300,000	300,0
0	Suction Pump Hospital Grade Nebulizer Heavy Duty	2	0	1 2	125,265	259,350	0	1 2	125,265	259,350	0	2	215,000	430,000	0	1 2	300,000	600,0
1	Anesthesia Machine with Ventilator	1	1	0	2,509,554	250,530	1	0	2,509,554	230,330	1	0	3,000,000	430,000	1	0	7,000,000	000,0
2	BED SIDE PATIENT MONITOR	2	1	1	2,509,554 441,000	441,000	1	1	441,000	441,000	1	1	550,000	550,000	1	1	1,200,000	1,200,0
3		2		2								<u> </u>			·			
4	Defibrillator	1	0		308,713	617,425	0	2	308,713 507,530	617,425	0	2	650,000	1,300,000	0	0	800,000	1,600,0
5	Electrosurgical Unit Operation Table	1	2	0	507,530 1,426,215	-	2	0	1,426,215	-	2	0	700,000	-	2	0	900,000	
			_	-			1	0		-	_	-		-	_	-		
O.T (04)	Ceiling Operating Light	1	1	0	413,013	-		0	413,013	-	1	0	800,000	-	1	0	950,000	
3	STEAM STERILIZER	1	1	0	3,465,000	- 549.700	1	0	3,465,000		1	0	4,000,000		1	0	7,800,000	600
9	Suction Pump	2		2	259,350	518,700 244,733		2	259,350	518,700		2	275,000 400.000	550,000		2	300,000 600,000	600, 600.
)	Resuscitation trolley With Crash Cart	2	1	1	244,733		1	1	244,733	244,733	1	1	,	400,000	1	1	,	,
	mayo table	4	0	4	21,000	84,000	0	4	21,000	84,000	0	4	23,000	92,000	0	4	23,000	92,
	MOBILE OPERATING LIGHT	1	1	0	304,220	-	1	0	304,220	-	1	0	400,000	-	1	0	900,000	
2	Operation Table	0	1	0	1,426,215	-	1	0	1,426,215	-	1	0	2,000,000	-	1	0	5,000,000	
3	ORTHOPEDIC DRILL	0	1	0	1,108,740	-	1	0	1,108,740	-	1	0	1,500,000	-	1	0	4,000,000	
4 Orthopedic	Plaster Cutting Pneumatic	1	1	0	276,250	-	1	0	276,250	-	1	0	450,000	-	1	0	1,500,000	
	Pneumatic Tourniquets	0	1	0	262.500	_	1	0	262,500	_	1	0	262.500	_	1	0	300.000	

					М	edical	Equip	ment											
					Orig	inal			1st R	Revise	b		2nd	Revise	ed		3rd	Revised	t
Sr. No.	Area	Name of Equipment	Yard Stick	Available Quantity	Required Quantity	Cost per Unit	Total Cost	Available Quantity	Required Quantity	Cost per Unit	Total Cost	Available Quantity	Required Quantity	Cost per Unit	Total Cost	Available Quantity	Required Quantity	Cost per Unit	Total Cost
57		Portable/Mobile Ultrasound	1	0	1	1,418,958	1,418,958	0	1	1,418,958	1,418,958	0	1	1,500,000	1,500,000	0	1	2,400,000	2,400,000
58		Autoclave	1	1	0	441,000	-	1	0	441,000	-	1	0	550,000	-	1	0	850,000	-
59		Delivery Set	10	1	9	31,500	283,500	1	9	31,500	283,500	1	9	40,000	360,000	1	9	65,000	585,000
60		Delivery Table	2	2	0	47,250	-	2	0	47,250	-	2	0	47,250		2	0	55,000	-
61		BED SIDE PATIENT MONITOR	2	0	2	294,000	588,000	0	2	294,000	588,000	0	2	550,000	1,100,000	0	2	1,200,000	2,400,000
62		D & C Set	2	2	0	34,650	-	2	0	34,650		2	0	40,000	-	2	0	60,000	-
63	Gynea (20 beds)	Vaccume Extractor	1	0	1	259,350	259,350	0	1	259,350	259,350	0	1	300,000	300,000	0	1	350,000	350,000
64	,	CTG Machine	1	1	0	628,049	-	1	0	628,049	-	1	0	725,000	-	1	0	900,000	-
65		ECG Machine Three Channel	1	0	1	169,785	169,785	0	1	169,785	169,785	0	1	180,000	180,000	0	1	300,000	300,000
66		Portable O.T Light	2	1	1	304,220	304,220	1	1	304,220	304,220	1	1	400,000	400,000	1	1	900,000	900,000
67		Baby Cot	2	4	0	14,669	-	4	0	14,669	-	4	0	16,000	-	4	0	16,000	-
68		Delivery trolly	2	1	1	47,250	47,250	1	1	47,250	47,250	1	1	47,250	47,250	1	1	47,250	47,250
69		Desktop Fetal Heart Rate Detector	1	1	0	144,375	-	1	0	144,375		1	0	175,000	-	1	0	200,000	-
70		Steam Sterilizer	0	0	0	3,355,849	-	0	0	3,355,849	-	0	0	4,000,000	-	0	0	7,800,000	-
71	Curatant	Operation Table	0	0	0	1,426,215	-	0	0	1,426,215	-	0	0	2,000,000	-	0	0	2,500,000	-
72	Surgical Emergency (10	MOBILE OPERATING LIGHT	0	1	0	285,466	-	1	0	285,466	-	1	0	400,000	-	1	0	900,000	-
73	beds)	Suction Pump	0	2	0	259,350	-	2	0	259,350	-	2	0	275,000	-	2	0	300,000	-
74		Laryngoscope	0	1	0	9,744	-	1	0	9,744	-	1	0	12,000	-	1	0	20,000	-
75		Set of Surgical Instruments	0	1	0	141,750	-	1	0	141,750	-	1	0	160,000	-	1	0	220,000	-
76	<u> </u>	Stretcher	10	1	9	68,250	614,250	1	9	68,250	614,250	1	9	69,300	623,700	1	9	69,300	623,700
77		wheel chair	10	1	9	31,500	283,500	1	9	31,500	283,500	1	9	35,000	315,000	1	9	35,000	315,000
78		foot support	6		6	4,200	25,200		6	4,200	25,200		6	4,500	27,000		6	5,148	30,888
79		Resuscitation trolly With Crash Cart	5	1	4	237,618	950,473	1	4	237,618	950,473	1	4	400,000	1,600,000	1	4	600,000	2,400,000
80 81	<u> </u>	BP Appratus	15	1	14	15,750	220,500	1	14	15,750	220,500	1	14	16,000	224,000	1	14	16,000	224,000
	Others	Ventilator	0	0	0	2,195,080	-	0	0	2,195,080	-	0	0	3,500,000	-	0	0	5,500,000	
82		CPAP	1	0	1	1,098,510	1,098,510	0	1	1,098,510	1,098,510	0	1	2,100,000	2,100,000	0	1	2,800,000	2,800,000
83 84	<u> </u>	X-RAY PROCESSOR	1	0	1	858,440	858,440	0	1	858,440	858,440	0	1	925,000	925,000	0	1	1,200,000	1,200,000
85		Hand wash Scrub Double Bay	2	0	2	94,500	189,000	0	2	94,500	189,000	0	2	100,000	200,000	0	2	140,000	280,000
86		Image Inensifier	0	0	0	4,667,460	-	0	0	4,667,460	-	0	0	4,667,460	-	0	0	12,000,000	-
87		Central Medical Gass Pipe Line System Motorized Patient bed with bed	7	0	7	850,000	5,950,000	0	7	850,000	5,950,000	0	7	-	-	0	7	-	-
87		side,Mattress,IV stand, Attendant Bench	4	0	4	210,000	840,000	0	4	210,000	840,000	0	4	400,000	1,600,000	0	4	600,000	2,400,000
88		Sphygmomanometer wall mtd	4	0	4	15,750	63,000	0	4	15,750	63,000	0	4	30,000	120,000	0	4	35,000	140,000
89		Resuscitation trolly With Crash Cart	2	0	2	244,733	489,466	0	2	244,733	489,466	0	2	400,000	800,000	0	2	600,000	1,200,000
90		Defibrilator	1	0	1	299,153	299,153	0	1	299,153	299,153	0	1	650,000	650,000	0	1	800,000	800,000
91		Defibrillator with Monitor	0	0	0	330,750	-	0	0	330,750	-	0	0	650,000	-	0	0	800,000	-
92		ECG Machine Three Channel	0	0	0	169,785	-	0	0	169,785	-	0	0	180,000	-	0	0	300,000	-
93		Syringe pump	1	0	1	108,780	108,780	0	1	108,780	108,780	0	1	125,000	125,000	0	1	200,000	200,000
94	ICU	Suction Pump	0	0	0	259,350	-	0	0	259,350	-	0	0	275,000	-	0	0	300,000	-
95		ICU Monitor	0	0	0	298,200	-	0	0	298,200	-	0	0	900,000	-	0	0	1,250,000	-
96		Instrument Trolley	1	0	1	55,000	55,000	0	1	55,000	55,000	0	1	55,000	55,000	0	1	55,000	55,000
97		Ward instruments	0	0	0	-	-	0	0	-	-	0	0	-	-	0	0	-	-
98		Ventilator intensive care	2	0	2	1,600,000	3,200,000	0	2	1,600,000	3,200,000	0	2	3,500,000	7,000,000	0	2	5,500,000	11,000,000
99		CPAP with humidifier	0	0	0	1,098,510	-	0	0	1,098,510		0	0	2,100,000	-	0	0	2,800,000	-
100 101		DELIVERY TROLLY STAINLESS STEEL	1	0	1	23,835	23,835	0	1	23,835	23,835	0	1 4	47,250	47,250	0	1 4	47,250	47,250
101		Ambu-Bag, adult	4	0	4	17,325	69,300	0	4	17,325	69,300	0	4	19,000	76,000	0	4	19,000	76,000
102		Ambu-Bag, paeds TWO BODY REFRIGERATOR WITH	4	0	4	17,325	69,300	0	4	17,325	69,300	0	4	19,000	76,000	0	4	19,000	76,000
	MORTUERY	CASTERS 220v 50Hz Along with Atopsy Table & Lifter Trolley	1	0	1	2,470,546	2,470,546	0	1	2,470,546	2,470,546	0	1	3,000,000	3,000,000	0	1	3,500,000	3,500,000
104		Dental Unit	2	0	2	2,190,000	4,380,000	0	2	2,190,000	4,380,000	0	2	2,820,000	5,640,000	0	2	2,820,000	5,640,000
105		Autoclave	1	0	1	441,000	441,000	0	1	441,000	441,000	0	1	550,000	550,000	0	1	850,000	850,000
106		Dental X-RAY Machine	1	0	1	282,975	282,975	0	1	282,975	282,975	0	1	350,000	350,000	0	1	525,000	525,000
107		Digital Intra Oral Camera	0	0	0	94,500	-	0	0	94,500	-	0	0	150,000	-	0	0	600,000	-
108	Dontal Unit	DENTAL CAUTERY	0	0	0	84,000	-	0	0	84,000	-	0	0	160,000	-	0	0	900,000	-
109	Dental Unit	Ultrasonic scaling	1	0	1	120,750	120,750	0	1	120,750	120,750	0	1	175,000	175,000	0	1	300,000	300,000
110		Curing lights	1	0	1	52,500	52,500	0	1	52,500	52,500	0	1	95,000	95,000	0	1	150,000	150,000
111		Endo motor system	1	0	1	199,601	199,601	0	1	199,601	199,601	0	1	265,000	265,000	0	1	500,000	500,000

					Me	edical	Equip	nent											
					1st R	evise	d		2nd F	Revise	d		3rd	Revised	k				
Sr. No.	No. Area Name of Equipment Stick Quantity Quantity Unit Total Co							Available Quantity	Required Quantity	Cost per Unit	Total Cost	Available Quantity	Required Quantity	Cost per Unit	Total Cost	Available Quantity	Required Quantity	Cost per Unit	Total Cost
112		Dental cabinet	0	0	0	42,000	-	0	0	42,000	-	0	0	70,000	-	0	0	160,000	-
113		Dental examination/surgical instrument sets	4	0	4	157,500	630,000	0	4	157,500	630,000	0	4	175,000	700,000	0	4	175,000	700,000
114	Beds	Fowler beds with Mattress	60	0	60	70,000	4,200,000	0	60	70,000	4,200,000	0	60	110,000	6,600,000	0	60	150,000	9,000,000
		Total					50,143,391				50,143,391				66,582,270				96,437,088
			50.143				50.143				66.582				96.437				

				Elec	tricity								
			Origina		,	1st Revise	ed	2	2nd Revis	ed		3rd Revis	ed
Sr. No.	Item Name	Quantity	Per Unit Cost	Total Cost	Quantity	Per Unit Cost	Total Cost	Quantity	Per Unit Cost	Total Cost	Quantity	Per Unit Cost	Total Cost
1	Transformers (200 KVA)	1	600,000	600,000	1	600,000	600,000	1	1,200,000	1,200,000	1	1,200,000	1,200,000
2	Transformers (100 KVA)	1	450,000	450,000	1	450,000	450,000	1	800,000	800,000	1	800,000	800,000
3	Transformers (50 KVA)	0	300,000	-	0	300,000	-	0	300,000	-	0	300,000	-
4	Generator (200 KVA)	1	4,000,000	4,000,000	1	4,000,000	4,000,000	1	4,000,000	4,000,000	2	6,500,000	13,000,000
5	Generator (100 KVA)	1	2,300,000	2,300,000	1	2,300,000	2,300,000	1	2,300,000	2,300,000	1	2,300,000	2,300,000
6	2 Ton air conditioners (split)	0	55,500		0	55,500	-	0	55,500	-	0	55,500	-
7	2 Ton air conditioners (Cabinet)	30	78,000	2,340,000	30	78,000	2,340,000	30	78,000	2,340,000	30	78,000	2,340,000
8	4 Ton air conditioners (Cabinet)	2	120,000	240,000	2	120,000	240,000	2	120,000	240,000	2	120,000	240,000
9	Ceiling Fans 56"	20	3,090	61,800	20	3,090	61,800	20	3,090	61,800	20	3,090	61,800
10	Exhaust Fans	36	3,000	108,000	36	3,000	108,000	36	3,000	108,000	36	3,000	108,000
11	Bracket Fans 18"	72	3,280	236,160	72	3,280	236,160	72	3,280	236,160	72	3,280	236,160
12	Dual Connection of Electricity / Express Line	1	5,000,000	5,000,000	1	5,000,000	5,000,000	1	5,000,000	5,000,000	1	9,000,000	9,000,000
	Total			15,335,960			15,335,960			16,285,960			29,285,960
				15.336		_	15.336			16.286			29.286

IT & QMS & Surveillance

				-,			•			
			Origina	al	1s	t Revis	sed	2n	d Revi	sed
Sr. No.	Item Name	Quantity	Per Unit Cost	Total Cost	Quantity	Per Unit Cost	Total Cost	Quantity	Per Unit Cost	Total Cost
1	Desktop, UPS, LED	30	75,000	2,250,000	30	75,000	2,250,000	30	216,000	6,480,000
2	MS Windows License	30	20,000	600,000	30	20,000	600,000	30	20,000	600,000
3	Scanner Flatbed with ADF	3	90,000	270,000	3	90,000	270,000	3	150,000	450,000
4	Heavy duty Printer	7	40,000	280,000	7	40,000	280,000	7	60,000	420,000
5	Multimedia Projector with Screen	1	100,000	100,000	1	100,000	100,000	1	100,000	100,000
6	Tabs	4	50,000	200,000	4	50,000	200,000	4	50,000	200,000
7	Laptop	1	100,000	100,000	1	100,000	100,000	1	100,000	100,000
8	MS Windows License	1	20,000	20,000	1	20,000	20,000	1	20,000	20,000
9	QMS System	1	3,700,000	3,700,000	1	3,700,000	3,700,000	1	4,000,000	4,000,000
10	Networking	1	995,000	995,000	1	995,000	995,000	1	995,000	995,000
11	Monitoring & Surveillance (CCTV)	1	5,000,000	5,000,000	1	5,000,000	5,000,000	1	5,000,000	5,000,000
12	Public Address System	1	1,000,000	1,000,000	1	1,000,000	1,000,000	1	1,175,000	1,175,000
	Total			14,515,000			14,515,000			19,540,000
				14.515			14.515			19.540

Furniture and Fixtures

			Origin	al	19	st Rev	ised	2n	d Rev	ised	3r	d Rev	ised
Sr. No.	Item Name	Quantity	Unit Price	Total									
1	Benches (internal)	60	30,000	1,800,000	60	30,000	1,800,000	60	30,000	1,800,000	60	40000	2,400,000
2	Benches (external)	10	10,000	100.000	10	10,000	100.000	10	10,000	100,000	10	40000	400.000
	Electric Water Cooler	8	45.000	360,000	8	45,000	360.000	8	45.000	360,000	8	60000	480.000
4	Doctors rooms Furniture	30	70,000	2,100,000	30	70,000	2,100,000	30	70,000	2,100,000	30	125000	3,750,000
5	Examination couches	10	35,000	350,000	10	35,000	350,000	10	35,000	350,000	10	35000	350,000
6	Fire Blanket	5	2,500	12,500	5	2,500	12,500	5	2,500	12,500	5	3000	15,000
7	Fire Extinguisher (Water Based)	30	8,000	240,000	30	8,000	240,000	30	8,000	240,000	30	2500	75,000
8	Acrylic Board	150	2,200	330,000	150	2,200	330,000	150	2,200	330,000	150	2000	300,000
9	Rostrum	2	18,000	36,000	2	18,000	36,000	2	18,000	36,000	2	20000	40,000
10	Blinds for windows	6000	150	900,000	6000	150	900,000	6000	150	900,000	6000	200	1,200,000
11	Paintings	100	6,000	600,000	100	6,000	600,000	100	6,000	600,000	100	5000	500,000
12	Waste Bin Sets (3 bin)	40	6,000	240,000	40	6,000	240,000	40	6,000	240,000	40	9000	360,000
13	Printing			1,000,000			1,000,000			1,000,000			1,000,000
	Machinery and Equipment's												
14	Refrigerator(Domestic) front glass double door	2	160,000	320,000	2	160,000	320,000	2	160,000	320,000	2	150000	300,000
15	Refrigerator glass single door	5	80,000	400,000	5	80,000	400,000	5	80,000	400,000	5	90000	450,000
16	Refrigerator 16 cft	5	36,000	180,000	5	36,000	180,000	5	36,000	180,000	5	50000	250,000
17	Air Curtain On Door	5	50,000	250,000	5	50,000	250,000	5	50,000	250,000	5	75000	375,000
18	Washing machines for pantries	3	13,000	39,000	3	13,000	39,000	3	13,000	39,000	3	11000	33,000
19	Gas Burner for pantries	10	4,800	48,000	10	4,800	48,000	10	4,800	48,000	10	80000	800,000
20	Fire Extinguishers DCP	30	4,800	144,000	30	4,800	144,000	30	4,800	144,000	30	6500	195,000
21	LED TV	15	55,000	825,000	15	55,000	825,000	15	55,000	825,000	15	140000	2,100,000
	Industrial Exhaust	5	50,000	250,000	5	50,000	250,000	5	50,000	250,000	5	60000	300,000
23	Acrylic Display Board	4	20,000	80,000	4	20,000	80,000	4	20,000	80,000	4	20000	80,000
	Laundry & Washing												
	Bed Sheets and pillow covers	300	1,250	375,000	300	1,250	375,000	300	1,250	375,000	300	2500	750,000
_	Pillows	150	400	60,000	150	400	60,000	150	400	60,000	150	500	75,000
26	Blankets with covers	100	5,000	500,000	100	5,000	500,000	100	5,000	500,000	100	4000	400,000
	Medicine Store												
27	Medicine (Iron Racks) 8x6x2 (Required)	20	50,000	1,000,000	20	50,000	1,000,000	20	50,000	1,000,000	20	60000	1,200,000
	Moveable Iron Stairs (Required)	2	15,000	30,000	2	15,000	30,000	2	15,000	30,000	2	20000	40,000
29	Lifters (Required)	2	37,000	74,000	2	37,000	74,000	2	37,000	74,000	2	35000	70,000
30	Pallets 3x4 (Plastic) (Required)	20	12,000	240,000	20	12,000	240,000	20	12,000	240,000	20	10000	200,000
31	Dehumidifier (Required)	1	100,000	100,000	1	100,000	100,000	1	100,000	100,000	1	125000	125,000
32	Insect Killer (Required)	25	8,000	200,000	25	8,000	200,000	25	8,000	200,000	25	6500	162,500
33	Thermometer (Required)	20	16,000	320,000	20	16,000	320,000	20	16,000	320,000	20	600	12,000
	Total		, , ,	13,503,500		, , , , ,	13,503,500		,	13,503,500			18,787,500
				13.504			13.504			13.504			18.788

			0	rigin	al	1st	Revi	sed	2nd	Rev	/ised	3rd	Rev	ised
Sr No	Туре	Kinds of Sign Boards	Quantity	Rates	Cost									
		External Sign Boards												
1	A1	External Platform/Road Signage (Circular)	6	9,710	58,260	6	9,710	58,260	6	13,951	83,706	6	13,951	83,706
2	A2	External Platform/Road Signage (Triangular)	6	8,883	53,298	6	8,883	53,298	6	12,762	76,574	6	12,762	76,574
3	B1	Main Directional Board	1	107,950	107,950	1	107,950	107,950	1	155,107	155,107	1	155,107	155,107
4	C1	Directional Board (Single Sheet)	10	13,870	138,700	10	13,870	138,700	10	19,929	199,290	10	19,929	199,290
5	C2	Directional Board (Two Sheets)	1	21,586	21,586	1	21,586	21,586	1	31,016	31,016	1	31,016	31,016
6	C3	Directional Board (Three Sheets)	1	28,940	28,940	1	28,940	28,940	1	41,581	41,581	1	41,581	41,581
7	C4	Directional Board (Four Sheets)	1	35,738	35,738	1	35,738	35,738	1	51,351	51,351	1	51,351	51,351
8	C5	Directional Board (Five Sheets)	1	43,401	43,401	1	43,401	43,401	1	62,360	62,360	1	62,360	62,360
9	C6	Directional Board (Six Sheets)	1	50,674	50,674	1	50,674	50,674	1	72,810	72,810	1	72,810	72,810
10	C7	Additional Panel (For Fixation on existing Foundation & Posts)	3	7,623	22,869	3	7,623	22,869	3	10,952	32,857	3	10,952	32,857
11	D1	Departmental Signage on Building	6	45,299	271,794	6	45,299	271,794	6	65,087	390,524	6	65,087	390,524
12	E1	External Map Boards	2	39,523	79,046	2	39,523	79,046	2	56,788	113,576	2	56,788	113,576
		Internal Signage	0		-	0			0		-	0	-	-
1	F1	Internal Hanging Signage (Main Entrance)	5	87,201	436,005	5	87,201	436,005	5	125,294	626,472	5	125,294	626,472
2	F2	Internal Hanging Signage (Main Entrance 2)	5	66,393	331,965	5	66,393	331,965	5	95,396	476,980	5	95,396	476,980
3	F3	Internal Hanging Signage (Corridor)	4	49,171	196,684	4	49,171	196,684	4	70,651	282,604	4	70,651	282,604
4	F4	Internal Hanging Signage (Corridor 2)	4	49,741	198,964	4	49,741	198,964	4	71,470	285,880	4	71,470	285,880
5	G1	Internal Department Signage on wall	7	12,577	88,039	7	12,577	88,039	7	18,071	126,498	7	18,071	126,498
6	H1	Specialist Name Plaques fixed on wall	20	3,615	72,300	20	3,615	72,300	20	5,194	103,880	20	5,194	103,880
7	J1	Room Name Plaques and Numbers fixed on wall	100	831	83,100	100	831	83,100	100	1,194	119,420	100	1,194	119,420
8	K1	Internal Wall Signage	100	1,365	136,500	100	1,365	136,500	100	1,961	196,140	100	1,961	196,140
9	L1	Room Numbers Fixed on Wall	50	3,465	173,250	50	3,465	173,250	50	4,978	248,920	50	4,978	248,920
10	M1	Advance Fire Exit Sign	10	1.763	17,630	10	1.763	17,630	10	2,534	25,340	10	2,534	25,340
11	M2	Fire Exit Sign Mounted Above the Door	10	1,220	12,200	10	1,220	12,200	10	1,753	17,528	10	1.753	17,528
12	N1	Fire Safety/Equipment Signage	20	2,336	46,720	20	2,336	46,720	20	3,357	67,144	20	3,357	67,144
13	P1	Floor Map Board	5	20,236	101,180	5	20,236	101,180	5	29,075	145,376	5	29,075	145,376
14	Q1	Caution Signage	25	2,085	52,125	25	2,085	52,125	25	2,996	74,900	25	2,996	74,900
15	Q2	Caution Signage	5	627	3,135	5	627	3,135	5	902	4,508	5	902	4,508
16	Q3	Caution Signage	10	1.097	10,970	10	1.097	10,970	10	1,576	15,764	10	1.576	15,764
17	Q4	Caution Signage	15	852	12,780	15	852	12,780	15	1,225	18,375	15	1,225	18,375
	<u> </u>	Total			2,885,803		002	2,885,803		.,220	4,146,482		.,220	4,146,482
		Designing and Site Supervision			86,574			86,574			124,394	1 1		124,39
		Grand Total			2,972,377			2,972,377	1		4,270,877	1		4,270,877
		1		1	2.972		•	2.972	1		4.271			4.2

		(Original		1s ¹	Revised		2nd	Revised	ı	3rd	d Revised	l
Sr. No.	ITEMS	Yard Stick (DCC of 25 Kids)	Unit Cost	Total	Yard Stick (DCC of 25 Kids)	Unit Cost	Total	Yard Stick (DCC of 25 Kids)	Unit Cost	Total	Yard Stick (DCC of 25 Kids)	Unit Cost	Total
1	Cylinder Block	1	3,000	3,000	1	3,000	3,000	1	3,000	3,000	1	3,000	3,000
2	Geometrical Cabinet (36 pcs)	1	4,000	4,000	1	4,000	4,000	1	4,000	4,000	1	4,000	4,000
3	Geometrical Solids (10 pcs)	1	2,200	2,200	1	2,200	2,200	1	2,200	2,200	1	2,200	2,200
4	Base for Geometrical Solids (14 pcs)	1	2,000	2,000	1	2,000	2,000	1	2,000	2,000	1	2,000	2,000
5	Constructive Triangles (4 box)	1	400	400	1	400	400	1	400	400	1	400	400
6	Metal Insets (10 - shape)	1	1.000	1.000	1	1.000	1.000	1	1,000	1,000	1	1.000	1.000
7	Stand for metal insets	1	2,000	2,000	1	2,000	2,000	1	2,000	2,000	1	2,000	2,000
8	Paper Board for metal insets (10 Boards)	1	5,000	5,000	1	5,000	5,000	1	5,000	5,000	1	5,000	5,000
9	Sandpaper Alphabets (English)	3	2,000	6,000	3	2,000	6,000	3	2,000	6,000	3	2,000	6,000
10	Sandpaper Alphabets (Urdu)	3	3,500	10,500	3	3,500	10,500	3	3,500	10,500	3	3,500	10,500
11	Sandpaper Number	3	2,000	6,000	3	2,000	6,000	3	2,000	6,000	3	2,000	6,000
	Hammer Case	2	1,000	2,000	2	1,000	2,000	2	1,000	2,000	2	1,000	2,000
	Soft Reading Book	15	200	3,000	15	200	3,000	15	200	3,000	15	200	3,000
	Shape Sorting Case	2	500	1,000	2	500	1,000	2	500	1,000	2	500	1,000
	Transport Set (Model)	2	700	1,400	2	700	1,400	2	700	1,400	2	700	1,400
	Model Puzzles (S)	7	300	2,100	7	300	2,100	7	300	2,100	7	300	2,100
	Model Puzzles (B)	7	500	3,500	7	500	3,500	7	500	3,500	7	500	3,500
	Storybook	20 20	100	2,000	20 20	100	2,000	20	100	2,000	20 20	100	2,000
	Information Book (Large) Basket (L)	10	350 1.000	7,000 10.000	10	350 1.000	7,000 10.000	20 10	350 1.000	7,000 10.000	10	350 1,000	7,000 10.000
	Basket (S)	10	600	6,000	10	600	6,000	10	600	6,000	10	600	6,000
22	Color table Box	2	1,000	2,000	2	1,000	2,000	2	1,000	2,000	2	1,000	2,000
	ABC Block	4	500	2,000	4	500	2,000	4	500	2,000	4	500	2,000
	Number Block	4	500	2.000	4	500	2,000	4	500	2,000	4	500	2.000
25	Color Pensils (Large)	5	450	2,250	5	450	2.250	5	450	2,250	5	450	2,250
	Color Crayons (Large)	5	300	1,500	5	300	1,500	5	300	1,500	5	300	1,500
27	Marker Color (Board and Permanent)	15	395	5,925	15	395	5,925	15	395	5,925	15	395	5,925
28	Fruits Basket (Model Set)	2	1,000	2,000	2	1,000	2,000	2	1,000	2,000	2	1,000	2,000
29	Vegetables Basket (Model Set)	2	1,000	2,000	2	1,000	2,000	2	1,000	2,000	2	1,000	2,000
30	Animal Sets	2	600	1,200	2	600	1,200	2	600	1,200	2	600	1,200
31	Insects sets	2	400	800	2	400	800	2	400	800	2	400	800
32	Shape Sorting House	2	1,500	3,000	2	1,500	3,000	2	1,500	3,000	2	1,500	3,000
	Flash card (Small)	10	120	1,200	10	120	1,200	10	120	1,200	10	120	1,200
_	Flash card (Big)	10	325	3,250	10	325	3,250	10	325	3,250	10	325	3,250
35	Sand Play	2	1,000	4,000	2	1,000	4,000	2	1,000	4,000	2	1,000	4,000
36	Gym Play	2	2,000	3,000	2	2,000	3,000	2	2,000	3,000	2	2,000	3,000
37	Straight Mats	20	1,500	40,000	20	1,500	40,000	20	1,500	40,000	20	1,500	40,000
	Folding Mats	20	2,000	6,000	20	2,000	6,000	20	2,000	6,000	20	2,000	6,000
	Diaper Changing Mats	3	300	1,500	3	300	1,500	3	300	1,500	3	300	1,500
_	Cube Cushion	2	500	1,000	2	500	1,000	2	500	1,000	2	500	1,000
41	Square Cushion Baby Mirror	3	500 300	600 2,400	3	500 300	600 2,400	3	500 300	600 2,400	3	500 300	2,400
	Pink Tower With Stand	1	800	2,400 500	<u>3</u>	800	2,400 500	<u>3</u> 1	800	2,400 500	<u>3</u>	800	2,400 500
43	Dressing Frames	10	500	8,000	10	500	8,000	10	500	8,000	10	500	8,000
45	Monkey Stuffed	2	800	2.400	2	800	2,400	2	800	2,400	2	800	2.400
46	Lion Stuffed	2	1.200	3,400	2	1.200	3,400	2	1.200	3,400	2	1,200	3,400
	Cater Pillar Stuffed	2	1,700	3,000	2	1,700	3,000	2	1,700	3,000	2	1,700	3,000

		C	Priginal		1st	Revised		2nc	Revised	i	3rd	Revised	
Sr. No.	ITEMS	Yard Stick (DCC of 25 Kids)	Unit Cost	Total	Yard Stick (DCC of 25 Kids)	Unit Cost	Total	Yard Stick (DCC of 25 Kids)	Unit Cost	Total	Yard Stick (DCC of 25 Kids)	Unit Cost	Total
48	Stuffed toys (Animal shaped i.e. Moneky, lion, caterpillar etc)	6	1,500	9,000	6	1,500	9,000	6	1,500	9,000	6	1,500	9,000
49	Long Roads with Stands	1	1,500	1,500	1	1,500	1,500	1	1,500	1,500	1	1,500	1,500
50	Number Rods	1	500	500	1	500	500	1	500	500	1	500	500
51	Stand Number Rods	1	800	800	1	800	800	1	800	800	1	800	800

		C	Driginal		1st	Revised		2nc	Revised	ı	3rc	l Revised	ı
Sr. No.	ITEMS	Yard Stick (DCC of 25 Kids)	Unit Cost	Total	Yard Stick (DCC of 25 Kids)	Unit Cost	Total	Yard Stick (DCC of 25 Kids)	Unit Cost	Total	Yard Stick (DCC of 25 Kids)	Unit Cost	Total
52	Soft toys	2	700	1,400	2	700	1,400	2	700	1,400	2	700	1,400
53	Infants Manual Weight Machine	1	1,000	1,000	1	1,000	1,000	1	1,000	1,000	1	1,000	1,000
54	Toddlers Manual Weight Machine	1	1,000	1,000	1	1,000	1,000	1	1,000	1,000	1	1,000	1,000
	Tri Cycles	4	3,500	14,000	4	3,500	14,000	4	3,500	14,000	4	3,500	14,000
56	Wooden Cots	10	10,000	100,000	10	10,000	100,000	10	10,000	100,000	10	10,000	100,000
57	Mattresses for Cots	10	1,200	12,000	10	1,200	12,000	10	1,200	12,000	10	1,200	12,000
58	Pillows	10	300	3,000	10	300	3,000	10	300	3,000	10	300	3,000
59	Bed Sheets and pillow covers	20	400	8,000	20	400	8,000	20	400	8,000	20	400	8,000
60	Nets	10	600	6,000	10	600	6,000	10	600	6,000	10	600	6,000
61	High Chairs for feeding	15	3,000	45,000	15	3,000	45,000	15	3,000	45,000	15	3,000	45,000
62	Rockers Cum Bouncer	8	2,500	20,000	8	2,500	20,000	8	2,500	20,000	8	2,500	20,000
63	Cot Mobile	10	1,500	15,000	10	1,500	15,000	10	1,500	15,000	10	1,500	15,000
64	Plastic Chairs (Round edges Animal Shapes)	7	600	4,200	7	600	4,200	7	600	4,200	7	600	4,200
65	Multi-Purpose Table	2	3,000	6,000	2	3,000	6,000	2	3,000	6,000	2	3,000	6,000
	Writing Board	1	500	500	1	500	500	11	500	500	11	500	500
67	Electric Sterilizer	2	5,000	10,000	2	5,000	10,000	2	5,000	10,000	2	5,000	10,000
68	Electric Warmer	2	5,000	10,000	2	5,000	10,000	2	5,000	10,000	2	5,000	10,000
69	Table sets	2	4,000	8,000	2	4,000	8,000	2	4,000	8,000	2	4,000	8,000
70	Rocker	6	3,200	19,200	6	3,200	19,200	6	3,200	19,200	6	3,200	19,200
71	Activity Gym (Infants)	5	2,000	10,000	5	2,000	10,000	5	2,000	10,000	5	2,000	10,000
72	Play Gym	5	2,700	13,500	5	2,700	13,500	5	2,700	13,500	5	2,700	13,500
73	Activity Gym (Toddlers)	5	2,000	10,000	5	2,000	10,000	5	2,000	10,000	5	2,000	10,000
74	Toiler Training Seat	10	3,000	30,000	10	3,000	30,000	10	3,000	30,000	10	3,000	30,000
75	Infant Toys	30	4,000	120,000	30	4,000	120,000	30	4,000	120,000	30	4,000	120,000
76	Bath Toys	15	1,000	15,000	15	1,000	15,000	15	1,000	15,000	15	1,000	15,000
77	Fun Links Teether	15	300	4,500	15	300	4,500	15	300	4,500	15	300	4,500
	Fun Pal Teether	15	500	7,500	15	500	7,500	15	500	7,500	15	500	7,500
79	Fun Rattle	15	400	6,000	15	400	6,000	15	400	6,000	15	400	6,000
80	Mother feeding Chair	1	3,000	3,000	1	3,000	3,000	1	3,000	3,000	1 22	3,000	3,000
81	Soft Books (duplication)	20	500 300	10,000	20	500 300	10,000	20	500 300	10,000	20	500 300	10,000
	Bottle Brushes	3	300	900	3	300	900	3	300	900	3	300	900
LIST 1	of others Items i.e. Kitchen, Office, Water Dispenser	1	14,000	14,000	1	14,000	14,000	1	14,000	14.000	1	14,000	14,000
2	Microwave Oven	1	12,400	12,400	1	12,400	12,400	<u> </u>	12,400	12,400	<u> </u> 1	12,400	12,400
3	Fridge	1	34,000	34,000	1	34,000	34,000	1	34,000	34,000	<u> </u> 1	34,000	34,000
4	Kitchen Accessories / Cutleries etc.	24	200	4,800	24	200	4,800	24	200	4,800	24	200	4,800
5	Sofa Set	1	40.000	40,000	1	40,000	40,000	1	40.000	40.000	1	40.000	40,000
6	Office Table	1	5.000	5,000	1	5,000	5.000		5,000	5.000	1	5,000	5,000
7	Office Chairs	5	10,000	50,000	5	10,000	50,000	5	10,000	50,000	5	10,000	50,000
8	Air Conditioner	2	42,000	84,000	2	42,000	84,000	2	42,000	84,000	2	42,000	84,000
9	LCD	1			1		27,000	1			1		27,000
10	DVD player	1	27,000 5.000	27,000 5.000	1	27,000 5,000	5,000	1	27,000 5.000	27,000 5.000	1	27,000 5.000	5,000
11	CCTV Cameras	1	100.000	100.000	1	100,000	100.000	<u> </u>	100.000	100.000	<u> </u> 1	100.000	100,000
12	Fire Alarms	3	5,000	15,000	3	5,000	15,000	3	5,000	15,000	3	5,000	15,000
	UPS	1	10,000	10,000	1	10,000	10,000	<u>3</u> 1	10,000	10,000	<u>3</u>	10,000	10,000
14	Vacuum Cleaner	1	7,000	7,000	1	7,000	7.000	<u>'</u>	7,000	7,000	<u> </u> 1	7,000	7,000
15	Fire Extinguishers (Large)	2	5,000	10,000	2	5,000	10,000	2	5,000	10,000	2	5,000	10,000
_	· · · · · · ·									,			
16	Electric Insect Killer	2	7,800	15,600	2	7,800	15,600	2	7,800	15,600	2	7,800	15,600

		C	Original		1st	Revised	ł	2nc	l Revised	d	3rd Revised		
Sr. No.	ITEMS	Yard Stick (DCC of 25 Kids)	Unit Cost	Total	Yard Stick (DCC of 25 Kids)	Unit Cost	Total	Yard Stick (DCC of 25 Kids)	Unit Cost	Total	Yard Stick (DCC of 25 Kids)	Unit Cost	Total
17	Electric Hand Dryer	1	4,000	4,000	1	4,000	4,000	1	4,000	4,000	1	4,000	4,000
18	Electric Heater	2	5,000	10,000	2	5,000	10,000	2	5,000	10,000	2	5,000	10,000
19	Ceiling/bracket Fans	4	8,000	32,000	4	8,000	32,000	4	8,000	32,000	4	8,000	32,000
20	Curtains	2	45,000	90,000	2	45,000	90,000	2	45,000	90,000	2	45,000	90,000
21	Carpets	1	100,000	100,000	1	100,000	100,000	1	100,000	100,000	1	100,000	100,000
22	Other miscellaneous items	1	218,675	218,675	1	218,675	218,675	1	218,675	218,675	1	218,675	218,675
	TOTAL			1,600,000			1,600,000			1,600,000			1,600,000
				1.600			1.600			1.600			1.600

			Hu	man Re	esourc	e Model	of THO	Q Hosp	ital									
			Orig	inal	1st Revised				2nd Revised				3rd Revised					
Sr. No.	NAME OF POST	No. of Employees	Per Month Salary	Per Month Salary for Person	Salary for One Year	No. of Employees	Per Month Salary	Per Month Salary for Person	Salary for One Year	No. of Employees	Per Month Salary	Per Month Salary for Person	Salary for Two Years	No. of Emplyees	Project Pay Scale	Per Month Salary	Per Month Salary for all Person	Salary for Two Years
1	ADMIN OFFICER	1	60,000	60,000	720,000	1	60,000	60,000	720,000	1	80,000	80,000	1,920,000	1	6	105,000	105,000	3,255,000
2	HUMAN RESOURCE & LEGAL OFFICER	1	60,000	60,000	720,000	1	60,000	60,000	720,000	1	80,000	80,000	1,920,000	1	6	105,000	105,000	3,255,000
3	IT/STATISTICAL OFFICER	1	60,000	60,000	720,000	1	60,000	60,000	720,000	1	80,000	80,000	1,920,000	1	6	105,000	105,000	3,255,000
4	FINANCE, BUDGET & AUDIT OFFICER	1	60,000	60,000	720,000	1	60,000	60,000	720,000	1	80,000	80,000	1,920,000	1	6	105,000	105,000	3,255,000
5	PROCUREMENT OFFICER	1	60,000	60,000	720,000	1	60,000	60,000	720,000	1	80,000	80,000	1,920,000	1	6	105,000	105,000	3,255,000
6	QUALITY ASSURANCE OFFICER	1	60,000	60,000	720,000	1	60,000	60,000	720,000	1	80,000	80,000	1,920,000	1	6	105,000	105,000	3,255,000
7	LOGISTICS OFFICER	1	60,000	60,000	720,000	1	60,000	60,000	720,000	1	80,000	80,000	1,920,000	1	6	105,000	105,000	3,255,000
8	DATA ENTRY OPERAOTOR (DEO)	2	25,000	50,000	600,000	2	25,000	50,000	600,000	2	35,000	70,000	1,680,000	2	3	44,000	88,000	2,728,000
9	ASSISTANT ADMIN OFFICER	2	40,000	80,000	960,000	2	40,000	80,000	960,000	2	50,000	100,000	2,400,000	2	5	70,000	140,000	4,340,000
10	HR FOR QMS and MSDS and Day Care Center																	
11	QMS Supervisor / Information Desk Officer	2	25,000	50,000	600,000	2	25,000	50,000	600,000	2	25,000	50,000	600,000	2		25,000	50,000	600,000
	Computer Operator	8	20,000	160,000	1,920,000	8	20,000	160,000	1,920,000	8	20,000	160,000	1,920,000	8		20,000	160,000	1,920,000
	Consultants (MSDS) Implementation & Clinical Audit	1	100,000	100,000	1,200,000	1	100,000	100,000	1,200,000	1	100,000	100,000	1,200,000	1		100,000	100,000	1,200,000
	Training on MSDS Compliance for Staff of THQ Hospital	1000	4,000	4,000,000	4,000,000	1000	4,000	4,000,000	4,000,000	1000	4,000	4,000,000	4,000,000	1,000		4,000	4,000,000	4,000,000
15	Rent for Vehicle				500,000				500,000				500,000					500,000
16	Manager Day Care Center	1	45,000	45,000	540,000	1	45,000	45,000	540,000	1	45,000	45,000	540,000	1		45,000	45,000	540,000
	Montessori Trained Teacher	1	35,000	35,000	420,000	1	35,000	35,000	420,000	1	35,000	35,000	420,000	1		35,000	35,000	420,000
	Attendant / Care Giver	4	25,000	100,000	1,200,000	4	25,000	100,000	1,200,000	4	25,000	100,000	1,200,000	4		25,000	100,000	1,200,000
19	Office Boy	11	20,000	20,000	240,000	1	20,000	20,000	240,000	1	20,000	20,000	240,000	1	ļ	20,000	20,000	240,000
	Sub Total of HR Model			4,860,000	17,220,000 17,220			4,860,000	17,220,000 17,220			5,040,000	28,140,000 28,140				5,453,000	40,473,000 40,473
	Hellerder (117 f		l	-	17.220	1				1		 			ļ			40.473
	Utilization of HR C							9.840				14.74		ļ				
	Total of HR Cor	nponent											37.98					55.21

	al Services
	From 1st Revised to onwards
amptions ered area excluding residential area ered area assigned to one sweeper of sweepers required for covered area d and ROW area d and ROW assigned to one sweeper ober of sweepers required for road and ROW area ber of sweepers required for road and ROW area ober of washroom blocks ober of washroom block assigned to one sweeper ober of sweepers required for total washroom blocks of sweeper in morning shift of number of sweepers in evening shift of number of sweepers in night shift of number of sweepers in all shifts ober of sweer men required ober of supervisors Salary component Type of worker No o worke epers / Janitors er men ervisors t of Supply per Month Sub Total (Salary component)	In the light of decision made during the Progress Review Meeting of Revamping of DHQ/THQ Hospitals held on 01-01-2018 under the Chairmanship of Chairman, P&D Board; it was inter alia decided as under: "It would be made sure by the P&SH Department that the outsourcing would be shifted to the non-development side from 1st July 2018 next FY". In view of above, Outsourcing cost has been excluded from this PC-I. alary for ne Year 384,224 792,000 386,000 800,000 912,224
ervisors t of Supply per Month	936,000

			Secu	nd Parking			
		Ori	ginal		From 1st Revised to onwards		
Assumptions							
Covered area excluding residences	33,185						
Covered Area per guard	15,000						
Number of guards	2						
Open area excluding parking area	52,801						
Area covered per guard per shift for open area excluding parking	15,000						
Number of guards for total area excluding parking area	4						
Number of gates	3						
Number of guards at gates	6						
Total No of Guard	12						
Total number of all guards for second							
shift	6						
Lady Searcher	2				In the light of decision made during the Progress Review Meeting of Revamping of DHQ/THQ		
Number of parking areas	1				Hospitals held on 01-01-2018 under the Chairmanship of Chairman, P&D Board; it was inter alia		
Number of guards for parking lot per	_				decided as under:		
shift (Morning+ Evening)	2				"It would be made sure by the P&SH Department that the outsourcing would be shifted to th		
Total no. of Supervisors	2				non-development side from 1st July 2018 next FY".		
Type of worker	No of workers	Salary per month	Salary per Month for all Person	Salary for One year	In view of above, Outsourcing cost has been excluded from this PC-I.		
Supervisors	2	24,675	49,350	592,200			
Ex-Army	7	21,525	150,675	1,808,100			
Civilian	10	21,000	210,000	2,520,000			
Lady Searcher	2	21,525	43,050	516,600			
Parking	2	21,525	43,050	516,600			
Sub total			ļ	5,953,500			
Equipment cost							
Lump sum Provision (Walk Through Gate=1, Metal Detector=4, Walkies Talkies=8, Base Set=1)				400,000			
Sub total				400,000			
Subtracting Parking Fees	1			500.000	1		
Total Security and Parking Services	1			5,853,500]		
	1			5.854	1		

Number of beds Type of Item No c Bed:	cost ner		In the light of decision made during the Progress Review Meeting of Revamping of DHQ/THQ Hospitals held on 01-01-2018 under the Chairmanship of Chairman, P&D Board; it was inter ali
	year	Total Cost	decided as under: "It would be made sure by the P&SH Department that the outsourcing would be shifted to
No of Bed Transport Charges Total for laundry items	30,000	1,800,000 1,200,000 3,000,000	the non-development side from 1st July 2018 next FY". In view of above, Outsourcing cost has been excluded from this PC-I.
Total		3.000	

		Drigin	al	From 1st Revised to onwards
Item Name	Quantity	Cost per Month	Total Cost Per Year	In the light of decision made during the Progress Review Meeting of Revamping of DHQ/THQ Hospitals held on 01-01-2018 under the Chairmanship of Chairman, P&D Board; it was inter alia
Periodical Maintenance Cost				decided as under:
Number of Generators (200 KVA)	-	500,000	-	"It would be made sure by the P&SH Department that the outsourcing would be shifted to th
Number of Generators (100 KVA)	1	300,000	300,000	non-development side from 1st July 2018 next FY".
Number of Generators (50 KVA)	-	175,000	-	In view of above, Outsourcing cost has been excluded from this PC-I.
Repairs Cost	1	300,000	300,000	
HR Cost				
Supervisor	1	40,000	240,000	
Generator Operator	3	30,000	1,080,000	
Technical Staff/Mechanic	-	30,000	-	
Total			1,920,000	

					MEP
		Ori	ginal		From 1st Revised to onwards
Type of worker / Component	No of workers	Salary per month	Salary per Month for all persons	Salary for One Year	In the light of decision made during the Progress Review Meeting of Revamping of DHQ/THQ Hospitals held on 01-01-2018 under the Chairmanship of Chairman, P&D Board; it was inter alia decided as under: "It would be made sure by the P&SH Department that the outsourcing would be shifted to the non-development side from 1st July 2018 next FY".
Supervisors	1	56,420	56,420	677,040	In view of above, Outsourcing cost has been excluded from this PC-I.
Plumber	1	32,550	32,550	390,600	
AC/ Technician	1	34,720	34,720	416,640	
Electrician	2	31,465	62,930	755,160	
Car painter	1	30,380	30,380	364,560	
Total (Salary component)			217,000	2,604,000	
	No.	Per Unit Cost per Year	Cost per Year for all Items	Cost for One Year	
A/C	66	6,665	439,890	439,890	
Fridge	6	4,000	24,000	24,000	
UPS	12	8,000	96,000	96,000	
Water Cooler	15	4,000	60,000	60,000	
Exhaust	7	3,000	21,000	21,000	
Geyser	15	4,000	60,000	60,000	
Water Pump	3	3,000	9,000	9,000	
Carpentry Work		-	180,000	180,000	
Electrical Work		-	120,000	120,000	
Plumbing Work		-	75,000	75,000	
Sub Total				1,084,890	
General Total				3,688,890	
				3.689	

					N	Medical Gases			
	Original					From 1st Revised to onwards			
	Scope of Work	Monthly Consumption per THQ Hospital	Annual Consumption per THQ Hospital	Rate per Cylinder	Total Annual Cost per THQs	In the light of decision made during the Progress Review Meeting of Revamping of DHQ/THQ Hospitals held on 01-01-2018 under the Chairmanship of Chairman, P&D Board; it was inter alia decided as under: "It would be made sure by the P&SH Department that the outsourcing would be shifted to the non-development side from 1st July 2018 next FY". In view of above, Outsourcing cost has been excluded from this PC-I.			
	Medical Oxygen Gas in 240 CFTCylinder (MM)	12	144	1850	266,400				
Oxygen	Medical Oxygen Gas in 48 CFTCylinder (MF)	30	360	1,000	360,000				
	Medical Oxygen Gas in 24 CFTCylinder (ME)	40	480	800	384,000				
	Nitrous Oxide in 1,620 Liter (XE)	2	24	5,000	120,000				
	Nitrous Oxide in 16,200 Liter (XM)	1	12	12,500	150,000				
Nitrogen Gas	Nitrogen Gas	1	12	2,000	24,000				
	•	Total		•	1,304,400				
					1.304				

Cafeteria

Pre-Fabrication Cateen (Procurement)

			0	rigir	nal	From 1st Revised to onwards
						In the light of decision made during the Progress Review Meeting of Revamping of DHQ/THQ
Sr. No.	Description of work	Unit	Qty	Rate (Rs)	Amount (Rs)	Hospitals held on 01-01-2018 under the Chairmanship of Chairman, P&D Board; it was inter alia decided as under: "It would be made sure by the P&SH Department that the outsourcing would be shifted to the non-development side from 1st July 2018 next FY".
1	Excavation in foundation of building, bridges and other structures, including dagbelling, dressing, refilling around structure with excavated earth, watering and ramming lead upto one chain (30 m) and lift upto 5 ft. (1.5 m) for ordinary soil	Cft	2545	6.13	15,602	In view of above, Outsourcing cost has been excluded from this PC-I.
2	Spraying anti-termite liquid mixed with water in the ratio of 1:40.	Sft	4305	2.21	9,514	
	Supplying and filling sand of approved quality from outside sources under floors etc complete in all respects.	Cft	2268	15.62	35,426	
4	Providing, laying, watering and ramming brick ballast 1½" to 2"(40 mm to 50 mm) gauge mixed with 25% sand, for floor and foundation, complete in all respects.	Cft	998	39.15	39,069	
5	Providing and laying damp proof course (1½" thick (40 mm)) of cement concrete 1:2:4, with one coat bitumen and one coat polythene sheet 500gauge	Sft	318	43.34	13,789	
6	Brick work with cement, sand mortar ratio 1:5	Cft	1792	180.25	323,071	
7	Cement concrete plain Ratio 1: 4: 8 including placing, compacting, finishing and curing complete (including screening and washing of stone aggregate)	Cft	427	170.72	72,893	
8	Cement concrete plain Ratio 1: 2 : 4 including placing, compacting, finishing and curing complete (including screening and washing of stone aggregate)	Cft	1043	190.48	198,746	
9	Placing Granite tiles (24"x24"x0.5") using white cement over a bed of ¾" (20 mm) thick cement mortar 1:6.	Sft	2160	200.00	432,000	
10	Providing and laying Tuff pavers, having 7000 PSI, crushing strength of approved manufacturer, over 2" to 3" sand cushion i/c grouting with sand in joints i/c	Sft	720	118.00	84,960	
	finishing to require slope . complete in all respect. Total Amount of Platform Construction				1,225,070	
Pre-	Fabrication of Canteen Structure				.,,,	
11	Providing and fixing aluminium frame window with double glazzed glass 6mm+6mm thick complete in all respect as approved by engineer	Sft	48	1100.00	52,800	
12	Providing and fixing aluminium frame door with single glazzed glass 6mm thick complete in all respect as approved by engineer	Sft	56	700.00	39,200	
13	Fixing of frameless Glass wall of approved quality and design as approved by engineer	Sft	550	1500.00	825,000	
14	Providing Granite skirting or dado 4/8"(13 mm) thick including rounding of corner and straight ening of top edge and finishing to smooth surface afterplastering	Sft	491	212.00	104,177	
15	Placing & erection of pre-painted Box section tube Columns of M.S sheet 4mm thick of size 4" x4" complete in all respect.	Kg	693	150.00	103,950	

Cafeteria

Pre-Fabrication Cateen (Procurement)

		0	rigir	nal	From 1st Revised to onward
Placing & erection of pre-painted Box section tube Rafters of M.S sheet 4mm thick of size 3" x3" with all fittings, complete in all respect.	Kg	1040	150.00	155,925	
Placing & erection of pre-painted Box section tube Purlins of M.S sheet 1.6 mm thick (16 Gauge) of size 2" x2", with all fittings, complete in all respect.	Rft	676	120.00	81,144	
Placing & erection of pre-painted, Galvanized Sandwitched board of 0.5 mm thick M.S sheet with 50mm PU insulation with all fittings, complete in all respect.	Sft	2640	400.00	1,055,800	
19 Placing & fixing glass wool complete in all respect.	Sft	3024	50.00	151,200	
Placing & fixing Gypsum False Ceiling, complete in all respect.	Sft	3024	70.00	211,680	
Providing & Fixing corrugated galvanized iron sheets 22 gauge with EPDM screw fittings, complete in all respect.	Providing & Fixing corrugated galvanized iron sheets 22 gauge with EPDM screw fittings, complete in all Sft 3629 145.		145.00	526,176	
Total Cost of Pre-Fabrication of Canteen Structure	Total Cost of Pre-Fabrication of Canteen Structure			3,307,052	
Total Amount (Rs)				4,532,121	
22 Electrification				998,735	
23 Plumbing and Sanitory				410,000	
24 Kitching Fixtures				802,000	
Grand Total Amount (Rs)				6,742,856	

			0	rigina	l	From 1st Revised to onwards
Sr. No.	Description	Unit	Quantity	Unit Rate Rs.	Amount Rs.	In the light of decision made during the Progress Review Meeting of Revamping of DHQ/THQ Hospitals held on 01-01-2018 under the Chairmanship of Chairman, P&D Board; it was inter alia decided as under:
1	SOFT LANDSCAPE					"It would be made sure by the P&SH Department that the outsourcing would be shifted to the non-development side from 1st July 2018 next FY".
1.1	TOP SOIL					In view of above, Outsourcing cost has been excluded from this PC-I whereas
	Providing, spreading and leveling of topsoil (sweet soil including manure and fertilizers) as required complete in all respects as per Drawings, Specifications and as approved by the Engineer.	Cft	9,184	20	183,680	Rs. 0.048 million has been charged in this scheme against Design Consultancy from development side before the above said decision, hence it is reflected in this PC-I.
1.2	STONE / PEBBLES					
	Supply and laying a layer of pebbles/stone at specified locations with Landscape base as in Landscape Design approved by the Engineer.	Truck	1	34,375	34,375	
1.3	GRASSING					
а	GRASSING (EXISTING NON MAINTANE LAWNS)					
	Providing and dibbing of Fine Dacca grass where required, including mud filling/leveling and contour shape preparation confirming to the criteria outlined in the Specifications, complete in all respects as per Drawings, Specifications and as approved by the Engineer.	Sft	25,361	7	177,527	
b	GRASSING (NEW LAWNS)					
	Providing and dibbing of Fine Dacca grass , including mud filling/leveling and contour shape preparation confirming to the criteria outlined in the Specifications, complete in all respects as per Drawings, Specifications and as approved by the Engineer.	Sft	9,361	11.25	105,311	
1.4	TREE / SHRUBS (SPREADING)					
	Providing and planting tree / shrub as listed and as					
а	Trees 18" pot 6'-7' - Terminally, Cassia Fistula, Bauhinia Variegated, Alstonia Choirs, Ficus Yellow, Ficus Black, Jacaranda, Pilken, Mangifera etc.	No's	242	1,500	363,000	
b	Trees 12" pot 3'-4' - Polyalthia Long folia, Terminally, Cassia Fistula, Bauhinia Variegated, Latonia Choirs, Delonix Regia, Ficus Yellow, Focus Black, fichus Starlight, Melaluca, Mimuspps, Pine, Ficus Amestal, Pilken, Palms etc.	No's	60	270	16,200	
С	Plantation of Fruit Plants in the vacant area 12" pot 3'-4' - Am rood, Jaman, Berri, Mango, Citrus. Including site preparation, plantation, watering and maintenance for six months.	No's	400	600	240,000	
1.5	Shrubs and Ornamental Plants 10" pot Pittosporum Variegated, Murray Small, Ixora Coccinea, Juniper Varigated, Hibiscus Varigated, Carronda Dwarf Spp, Jasmine Sambac(Mottya), Leucophyllum Frutescens(Silvery), Rose, Nerium, Lantana, Canna, Asparagrass, Conocarpus, Acalypha, Callistemon Dwarf, Cestrum, Thabernaemontara Variegated etc.	No's	31,500	69	2,173,500	

			0	rigina	ı	From 1st Revised to onwards
а	Shrubs and Ornamental Plants 12" pot Pittosporum Varigated, Ixora Cochineal, Juniper Variegated, Carronade Dwarf, Jasmine Thai, Plumier Robar, Cassia Malacca, Largest mea, Euphorbia, Jestropha Thai etc	No's	4,875	195	950,625	
1.6	GROUND COVERS					
	Providing and planting ground covers as listed and as arrangement and type shown in the Drawings, in pits of size 150mm x 150mm x 150mm. Dug in improved soil 610mm deep filled by adding 10% cow dung manure and confirming to the criteria outlined in the Specifications, complete in all respects and to the satisfaction of Engineer.					
	Ground Cover Plastic Bag Plants Alternant Hera, Dianella, Iresine (Red), Hemercollis(Daylily), Duranta etc	No's	25,000	12	300,000	

			0	rigina		From 1st Revised to onwards
1.7	PALMS					
	Providing and planting palms as per Drawings,					
<u> </u>	specifications and to the satisfaction of Engineer .					
а	Palm 18" pot - Queen Palm, Wodyetia Bifurcate,	No's	12	3.675	44.100	
	Washingtonian Palm, Biskarkia etc.			-,	,	
b	Palm 18" pot - Phoenix Palm, Cyrus Palm	No's	40	1,800	72,000	
1.8	CREEPERS					
	Providing and planting Creepers as listed and as arrangement and type shown in the Drawings, in pits of size 305mm x 305mm x 305mm. Dug in improved soil 610mm. deep filled by adding 10% cow dung manure and confirming to the criteria outlined in the Specifications, complete in all respects and to the satisfaction of Engineer. Creepers 12" Pot - Bougainvillea, Bonsai, Qusqualus,	No's	100	195	19,500	
	Bombay Creeper etc.					
2	HARD LANDSCAPE					
2.1	WALK WAYS					
а	Excavation of walkways and edging including brick ballast under 12"X14" curb stones fixing with1:2:4 PCC, supply of 7000PSI tuff tiles 60mmas per approved design fixing on 4" brick ballast compacted and grouting with sand.	Sft	2000	150	300,000	
2.2	BENCHES					
	Concrete Bench 5' wide complete in all respects and to the satisfaction of Engineer as per approved design.	No's	10	12,562	125,620	
2.3	DUSTBINS					
	Complete in all respects and to the satisfaction of Engineer as per approved design.	No's	8	23,675	189,400	
2.4	PLAYING EQUIPMENTS					
	Complete in all respects and to the satisfaction of Engineer as per approved design.	No's	1	465,760	465,760	
2.5	PLANTERS					
	Concrete planters 2' X 2-1/2' complete in all respects and to the satisfaction of Engineer as per approved design.	No's	7	3,850	26,950	
2.6	WATER POINTS (Injector Pump 1HP)	No's	3	45,000	135,000	
3	SOFT LANDSCAPE MAINTENANCE (Including maintenance and up keeping of site for 6 months) after development as per specifications and to the satisfaction of Engineer.	Sft	40,456	7.50	303,420	
4	CONSTRUCTION OF PLANTERS					
4.1	Large Size with keystones fixed with cement with top concrete slab as per design and to the satisfaction of Engineer.	No's	100	550	55,000	
4.2	Medium Size with keystones fixed with cement with top concrete slab as per design and to the satisfaction of Engineer.	No's	1,170	550	643,500	
4.3	Small Size with keystones fixed with cement with top concrete slab as per design and to the satisfaction of Engineer.	No's	240	550	132,000	

			0	rigina	ı	From 1st Revised to onwards
5	GAZEEBO Construction of Gazebo 12' X 12' with top fiberglass 3 layer canopy as per approved design and to the satisfaction of Engineer.	No's	1	200,000	200,000	
	Total Amount of - Landscaping				7,256,468	
	PRA(16%)				1,161,035	
	Design Consultancy				100,000	
	TPV (3%)				217,694	
	Grand Total				8,735,197	
					8.735	

OF OF STATE OF STATE

BUILDINGS DIVISION SHEIKHUPUR

AMENDED ROUGH COST ESTIMATE FOR REVAMPING OF TEHSIL HEAD QUARTER HOSPITAL, AT FEROZEWALA. DISTRICT SHEIKHUPURA

Rs. 42.360 (M)

3 C.

	DININI
PROVINCE	FUNJAB
STATION	SHEIKHUPURA
DIVISION	EXECUTIVE ENGINEER BUILDINGS DIVISION SHEIKHUPURA
SUB DIVISION	BUILDINGS SUB DIVISION FEROZEWALA
NAME OF WORK	AMENDED ROUGH COST ESTIMATE FOR REVAMPING OF TEHSIL HEAD QUARTER HOSPITAL, AT FEROZEWALA, DISTRICT SHEIKHUPURA
MAJOR HEAD	
MINOR HEAD ESTIMATED COST	RS. 42.360 (M)

ESTIMATE FRAME BY: -

EXECUTIVE ENGINEER, BUILDINGS DIVISION SHEIKHUPURA

FOR THE EXPENSE OF: -

AMENDED ROUGH COST ESTIMATE FOR REVAMPING OF TEHSIL HEAD QUARTER HOSPITAL, AT FEROZEWALA, DISTRICT SHEIKHUPURA

HISTORY: -

The PMIU team has been visited the site and provided the scope of work for prepare the rough cost estimate of said scheme cited as subject. Hence the amended rough cost estimate amounting to Rs. 42,360 (Million) have been framed for arranging administrative approval / release of funds.

DESIGN & SCOPE OF WORK: -

The rough cost estimate contains following provisions.

1	Improvement / Renovation of Main Building	ain
7	Electric Installation	
3	3 Power Wiring	
4	4 Nursing Counter	
5	Lab Counter	
9	6 Improvement / Renovation of Toilets	
7	Improvement / Renovation of External Platforms / Pathways	nal

The work will be got executed as per PWD specification	ind to the entire satisfaction of Engineer Incharge of work.	
SPECIFICATION:-		

approved . |through an observing executed contractor after will be Government Work formalities CARRYING OUT OF WORK: -

code

The rates given in the estimate are based on based Plinth Area Rates by Chief Engineer Punjab Building Department Central Zone Lahore / website of Finance Department for the period 2nd BI Annual 2022 (1st July 2022 to 31, December 2022. RATE:

Rs. 42.360 (Million) AMOUNT:-

Sub Divisional Officer Buildings Sub Division, Ferozewala

	stresy)	Seive?	******	penuv	leze I			by emily	A THIVILY A THIVILY EXST YEL		σα	звионъ	i i i i i i i i		(ITME	فانست	TAS ASSI A req tA in 1985 and		40	eingrzesd	*N *S
		(re-ra)	(a)-61)			24	Ha	173	11	15.0				C≕ 2¶	1	13	33	. # = 0			
L	ττ	12	0Z	61	£0	90	51	*1	CI.	ž1	38	6 1	6	8	£	,	s	•	E	•	
		۶	96880E 2613133	8886147 sissolere 76	SESOIENT PEEBIH	9				PJOP	ì	51292046	51562049					dol-1	1	inprovement / Renovation of Main Building (Detailed America)	
		/ 9 /9 58 / 1								क्टिब	1	9495841	9495841					dol-1	I	hrisport bio to nonsvormi Smithing Building	z
		> 51506\$								dol-9	0	\$1 \$06 \$	\$1506\$					dolq	I	рафионански у Кепочиван об Моншеу	ε
		£89806								dola	٤	Z89806	489806					doug	1	Fire Fighting / Alaxam by HITEK	Þ
		\$14767		ر <u>۲</u> 605 9 71	£6058ZI					dolg	t	<u> </u>	Z184741					doLq	1	\ anoind laneixi\ Extension equation	
		ا ۲۶۹۴۵۵۱ در								doL9	I	∠60)8 71	1784097					dolg	1	vashanovenon of Boundary vali its Rezor cut wire on all sides	9
		115671								क्षा	-	115611	115671					dol.¶	I	Improvement / Kenovanon of Sewerage & Water Supply System	L
			65212859	05809 1 4	05809+1					dot.9	1	160££01	1605701					dol 4	ı	ітргоуства Гесій Бесій	
		, Z90066Z								dot-q	ı	Z900£6Z	Z900£6Z					dol. q	l	Provision / Construction of External Waiting Pacifity	

AMENDED ROUCH COST ESTIMATE FOR REVAMPING OF TEHSIL HEAD QUARTER HOSPITAL, AT FEROZEWALA, DISTRICT SHEIKHUPURA

			My	Wa									•						•		•	<u> </u>
	(M) 25.6.	Charles		Destay NS				~	رمركى	A. A.	87	(· s	Building) Blawszo	เควไป(กวรี ต	O lang	ivi Value	S a grp		•	Sub Eldgineer	7	* .
	Pour Managements	8	2-7502	ได้เกาสังไ				√			• .									Commence		
		* * .		•			,		·						•							
			5	09575> EV: 74	noilli lé al	न्य						218.55	noilliM aI	અ	٠					Re.in Million		
-				1896SEZF	ļe	30I bı	កោ					87521855		let	oT be	Стя	•			lateT basn O		
•			_	7200000											٠					esgrad notizenno AddA	AN PPY	
-			5	-5609LE-								, E1001E	•		•					notininal % I bbA.		• .
			· · · · · · · · · · · · · · · · · · ·	984LE <u>+410881</u> 7184LB1							/	5905651							÷	T.S. 9 % P.R.T.	· .	
-	· · · · · · · · · · · · · · · · · · ·	£901878	72586E1	64=000LE- 9189841	E latoT							00610618	latoT							lsto [
		904.	90695£	90695E	178453					વબાવ	τ		0					dol.9	1	ўов оГ Lab Сочикаг	prusuro	ει
			180795	18079€	41509					dolq	9	0	0					dola		national Counter	БивалоЭ	. 71
			000828£	0008288	<i>)</i> 0Z1		150		/	doi.9	31300		0					dol.¶		Special is edimension. These	un setum	
-					/									_								
		9900≑1							/	dolf		140000	140000					dol.1		make service logo with letter ests	m to 3/2 q as based gen fils ni	10
r	æ	IZ	340	61	ž1	91	21	Ħ	tt	ZI	"	et	6		Ł	,	s	,	ć	₹		ī
	Memorias	zain2 (czet)	2223 (91-21)	hancer A	#16. <u>1</u>	PS	,	والأسعاد	EA HTWL/19 A roop eA EXHC glod.	•	Αð	imom A	into	PS		للسدد	TAS A351/ A 704 2A H 3585 ast		40	စ်အရာကားချ		N FS

Executive Engineer
Buildings Division
Sheikhupura

Superintending Engineer Kulidings Circle No. 3

			אאט	برارا		444 - 1004 4 - 14 - 15 - 15	1 OF		PEROZEWALA
	\$motiv)stoT		EA RAT	RA HT		tinU	duil9	Description
			\$10\$ \$29	нч	ra	4.8		SarA	nonduosara
3	GL	6	8	2	9	s	•	8	Z
	21262049		(pai	htscth	A bella	ded)	dola	1	gaibling airth do noitreonagh i tuamavorquil
	9795871		(pə	tiosti/	A bəlis	JaG)	dol.9	1	Improvement \ Renovation of Old Hospital Existing Building
	\$15065		(pəı	ttactl/	\ bəlis	39G)	dot.9	1	lmprovement / Renovation of Marturay
	783806		(pau	\tact}	b elis	3∌G }	doL9	ľ	FIRE FITHTING / FIRM ALARAM BY HITEK
	SISTTI		(pau	itastJA) bəlis	∌O)	dol.9	Ţ	Improvement / Renovation of External Platforms / Pathways
	1284097		req)	hostlA	, bəlis	}∍O)	dot.9	1	Improvement / Renovation of Boundary wall isc Rezor cut wire on all sides
	115971		(peu	bostiA	bells:)eG)	dorq	I	Improvement / Renovation of Sewerage & Water Supply
	1605701		(berl	bostlA	, bells	BO)	dot.9	I	Improvement / Renovation of External Electrification

"JATIYZOH YƏTRAD QUARIL HEYAMPING OF TEHSIL HEAD QUARTER HOSPITAL,

-		Han Markey .							40 L 4	Politic
	NEWS ENDS	ANOTHINE EN	ve Enginee vision,Sheikhupu	fsucexa, id egnibliud	,nolzivi	lenoisiv O duč eg Iswezore	guildh	Sub E games		
			John John	,				Authoritings Circle No.		•••
	September (1980) Septem	33.815	noilliM n	Rs. II		, A		The country for the state of th		
		77E218EC		JATOT TBM	i se energia		27.24	Verted Technically Ow Re 35 2815 (172)		
	, e d'Asse	33815377		JATOT	* **	-	- 1. A			
		319013		xsT dsįn	เนฯ ภออาเ	DD 1% C	∀			
		5905651		xsT	. TЯЧ % S	QQY	•			
1		31901299		JATOT						
		140000		(bed Attacthed)	isted)	dot.9	1	by or matalic service logo with letter head as per approved amplete in all repects	01	
		Z9300 6 Z		(bed Attacthed)		dol.9	I	Provision \ Construction of Extrenal Waiting Area and		
		0)						1		
	ehameN	purouy	latoT	2021 to 31 Dec 2021	ylutrb 9.8	JinU	thold.	Оевстрійол	ON	

AMEMDED ROUGH COST ESTIMATE FOR REVAMPING OF TEHSIL HEAD QUARTER HOSPITAL, FEROZEWALA, DISTRICT SHEIKHUPURA

r. No	sr. No Description	Amount	
	Main Building	uilding	
-	Main Building	2075386	C 3
63	Internal Electric Installation	2761037	
က	Re-Locate of Main Entrance Door	678489	
	Total	24310545	7

Sub Engineer

Sub Divisional Officer
Buildings Sub Division Ferozewali

AMENDED ROUGH COST ESTIMATE FOT REVAMPING OF T.H.Q HOSPITAL, FEROZEWALA, DISTRICT

Remarks	JunomA	Rate	Óά	JinU		Description	ON:
	Z € 281	20.8111	77	Esch	1	Petty repair to main room.	
	£468	56.853	91	Esch	I	Petty repair to Small room.	. 7
	9098	1.6301	8	Евсһ	L	etty repair to verandha	3 1
	1413362	30.7341	04596	¥S %	100	Sistempering (Ash White Shade) on old surface 2 coats after scraping	1 1
	00116	33.7331	199\$	₩S%	001	Painting to door and windows on old surface 2 coats complete in all respect as per all specification.	S
	784948	5245.3	86191	¥S %	001	Providing and applying weather shield paint external surface 2 coats of approved quality on external surface of building including preparation of surface, application of primer complete in all respect	s 9
					I	Providing and fixing high quality LED SMD Panel Light 2 ft×2 ft of specified wattage anf Luminous flux with Polystyrene bowl/prismatic cover made of Philips as approved and directed by the Engineer Incharge, 48 watt/4000 k	_I /
	1125000	0097	0\$1	цэгд		Supply and installation premimum graded/scratch-resistant Hygienic anti-microbial Pvc wall sladding of specified thickness duly thermoplastic welded conforming to (ISO:22196) and pasted over 12mm thick gypsum board with adhesive/solvent fixed over 14-SWG G.I Channael of size of SW 3" 411/2 services of the state of t	8 0
	0886969	3360	LLLI	∄2.¶		5.5"X 2"X3.5" duly screwed on wall is the cost of hardwares as approved and directed by the singineer in-charge (b) 2.5mm thick	1
	Z068137	1 911	LLL1	ग्र≳.व	1	Supply and installation anti microbial Hygenic flooring (with anti bacterial agent) conforming to (ISO:22196) of specified thickness duly welded with thermoplastic equipment placed over self levelling adhesive as approved and directed by the Engineer	6
						ncharge.	,
	2121 1 91	ÞZ6	LLLI	₽2.¶	ı	Supply and installation of Clip-in tile of specified thickness non-porous Alumnium false ceiling of specified size fitted with 'Clip-in' suspension system hanged on Concealed T/Shiplap edge/runners @ 500 mm Good mm grid, Edge Trims fasten on wall with plug and screw @ 500 mm c/c i/c cutting shages of tiles to required size, suspension rods and joints sealed with silicon if required of the control of the cont	o 9 0 s
	į		1			" Spencer required on to peace on an analytic of the second	.]

Remarks	JanomA	Rate	ώò	tinU		Description Description Description Description Description Description Description Description	oN.2
	256400	02	02\$ <i>L</i>	P.RA	ι	hold/(double sided Tape) as approved and directed by the Engineer Incharge.	11
	223654	103.4	2163	ns.q	1	Providing and fixing omamental wooden architrave 3" x (1%" tapered to %") all along the door frame complete in all respect (Decodar wood architrave)	
	£67033	V 266Z	18390	₩S %	100	Rubbing and polishing marble floor, including repairing voids, uneven surface, complete in all respects	CI
	281895	2,604.35	10824	¥S %	100	Cement pointing 1:2 flush on floor.	
	262013	36.3 <mark>4</mark> 5,6	Z708	¥S %	001	Cement plaster 1:4 upto 20' (6.00 m) height:- 1/2" thick	SI
	76521	24.7154	LSE	₩ C#	100	Dismantling brick work in lime or cement mortar	91
	438	438.00		Езср	. 1	Ветоміпв міпдомя міт сһомкас.	ZI
	81806⊅	04.846,1	19 8	₽S q	1	Providing and fitting all types of glazed aluminium windows of anodized powder coated partly fixed and partly sliding using delux sections of approved manufacturer having frame size of 100 x 30 mm (4"x1-1/4") and leaf frame sections of 50 x 20 mm (2"x¾"), all of 1 6mm thickness including 5 mm thick imported tinted glass with rubber gasket using approved standard latches, hardware etc., as approved by the Engineer in-charge.	81
	98788	90.664	187	₩S d	I	Providing and fixing Aluminum Fly screen comprising of Fiber / Aluminum wire guaze (Malasian) fixed in aluminum frame of approved manufacturer / powder coated of size 1-1/2"x1/2" and 1.6mm thick with rubber gasket i/c cost of Hardwares as approved complete in all respect.	61
					ı	Providing and fixing M.S. grill fabricated with MS Square polished Vertical/horizontal Bars of specified size @ 4" c/c" passed through punched holes in MS Patti of 1-1/4"x1/8" i/c the cost of 1-1/4"x1/8" MS patti for Frame of windows and painting 3 cost complete in all respect as approved and 1/4"x1/8" MS patti for Frame of windows and painting 3 cost complete in all respect as approved and	0.7
	329414	0Þ.786	364	AS 9		directed by the Engineer Incharge (3/8" Squar Bars)	

Kemarks)anomA	Rate	δíλ	hiaU		Description	oN.2
	06322	U3 267 F	, ,	93 u	I	Providing and fixing all types of partly fixed and partly openable glazed anodised powder coated aluminium doors, using delux section of M/s Al-Cop or Pakistan Cables, having chowkat frame of size 40 x 100 mm (1\%" x 4") and leaf frame of 60x40mm (2\%"x1\%") wide sections including the cost of \%" (5 mm) thick imported tinted glass with aluminium triangular gola and rubber gasket to support the glass and leaf edging, using approved standard fritings, locks, 3" (75 mm) wide long handles etc., and leaf edging, using approved standard fritings, locks, 3" (75 mm) wide long handles etc., and leaf edging, using approved standard fritings, locks, 3" (75 mm) wide long handles etc., and leaf edging, using approved standard fritings, locks, 3" (75 mm) wide long handles etc., and leaf edging, using approved standard fritings, locks, 3" (75 mm) wide long handles etc., and leaf edging, using approved standard fritings, locks, 3" (75 mm) wide long handles etc., and leaf edging, using approved standard fritings, locks, 3" (75 mm) wide long handles etc., and leaf edging, using approved standard fritings, locks, 3" (75 mm) wide long handles etc., and leaf edging, using approved standard fritings, locks, 3" (75 mm) wide long handles etc., and leaf edging, using approved standard fritings, locks, 3" (75 mm) wide long handles etc., and long handles etc.	17
	0£977 £74531	7.437.60 240.60	8£9 8£9	ns q ns q	ı	and hardware any required as approved by the engineer incharge. Providing and laying 3/8" thick Prepolished Marble skirting frisers having uniform texture (spotless) of size 24"x6" of approved quality and shade with adhesive bond over 3/4" thick (1:2) cement sand mortor complete in all respect ife the cost of matching sealer to finish the joints as approved and directed by the Engineer Incharge. China Verona	, 7Z
	21900	438.00	0\$	Esch	1	Semoving of existing woooden bath doors	73
	4278. 903738-	00:086- USB	578	AS4	1	Providing and fixing Openable door comprising of 3mm thick UPVC hollow profile, chowkat frame of 60mmx64mm and leaf frame 60 mmx106 mm both duly reinforced with G.I box frame inside the void with 20 mm wide panel with grooves on both sides i/c the cost of hardwares, hinges, four bolt and cutting changes on approved & directed by the Engineer Incharge	7.7
	118248	28.355,52	Z90S	มร%	100	Dismantling glazed or encaustic tiles, etc.	57
	91968	09 471,11	Z08	WC#	100	Dismantling cement concrete 1:2:4plain.	97
***	225846	06.871,8£	765	¥O%	100	Cement concrete plain including placing, compacting, finishing and curing complete (including sereening and washing of stone aggregate): 1.2:4	
	430016	240.00	2021	#5 a	I	Providing and laying superb quality Ceramic tile floors of Master brand of specified size, Glossy Mat Texture of approved Color and Shade as per approved design with adhesive bond, over 3/4" thick (1;2) cement sand plaster is the cost of sealer for finishing the joints is cutting grinding complete in all respects and as approved and directed by the Engineer Incharge, 12"x36"	87
	430212	00:047	£6 L 1	#S4		Providing and laying superb quality Ceramic tiles dado of Master brand of specified size, Glossy Matt /Texture skirting /dado of approved Color and Shade with adhesive bond over 1/2" thick (1-2)	
	8116971	292.75	1951	₽Sf		eement plaster ive the cost of sealer for finishing the joints ive cutting grinding complete in all respects as approved and directed by the Engineer incharge. 12"x36"	67
	12238	2,943.30	911	₩ ○ ₩	001	Supplying and filling sand under floor, or plugging in wells.	30

Remarks	JanomA	Safe	QtA	inU		Description	oN.2
	9 2707	04.4£7,6	914	¥2%	100	Providing, laying, watering and ramming brick ballast 1½" to 2"(40 mm to 50 mm) gauge mixed with 25% sand, for floor foundation, complete in all respects.	1£
	246620	00.573,61	1560	₩S%	001	1 ½"(40 mm) thick mosaic flooring, consisting of ½ "(13 mm) mosaic topping of one part of cement and marble powder in the ratio of 3:1 and two parts of marble chips, laid over 1"(25 mm) thick floor of 12:4 cement concrete, including rubbing and polishing complete with finishing :- using grey cement.	32
	69671	08.61	95 <i>L</i>	P.Rft	1	Providing and fixing marble strip of any shade for dividingthe mosaic flooring into panels.	33
	178135	412.35	432	PS#	1	Providing and laying 3/4" thick full width Prepolished Marble slab for Vanities /Shelves /Treads /Window Cills, having Uniform texture (Spotless) with adhesive bond over 3/4" thick (1:2) cement sand mortor is the cost of matching sealer complete in all respects as approved and directed by the Engineer Incharge. i) China Verona	34
-	201011					P/F PVC double layer Switch kit Face plate with specified switch holes ise the cost of switches	32
	348750	1,162.50	300	Each	Ī	i) One way Gange Switch Large 06 Gange	(i
	808982	09:016	SIE	Each	ī	ii) Two way Gange Switch Small 04 Gange	(ïi
	-5015950Z- 54546596	lstoT					
	-100000	2,000.00	05	Esch	I	D/d of Old material for wooden bath doors	
	-52169202- -52169202- -526679C	lsioT		•			
	-168409	ontigency) % € PP¥				
	-6101780S	LetoT					

Sub Divisional Officer
Buildings Sub Division Ferozewala

Page 96

ESTIMATE FOR THE REVAMPING OF DIFFERENT DEPARTMENTS OF T.H.Q HOSPITAL, FEROZEWALA, DISTRICT SHEIKHUPURA

(MAIN BUILDING)

,							
S.No		Nos	Length	Breadth	Depth	Qty	
_	Petty repair to main room.						
-			A ************************************		***************************************	***************************************	********
	***************************************	22		10 T A A A A A A A A A A A A A A A A A A	***************************************	22	Nos
			-		Total	22	Nos
7	Petty repair to Small room.						
		16				91	Nos
					Total	16	Nos
m	Petty repair to verandha	-		٠			
1	они больный перинальный принамента пред пред пред пред пред пред пред пред	8	***************************************	***************************************	************	× ×	Nos
		***************************************			Total	90	Nos
4	Distempering (Ash White Shade) on old st	rface 2 coats	surface 2 coats after scraping				
	Main Building	100000000000000000000000000000000000000				***************************************	
	Ground Floor						
	Corridor	4	48.25	8,25		1592	Sfi
i	***************************************	,	20.75	. 5		104	SA
411000	Porch		16.5	26.25		433	SA
	Ent. hall	_	23	21		483	SA
	H	— ·	22	8.25		182	Sft
-	Hall	-	22	42.25		930	Sft
- 1	Waiting Area	2	20.75	9.25		384	Sft
	Dark room		_	6,25		44	Sft
	Dental	-	20.75	12		249	Sft
- 4	Radiology Room		8.25	6.25		52	SA
	I.T Room	9	10	20		1200	Sft
	Surgrical Room	_	01	20		200	Sft
	Orthopadic OPD		10	14.67		147	Sft
	Store	_	10	10.5		105	Sfl
	store		20.75	9.25		192	SA
	Ramp case	-	61	œ		152	Sfi
	N.S		10	8		80	Sft
	Emergency ward	-	20.75	20		415	Sft
	Emergency		50	20		1000	Sft
	S.М.О	-	13	20		260	SA
	Specialist	_	21	12		252	SA
	Specialist	-	16.75	12		201	Sft
	M.O	3	11	20		099	Sft
	Stair case		61	10		061	Sft
		ſ	1200	•			1

_	200			1500		
1	-				7 ·	11
10-10-17-18-17-18-18-18-18-18-18-18-18-18-18-18-18-18-			5	***************************************	25	SA
Lav	-	5.5	8.375		46	SA
=	11071111 110717171717171717171717171717171717171	12	6	*******	108	SA
Toilet			36.9			Ē
NCD & Othonadic hath		······································				· ·
	7	nonmandament C		***************************************	05	TS.
	3	6.5	7.25	***************************************	141	
Phy-1		5	9	***************************************	30	
emerg toilet	2	5	5		20	
lav emerg	<u></u>	10	7		0/	
emerg tollet	2	4.375	5.25		46	•
First Floor	***************************************	***************************************	***************************************	***************************************		.i
Genexpert Room & Blood Bank	3		20	***************************************	99	Sft
	1	16.625	14.25	***************************************	237	€S.
Waiting female	-	23,25	12.75	*****************	296	SA
M.S Office		21	1,4	14411441144114411441144114411441	294	SA
Admin	T	13	20	***************************************	260	Sft
Corridor	T	20.75	\$	***************************************	104	Sft
-	4	48.25	8.25		1592	Sft
-	2	22.5	8.25		371	SA
lobby	1	28.25	22.5		636	Sft
Store		9.75	15	***************************************	146	Sft
Head Nursing Room & Degue ward	2		19		418	SA
C.U.T Store	1	10	6.25		63	SA
*	-	10	14.25		143	Sfi
Staff Room	2	10	œ		160	Sft
Record Room & Pharmacy	2	10.67	14.25		304	Sft
Childern ward	4	20.75	20		1660	SA
Genexpert Room Bath	-	5	9		30	Sft
Lab Reporing bath		4	9		24	SA
Sampling Countar bath	****	\$	9		30	SA
M.S Office bath & Admin	2	9	9		72	SA
Public toilets	n	5.375	4		65	Sft
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		5	5		25	Sft
Lav		5.5	8.375		46	Sft
***************************************	_	12	6		108	Sft
Nursing head bath	B	9.75	6.25		61	Sft
Childn&Male ward bath	4	5	S		100	Sft
" lav	4	5	6.25		125	SΩ
Doctor duty Bath	2	9	5.5		99	Sft
Record Room & Pharmacy bath	2	∞	5		80	sn
Admin bath		6.5	9	-	39	Sft
M.S Office bath & Admin	2	5	9		09	SA
Blood Bank		4.5	7		32	SA
Lab Reporing bath	_	5	7		35	Sft
Second Floor						
Stair hall	_	10.5	19.25		202	sft
Data Entry Room&WMO	m		20		099	SA
	-	ų () .	10761			į

Description Description	SON	rengin		Deptu		
Waiting Area	1	23	12		276	11
Corridor		71.25	8.25		588	Sft
a mariantematicamentematicamentematicamentematicamentematicamentematicamentematicamentematicamentematicamentema	***************************************	20.25	8.25	***************************************	167	£.
		92	8.25		759	SA
)		y c	20.0	***************************************	716	€ 5
	T	200	27.0		1001	5 €5
I Abby		20	23		460	, ¢
пинительный пинит		23	10.25	***************************************	0001	ę,
Maring minimum maring minimum	10		C7'K1	***************************************	0701	10
Kool Beams	× 21	0	61	0.1	30/8	15
Labour Room		13.625	13.625		186	Sfl
14 100 150 0 150 0 150 0 150 0 150 0 150 0 150 0 150 0 150 0 150 0 150 0 150 0 150 0 150 0 150 0 150 0 150 0 1		6			63	SA
Delivery rom		2	14	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	182	Sft
		10	8,25		83	Sft
Autoclave	-	œ	6		72	Sft
Doctar Room		41	12		168	Sft
***************************************		00	6.25		50	SA
Nursing		10	12		120	Sft
Cahanging		10	6.25		63	SA
Recovery	***************************************	10	10		100	SA
patho		10	8.25		83	Sft
		16.5	20	7	330	SA
Ward	4	20,75	20		1660	Sft
1. S.	2	01	00		160	SA
Nursing	2	10.625	13.5		287	Sft
Baby Wash		13	5.375		70	SA
Wash Room		12	15		180	SA
Labour room toilets	2	4.5	9,75	-	88	SA
Lav	2	12	6	-	216	Sft
Chaningbath	2	4,5	6.25		56	Sft
		12	6		108	Sft
Childn&Male ward bath	4	5	2		100	Sft
" lav	4	5	6.25		125	Sft
Privat room bath	4	4.5	9.75		176	Sft
Walls of block				100000000000000000000000000000000000000	***************************************	,
Ground Floor	,		761000000000000000000000000000000000000	***************************************	***************************************	***************************************
Сотідог	∞	48.25		7	2702	Sft
Corridor	4	7		7	961	
=	2	20.75		7	291	•
		5		7	35	
Porch	2	16.5		11.5	380	
Porch		26,25		11.5	302	
Ent: hall	2	23		7	322	·
Ent: hall	2	21		7	294	
1		22			154	•
Hall	2	42.75		7	599	Sft
Hall	2	22	************	7	308	
Waiting Area	7	20.75			185	Ì

Dark room				The second secon		
Tark room	2	7	-	11.5	191	Sft
	**************************************	3C Y	***************************************	>		# 0
myanam pinamanananan kata kata kata kata kata kata k	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	0.20	***************************************	C 1 1	144 	HZ G
	7	20.75	***************************************	11.5	477	Sft
	400000000000000000000000000000000000000	12	***************************************	11.5	276	Sft
Radiology Room	2	8.25		11.5	190	Sft
Radiology Room	2	6.25		211.5	144	Sft
I.T Room	12	10	,	11.5	1380	Sft
I.T Room	12	20		11.5	2760	SA
Surgrical Room	2	10		11.5	230	SA
Surgrical Room	2	20	***************************************	11.5	460	Sf
Orthopadic OPD	2	10		11.5	230	Sft
Orthopadic OPD	2	14.67		11.5	337	Sft
Store	7	10	1114114114114114114114114114114114	11.5	230	Sft
Store	2	10.5		11.5	242	Sft
store	7	20.75		11.5	477	Sft
store	2	9.25		11.5	213	Sft
Ramp case	**************************************	53.75	***************************************	11.5	1236	Sft
Ramp case	2	19		11.5	437	SA
Stair case	7	19.25	***************************************	11.5	443	SA
Stair case	2	10.5		11.5	242	SA
NS	2	10		11.5	230	Sft
H	2	8		11.5	184	S₩
Emergency	2	20.75		11.5	477	SA
#	2	20		11.5	460	Sft
Emergency	2	50		11.5	1150	Sft
10	2	20		11.5	460	Sft
SMO	2	2	***************************************	11.5	299	Sft
H	2	20	1	11.5	460	SA
Speicailist	2	21		11.5	483	Sft
	2	12	***************************************	11.5	276	Sft
Speicailist	2	16.75	1	11.5	385	Sft
2	2	12	***************************************	11.5	276	Sff
Dermatology OPD	9		**************************************	11.5	759	Sft
Dermatology OPD	9	20	***************************************	11.5	1380	Sft
Public toilets	9	5.375			226	Sft
Public toilets	9	4	***************************************	7	168	Sft
***************************************	2	8			70	Sft
H	2	~		7	70	SA
[aV	2	\$			70	Sft
lav	2	8.375			117	Sft
lav	2	12	***************************************		168	Sft
lav	2	6		_	126	Sft
Toilets	4	\$	- 100	7	140	SA
Toilets	4	6.25			175	Sft
NCD & Orthopadic bath	4	>		7	140	Sft
NCD & Orthopadic bath	4	5	***************************************	7	140	SA
SMO toilet	9	6.5		_	273	SA
	9	7.25		7	305	SA

S.No Description	Nos	Length				
Bath phv-1	2	, P		2	707	-
Reth why.	**************************************	······································	***************************************	,	7.0	2 4
minimum principal plije i minimum principal prije i prije	7	0	***************************************	/	×8	בים י
emerg tollet	4 mmm		********************************	7	140	SA
emerg toilet	4	\$		7	140	Sft
lav emerg	2	10		7	140	SA
lav emerg	2	7		7	86	Sft
First Floor			***************************************	***************************************		
Genexpert Room & Blood Bank	9	-	******************	11.5	759	Sft
Genexpert Room & Blood Bank	9	20	G G G G G G G G G G G G G G G G G G G	11.5	1380	Sft
Sampling countar	2	16.625		11.5	382	Sft
Sampling countar	2	14.25	***************************************	11.5	328	Sft
Waiting female	2	23,25			326	SA
Waiting female	2	11.75	***************************************	7	165	SA
M.S. Office	2	21	***************************************	11.5	483	SA
±	2	14		11.5	322	Sft
Admin	2	13	***************************************	11.5	299	SA
	2	20		11.5	460	SP
Corridor	2	20.75		7	291	Sft
Corridor		2	***************************************		35	Sft
1	00	48.25	***************************************		2702	Sft
#	4	8.25		7	231	Sft
D	2	22.5		7	315	Sft
	2	8.25		7	116	Sft
lobby	_	28.25		_	198	Sft
lobby	_	22.5		7	158	Sft
Store	2	9.75		11.5	224	SR
Store	2	-15		11.5	345	Sft
ઝ	4			11.5	506	Sft
Head Nursing Room & Degue ward	4	19		11.5	874	Sft
***************************************	2	01		11.5	230	Sft
C.U.T Store	2	6.25	***************************************	11.5	144	Sft
***************************************	2	01		11.5	230	Sft
***************************************	2	14.25	1	11.5	328	Sft
Staff Room	4	01		11.5	460	SA
Staff Room	4	8	100000000000000000000000000000000000000	11.5	368	SA
Record Room & Pharmacy	4	10.67	100000000000000000000000000000000000000	11.5	491	SA
Record Room & Pharmacy	4	14.67		11.5	675	Sft
Childern wards	8	20.75		_	1162	Sft
***************************************	∞	20		_	1120	Sft
***************************************	2	10		11.5	230	SA
1	2	14.25	***************************************	11.5	328	Sft
Staff Room	4	10		11.5	460	SA
Staff Room	4	∞		11.5	368	Sft
Record Room & Pharmacy	4	10.67	***************************************	11.5	491	Sft
Record Room & Pharmacy	4	14.67		11.5	675	Sft
Public toilets	9	5.375	210440444444444444444444444444444444444		226	SA
Public toilets	9	4	***************************************	7	168	Sft
	•	1				

lav lav lav lav lav lav lav Nursing head bath " Ward Bath " Lav Duty Doctor bath M.S oofice bath " " " Admin " " Blood Bank " " " " " " " Second Floor	2 2 2 2 2 8 8 8 4 4 4 4 4 4 7 2 2 2 2 2 2 2 2 2 2 2 2 2	\$ 5 8.375 8.375 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9 9				SA S
lav lav lav Nursing head bath " Ward Bath Duty Doctor bath M.S cofice bath " Admin " Lab Reporing bath " Second Floor	2 2 2 2 2 8 8 4 4 4 4 4 7 2 2 2 2 2 2 2 2 2 2 2 2 2 2	\$ 8.375 8.375 12 12 9 9 9 9 6.25 5 5 5 5 5 6.25 6 6 6 7 7 7				
lav lav lav Nursing head bath " Ward Bath " Lav Duty Doctor bath " " Admin Admin Lab Reporing bath " Second Floor	2 2 2 2 2 8 8 4 4 4 4 4 4 7 2 2 2 2 2 2 2 2 2 2 2 2 2	8.375 8.375 9 9 9 9 6 6.25 5 5 5 5 5 5 6 6 6 6 6 6 7 7 7 7 7				
lav lav lav Nursing head bath " Ward Bath " Lav Duty Doctor bath M.S oofice bath " " Admin Admin Admin " Second Floor Second Floor	2 2 2 2 8 8 4 4 4 4 4 4 2 2 2 2 2 2 2 2	8.375 8.375 12 9 9 9 6 6.25 5 5 5 5 5 5 6 6 6 6 6 6 7 7 7 7 7				
lav Nursing head bath " Ward Bath " Lav Duty Doctor bath " " Admin " Blood Bank Blood Bank " " " " " " " " " " " " " " " " " " "	2 7 7 8 8 4 4 4 4 4 7 7 7 7 7 7	12 9 9 9 6 6.25 5 5 5 6 6 6 6 6 6 6 6 7 7 7 7				
Nursing head bath " Ward Bath " Lav Lav Duty Doctor bath M.S oofice bath " Admin " Blood Bank Blood Bank " " " Second Floor	2 2 2 8 8 4 4 4 4 4 4 2 2 2 2 2 2 2	9 9 9 9 5 5 5 6 6 6 6 6 6 6 7 7 7		7 7 7 7 7 7 7 7 7		
Nursing head bath Ward Bath Lav Lav Duty Doctor bath M.S oofice bath " Admin Lab Reporing bath Lab Reporing bath " Second Floor	2 2 8 8 4 4 4 4 4 4 4 2 2 2 2 2 2 2 2 2	9 6.25 5 5 5 6.25 6 6 6 6,5 7 7 7				
Ward Bath Ward Bath Lav Lav Duty Doctor bath M.S oofice bath " Admin Lab Reporing bath Lab Reporing bath " Second Floor	2 8 8 4 4 4 4 4 4 2 2 2 2 2 2 2 2 2 2 2	6.25 5 5 5 6.25 6 6 6 6,5 6 7 7 7		7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7		
Ward Bath Lav Lav Duty Doctor bath M.S oofice bath M.S oofice bath " Admin " Blood Bank " " " Blood Bank " " " Second Floor	8 8 4 4 4 4 4 4 7 C C C C	5 5 5 6.25 6 6 6.5 6 6 7 7 7		7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7		
Lav Lav Duty Doctor bath M.S oofice bath " Admin Rlood Bank Blood Bank " " " " " " " " " " " " " " " " " " "	8 4 4 4 4 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	5 5 6 6 6 6 6 6 6 7 7 7		7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7		
Lav Lav Lav Duty Doctor bath M.S oofice bath Admin Lab Reporing bath Lab Reporing bath Second Floor	4 4 4 4 4 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	5 5 6.25 6 6 5 5.5 5 5 6.5 6.5 6.5 7 7 7 7 7		7 7 7 7 7 7 7 7		
Lav Duty Doctor bath M.S coffice bath Admin Rlood Bank Blood Bank Lab Reporing bath " " " " " " " " " " " " " " " " " " "	4 4 4 4 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	6,25 6 5,5 5 6 6 6,5 7 7 7		7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7		
Duty Doctor bath Duty Doctor bath M.S oofice bath Admin Blood Bank Lab Reporing bath " " " Second Floor	4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4 4	6 5.5 5 5 6 6,5 6 4.5 7 7		7 7 7 7 7 7		
Duty Doctor bath M.S oofice bath Admin Blood Bank Blood Bank " " " " " " " " " " " " " " " " " " "	4 4 4 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	5.5 5 6 6.5 6.5 7 7 7		7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7		
M.S oofice bath Admin Blood Bank Lab Reporing bath Second Floor	4 4 4 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7	5 6 6.5 6 4.5 7 7		7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7		
Admin Blood Bank Lab Reporing bath Second Floor	4	6.5 6.5 6 7 7 7		7 7 7	168	
Admin Blood Bank Lab Reporing bath Second Floor	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	6.5 6 4.5 7 7 7		7	16	
Blood Bank Lab Reporing bath Second Floor	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	6 4.5 7 7 7		7	***************************************	Sft Sft
Blood Bank Lab Reporing bath Second Floor	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	4.5			8	Sft
Lab Reporing bath Second Floor	2 2 2 2 2 2	5 7			63	***************************************
Lab Reporing bath	2 2	5		7	86	Sft
Second Floor	7		***************************************	7	70	SA
Second Floor					86	SA
					0	
Spir hall	7	10.5		24	504	SA
Stair hall	2	19.25		24	924	Sn
Data Entry Room& WMO	9			11.5	759	SA
	9	20		11.5	1380	Sft
Duty Doctor	2	16.75		11.5	385	Sft
The contract of the contract o	2	13.625	-	11.5	313	SA
Walting Area	_	23	************	11.5	265	Sft
Waiting Area	2	12		1.5	276	SA
Corridor	2	48.25		7	929	Sft
Corridor	2	8.25		7	116	Sft
	2	20.25		7	284	Sft
	2	8.25		7	116	SA
4	2	92		1	1288	Sfi
=	2	8.25		7	116	SA
	2	26		7	364	SA
T	2	8,25	,	7	116	Sfi
-	2	20		7	280	Sft
	2	5	-	7	70	Sfi
Lobby	7	23		7	322	Sfi
Ramp		53		24	1272	Sft
Ramp		19.25		24	462	SA
Labour Room	4	13.625		11.5	627	Sfi
Delivery Room	2	13		11.5	299	Sft
2 X	2	14		£.	322	SA
Autocave	2	8	***************************************	11.5	184	SA
	2	6		11.5	207	Sft

S No.	Nos	Length	Breadth	Denth	Š	
Doctir Doom		╁		¥ + +	327	45
инения пинания пинани	**************************************		194414411411441144114411) ! ! ! ! ! ! ! ! ! ! ! ! ! ! ! ! ! ! !	770	
***************************************	**************************************	71		G.11.	276	15
han is et ist (12,440.000.000.000.000) is in properties (40,000.000.000) is in contact (40,000.000.000.000.000.000.000.000.000.0	7	8.25	***************************************	11.5	190	SA
	2	~	-	11.5	184	SA
I	2	6.25	0	11.5	44	Sft
Nursing	2	01	***************************************	2.5	230	Sft
-	7	12	***************************************	1.5	276	Sft
Chaning	2	01	***************************************	1.5	230	Sft
	2	6,25	3x3344344 present 1438 ters	11.5	144	S₽
Recovery room	4	10	***************************************	11.5	460	Sft
Pathoo	2	01	***************************************	11.5	230	SA
4 H	2	8.25	174114411441144114411441	11.5	190	Sft
Wards	8	20.75	1100110011001100110011		1162	SA
	8	20			1120	Sft
N.S	**************************************	01	***************************************		280	SA
0	4 T	00	NIII741 124 124 124 124 124 124 124 124 124 1		224	SA
Nursing	4	10.625		1.5	489	Sft
0	4	13.5		11.5	621	Sft
Baby wash	2	13			299	Sfi
H	2	5,375	-	=	124	Sft
Wash Room	2	15		7	210	Sft
Labour room toilet	4	4.5		7	126	Sft
***************************************	4	9.75		7	273	Sft
	4	12			336	Sft
	4	6			252	Sft
Chaning bath	4	4.5			126	Sft
	4 	6.258		7	175	Sft
***************************************		12	***************************************		168	Sft
lav	2	6	***************************************		126	Sft
Ward Bath	~	5	***************************************	7	280	SA
#	8	2	***************************************	_	280	SA
Lav	4	5	***************************************	_	140	Sft
Lav	4	6.25		_	175	SR
Privat room bath	00	4.5	1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	_	252	Sft
**************************************	8	9.75		_	546	Sfi
	***************************************	111111111111111111111111111111111111111	***************************************	Total	102327	Sfi
D/Q	***************************************	***************************************		177 270 00 56 073111041104110414041404140414041404140414	***************************************	414444
101 I I I		9		6	-54	
<u> D2</u> 	3			6	-135	***************************************
D2A	4	5		6	-180	
D3	9	4	***************************************	6	-324	
D4	44	3.5		_	.1078	
DS				_	-273	
WI	50	9		9	-1800	2
W2	32	4		9	-768	
W3	34			9	-612	
W4	8	2		9	96-	11000
	· ·	00		<u> </u>	70	

Cw1 23 6 4 2 2.76 Cw2 Cw3 2 4 2 2.76 Cw4 Cw4 3 3 3 3.16 Cw4 S 3 3 3.16 1.6 2.16			23	9		2	7.0-	
CW4		Tellade in the second construction is a second contract contract so in the interest so in the second contract of the contract						
CvA CvA S S S S S S				,	***************************************			
Cw4 9 3 3 Cw4 6 3 3 Cw4 6 3 3 Cw4 6 3 3 Cw4 7 10 10 Printing to door and windows on old surface 2 costs complete in all respect as per all specification. 7 6 GFFloor 1 2 5 9 DA 1 2 3.5 7 DB 1 2 3 7 <td></td> <td></td> <td>707</td> <td>4</td> <td></td> <td>7</td> <td>160</td> <td></td>			707	4		7	160	
Court Cour		Cw3	6	m	-	m	∞ -	
Phinting to door and windows on old surface 2 coats complete in all respect as per all specification. Net Total 99		Cw4	9	3	- 1136113411341D4114114144		-54	
Puinting to door and windows on old surface 2 coasts complete in all respect as per a particular	-		***************************************			Total	-5987	
Corporation with the profit of the providing and applying weather shield paint external surface 2 costs of surface 2 costs of surface 2 costs of surface 3 costs of surface 4 costs of surface 4 costs of surface 5 costs of surface 6 costs of surface 6 costs of surface 6 costs of surface 6 costs of surface 7 costs of surface 8 costs of surface 6 costs of surface 6 costs of surface 7 costs of surface 6 costs of surface 6 costs of surface 6 costs of surface 7 costs of surface 6 costs of surface 7 costs of surface 8 costs of surface 8 costs of surface 8 costs of surface 9 costs of surface 8 costs of surface 9 costs of surface 8 costs of surface 9 costs of				***************************************	Net Total		96340	Sft
G/Floor 1 2 5 9 D2 1 2 3.5 7 D3 16 2 3.5 7 D4 16 2 3.5 7 D5 2 2 3 7 D5 14 2 3 7 D5 2 2 3 7 D5 3 4 2 4 9 D5 4 2 4 9 9 D6 2 3 7 9 9 D7 3 4 2 3 7 1 D6 13 2 3 7 1 1 2 4 1 1 2 3 7 1 1 2 3 4 1 1 2 3 4 1 1 2 3 4 1 1 2 3 4 1		io door and windows on old ication.	7 coats	mplete in all r	espect as per	***************************************		
Of/Filor I 2 5 9 D2 1 2 5 9 D3 2 3 7 D5 3 3 7 D6 2 3 7 D6 2 3 7 D2 2 5 9 D2 2 5 9 D3 4 2 4 9 D4 11 2 3 7 D5 8 2 3 7 D6 8 2 3 7 D7 1 2 5 9 D7 1 2 5 9 D7 1 2 3 7 D6 1 4 2 3 7 D7 1 2 3 7 1 D8 1 1 2 3 7 B0<				***************************************	***************************************	***************************************		
D2		G/Floor	***************************************			***************************************		
Dydesign 16 2 3.5 7 1 1 1 2 3 7 1 1 2 3 7 1 1 1 2 3 7 1 1 1 2 3 7 1 1 2 3 7 1 1 2 3 7 1 1 2 3 3 7 1 1 2 3 3 7 1 1 2 3 3 7 1 1 2 3 3 7 1 3 3 7 1 3 3 7 3 3 3 7 3 3 3		D2		2	S	6	06	Sft
DS DS DS DS DS DS DS DS		D4.	91	2	3.5	7	784	
DS	-	DS	2	2	3	7	84	•
PYFIloor		D6	14		2.5	_	490	SA
D2		F/Floor	100011001100110110110110110110110110110	***************************************	***************************************			
D2A 6 2 5 9 D3 D3 4 2 4 9 D3 D5 3.5 7 7 D4 11 2 3.5 7 D5 2 3 7 9 D2A 1 2 5 9 D2A 1 2 5 9 D2A 1 2 5 9 D2A 4 2 4 9 D3 4 2 4 9 D3 4 2 3 7 D4 1 2 3 7 D6 13 2 2 4 9 Providing and applying weather shield paint external surface 2 coats of approved quality or external surface of properties, application of prime complete in all respect in all respect application of prime complete in all respect application of prime complete in all respect applications high quality LBD SMD Purel Light 2 fix 2 in of specified 7.5 3 W1 47 6 <t< td=""><td></td><td>D2</td><td>2</td><td>2</td><td>5</td><td>6</td><td>180</td><td>į</td></t<>		D2	2	2	5	6	180	į
D3 4 2 4 9 D4 111 2 3.5 7 D5 8 2 3 7 D5 8 2 3 7 D6 2 2 5 9 D7 13 2 5 9 D7 13 2 3 7 D6 13 4 2 4 9 D6 13 4 2 4 9 D7 13 2 2.5 7 D6 13 2 2.5 7 D7 13 2 2.5 7 Providing and applying weather shield paint external surface of building including preparation of surface, application of primer complete in all respect 4 14 13 (132+82+82) 1 2 4 4 14 13 (134-82) 1 4 14 2.4 1 W1 4		D2A	9		2	6	540	Sft
D54 D4 11 2 3.5 7 D5 B 2 3 7 D6 S/Floor 2 2 5 9 D2 2 5 9 9 D2 3 7 9 9 D3 4 2 4 9 7 D6 D4 4 2 4 9 7 D6 D4 4 2 3 7 7 7 D6 D4 13 2 3 7 7 7 7 7 7 7 7 1 2 1 7 1 2 2 3 7 7 1 2 1 1 2 2 2 1 1 2 1 1 2 2 2 2 2 1 1 2 2 2 2 1 1 2 1 <td></td> <td>D3</td> <td>4</td> <td></td> <td>4</td> <td>6</td> <td>288</td> <td>į</td>		D3	4		4	6	288	į
DS S/Floor 13 2 2.5 7 1 1 2 2.5 7 1 2 2.5 7 2 2 2 3 2 2 3 2 2 3 2 2		D4		2	3.5	7	\$39	
D6 S/Floor 13 2 2.5 7 7 7 7 7 7 7 7 7		D5	8	2		7	336	
D2A 2 2 5 9 D2A 1 2 5 9 D3A 4 2 4 9 D3 D4 2 3 7 D4 D5 3 7 7 D5 D5 3 7 7 D6 D5 13 2 2.5 7 Providing and applying weather shield pain external surface 2 coats of approved quality on external surface of building including preparation of surface, application of primer complete in all respect 4 1 20 444 13 (132+82+82) 1 296 444 13 (138+88) 2 2.26 7.5 3 (138+88) 2 2.26 7.5 3 W1 4 14 6 6 -1 W3 2 2.26 7.5 3 W3 26 3 6 -1 W3 2 3 6 -1 <		D6		2	2.5	7	455	Sft
D2A 2 2 5 9 D2A 1 2 5 9 D3 4 2 4 9 D4 16 2 3.5 7 D5 D5 3.5 7 7 D6 13 2 2.5 7 7 Providing and applying weather shield paint external surface 2 coats of approved quality on external surface of building including preparation of surface, application of primer complete in all respect 4 14 2.4 13 (132+82+82) 1 296 44 13 (138+88) 2 2.5 7.5 3 My1 4 14 2.4 13 W3 2 2.56 4.4 13 W3 2 2.56 5 -1 W3 2.6 3 6 -1 W4 1.7 6 6 -1 W3 2.6 3 6 -1 W3 <		S/Floor	***************************************	***************************************			***************************************	
D2A 1 2 5 9 D3 4 2 4 9 D4 16 2 3.5 7 D5 D5 13 2 2.5 7 D5 D5 13 2 2.5 7 Providing and applying weather shield paint external surface 2 coats of approved quality on external surface of building including preparation of surface, application of primer complete in all respect 1 2.96 4.4 13 (132+82+82) 1 2.96 4.4 13 (138+88) 2 2 2.5 7.5 3 (138+88) 2 2 2.26 7.5 3 W1 4 4 14 18 W1 47 6 6 -1 W3 2.6 3 6		D2	2	2	5	6	180	
D3		D2A		2	5	6	06	SA
D4 D4 2 3.5 7 D5 D5 3 7 7 D6 D5 13 2 2.5 7 7 Providing and applying weather shield paint external surface 2 coats of approved quality on external surface of building including preparation of surface, application of primer complete in all respect Total 5 (132+82+82) 1 296 44 13 (133+88) 2 226 7.5 3 (138+88) 2 226 7.5 3 W1 47 6 6 -1 W3 2 226 3 6 -1 W3 2 26 3 6 -1 W3 2 20 7.5 -1 -1 W3 3 <td< td=""><td></td><td>D3</td><td>4</td><td>2</td><td>4</td><td>6</td><td>288</td><td></td></td<>		D3	4	2	4	6	288	
DS 4 2 3 7 D6 13 2 2.5 7 Providing and applying weather shield paint external surface 2 coats of approved quality on external surface of building including preparation of surface, application of primer complete in all respect Total 5 (132+82+82) 1 296 44 13 (133+88) 2 2 24 1 My1 4 14 24 13 Wy1 4 14 24 13 Wy1 4 47 6 6 -1 Wy3 2 226 3 6 -1 Wy3 2 26 3 6 -1 Providing and fixing high quality LED SMD Panel Light 2 ftx2 ft of specified 16 -1 -1 Providing and fixing high quality LED SMD Panel Light 2 ftx2 ft of specified 6 -1 -1 Wattage anf Luminous flux with Polystyrene bow/l/prismatic cover made of -1 -1 -1		D4	91	2.	3.5	7	784	
13 2 2.5 7		DS	4	2	m	7	168	SA
Providing and applying weather shield paint external surface 2 coats of approved quality on external surface of building including preparation of surface, application of primer complete in all respect		D6	13	2	2.5	_	455	
Providing and applying weather shield paint external surface 2 coats of approved quality on external surface of building including preparation of surface, application of primer complete in all respect (132+82+82) (132+82+82) (133+88) D/d W W W W W W W W W W						Total	1995	
-82) 1 296 44 4 14 24 24 27 2 226 7.5 2 226 7.5 47 6 6 6 2 3 6 6 3 and fixing high quality LED SMD Panel Light 2 ft×2 ft of specified anf Luminous flux with Polystyrene bowl/prismatic cover made of		id applying external si of primer co	-	ırface 2 coats preparation	of approved of surface,			
784.) 4 14 24 24 1 27 20 2 226 7.5 Total 3 and fixing high quality LED SMD Panel Light 2 ft×2 ft of specified anf Luminous flux with Polystyrene bowl/prismatic cover made of							7000	
2 226 7.5 7.5 7.5 7.6 47 6 7.7 7.6 7.8 3 6 6 6 8 and fixing high quality LED SMD Panel Light 2 ft x 2 ft of specified anf Luminous flux with Polystyrene bowl/prismatic cover made of		(134784)	**************************************	0.50 1.4	***************************************	44 VC	13024	
2 226 7.5 Total 7.5 47 6 2 2 2 2 7.5 Total 7 7 7 7 7 7 7 7 7 7 7 7 7						20	540	, ¢
Total Total 47 6 6 6 3 26 3 6 6 3 and fixing high quality LED SMD Panel Light 2 ft×2 ft of specified and Luminous flux with Polystyrene bowl/prismatic cover made of	<u> </u>	(138+88)	2	226	71-70-41 77-2004-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-	7.5	3390	
g and fixing high quality LED SMD Panel Light 2 ft×2 ft of specified anf Luminous flux with Polystyrene bowl/prismatic cover made of		<u> </u>		400000000000000000000000000000000000000		Total	18298	1
g and fixing high quality LED SMD Panel Light 2 ft×2 ft of specified anf Luminous flux with Polystyrene bowl/prismatic cover made of		p/q						
g and fixing high quality LED SMD Panel Light 2 ft×2 ft of specified anf Luminous flux with Polystyrene bowl/prismatic cover made of		WI	47	9	111111111111111111111111111111111111111	9	-1692	- 11
g and fixing high quality LED SMD Panel Light 2 ft×2 ft of specified anf Luminous flux with Polystyrene bowl/prismatic cover made of		W3	26	M		Total	2160	
g and fixing high quality LED SMD Panel Light 2 ft×2 ft of specified anf Luminous flux with Polystyrene bowl/prismatic cover made of		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,			M. A. D. A.	10121	0017-	20
anf Luminous flux with Polystyrene bowl/prism	1	fixing high quality	MD Panel Li	ight 2 fix2 fi	of specified		00101	ŧ
	-				•			

SNo	Description	Nos	Length	Breadth	Depth	ά	,
***************************************	Main Building	***************************************			150	150	No
		-			Total	150	No's
∞	Supply and installation premimum graded/scratch-resistant Hygienic anti-microbial Pyc wall cladding of specified thickness duly thermoulastic welded	graded/scratch-resistant	i-resistant Hy	Hygienic anti-			
	conforming to (ISO:22196) and pasted over 12mm thick gypsum board with	ver 12mm	thick gypsum	board with			
	adhesive/solvent fixed over 14-SWG G.I Channael of size 3.5"X 2"X3.5" duly screwed on well its the cost of hardware as annound and diseased by the	Channael of	f size 3.5"X 2	"X3.5" duly			
	Engineer In-charge (b) 2.5mm thick	es as appre		ered by the			
			***************************************		77		
	OPTI	2	(16.5+20)	+20)	11.5	840	Sft
***************************************	OPT2	2	(20.75+20)	1+20)	11.5	937	Sft
					Total	1777	Sfl
6	Supply and installation anti microbial Hygenic flooring (with anti bacterial agent) conforming to (ISO:22196) of specified thickness duly welded with thermoplastic	nic flooring kness duly	(with anti back welded with the	terial agent)			
	Engineer Incharge.	ride en sau		on to the			
	OPT1	2	(16,5+20)	+20)	11.5	840	SA
	OPT2	2	(20.75+20)	.+20)	11.5	937	Sft
					Total	<i>LLL</i> 1	Sft
<u>0</u>	Supply and installation of Clip-in tile of specified thickness non-porous Alumnium false ceiling of specified size fitted with 'Clip-in' suspension system hanged on Concealed T/Shiplap edge/runners @ 600 mmX600 mm grid, Edge Trims fasten on wall with plug and screw @ 500 mm c/c i/c cutting charges of tiles to required size, suspension rods and joints sealed with silicon if required of DAMPA/Demark, as approved and directed by the Engineer Incharge.	of specific tited with 'C lers @ 600 mm (@ 500 mm vints scaled by the Engin	of specified thickness non-porous itted with 'Clip-in' suspension system ners @ 600 mmX600 mm grid, Edge @ 500 mm c/c i/c cutting charges o bints sealed with silicon if required o by the Engineer Incharge.	non-porous sion system n grid, Edge charges of required of			
	$0 \ \mathrm{PT}_1$	2	(02+5/91)	1004	11 \$	840	₹5
	OPT2	2	(20.75+20)	+20)	11.5	937	SA
			*******		Total	1777	Sft
=	Providing and fixing 2"X2" Stainless Steel 14 SWG Corner Guard angle with bevelled corner and 0.8 mm bend at edges duly pasted with premium grade self-adhesive glue strips with excellent hold/(double sided Tape) as approved and directed by the Engineer Incharge.	l 14 SWG duly pasted louble sidec	Corner Guard angle with I with premium grade self d Tape) as approved and	angle with n grade self- proved and			
	Corners						
	40 bedded hospital		***************************************	***************************************	***************************************	***************************************	
	armanananin jamanananananananananananananananananana	1880	4	***************************************	Total	7520 7520	RA RA
12	Providing and fixing ornamental wooden architrave 3" x (11/3" tapered to 1/4") all along the door frame complete in all respect (Deodar wood architrave)	chitrave 3" (Deodar wo	x (1½" tapere od architrave)	d to ¼") all			
	G/F, F/F, S/F						***************************************
	D2	_	\$	6		315	Sft
	D3	14	4	6		504	Sft
	D4	36	3.5	7		882	Sft
	D5	22	3			462	Sf
1001441111			***************************************		Total	2163	ns.
-		1			T		

S.No Description Nos Length Breadth Rubbing and polishing marble floor, including repairing voids, uneven surface, complete in all respects	Nos	Length ing voids, uner 48.25 20.75 16.5	Breadth ven surface, 8.25	Depth		Sff
	1	ng voids, uner	ven surface,	111111111111111111111111111111111111111	77-47-11-11-11-11-11-11-11-11-11-11-11-11-11	
Ground Floor Corridor Porch Ent: hall Hall Waiting Area Dental I.T Room Surgrical Room Orthopadic OPD	4 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	48.25 20.75 16.5	8.25			
Corridor Porch Ent: hall Hall Waiting Area Dental I.T Room Surgrical Room Orthopadic OPD	4	48.25 20.75 16.5	8,25			
Porch Ent: hall Waiting Area Dental I.T Room Surgrical Room Orthopadic OPD	2	20.75 16.5			1592	
Porch Ent: hall Hall Waiting Area Dental I.T Room Surgrical Room Orthopadic OPD	7 - 9	16.5	۶		104	
Ent: hall Hall Waiting Area Dental I.T Room Surgrical Room Orthopadic OPD Ctora	1		26.25		433	
Hall Waiting Area Dental I.T Room Surgrical Room Orthopadic OPD	66 1 2 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	23	21		483	
Hall Waiting Area Dental I.T Room Surgrical Room Orthopadic OPD	6	22	8.25		182	Sft
Waiting Area Dental I.T Room Surgrical Room Orthopadic OPD	2 - 9	22	42.25		930	SA
Dental I.T Room Surgrical Room Orthopadic OPD	6	20.75	9.25	***************************************	384	SA
Surgrical Room Orthopadic OPD	6	20.75	12		249	į
Surgrical Room Orthopadic OPD		10	20		1200	Ī
Orthopadic OPD		01	20		200	ļ
Ctord		01	14.67		147	SA
21010	_	01	10.5		105	
store		20.75	9.25		192	
N.S	_	10	8		80	Sft
S.M.O	-	13	20		260	Sfi
Specialist		21	12		252	SA
M.O	3		20		099	Sft
Stair case	_	61	. 01		190	Sft
First Floor						
Sampling countar		16.625	14.25		237	Sft
Waiting female		23.25	12.75	***************************************	296	Sfi
Corridor	***************************************	20.75	5		104	Sft
	4	48.25	8,25	***************************************	1592	SA
1)	2	22.5	8.25	***************************************	371	Sft
lobby		28.25	22.5	7 P	636	Sft
Store	1	9.75	15		146	Sft
Head Nursing Room & Degue ward	2		61	***************************************	418	SA
C.U.T Store		10	6.25	***************************************	63	Sft
		10	14.25		143	Sft
Staff Room	2	10	.00		160	SA
Record Room & Pharmacy	2	10,67	14.25		304	SA
Second Floor	***************************************	***************************************	***************************************		***************************************	
Stair hall		10.5	19.25	***************************************	202	Sft
Doctor duty	1	16.75	13,625	110011111111111111111111111111111111111	228	Sft
Waiting Area		23	12	0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	276	Sft
Corridor	1	71.25	8.25	***************************************	588	SA
***************************************		20.25	8.25	***************************************	167	Sft
***************************************	1	92	8.25		759	SA
	1	26	8.25	111111111111111111111111111111111111111	215	SA
######################################		20	5		100	Sft
Lobby		20	23		460	SA
Autoclave		œ	6	***************************************	72	SA
Nursing	1	01	12	***************************************	120	SA
Cahanging	1	10	6.25	***************************************	63	SA
Recovery		10	10		100	Sft

14 Comment plaster 1:4 upto 20' (6.00 m) reight. 10 8.25 10 8.25 10 8.15	10010	cription	SON	rengtn	Breadth	Deptn	ZY AT	
10 10 8 150 15								
Nussing 1.05	Datho		1	10	8.25		83	į
Nucring	S.Z		7	01	∞		160	
Coment pointing 1.2 flust on floor.	Nursing		2	10.625	13.5		287	•
1 132 82 10824	Outside proch	***************************************		60	20		2400	
Coment pointing 1.2 flush on floor. 1 132 82 10824 Coment plaster 1.4 upto 20' (6.00 m) height- 1.7° thick 1 132 82 10824 Each Side 2 2.4.5 28 38 </td <td></td> <td></td> <td>7</td> <td>·</td> <td>29</td> <td>Total</td> <td>10100</td> <td>i</td>			7	·	29	Total	10100	i
1 112 82 Total 18824	1	mannamanamanamanamanamana). Pinch on floor	***************************************		***************************************	10121	16270	į
Common plaster 14 upto 20' (6.00 m) height. 12 mids 132 mids 16824		riusii dil 11001.				701 200 100 100 100 1100 1100 1100 1100	100000000000000000000000000000000000000	
1924 1924 1925 1924 1925 1924 1925 1924 1925		77.	***************************************	***************************************	***************************************	***************************************		•
Secretary plaster 1.4 upto 20' (6.00 m) height- 1/2' thick			_	132	82	***************************************	10824	•
Cement plaster 1.4 upto 20' (6.00 m) height. 1/2" thick					_	Total	10824	
Back Side	Cement plaster 1	upto 20' (6.00 m) height;	- 1/2" thick					
Eact Side							***************************************	
1	Back Side	***************************************		132	40	242011111111111111111111111111111111111	5280	
1 21 28 588 222 28 28 282	:	***************************************			80		772	
1			, -	22	3.5 2.0		202	Ą
Sides Side		1417-41174117411741174117411741174117411	+		000	***************************************		
Dismantling brick work in lime or cement mortar 1	***************************************	***************************************			07		767	
Dismantling brick work in lime or cement mortar Dismantling brick work in lime or cement mortar Dismantling brick work in lime or cement mortar 1			7	77	,		200	1
Dismantling brick work in line or cement mortar For ventilators Remowing windows with chowkat. Remowing windows with chowkat. Remowing mindows vith chowkat. Providing and fitting all types of glazed aluminium windows of anodised/powder coaded partly fixed and partly sliding using delux sections of approved manufacturer having frame size of 100 x 30 mm (4"x1-1/4") and leaf frame sections of \$0 x 20 mm (2"x2"), all of 1.6mm thickness including \$5 mm thick imported tinted glass with rubber gasket using approved standard latches, hardware etc., as approved by the Engineer in-charge. Cw2 Cw3 Cw3 Cw4 Fooding and fixing Aluminum Fits section Cw3 Cw4 Fooding and fixing Aluminum Fits section Approved manufacturer / powder Coaded of size 1-1/2"x1/2" and 1.6mm thick with rubber gasket ic cost of Hardwares as approved complete in all respect. 364 Fooviding and fixing M.S. grill fabricated with MS Square polished Vertical/horizontal Bars of specified size @ 4" c/c passed through punched holes in MS Patti of 1-1/4"x1/8" vic the cost of 1-1/4"x1/8" sole toemplete in all respect as approved and directed by the Engineer incharge (3/8" Square Bars) the Engineer incharge (3/8" Square Bars)	**************************************	***************************************	0	***************************************	7.0	Total	8077	i
For ventilators For ventilators For ventilators For ventilators For ventilators For ventilators Remowing windows with chowkat. Remowing windows with chowkat. Remowing windows with chowkat. I 7 4 1.125 2 2 333 Remowing windows with chowkat. I 7 4 1.125 2 2 333 Remowing windows with chowkat. I 7 7 1.125 2 2 333 Providing and fitting all types of glazed aluminium windows of anodised powder coated partly fixed and partly sliding using approved standard latches, manufacturer having frame size of 100 × 30 mm (4"x1-1/4") and leaf frame sections of 50 × 20 mm (2"x½"), all of 1.6mm thickness including 5 mm thick imported tinied glass with rubber gasket using approved standard latches, hardware etc., as approved by the Engineer in-charge. Cw3 13 4 4 176 Cw4 2 2 4 4 176 Cw4 2 2 4 4 176 Providing and fixing Aluminum Fly screen comprising of Fiber / Aluminum wire guaze (Malasian) fixed in aluminum frame of approved manufacturer / powder coated of size 1-1/2"x1/2" and 1.6mm thick with rubber gasket i/c cost of Hardwares as approved complete in all respect. Broviding and fixing M.S. grill fabricated with MS Square polished vertical/horizontal Bars of specified size @ 4" c/c passed through punched holes in MS Patti of 1-1/4"x1/8" is the cost of 1-1/4"x1/8" MS patti of 1-1/4"x1/8" is the cost of 1-1/4"x1/8" MS patti of 1-1/4"x1/8" is the cost of 1-1/4"x1/8" MS patti of 1-1/4"x1/8" is the cost of 1-1/4"x1/8" MS patti of 1-1/4"x1/8" is the cost of 1-1/4"x1/8" is approved and directed by the Engineer Incharge (3/8" Square polished	I	work in lime or coment m						5
For ventilators Fer ventilators Remowing windows with chowkat. I Total 357 Remowing and fitting all types of glazed aluminium windows of anodised powder coated partly fixed and partly slding using delux sections of approved manufacturer having frame size of 100 x 30 mm (*x!-1/4") and leaf frame sections of 50 x 20 mm (*x!-1/4") and leaf frame sections of 50 x 20 mm (*x!-1/4") and leaf frame sections of 50 x 20 mm (*x!-1/4") and leaf frame sections of 50 x 20 mm (*x!-1/4") and leaf frame sections of 50 x 20 mm (*x!-1/4") and leaf frame sections of 50 x 20 mm (*x!-1/4") and leaf frame coated of size of the scale of 1.5 mm thick min thick min thick min thick with rubber gasket is cost of Hardwares as approved complete in all respect. Remowing and fixing M.S. grill fabricated with MS Square polished Verticat/horizontal Bars of specifical size @ 4" c/c bassed through punched holes in MS patti of 1-1/4"x1/8" ic the cost of 1-1/4"x1/8" MS patti for 1-1/4"x1/8" ic the cost of 1-1/4"x1/8" MS patti for Frame of min in species as approved and directed by the Engineer Incharge (38" Square Bars) Total 182 Remowing and fixing M.S. grill fabricated with MS Square polished Verticat/horizontal Bars of specifical size @ 4" c/c bassed through punched holes in MS square polished windows and painting 3 coat complete in all respect as approved and directed by the Engineer Incharge (38" Square Bars)						***************************************		
For ventilators Remowing windows with chowkat. Remowing windows with chowkat. Remowing windows with chowkat. Remowing and fitting all types of glazed aluminium windows of anodised/ powder coated partly fixed and partly sliding using delux sections of approved manufacturer having frame size of 100 x 30 mm (4"x1-1/4") and leaf frame sections of 50 x 20 mm (2"x/"), all of 1.6mm thickness including 5 mm thick imported tinted glass with rubber gasket using approved standard latches, hardware etc., as approved by the Engineer in-charge. Cwd Cwd Cwd Cwd Cwd Cwd Cwd Cw	***************************************							,
Remowing windows with chowkat. Remowing windows with chowkat. Remowing windows with chowkat. Providing and fitting all types of glazed aluminium windows of anodised/ powder coated partly fixed and partly sliding using delux sections of approved manufacturer having frame size of 100 x 30 mm (4"xl-1/4") and leaf frame sections of 50 x 20 mm (2"x/x"), all of 1.6mm thickness including 5 mm thick imported tinted glass with rubber gasket using approved standard latches, hardware etc., as approved by the Engineer in-charge. Cw2 Cw2 Cw3 Cw4 Providing and fixing Aluminum Fly screen comprising of Fiber / Aluminum wire guaze (Malasian) fixed in aluminum fixed manufacturer / powder coated of size 1-1/2"x1/2" and 1.6mm thick with rubber gasket i/c cost of Hardwares as approved complete in all respect. Hardwares as approved complete in all respect. Total 182 Providing and fixing M.S. grill fabricated with MS Square polished vertical for in MS Patti of 1-1/4"x1/8" MS patti for Frame of windows and painting 3 coat complete in all respect as approved and directed by the Engineer Incharge (3/8" Square Bars) Windows and painting 3 coat complete in all respect as approved and directed by the Engineer Incharge (3/8" Square Bars)	***************************************)	1.125	7	5 7	į
Remowing windows with chowkat. 1 Providing and fitting all types of glazed aluminium windows of anodised/ powder coated partly fixed and partly sliding used with sections of approved manufacturer having frame size of 100 x 30 mm (4"x1-1/4") and leaf frame sections of 50 x 20 mm (2"x3"), all of 1.6mm thickness including 5 mm thick imported tinted glass with rubber gasket using approved standard latches, hardware etc., as approved by the Engineer in-charge. Cw2	For ventilators		37	4	1.125	2	333	Į
Remowing windows with chowkat. Total Total Total	***************************************				******************	Total	357	Ī
Providing and fitting all types of glazed aluminium windows of anodised/ powder coated partly fixed and partly sliding using delux sections of approved manufacturer having frame size of 100 × 30 mm (4"x1-1/4") and leaf frame sections of 50 x 20 mm (2"x/4"), all of 1.6mm thickness including 5 mm thick imported tinted glass with rubber gasket using approved standard latches, hardware etc., as approved by the Engineer in-charge. Cw3 Cw3 Cw4 Cw3 Cw4 Providing and fixing Aluminum Fly screen comprising of Fiber / Aluminum wire guaze (Malasian) fixed in aluminum frame of approved manufacturer / powder coated of size 1-1/2"x1/2" and 1.6mm thick with rubber gasket i/c cost of Hardwares as approved complete in all respect. Are approved complete in all respect. 364 Providing and fixing M.S. grill fabricated with MS Square polished Providing and fixing M.S. grill fabricated with MS Square polished bless in MS Patti of 1-1/4"x1/8" i/c the cost of 1-1/4"x1/8" MS patti for Frame of windows and painting 3 coat complete in all respect as approved and directed by the Engineer Incharge (3/8" Square Bars)		ws with chowkat.				· .		
Providing and fitting all types of glazed aluminium windows of anodised powder coated partly fixed and partly sliding using delux sections of approved manufacturer having frame size of 100 x 30 mm (4"x1-1/4") and leaf frame sections of 50 x 20 mm (2"x½"), all of 1.6mm thickness including 5 mm thick imported tinted glass with rubber gasket using approved standard latches, hardware etc., as approved by the Engineer in-charge. Cw2 Cw3 Cw4 Cw4 Providing and fixing Aluminum Fly screen comprising of Fiber / Aluminum wire guaze (Malasian) fixed in aluminum frame of approved manufacturer / powder coated of size 1-1/2"x1/2" and 1.6mm thick with rubber gasket i/c cost of Hardwares as approved complete in all respect. Broviding and fixing M.S. grill fabricated with MS Square polished vertical/horizontal Bars of specified size @ 4" c/c bassed through punched holes in MS Patti of 1-1/4"x1/8" MS patti for Frame of windows and painting 3 coat complete in all respect as approved and directed by the Engineer Incharge (3/8" Square Bars)	***************************************				***************************************			δŽ
Providing and fitting all types of glazed aluminium windows of anodised/ powder coated partly fixed and partly sliding using delux sections of approved manufacturer having frame size of 100 x 30 mm (4"x1-1/4") and leaf frame sections of 50 x 20 mm (2"x/4"), all of 1.6mm thickness including 5 mm thick imported tinted glass with rubber gasket using approved standard latches, hardware etc., as approved by the Engineer in-charge. Cw2 Cw3 Cw4 Cw4 Cw4 Cw4 Cw4 Cw4 Cw4						Total	-	Š
manufacturer having frame size of 100 × 30 mm (4"x1-1/4") and leaf frame sections of 50 × 20 mm (2"x4"), all of 1.6mm thickness including 5 mm thick imported tinted glass with rubber gasket using approved standard latches, hardware etc., as approved by the Engineer in-charge. Cw2 Cw3 Cw4 Providing and fixing Aluminum Fly screen comprising of Fiber / Aluminum wire guaze (Malasian) fixed in aluminum frame of approved manufacturer / powder coated of size 1-1/2"x1/2" and 1.6mm thick with rubber gasket i/c cost of Hardwares as approved complete in all respect. Total Providing and fixing M.S. grill fabricated with MS Square polished verticathforizontal Bars of specified size @ 4" c/c passed through punched holes in MS Patti of 1-1/4"x1/8" i/c the cost of 1-1/4"x1/8" MS patti for Frame of windows and painting 3 coat complete in all respect as approved and directed by the Engineer Incharge (3/8" Squar Bars)		gall types of glazed alund and and nardy sliding	minium win	dows of anodic	sed/ powder	-		
sections of 50 x 20 mm (2"x¾"), all of 1.6mm thickness including 5 mm thick imported tinted glass with rubber gasket using approved standard latches, hardware etc., as approved by the Engineer in-charge. Cw2 Cw3 Cw4 Providing and fixing Aluminum Fly screen comprising of Fiber / Aluminum wire guaze (Malasian) fixed in aluminum frame of approved manufacturer / powder coated of size 1-1/2"x1/2" and 1.6mm thick with rubber gasket i/c cost of Hardwares as approved complete in all respect. Total 354 Providing and fixing M.S. grill fabricated with MS Square polished Vertical/horizontal Bars of specified size (② 4" c/c" passed through punched holes in MS Patti of 1-1/4"x1/8" i/c the cost of 1-1/4"x1/8" MS patti for Frame of windows and painting 3 coat complete in all respect as approved and directed by the Engineer Incharge (3/8" Squar Bars)	manufacturer havin		30 mm (4	"x1-1/4") and				
imported tinted glass with rubber gasket using approved standard latches, hardware etc., as approved by the Engineer in-charge. Cw2 Cw3 Cw4 Cw4 Cw4 Cw4 Cw4 Cw4 Cw4	sections of 50 x 20	mm (2"x¾"), all of 1.0	6mm thickn	ess including	5 mm thick			-
hardware etc., as approved by the Engineer in-charge. Cw2 Cw3 Cw4 Cw3 Cw4 Cw4 Cw4 Cw4 Cw4	imported tinted gl	ass with rubber gasket	t using app		rd latches,		-	
Cw2 Cw4 Cw4 Cw4 Cw4 Cw4 Cw4 Ew4 4 4 156 Cw4 Cw4 Ew4 176 176 Cw4 Providing and fixing Aluminum Fiy screen comprising of Fiber / Aluminum wire guaze (Malasian) fixed in aluminum frame of approved manufacturer / powder coated of size 1-1/2"x1/2" and 1.6mm thick with rubber gasket i/c cost of Hardwares as approved complete in all respect. Providing and fixing M.S. grill fabricated with MS Square polished Vertical/horizontal Bars of specified size @ 4" c/c ' passed through punched holes in MS Patti of 1-1/4"x1/8" i/c the cost of 1-1/4"x1/8" MS patti for Frame of windows and painting 3 coat complete in all respect as approved and directed by the Engineer Incharge (3/8" Squar Bars)	hardware etc., as ap	proved by the Engineer i	in-charge.			-		
Cw3 Cw4 Cw4 Cw4 Cw4 Cw4 Cw4 Cw4	Cw2		2	4	4	-	32	i
Providing and fixing Aluminum Fly screen comprising of Fiber / Aluminum wire guaze (Malasian) fixed in aluminum frame of approved manufacturer / powder coated of size 1-1/2"x1/2" and 1.6mm thick with rubber gasket i/c cost of Hardwares as approved complete in all respect. Andwares as approved complete in all respect. 354	Cw3	***************************************	13	3	4		156	
Providing and fixing Aluminum Fly screen comprising of Fiber / Aluminum wire guaze (Malasian) fixed in aluminum frame of approved manufacturer / powder coated of size 1-1/2"x1/2" and 1.6mm thick with rubber gasket i/c cost of Hardwares as approved complete in all respect. Andwares as approved complete in all respect. 364	Cw4		22	2	4		176	
guaze (Malasian) fixed in aluminum Fly screen comprising of Fiber / Aluminum wire coated of size 1-1/2"x1/2" and 1.6mm thick with rubber gasket i/c cost of Hardwares as approved complete in all respect. Hardwares as approved complete in all respect. 364 x 1/2						Total	364	SA
Hardwares as approved complete in all respect. Hardwares as approved complete in all respect. Hardwares as approved complete in all respect. Solution of 1-1/2"x1/2" and 1.6mm thick with rubber gasket i/c cost of Total. Total 182 Total 182 Providing and fixing M.S. grill fabricated with MS Square polished Vertical/horizontal Bars of specified size @ 4" c/c passed through punched holes in MS Patti of 1-1/4"x1/8" i/c the cost of 1-1/4"x1/8" MS patti for Frame of windows and painting 3 coat complete in all respect as approved and directed by the Engineer Incharge (3/8" Squar Bars)		g Aluminum Fly screen ixed in aluminum frame	comprising of approve		minum wire er / powder			
Hardwares as approved complete in all respect. 364 x 1/2 182 182 Providing and fixing M.S. grill fabricated with MS Square polished Vertical/horizontal Bars of specified size @ 4" c/c passed through punched holes in MS Patti of 1-1/4"x1/8" i/c the cost of 1-1/4"x1/8" MS patti for Frame of windows and painting 3 coat complete in all respect as approved and directed by the Engineer Incharge (3/8" Squar Bars)	of size	/2"x1/2" and 1.6mm th	hick with n	ubber gasket	i/c cost of		-	
Providing and fixing M.S. grill fabricated with MS Square polished Vertical/horizontal Bars of specified size @ 4" c/c ' passed through punched holes in MS Patti of 1-1/4"x1/8" i/c the cost of 1-1/4"x1/8" MS patti for Frame of windows and painting 3 coat complete in all respect as approved and directed by the Engineer Incharge (3/8" Squar Bars)	Hardwares as appro	wed complete in all respe	ect.					
Providing and fixing M.S. grill fabricated with MS Square polished Vertical/horizontal Bars of specified size @ 4" c/c 'passed through punched holes in MS Patti of 1-1/4"x1/8" ic the cost of 1-1/4"x1/8" MS patti for Frame of windows and painting 3 coat complete in all respect as approved and directed by the Engineer Incharge (3/8" Squar Bars)	****		364	×	1/2		182	
Providing and fixing M.S. grill fabricated with MS Square polished Vertical/horizontal Bars of specified size @ 4" c/c ' passed through punched holes in MS Patti of 1-1/4"x1/8" i/c the cost of 1-1/4"x1/8" MS patti for Frame of windows and painting 3 coat complete in all respect as approved and directed by the Engineer Incharge (3/8" Squar Bars)	***************************************	***************************************				Total	182	
in MS Patti of 1-1/4"x1/8" i/c the cost of 1-1/4"x1/8" MS patti for Frame of windows and painting 3 coat complete in all respect as approved and directed by the Engineer Incharge (3/8" Squar Bars)		king M.S. grill fabrid Bars of specified size @	cated with	MS Square sed through pu	polished nched holes			
the Engineer Incharge (3/8" Squar Bars)	in MS Patti of 1-1	/4"x1/8" i/c the cost of	f 1-1/4"x1/8	" MS patti fo	r Frame of			
	the Engineer Inchar	ge (3/8" Squar Bars)	an sandra i ii					

S.No	Description	Nos	Length	Breadth	Depth	δίδ	
	Cw2	2	4	7	***************************************	32	Ī
	Cw3	13	3	4		156	Sft
	CW4	22	2	4	***************************************	176	
	turi militikan mini dilikika mata melakika manaki belaki mataki kelaki mata ki ki manaki mini mata manaki mini	***************************************	***************************************		Total	364	
21	Providing and fixing all types of partly fixed and partly openable glazed anotised.	d and partly	openable glaz	ed anodised/	***************************************	***************************************	
	powder coated aluminium doors, using dell	ux section c	using delux section of M/s Al-Cop or Pakistan	or Pakistan			
	Cables, having chowkat frame of size 40 x 100 mm (11/3" x 4") and leaf frame of	100 mm (1	1/2" x 4") and 1	eaf frame of			
	60x40mm (2½"x1½") wide sections including the cost of ¼" (5 mm) thick	iding the c	ost of 14" (5	mm) thick	-		
	Imported tinted glass with aluminium triangular gola and rubber gasket to support	rular gola ar	nd rubber gask	et to support			
	the glass and leaf edging, using approved standard titings, tocks, 5 (75 min) wide long handles etc., and hardware any required as approved by the engineer incharge	andard mum 1 as annrove	igs, locks, 5 (eer incharge			
						-	
					•		

			9	6	4024024024024044044044	54	SP
		***************************************			Total	54	
					LOCAL	T	
	froviding and laying 3/6 mick frepolished marble skirming fishes having unitoring	wed anality	eponstica Marble Skirting / risers having unitoring	ving unitorin			
22	bond over 3/4" thick (1:2) cement sand mortor complete in all respect I/c the cost	tor complet	te in all respec	t i/c the cost			
	of matching sealer to finish the joints as approved and directed by the Engineer	pproved and	d directed by t	he Engineer	•		
	Incharge, China Verona						,

		3	(10,75+19+10,75)	9+10.75)	5.25	638	SA
	and the little of the special control of the	***************************************	***************************************		Total	638	
	***************************************		***************************************			******	İ
23	Removing of existing woooden bath doors						
		***************************************	***************************************		***********	***************************************	ì
	***************************************		***************************************	20	1111401414141414141414141	20	•
					Total	20	Each
	Providing and fixing Openable door comprising			thick UPVC hollow	•	-	
	profile ,chowkat frame of 60mmx64mm and leaf frame	and leaf fra	me 60 mmxl(60 mmx106 mm both	-		
77	l box frame	he void wi	ith 20 mm wid	le panel with			
	grooves on both sides I/C the cost of hardwares, hinges, changes on approved & directed by the Engineer Incharge	of nardwares, ninges, the Engineer Incharge		four boir and cutting			
	нальний паналичнай пан					114	į
***************************************		50	2.5		***************************************	875	Ī
***************************************			74 144 144 144 144 144 144 144 144 144 1		Total	875	Sft
25	Dismantling glazed or encaustic tiles, etc.						
	G/F Toilets				***************************************		
	G/F Toilets	4	53/8	4		98	Sfr
	G/F Toilets	Ţ	5	5		25	Sft
	"1] av	1	83/8	51/2		46	Sf
						3,	,
	"Lav	+	12	6		108	7
	G/F Toilets	2	2	61/4	·	63	Sft
	G/F Toilets	e	61/2	7 3/8		144	Sft
	G/F Toilets	4	ro.	ro.		100	SF
			,				

S.No	Description	Nos	Length	Breadth	Depth	777	
	Lav	7	10	7		70	Sft
	F/F Toilets	,					
	F/F Toilets	E	8/8	4		65	Sft
		-	5	2		25	Sft
	Lav	1	5 1/2	8/8		46	Sft
	"Lav	1	12	6		108	Sft
	F/F Toilets	1	6	6.1/4	-	56	Sft
	F/F Ward Toilets	4	2	ıs		100	Sft
	Lav	2	2	6 1/4		63	Sft
	Central Toilet	2	9	5 1/2		99	Sft
	Tollets	2	5	9		09	Sft
	F/F Toilets		6 1/2	9		39	Sft
	Toilets	2	5	7.		7.0	Sft
	S/F Toilets		-				
	S/F Toilets	-	4 1/2	6 1/4		28	Sft
	S/F Ward Toilets	4	2	2		100	Sft
	" Lav	2	5	61/4		63	Sft
	S/F Ward Tollets	9	4 1/2	93/4		263	Sft
	Wall					Ť	
	G/F Toilets					-	
	G/F Toilets	4	(5.375+4)	5+4)	5 1/2	206	Sft
	G/F Toilets		(5+5)	5)	5 1/2	55	Sft
	"Lav	1	(8.375+5.5)	+5.5)	5 1/2	76	Sft
-	"Lav	-	(12+9)	(6+	5 1/2	116	Sft
	G/F Toilets	2	(5+6.25)	.25)	5 1/2	124	Sft
	G/F Toilets	m	(6.5+7.375)	.375)	5 1/2	229	Sft
	G/F Toilets	4	(2+2)	5)	5 1/2	220	Sft
	Lav	1	(10+1)	-7)	5 1/2	94	Sft
	F/F Toilets						-
	F/F Toilets	3	(5.375+4)	5+4)	5 1/2	155	Sft
		€ [†]	(2+5)	5)	5 1/2	52	Sft

2		N	I outst	Decodeb	Dent		
0. N	Description	SONI	Lienkin	Dicau	Depui	X	
-	Lav	1	(5.5+8.375)	.375)	5 1/2	76	Sft
	"Lav	1	(12+9)	-9)	5 1/2	116	Sft
	F/F Toilets	1	(9+6.25)	25)	5 1/2	84	Sft
	F/F Ward Toilets	4	(2+2)	5)	5 1/2	220	Sft
	Lav	2	(5+6.25)	25)	5 1/2	124	Sft
	Central Toilet	2	(6+5.5)	.5)	5 1/2	127	Sft
	Tollets	2	(9+5)	(9	5 1/2	121	Sft
	F/F Toilets		(6.5+6)	(9+	5 1/2	69	Sft
	Toilets	2	(5+7)	7)	5 1/2	132	Sft
	S/F Toilets						
	S/F Tollets	•	(4.5+6.25)	5.25)	5 1/2	29	Sft
	S/F Ward Toilets	4	(2+2)	5)	5 1/2	220	Sft
	"Lav	2	(5+6.25)	.25)	5 1/2	124	Sft
	S/F Ward Toilets	9	(4.5+9.75)	.75)	5 1/2	470	Sft
					Total	2905	Sft
26	Dismantling cement concrete 1:2:4 plain.						
	G/F Tollets						
	G/F Toilets	4	8/8	4	1/3	28	Cft
	G/F Toilets	+	5	ស	1/3	8	Cff
	" Lav		8/8	5 1/2	1/3	15	Cft
	" Lav	1	12	6	1/3	36	Cft
	G/F Tollets	2	5	6 1/4	1/3	21	Cft
	G/F Toilets	3	61/2	7 3/8	1/3	47	Cft
	G/F Toilets	4	. 5	5	1/3	33	Cft
	Lay	1	10	7	1/3	23	Cft
	F/F Toilets						
	F/F Toilets	3	53/8	4	1/3	21	Cft
		1	5	ស	1/3	8	Cft
	Lav	1	5 1/2	8/8	1/3	15	Cft
	" Lav	1	12	6	1/3	36	Cft
	F/F Toilets	1	6	6 1/4	1/3	19	Cft
						- - 	

S N	Decomination	SON	I on order	Description	Joneth		
	F/F Ward To	4	11 P	2	1/3	33	, Litt
٠		+	0	2	1/3	CC	ָ כֿ
	Lav	2	5	61/4	1/3	21	Cft
	Central Toilet	2	9	51/2	1/3	22	Cft
	Tollets	2	5	9	1/3	20	Cft
	F/F Toilets	1	61/2	9	1/3	13	Cft
	Toilets	2	2	2	1/3	23	Cft
	S/F Toilets						
	S/F Toilets	1	41/2	6 1/4	1/3	6	Cft
	S/F Ward Toilets	4	2	2	1/3	33	Cft
	"Lav	2	2	61/4	1/3	21	Cft
	S/F Ward Toilets	9	41/2	93/4	1/3	87	Cft
	Main Building Plith Protection	4 0000440400000000000000000000000000000	***************************************			100000000000000000000000000000000000000	
		1	140	6	0.167	210	CA
					Total	802	Cft
27	Cement concrete plain including placing, compacting, finishing complete (including screening and washing of stone aggregate): 1.2:4	compacting, if stone aggreg		and curing			
41144144144	G/F Toilets	A PART A	110110110110110110110110110110110110110	***************************************			
	G/F Toilets	4	5 3/8	4	1/3	28	Cft
	G/F Toilets	1	2	ស	1/3	8	Cife
	" Lav	1	83/8	5 1/2	1/3	15	Cft
	"Lav	1	12	6	1/3	36	Cift
	G/F Toilets	2	5	6 1/4	1/3	21	Cft
	G/F Toilets	3	61/2	8/8/	1/3	47	Cft
	G/F Toilets	4	5	5	1/3	33	Cft
	Lav	Ţ	1.0	7	1/3	23	Cft
	F/F Toilets						Cft
	F/F Toilets	3	5 3/8	4	1/3	21	Cft
	=	1	5	ស	1/3	8	Cft
	Lav	1	5 1/2	83/8	1/3	15	Cft
	" Lav	1	12	6	1/3	36	Cft
	F/F Toilets	1	6	61/4	1/3	19	Cft
	F/F Ward Toilets	4	5	5	1/3	33	Cft
	Lav	2	5	6 1/4	1/3	21	Cft

		:	,	2	4		
S.No	Description	Nos	Length	Breadin	Deptu		
	Central Tollet	2	9	5 1/2	1/3	22	Cft
	Tollets	2	5	9	1/3	20	Cft
	F/F Tollets	-	61/2	9	1/3	13	Cft
	Toilets	2	2	2	1/3	23	Cft
	S/F Toilets						Cft
	S/F Toilets	1	41/2	6 1/4	1/3	6	Cff
	S/F Ward Toilets	4	w	5	1/3	33	Cft
	"Lav	2	ហ	61/4	1/3	21	Cft
	S/F Ward Toilets	9	4 1/2	93/4	1/3	87	Cft
						265	Cft
28	Providing and laying superb quality Ceramic tile floors of Master brand of specified size, Glossy /Matt /Texture of approved Color and Shade as per approved design with adhesive bond, over 3/4" thick (1,2) cement sand plaster i/c the cost of sealer for finishing the joints i/c cutting grinding complete in all respects and as approved and directed by the Engineer Incharge, 12"x36"	mic tile fl approved /4" thick (i/c cutting	quality Ceramic tile floors of Master brand of /Texture of approved Color and Shade as per bond, over 3/4" thick (1;2) cement sand plaster i/c ig the joints i/c cutting grinding complete in all irected by the Engineer Incharge, 12"x36"	ade as per id plaster i/c plete in all i6".			
	G/F Toilets			***************************************			
	G/F Toilets	4	53/8	4		98	Sft
	G/F Toilets	1	5	5	:	25	Sft
	"Lav	1	83/8	5 1/2		46	Sft
	"Lav	1	12	6		108	Sft
	G/F Toilets	2	5	61/4	-	63	Sft
	G/F Toilets	3	6 1/2	7 3/8		144	Sft
	G/F Tollets	4	5	2		100	Sft
	Lav	1	10	7		70	Sft
	F/F Toilets				-		,
	F/F Toilets	3	53/8	4		65	Sft
	10	₩.	5	2		25	Sft
	Lav	-	5 1/2	8/8		46	Sft
	" Lav	T	12	6		108	Sft
	F/F Toilets	.	. 6	61/4		56	Sft
	F/F Ward Toilets	4	3	വ		100	Sft
	Lav	2	5	61/4		63	Sft
	Central Toilet	2	9	5 1/2		99	Sft

oN o	Decorion	No.	Lancth	Broadth	Donth		
		2021	Tringen.	Dicaum.			Ħ
	Toilets	2	5	9		09	Sft
	F/F Toilets	1	6 1/2	9		39	Sft
	Tollets	2	5	2		20	Sft
	S/F Toilets						
	S/F Toilets	-	41/2	61/4		28	Sft
	S/F Ward Toilets	4	S	2		100	Sft
	"Lav	2	2	61/4		63	Sft
	S/F Ward Toilets	9	4 1/2	93/4		263	Sft
					Total	1793	Sft
	Providing and laying superb quality Ceramic tiles dado of Master brand of specified size, Glossy /Matt /Texture skirting /dado of approved Color and Shade	Ceramic tiles d kirting /dado of	dado of Master brand approved Color and Sh	r brand of r and Shade			
Ŝ	with addressive bond over 1/2 thick (1:2) cement plaster ve the cost of sealer for finishing the joints i/c cutting grinding complete in all respects as approved and directed by the Engineer Incharge. 12"x36"	ment plaste plete in all	respects as ap	or sealer for oproved and			
	G/F Toilets	P410-11-671 (47-64 17-11-14-16-16-16-16-16-16-16-16-16-16-16-16-16-		***************************************			
	G/F Toilets	4	2(5.375+4)	5+4)	5 1/2	413	Sft
	G/F Toilets	1	2(2+2)	-5)	5 1/2	110	Sft
	" Lav	1	2(8.375+5.5)	(+5.5)	5 1/2	153	Sft
-	" Lav	1	2(12+9)	(6+	5 1/2	231	Sft
	G/F Tollets	2	2(5+6.25)	.25)	5 1/2	248	Sft
	G/F Tollets	3	2(6.5+7.375)	.375)	5 1/2	458	Sft
	G/F Tollets	4	2(5+5)	5)	5 1/2	440	Sft
	Lav		2(10+7)	+7)	5 1/2	187	Sft
	F/F Toilets						
	F/F Toilets	3	2(5.375+4)	5+4)	5 1/2	309	Sft
			2(5+5)	5)	5 1/2	110	Sft
	Lav	.	2(5.5+8.375)	(375)	5 1/2	153	Sft
	" Lav	1	2(12+9)	+9)	5 1/2	231	Sft
	F/F Toilets	1	2(9+6.25)	.25)	5 1/2	168	Sft
	F/F Ward Toilets	4	2(5+5)	.5)	5 1/2	440	Sft
	Lav	2	2(5+6.25)	.25)	5 1/2	248	Sft
	Central Toilet	2	2(6+5.5)	5.5)	5 1/2	253	Sft
	Tollets	2	2(5+6)	(9	5 1/2	242	Sft

F/F To Toilets S/F T S/F T S/F W "Lav S/F W S/F W S/F W Back si	F/F Toilets S/F Toilets S/F Toilets 1 S/F Ward Toilets S/F Ward Toilets S/F Ward Toilets S/F Ward Toilets Supplying and filling sand under floor; or plugging in wells Back side Toe wall	1 2 1 6	2(6.5+6)	(+6)	5 1/2	138	Sft
	F Toilets Toilets Ward Toilets Ward Toilets Plying and filling sand under floor; or place in the side Toe wall	1 2	2(5+) 	C 1 /2		;
	F Toilets Toilets Ward Toilets Ward Toilets Wigg and filling sand under floor; or place to wall	2 1 2	2(5+	6	1.7		
	F Tollets Tollets Ward Tollets Ward Tollets Plying and filling sand under floor; or place in the side Toe wall	1 4 6		17)	7/T C	264	Sft
	Ward Toilets Ward Toilets Ward Toilets plying and filling sand under floor; or place in the control of the c	1 4					
	Ward Toilets Ward Toilets Plying and filling sand under floor; or place in the side Toe wall	4 0	2(4.5+6.25)	6.25)	5 1/2	118	Sft
	Ward Toilets Plying and filling sand under floor; or plants side Toe wall	,	2(5+5)	+5)	5 1/2	440	Sft
	Ward Toilets plying and filling sand under floor; or plants side Toe wall	J	2(5+6.25)	.25)	5 1/2	248	Sft
	plying and filling sand under floor; or plant side Toe wall	9	2(4.5+9.75)	9.75)	5 1/2	941	Sft
	plying and filling sand under floor; or pl				Total	4301	Sft
Bac	k side Toe wall	ugging in w	clls,				
		_	140	6	0.33	416	Сĥ
i					Total	416	Cff
31 Prov	Providing, laying, watering and ramming brick ballast 11/3" to 2"(40 mm to gauge mixed with 25% sand, for floor foundation, complete in all respects.	ick ballast I lation, comp	½" to 2"(40 mr elete in all respe	n to 50 mm) ects,			
Bac	Back side Toe wall	-	140	6	0.33	416	Cf
_					Total	416	CH
32 1/5"(one j chips inclu	1½"(40 mm) thick mosaic flooring, consisting of ½ "(13 mm) mosaic topping of one part of cement and marble powder in the ratio of 3:1 and two parts of marble chips, laid over 1"(25 mm) thick floor of 1:2:4 cement concrete, including rubbing and polishing complete with finishing: using grey cement.	ing of ½ "() re ratio of 3 2:4 cement of the finishing	13 mm) mosaic :1 and two part oncrete,	ts of marble cement.			
Bac	Back side Toe wall		140	6		1260	Sft
					Total	1260	
33 Prov the n	Providing and fixing marble strip of any shade for dividing the mosaic flooring into panels.	de for divid	ing				
		1260	%09	***************************************		756	RA
					Total	756	
Prov /Shel 34 bond comi	Providing and laying 3/4" thick full width Prepolished Marble slab for Vanities /Shelves /Treads /Window Cills ,having Uniform texture (Spotless) with adhesive bond over 3/4" thick (1:2) cement sand mortor i/c the cost of matching sealer complete in all respects as approved and directed by the Engineer Incharge. i) China Verona	Prepolished iform textur tortor i/c the directed by	I Marble slab i e (Spotless) wi e cost of mate the Engineer I	for Vanities ith adhesive thing scaler [Incharge. i)			
		<u>8</u> 1	12	2		432	SA
					Total	432	
P/F I 35 of sv comp	P/F PVC double layer Switch kit Face plate with specified switch holes i/c the cost of switches / sockets / dimmer made of Hi-Life / Bush / Schenider, screws complete as approved and directed by the Engineer Incharge	with specifi Hi-Life / E	ed switch holes 3ush / Schenic arge	s i/c the cost der, screws			
i) One Gange	i) One way Gange Switch Large 06 Gange			001		300	Each
146144411144444444444444444444444444444	TOTAL THE TAXABLE TO	***************************************			Total	300	: :

3.No Description	Nos	Length	Breadth	Depth	Qty
ii) Two way Gange Switch Small 04					
Gange	6		35		315 Each
	101100000000000000000000000000000000000	4-14-11-14-11-12-12-12-12-12-12-12-12-12-12-12-12-		Total	315 Each
Sub Englower		Buildi	Sub Dixisional Officer Buildings Sulf Dixision Ferozewala	nal Øfficer fon Feroze	

~	
-	•
ALLATION	i
_	
LATIC	
ď	
7	
=	
_	
Z	
_	
INST	
-	
~	
_	Ì
<u>ပ</u>	
=	Ì
굔	
$\overline{}$	
5	
v	
ш	
_	
ELE	

SN O		č	121	Opto	Amount
3		Ì	5	Vale) Income
++	Providing and fixing Copper winded Exhaust fan with louver and shutter made of Pak/Younas/G.F.C, I/c the cost of necessary cable and hardware for connection from ceiling rose complete as approved and directed by Engineer Incharge. (a)Plastic body (ii) 12 " dia	40	Each	3133.00	125320
7	Providing and fixing Copper winded Ceiling fan made of Pak/Younas/G.F.C. i/c the cost of necessary cable and hardware for connection from ceiling rose complete as approved and directed by Engineer Incharge. (i) 56 " Sweep	40	Each	8400.00	336000
m	Providing and fixing Copper winded Bracket fan i/c the cost of necessary cable and hardware for connection complete as approved and directed by Engineer Incharge. (a) Steel body (ii) 24 " dia	40	Each	6500.00	260000
4	Supply and erection of PVC insulated, PVC sheathed 4 Core, 600/1000 volt armoured cable 25 mm sq (19/0.052) (Hepatitas block)	300	P.Rff	1340.70	402210
u s	Providing and fixing 4" deep cable tray with straight flange fabricated with perforated G.I. Sheet of specified guage, size and depth duly wall supported/ceiling hung supported on painted brackets of MS angle Iron of 1-1/2"x1-1/2"x3/16" and MS patti of 1-1/2"x3/16" size @ 5 ft C/C, hangers I/C the cost of hardwares as approved and directed by the Engineer Incharge 16SWg 9"x4" (Main Corridor)	245	P.Rft	643.75	157719
v	Providing and fixing 4" deep cable tray with straight flange fabricated with perforated G.I. Sheet of specified guage,size and depth duly wall supported/ceiling hung,supported on painted brackets of MS angle fron of 1-1/2"x1-1/2"x3/16" and MS pattl of 1-1/2"x3/16" size @ 5 ft C/C, hangers l/c the cost of hardwares as approved and directed by the Engineer Incharge 16SWg 4"x4" (250+166+166+97 = 679 Rft)	500	P.Rft	393.55	196775
^	Supply and erection of PVC pipe for wiring recessed in walls including inspection boxes, pull boxes, hooks, cutting jharries and repairing surface, etc., complete with all specials 50 mm i/d (170+170+97+97+250+150 = 884 Rft)	884	P.Rft	183.45	162170
∞	Supply and erection of copper conductor cables for service connection, in prelaid pipe/G.I. wire/trenches, etc. (rate for cable only PVC insulated, PVC sheathed 4 core, 600/1000 voit non armoured cable 6 mm (7/0.044")	200	P.Rff	318.50	159250
6	P/F PVC double layer. Switch kit Face plate with specified switch holes is the cost of switches / sockets / dimmer made of Hi-Life / Bush / Schenider, screws complete as approved and directed by the Engineer Incharge (Large 06 Gange)	02	Each	1162.50	81375
10	P/F PVC double layer Switch kit Face plate with specified switch holes i/c the cost of switches / sockets / dimmer made of Hi-Life / Bush / Schenlder, screws complete as approved and directed by the Engineer Incharge (Small 02 Gange)	48	Each	634.50	30456
11	screws Size)	65	Each	158.10	10277
12	P/F PVC concealed Switch kit Box I/c the cost of screws complete as approved and directed by the Engineer incharge (Small Size)	42	Each	134.10	5632

S No	Dacerintion	200	Unit	Rate	Amount	_
4.	P/F PVC double layer Switch kit Face plate with specified switch holes i/c the cost of switches / sockets / dimmer made of HI-Life / Bush / Schenider, screws complete as approved and directed by the Engineer Incharge (Three Pin Power Plug 15-32 Amp)		E ach	754.50	49043	
14	Supply and erection of single core PVC insulated copper conductor cables, In prelaid PVC pipe/M.S. conduit/G.l pipe/wooden strip batten/wooden casing an capping/G.l. wire/trenches (rate for cables only) 3/0.74 mm (3/0.029")	2000	P.Rft	25.70	51400	
15	Supply and erection of single core PVC insulated copper conductor cables, in prelaid PVC pipe/M.S. conduit/G.I pipe/wooden strip batten/wooden casing an capping/G.I. wire/trenches (rate for cables only) 7/0.74 mm (7/0.029")	2000	P.Rft	40.75	81500	
16	Supplying, installation testing and commissioning of Octagonal shape electric street light pole, made of hot dipped 4.5mm thick (7SWG) galvanized steel, tappered from 225 mm at bottom to 100mm at top, with 1500mmx60mmx4mm thick dia. arm for luminal reinstallation, duly G.I. welded with 470x470x20mm base plate with the help of 4no triangular stiffeners 100x350x20mm of GI sheet, with builtin junction box with shutter, I/c the cost of nuts & J-rag bolts, duly fixed in prelaid concrete foundation, foundation will be paid additionally as approved and directed by the Engineer In charge (Single Arm 10 mtr height)	Ó	Each	106222.60	531113	
17	Supply and erection of pole mounted street light, holders, shade and glass, etc., for fitting 125/250 watts mercury vapour lamp (excluding cost of lamps); Philips design	2	Each	5070.10	25351	
18	Supply and fitting of mercury vapour lamp, complete with choke set, 250 watt lamp	5	Each	3005.80	15029	
				Total	2680618	·
	Add 3% Contigency				80419	

b Divisional Officer

2761037

Net Total

Page 117

REVAMPING OF T.H.Q HOSPITAL, FEROZEWALA, DISTRICT SHEIKUPURA, (Re-Locating of Main Door)

Remarks	JanomA	Rate	ĄQ	tinU	<u> </u>	Description	oN
	438	438.00	1	Езср	I	Cemowing door with chowkat.	
	£83	341.50	7	Езср	ī	Cemowing windows with chowkat.	5 E
	1971	54.7154	34	มว%	100	Dismantling brick work in lime or cement mortar.	Ι ε
	1 9706	33,223,35	7 . 17	ພວ %	100	Pacea Brick Work in G/F 1:6 with cls mortar	1 7
	58005	226.50	06	PCff	I	Seinforced cement concrete in roof slab, beams, columns lintels, girders and other structural nembers laid in situ or precast laid in position, or prestressed members cast in situ, complete in all espects:-	ı ç
	102575	00.08£,1£	£77£	%	001	Fabrication of mild steel reinforcement for cement concrete, including cutting, bending, laying in position, making joints and fastenings, including cost of binding wire and labour charges for binding of steel reinforcement (also includes removal of rust from bars):- Deformed bars (Grade-40)	i 9
	88742	3,245.95	£9 <i>L</i>	US %	001	1/2" thick cement plaster 1:4 upto 20 ' height	<i>L</i>
	23275	3,051.45	£9 <i>L</i>	us %	001	Distempering (Ash White Shade) on new surface 3 coats	8
	7422	412.35	81	A2.9	1	Providing and laying 3/4" thick full width Prepolished Marble slab (China Verona) for Vanities \ Shelves \ Treads \ Window Cills, having Uniform texture (Spotless) with adhesive bond over 3/4" thick (1:2) cement sand mortor ise the cost of matching sealer complete in all respects as approved and directed by the Engineer Inchange.	6
	562	5.4.9	71	P.Rfi	1	Extra for Bevelling charges of marble edge in approved design complete in all respects is the cost of Carbor and amdisc as approved and directed by the Engineer Incharge.	
	98076	1348 40	7L	A2.¶	1	Providing and fitting all types of glazed aluminium windows of anodised/ powder coated partly fixed and partly sliding using delux sections of approved manufacturer having frame size of 100 x 30 mm thick imported tinted glass with rubber gasket using approved standard latches, hardware etc., as approved by the Engineer in-charge.	

	684879	IstoT					
	Z9761	Contigency) % £ PPV				
	727829	lstoT					-
	181138	09 LEVI	971	∄≳.प		Providing and fixing all types of partly fixed and partly openable glazed anodised/ powder coated aluminium doors, using delux section of M/s Al-Cop or Pakistan Cables, having chowkat frame of size 40 x 100 mm (1%" x 4") and leaf frame of 60x40mm (2%"x1%") wide sections including the cost of %" (5 mm) thick imported tinted glass with aluminium triangular gola and rubber gasket to support the glass and leaf edging, using approved standard fittings, locks, 3" (75 mm) wide long handles etc., and hardware any required as approved by the engineer incharge.	γī
	66719	\$1.428	zı.	∄2.¶	I	Providing and fixing M.S. grill fabricated with MS Square polished Vertical/horizontal Bars of 1-specified size @ 4" c/c' passed through punched holes in MS Patti of 1-1/4"x1/8" ive the cost of 1-1/4"x1/8" MS patti for Frame of windows and painting 3 cost complete in all respect as approved and directed by the Engineer Incharge (3/8" Squar Bars)	٤١
	OSYTI	\$0.594	98	₽S.¶	ľ	Providing and fixing Aluminum Fly screen comprising of Fiber \ Aluminum wire guaze (Malasian) fixed in aluminum frame of approved manufacturer \ powder coated of size 1-1\2"x\l\2" and 1 omm thick with rubber gasket i/c cost of Hardwares as approved complete in all respect.	-71
Kemstks	invomA	Rate	QtA	tinU		Description	oN.2

Sub Divisional Officer Buildings Sub Birision Ferozewala throws ?

REVAMPING OF DIFFERENT DEPARTMENTS OF T.H.Q HOSPITAL, FEROZEWALA, DISTRICT SHEIKHUPURA

(MAIN BUILDING)

1 Remowing door with chowkat.				100 PM	X
)					
Main Building		4 1971 11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
Main Door					l Nos
				Total	I Nos
2 Remowing windows with chowkat.					
Main Building					
W1	2		-		2 Nos
				Total	i
3 Dismantling brick work in lime or cement mortar	cement mortar.				
Main Building	***************************************	***************************************		***************************************	\$} - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -
	* 2	9	1.125	2.5	34 CA
			ē	Total	
4 Pacca Brick Work in G/F 1:6 with c/s mortar	mortar				
narrantalatinarratatiatitatiatinarratatiatiatinarratatiation (narratatinarratatinarratatinarratatinarratatinarr		24	1,125	12.25	331 Cft
Ramp side	4	1.5	1.125	12.25	83
p/q		1	***************************************	***************************************	***************************************
Door		9	1.125	6	-61 Cft
Window	2	. 9	1,125	9	-81 Cft
			,	Total	
Seinforced cement concrete in roof slab, beams, columns lintels, girders and other	ab, beams, colum	ns lintels, gird	ers and other		
structural members laid in situ or precast laid in position, or prestressed members cast in situ, complete in all respects:-	ast laid in positi	on, or prestres	sed members		
		24	1.25	2	
, , , , , , , , , , , , , , , , , , ,	2	9	1.25	2	30 Sf
				Total	90 SA
6 Fabrication of mild steel reinforcement for cement concrete, including cutting, bending, laying in position, making joints and fastenings, including cost of binding	ent for cement of	concrete, incluses, incluses, including co	ding cutting, ast of binding		
wire and labour charges for binding of steel reinforcement (also includes removal	f steel reinforcer	nent (also incl	udes removal	-	
of rust from pars):- Deformed bars (Grade-40,	rade-40)				į
	06	8	0.454	***************************************	327 Kg
			, p. 4 = 64 p. 4 p.	Total	327 K
7 [1/2" thick cement plaster 1:4 upto 20 ' height	height				
rational and a later of the state of the sta	£ 3	2	1.125	12	81 SA
	3		9	1.125	20 SA

							Ī
S.No	Description	Nos	Length	Breadth	Depth	3	1
		4	1.5	1 P P P P P P P P P P P P P P P P P P P	12.25	74	SA
		-			Total	763	Sft
∞	Distempering (Ash White Shade) on new surface 3 coats	face 3 coats					
***************************************		3	2	1.125	12	-80	Sft
***************************************		3		9	1.125	20	Sft
4444444		2	24		12.25	588	Sft
		4	1.5		12.25	74	Sft
					Total	763	Sft
6	Providing and laying 3/4" thick full width Prepolished Marble	th Prepolis	hed Marble s	slab (China			
	Verona) for Vanities / Shelves / Ireads / Window Cills, having Uniform texture (Spotless) with adhesive bond over 3/4" thick (1.2) cement sand mortor i/c the	indow Cills ick (1:2) ce	s, naving Unite	nitorm texture mortor i/c the			
· · ·	cost of matching sealer complete in all respects as approved and directed by the	ects as app	roved and dire	cted by the			
	Engineer Incharge.					400	
	Window sill	2	9	5.1	-	<u>«</u>	SA
					Total	18	Sft
0 .	Extra for Bevelling charges of marble edge in approved design	e in approv	ed design con	complete in all			
	respects to the cost of Caroor and amplicated and Engineer Incharge.	sc as appro		unccied by me			
	Window sill	2	9	***********************		12	RA
***************************************				٠	Total	12	RA
	Providing and fitting all types of glazed aluminium windows of anodised/ powder	ninium win	dows of anodi	sed/powder			
	coated partly fixed and partly sliding using	using delux	sections of	approved			
	manufacturer having frame size of 100 x	30 mm (4	of 100 x 30 mm (4"x1-1/4") and leaf frame	leaf frame	•		
	sections of 50 x 20 mm (2"x%"), all of 1.6mm thickness including 5 mm thick imported tinted clands with wither eached using approved standard latches	Smm thickn	ess including	S mm thick		•	
	imported timed glass with tubbel gasher using approved standard tareness	t usung api n-charoe	שחושה הסיטונ	id idiciles,			
	inate with as approved by the Eliginesis	11 cital 6c:			***************************************		
		2	9	9	***************************************	72	Sft
				,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Total	72	Sft
2	Providing and fixing Aluminum Fly screen comprising of Fiber / Aluminum wire	comprising	of Fiber / Alu	minum wire			
	guaze (Malasian) fixed in aluminum frame of approved manufacturer /	of approve	ed manufactur	er / powder			
	Coated of size 1-1/2 X1/2, and 1.0mm thick Hardwares as approved complete in all respect.	×.	Will fulber gasket I/O	1		_	
		72	×	1/2	***************************************	36	SA
***************************************					Total	36	SA
13	Providing and fixing M.S. grill fabri	fabricated with	MS Square	polished			
	Vertical/horizontal Bars of specified size @ 4" c/c' passed through punched holes	4" c/c ' pas	sed through pu	inched holes			
	in MS Patti of 1-1/4"x1/8" 1/c the cost of 1-1/4"x1/8" MS pattl for Frame unindous and nativiting 3 cost complete in all respect as approved and directed	- /4"X /8 rechert as	annroved and	or reame or			
1	the Engineer Incharge (3/8" Squar Bars)					· · · · · · · · · · · · · · · · · · ·	
		2	9	9		72	Sft
		*****************		74	Total	72	Sft
	den erweiten bei ingen per erweiten bei beiten genemen beiten beiten beiten er e						

Providing and fixing all types of partly fixed and partly openable glazed anodised/ powder coated aluminium doors, using delux section of M/s Al-Cop or Pakistan Cables, having chowkat frame of size 40 x 100 mm (1½" x 4") and leaf frame of 60x40mm (2½"x1½") wide sections including the cost of ½" (5 mm) thick imported tinted glass with aluminium triangular gola and rubber gasket to support the glass and leaf edging, using approved standard fittings, locks, 3" (75 mm) wide long handles etc., and hardware any required as approved by the engineer incharge. I 6 9 72 Sft Zub Englanter Sub Englanter Buildings Sub Dissional Officer Buildings Sub Dissional Officer	partly fixed and partly openable glazed as using delux section of M/s Al-Cop or I size 40 x 100 mm (1½" x 4") and leaf filtions including the cost of ½" (5 mm ium triangular gola and rubber gasket to managed standard fittings locks 3" (75 mm
onal Officer Sfon Ferozewala	tions including the cost of ½" (5 mm ium triangular gola and rubber gasket to managed standard fittings locks 3" (75 m
54 Total 126 nal Officer sion Ferozewala	
Sub Dissional Officer Buildings Sub Dission Ferozewala	ny required as approved by the engineer is
Sub Divisional Officer Buildings Sub Evizewala	9 1
Sub Diysional Officer Buildings Sub Division Ferozewala	2 4
() () () () () () () () () ()	
Wer.	Sut
	Buildings S

0:00017	0.74	евср	7	(ii) 200A (3'x4'x12") (4*1=4) Incoming Breakers for Main DB for ACs	T
212856.0	0.7644	4500		(a) 12" deep	1
				STA\13m101zns1F morit gnimosni	⇇
	•			Main DB for ACs	,—
				directed by the Engineer Incharge (Breakers will be Paid Separately).	
]	Anmeter, Volt Selector Switch, Annmeter selector switch, Current Transformers and Controles Complete in all respect as approved and	
				cost of Lock, Indication lights, Thimble, Copper Comb, Wiring, Netural & Earth Bar, Door Earthing, Digital Volumeter, Digital	3
· · · · · · · · · · · · · · · · · · ·				Pyf wall mounted DB (Distribution Board) made with 165WG Sheet (Recessded/Surface mounted Type), Powder coated Paint, ive the	4-
318204.0	39813.00	each	8	(a) Tripple Pole 200A(36 KA) (2*4=8)	4
				by the Engineer Incharge.	
÷	. "			Magnetic Trip) in prelaid DBs and Panels is the cost of screws, necessary wire complete in all respect as approved and directed	1
-		}		LBYNCE GE U.S.A / SCHNEIDER GERMANY / TERASAKI JAPAN/SIEMEWANABB SWITZERLAND (with fixed Thermal-	1
	· .	ļ'. '		I Supplying Installation and commissioning of MCCB (Moulded Case Circuit Breaker) of specified rating made of LEGRAND	
		1		Outgoing Breakers for ATS (One for Transformer & Generator and One for Transformers)	Τ
249732.0	62433.00	fi285	Þ	(a) Tripple Pole 400A(36 KA) (One For Transformer and One for Generator and Two for Transformers) (2*2=4)	
U CCEOFC	00 00,05	 		by the Engineer Incharge.	Т
	-			Magnetic Trip) in prelaid DBs and Panels is the cost of screws, necessary wire complete in all respect as approved and directed	[]
• •		1		FRANCE/ GE U.S.A / SCHNEIDER GERMANY / TERASAKI IAPAN/SIEMEN/ABB SWITZERLAND (with fixed Thermal-	
	·			Supplying, Installation and commissioning of MCCB (Moulded Case Circuit Breaker) of specified rating made of LEGRAND Supplying, Installation and commissioning of MCCB (Moulded Case Circuit Breaker) of specified rating made of LEGRAND	1
		 		Incoming Breakers for ATS (One for Transformer & Generator and One for Transformers)	+
	011505503	повэ	ļ 	(ii) 200 KAY (2*1=2)	+
1.5057335	9 1598881	4364	. 7	R 2000 Ff deep	+
		 		ATS (One for Transformer & Generator and One for Transformers)	_
	<u> </u>	 			+
•				Breakers wil be paid additionally)	ol .
				3ar, CTs, Contactors, Relays, Door Earthing, Brass glands complete in all respects as approved and directed by the Engineer Incharge.	
				thining metal phosphate, manual change Over ite the cost of Lock, Indication lights, thimbles, Copper Comb, Wiring, Metural & Earth	s
$x = y = y = \frac{x - y}{2}$		1		netruments & accessories, assembled & wired with Electrolitic Copper bus bars at 50 deg and cables duly cleaned down to bare	л
	1			ated service, short circuit breaking capacity at 400VAC conforming to IEC-947-2 to accomodate given no of circuit components,	21
		1.00		outgoing connections from bottom with flexible copper cable suitable for 415 VAC, 3-phase 4 wire, 50 HZ TPM& E system having	اه
	1		1	00 microns powder coated paint in approved colour, front access, extendable, insulation class of 600 volts IP-44, incoming &	الن
	1			A minimoni Ab-qq zilov (00 to 226) analising isldebnatra 22222 from minimo bayong at trien between 28 processes in the contraction of the contract	.]
			<u> </u>	VF floor mounted ATS (Auto Transfer Switch) panel board, fabricanted with 145 WG M.S sheet (Indoor Type) duly painted with	#
		I		"T. (LV) SUB-STATION EQUIPMENT	4
JunomA	Mate	tinU	40	Describation	<u> </u>
	 	1			

i			18	cacn	59.8621	23375.70
-	(၁)	Single Pole 20A(10 KA) (3*6=18)		<u>.</u>		
				1 1 1		
			81	escp	59.8621	07.27552
	(0)	Single Pole 32A(10 KA) (3*6=18)	-			
	(4)			 		
	.					
i			₹	nose	0.5548	72799.0
	(8)	Tripple Pole $63A(36 \text{ KA})$ (3*1=3)	-			
<u> </u>		Panels is the cost of screwes, necessary wire complete in all respect as approved and directed by the Engineer Incharge.				
		GE U.S.A / SCHNEIDER GERMANY /SIEMEN GERMAN/TERASAKI JAPAN/ ABB SWITZERLAND in prelaid DBs and				.
<u> </u>	I	Suppling Installation and comissioning of MCB (Miniature Circuit Breaker) of specified rating made of LEGRAND FRANCE				
	(e)	Tripple Pole 100A(36 KA) (3*1=3) Outgoing Breakers	Ē	езср	17433.00	00:44770
-	(6)	by the Engineer Incharge.	1	4000	17133 00	92299.00
		Magnetic Trip) in prelaid DBs and Panels i/c the cost of screws, necessary wire complete in all respect as approved and directed		}		
		FRANCE/ GE U.S.A / SCHNEIDER GERMANY / TERASAKI JAPAN/SIEMEN/ABB SWITZERLAND (with fixed Thermal-		1		
l	I	Supplying, Installation and commissioning of MCCB (Moulded Case Circuit Breaker) of specified rating made of LEGRAND			·.	
		Incoming Breakers		,		
		(ξ=1*ξ) ("8x"2Δx"0ξ) A001 (ii)	ξ.	P.Cft	20.237£1	7.29446
<u> </u>	(8)	e,, qeeb	<u> </u>			
<u> </u>	LDIAT	STA1350 Too m Strong from Transformer/ATS	ļ	<u> </u>		
		acd by the Engineer Incharge (Breakers will be Paid Separately). n DB (One for Street Lights)		 		
		neter, Volt Selector Switch, Ammeter selector switch, Current Transformers and Controles Complete in all respect as approved and				
l		of Lock, Indication lights, Thimble, Copper Comb. Wiring, Metural & Earth Bar, Door Earthing, Digital Volumeter, Digital				
		wall mounted DB (Distribution Board) made with 165WG Sheet (Recessded/Surface mounted Type), Powder coated Paint, ife the				
		Single Pole 20A(10 KA) (4*10=40)	01	Пэвэ	1298.65	97615
		Single Pole 32A(10 KA) (4*10=40)	017	фзвэ	59.8621	91615
<u> </u>	_	Tripple Pole 63A(10 KA) (4*5=20)	07	фзеэ	0.5518	099891
		Panels is the cost of serewes, necessary wire complete in all respect as approved and directed by the Engineer Incharge.				
		GE U.S.A. SCHUEIDER GERMANY SIEMEN GERMAN/TERASAKI JAPAN/ ABB SWITZERLAND in prelaid DBs and				
-		Outgoing Breakers for Main DB for ACs Suppling Installation and comissioning of MCB (Ministure Circuit Breaker) of specified rating made of LEGRAND FRANCE/	1			
		Tripple Pole 200A(36 KA) (4*1=4)	•	цэвэ	39813.00	0.222621
	-	pà tực Engineer Inchaige.			00 11001	V 636031
		Magnetic Trip) in prelaid DBs and Panels i/c the cost of screws, necessary wire complete in all respect as approved and directed				
		FRANCE! GE U.S.A / SCHNEIDER GERMANY / TERASAKI JAPAN/SIEMEN/ABB SWITZERLAND (with fixed Thermal-				
L		Supplying, Installation and commissioning of MCCB (Moulded Case Circuit Breaker) of specified rating made of LEGRAND				
#S		Describtion	GΑ	JinU	Pate	InuomA
	_	And the second of the second o				

217306 7460850	% Contigency Total	E ppv		
7243544				TATOT
160200	160.20	ħт	0001	3 7/1.12 mm (7/0.044") PVC insulated, PVC sheathed twin core, 250/440 volt non armoured cable (for ACs)
1062320	2,655.80	Ήı	007	2 70 mm sq (19/0.083") PVC insulated, PVC sheathed 4 core, 660/1100 volt non armoured cable (for Main DBs for ACs)
£10616	3,676.05	Я'n	<u>057</u>	1 95 mm sq (37/0.072") PVC insulated, PVC sheathed 4 core, 660/1100 volt non armoured cable
				B ITLIOMER CABLE
зпиотА	Rate	tinU	σελ	# Description

Sub Divisional Officer noisivid dus Sanibliu8 Ferosewala

Jan Light gns qns

	_	
	3	֡
	\leq	
	Ξ	
	Ç	
	C	
	C	
	Z	
•	Ξ	
	2	
	Ξ	
	Z	

	Dismantling brick work in lime or cement mortar,				
	8 0.75	2.5	5	Cff	
	٠	 	2	÷ č	
-	v	2 6	o ∝	; E	
		, ,	s \	1 6	-
	C/'0 C'I 7	C.7	۶ م	5 8	
		le (67	֓֞֞֝֞֞֝֞֞֝֟֓֓֓֟֓֓֓֟֝֓֟֓֟֓֟֓֟֓֟֓֟֝֟֓֓֟֟ ֓֓֓֓֓֓֞֓֓֓֞֞֞֓֓֓֓֓֞֓֓֓֓֓֓֓֓֓֓	
		 €)	4317.40	 	1/71
	Pacca brick work 1:5 cement mortar in other the buildings upto 10-tt	•			٠.
-	neight. 1 8 0.75	2.5	15	Ü	•
	ıc	2.5) oc	Ü	
		Total	23	3	
		6	17841 10		7697
C	1/2. Thick cement sand plaster (1.4) upto 20-ft height.	3)	111070	; ?	
	1x2 8 2.5		40	Sft	
	2.5		25	S₽	
٠.	0.75		4	Sft	
		Total	69	St	•
٠.		@	3245.95	% Sft	2232
m	P/L R.C.C. in roof slab columns beams lintels using course sand) .			
	screened graded and washed aggregate i/c compacting, curing, rendering and finishing exposed surface laid in position requiring formwork type (C) nominal mix 1:2:4 complete in all respect.				
	1 8 2.5	0.25	Ŋ	Cff	
		0.25	m	Cff	
		0.25	7	Cff	
		Total	10	СĤ	
		(3)	556.50	P.Cft	5565
_	Fabrication of mild steel RCC cutting, bending, laying in position	· ·	•	•	
	making joints fastening i/c cost of binding wire and labour charges			-	
	Qty item above. 10 6.75	0,454	31	Υg	
		@	31380.00	% Kg	9616
	Providing and laying 3/4" thick full width Prepolished Marble slab				
	(China Verona) for Vanities / Shelves / Treads / Window Cills,				
	having Uniform texture (Spotless) with adhesive bond over 3/4" thick	•			
	all respects as approved and directed by the Engineer Incharge.		-		
	1 9 2.5	,	21	SA	
	1 9 1.5		4	Sft	
		Total	35	Sft	
		@	412.35	P.Sft	14329
9	Providing and laying superb quality Porcelain glazed tiles 24"x24" (600mm x600 mm) of Master brand, flooring of specified size, Color				
	and Shade with adhesive / bond over 1/2" thick (1:2) cement plaster				
	i/c the cost of and sealer for finishing the joints, cutting grinding complete in all respect as approved specification				* *
	4		32	Sft	
			∞	Sft	

						-		•
: .			17879	1758		362081		
	Sft	Sft	P.Sft Total	ency Total		Total		
	13	53	340.55	Add 3% Contigency			dings) Ia	
		Total	@	Add:	60347	60347	Sub Divisional Officer (Buildings) Sub Division Ferozewala	
	2.5				ó	×	sion of Off Division	
	2.5		•		Cost for One No.	9	Sub Divi Sub	
	6		•		J			
	· .						to to the total total to the total total to the total total to the total	7
						Cost for 6 Nos.	Sub Engin)

LAB COUNTER

•				-					
	CH	Cft	Cit	% Cft		Sft	SA	Sft	Sft
	28	∞	37	32841.10		75	25	v,	105
	•		- E			í			e la
	2.5	2.5	Total	` @					Total
Pacca brick work 1:5 cement mortar in other the buildings upto 10-ft height.	0.75	0.75				2.5	2.5	2.5	
ings up	•		, ,				٠		
ne build	15	2.25		<u>.</u>	: ::	. <u>S</u>	2.5	-	-
other tl		7		4 7 7		1x2	2x2	1x2	
ortar in				,	2 72 inick cement sand plaster (1.4) upto 20-11 neight.	. •			
nent mo				(7.1)	(† : 1.)		· .		•
1:5 cen			· .		no pias				
c work					nent sa				
ca briol tht.				,	DICK CE		•		
Pacca b height.				74.73	7				
-		٠.			•				

12008

 P/L R.C.C. in roof slab columns beams lintels using course sand	
screened graded and washed aggregate i/c compacting, curing, rendering	
and finishing exposed surface laid in position requiring formwork type	
 (C) nominal mix 1:2:4 complete in all respect.	

3408

% Sft

3245.95

Total

			٠
СĤ	C₽	CH	C₩
, 6 ,	9	4	19
0.25	0.25	0.25	Total
2.5	1.5		
15	15	15	
	_	_	

Fabrication of mild steel RCC cutting, bending, laying in position making joints fastening i/c cost of binding wire and labour charges deformed bars.				
Fabrication of mild steel RCC cutting, bending, laying in position making joints fastening i/c cost of binding wire and labour charges deformed bars.	556.50			
Fabrication of mild steel RCC cutting, bending, laying in position making joints fastening i/c cost of binding wire and labour charges deformed bars.	@			
. —		Fabrication of mild steel RCC cutting, bending, laying in position	making joints fastening i/c cost of binding wire and labour charges	deformed bars.

	_							•
	18031	, .						
Kg	% Kg				۰		Sft	SA
57	31380.00 % Kg	•	-				40	24
0.454	(B)							
6.75		Aarble slab	Sills, having	thick (1:2)	plete in all		2.5	1.5
61		repolished N	. / Window C	1d over 3/4"	sealer com	er Incharge.	91	19
		width P	s / Treads	hesive bor	f matching	the Engine		
		3/4" thick ful	/anities / Shelve	otless) with adl	i/c the cost of	and directed by		
Oty item above.		Providing and laying 3/4" thick full width Prepolished Marble slab	(China Verona) for Vanities / Shelves / Treads / Window Cills, having	Uniform texture (Spotless) with adhesive bond over 3/4" thick (1:2)	cement sand mortor i/c the cost of matching sealer complete in all	respects as approved and directed by the Engineer Incharge.		
_		S						

Sft	P.Sft 26390
S	
49	412.35
Total	@
	.*
,	

	SA	Sft	Sft	S₩
	09	15	13	88
				Total
ecified size, Color cement plaster i/c grinding complete	15 4	15 1	2.5 2.5	
Providing and laying superb quality Porcelain glazed tiles 24"x24" (600mm x600 mm) of Master brand, flooring of specified size, Color and Shade with adhesive / bond over 1/2" thick (1:2) cement plaster i/c the cost of and sealer for finishing the joints, cutting grinding complete in all respect as approved specification	-		2	
9				

(3) Providing and fixing Vin board cabinet 3/4" thick with drawers 3"deep with termite proofing and polishing with synthetic enamel as specified, with handles hinges, screws etc., complete in all respects (2' deep, with back)

29798

P.Sft

340.55

		73186
S#		SA P SA
38 80	50	58 1272.80
		Total
2 1/2	2 1/2	
15	∞	
-		

173255

Tota

178453 × 2 Cost for 2 Nos.

356906

178453

Total

178453

Cost for One No.

\$198

Add 3% Contigency

Sub Engineer

Sub Divisional Officer (Buildings)
Sub Division Ferozewala

WEIDED KOUGH COST ESTIMATE FOR REVAMPING OF T.H.Q HOSPITAL, FEROZEWALA, DISTRICT SHEIKHUPURA, (Pathways/Roads)

	1285097	latoT teM						
	37430		Vonsgnit	Add; 3% Con				
	1247667	latoT			·			
	6886	320 2934.10	fiz%	Extra for making and finishing of benching floor of main holes with 1/32" thick cement Nero.	ç			
	£670S1	4104 2,943.30	₩ C#	P/F supply of filling sand under floor for 2'''to3''' sand cushion	Þ			
	57200S	\$208 Z4.4	£2.4	P/L of repavering of pavers of 60 mm thick complete in all respect used 60 % old paver	ε			
	781828	SE.131 2742	A2.4	P/L pavers of 60 mm thick with 7000 P-SI crushing strength manufactured by Tuff Pavers Pvt. Ithat Building Material Ltd over 2"to3" sand cushion i/c grouting with sand in joints i/c finishing to required slop complete in all respect	7			
	£ 2 068	2 7.029 089£I	₩S %	Dismanting brick or flagged flooring without concrete foundation.	ι			
Remarks	JanomA	Qty Rate)iaU	Description	on.2			

Sub Livisional Officer Buildings Sub Division Ferozewala als many

External Roads

•				0	
	8000	1200	4480	13680	
•				Total	tured by Tuff
ete foundation.	20	20	28		2 P/L pavers of 60 mm thick with 7000 P-SI crushing strength manufactured by Tuff
1 Dismantling brick or flagged flooring without concrete foundation.	400	30	160		00 P-SI crushing
flagged floorin	н	7	п		n thick with 700
antling brick or					pavers of 60 mm
1 Dism					2 .P/LF

1.43

£

ಕ

ಕ

	ಕ	=
	5472	5472
	•	
ravers FVt. Itd / Izilar building Material Ltd Over 2, LOD Sand Comment (CE) with sand in joints I/c finishing to required slop complete in all respect	4	Total
	0	2
spect	٠.	1
allre		
ete in		
omp!		
slop o	13680	
ulred	13	
o requ		
ing t	H	
finish		
ts I/c	· .	
n join		
with sand in joints i/c finishing to required slop complete in all respect		
rave with		
-		

=		Sft	z
5472		8208	8208
Total	all respect used 60 % old	9.6	Total
	0 mm thick complete in	13680	
	P/L of repavering of pavers of 60 mm thick complete in all respect used 60 % old paver		

7 —	14	
OT#	410	ent Nero.
	Total	/32" thick cerr
	1	5 Extra for making and finishing of benching floor of main holes with 1/32" thick cement Nero.
	•	m Jo .
8208		ching floor
		of ber
-		nishing
		g and fi
		making
		ra for 1
e e		Ext
		S

4 P/F supply of filling sand under floor for 2"to3" sand cushion

4104 4104

f

320

Sft

20

Sub Divisional Officer Buildings Sub Division Ferozewala

Page 131

8. ANNUAL OPERATING COST (POST COMPLETION)

Financial Components: Capital Grant Number: Government Buildings - (PC12042)

Cost Center:OTHERS- (OTHERS)

LO NO:LO22010023

Fund Center (Controlling):LE4203 A/C To be Credited:Account-I

PKR Million

Sr#	Object Code	2025	2025-2026 2026-2027		2027-2028		2028-2029		2029-2030		
		Local	Foreign	Local	Foreign	Local	Foreign	Local	Foreign	Local	Foreign
1	A05270-To Others	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
2	A12403-Other Buildings	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	Total	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

Financial Components: Capital Grant Number: Government Buildings - (PC12042)

Cost Center:OTHERS- (OTHERS)

LO NO:LO22010023

Fund Center (Controlling):LE4203 A/C To be Credited:Account-I

PKR Million

5	Sr#	Object Code 2025-2026		2026-2027 2027-2028		-2028	2028-2029		2029-2030			
			Local	Foreign	Local	Foreign	Local	Foreign	Local	Foreign	Local	Foreign
	1	A12403-Other Buildings	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	2	A05270-To Others	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
		Total	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

8. <u>Annual Operating and Maintenance Cost after Completion of the Project</u>

The Annual operating and maintenance cost after completion of the project will be borne by the concerned District Health Authority (DHA) as well as Primary and secondary healthcare Department, Lahore.

9. DEMAND AND SUPPLY ANALYSIS

Semi modern health facilities and scientific diagnostics are presently available in this Hospital. This initiative of revamping Hospital will cover all departments and components of healthcare including Medical, Surgical, psychiatric, Cardiac, ENT, Ophthalmic and Pediatrician components. Moreover, women health components i.e. Gynecology and obstetric will also be emphasized upon. In emergency, calamities and natural disasters, valuable lives will be saved through revamping of Emergency Units.

10. FINANCIAL PLAN AND MODE OF FINANCING

10.1 FINANCIAL PLAN EQUITY INFORMATION

10.2 FINANCIAL PLAN DEBT INFORMATION

undefined

10.3 FINANCIAL PLAN GRANT INFORMATION

Attached

Financial Plan and Mode of Financing

The project will be executed / financed through Annual Development Program under the sector Primary and Secondary Healthcare Department, the Government of Punjab. Year wise financial utilization is as under:

Revenue Side

(Rs.in Million)

Year	2017-18	2018-19	2019-20	2020-21	2021-22	2022-23	Total
Funds Released	39.000	21.283	2.859	2.941	3.915	7.573	77.571
Utilization	21.156	20.454	2.849	2.541	3.645	1.004	51.649

Capital Side:

Year	2017-18	2018-19	2019-20	2020-21	2021-22	2022-23	Total
Funds	0.000	0.000	0.000	0.000	0.000	5.500	5.500
Released	0.000						5.500
Utilization	0.000	0.000	0.000	0.000	0.000	0.000	0.000

<u>Balance funds may be provided for completion of the project in</u> <u>subsequent years through ADP</u>

10.4 WEIGHT COST OF CAPITAL INFORMATION

undefined

11. PROJECT BENEFITS AND ANALYSIS

11.1 PROJECT BENEFIT ANALYSIS INFORMATION

3 Social Benefits with Indicators

Social economic burden will be decreased due to availability of better medical services in the district. Time and money of community will be saved which were expended in other cities like Lahore Islamabad etc. on treatment of patients and for boarding and logging of attendants. The social status of community will rise.

11.3.1 Social Impact:

A number of patients lose their lives or suffer serious disabilities for want of timely access to the health facilities. The project will ensure that no one is left to reach the health facilities. The most important beneficiaries will be mothers having complicated delivery conditions. The number of patients transferred to the health facilities for treatment and lifesaving will serve as indicators for performance evaluation. In long term the project will help in improving socio-economic indicators of IMR and MMR.

Employment Generation (Director and Indirect)

Revamping of this Hospital will lead to generation of employment for highly skilled /professional staff and unskilled staff leading to reduction of unemployment. Huge employments opportunity will be created from the establishment of the project. The Medical doctors and paramedics who are trained in this discipline or intended to specialize in this field can make maximum use of training. A large number of gazette and non-gazette posts will be available for employment directly or indirectly.

11.2 ENVIRONMENTAL IMPACT ANALYSIS

Environmental Impact

It will have no hazardous effect on the environment. On the other hand, addition of horticulture and landscaping will provide healthy environment to the general public. All the more, the program is environment friendly having no adverse environmental effects. Simultaneously, this shall further improve environment by creating sense of responsibility among employed and beneficiaries of the service.

11.3 PACT ANALYSIS

undefined

11.4 ECONOMIC ANALYSIS

Delay in the implementation of the project will lead to increase in cost and increase financial burden on the Government and general population of Punjab. Since the project is one of the major needs and a long awaited desire of the community, therefore, Government of the Punjab contemplated plan for early execution of Revamping of Emergency Units. The delay will not only deprive the patients of the state of the art facility but also distort the public image of the Government.

11.5 FINANCIAL ANALYSIS

Financial Benefits & Analysis

Tremendous public benefits will be accrued from revamping of Emergency Units:

The Targets of Sustainable Development Goals (SDGs) will be achieved

The Human Development Index of Pakistan (HDI) will improve

Infant Mortality Rate will decrease

Mother Mortality rate will be decreased

The international commitments of Pakistan will be accomplished

Health standard of public will

Better Health Facilities to mother and

Prompt and scientific facility for operation

Rehabilitation of disables and injured

Blindness in this area will be decreased and controlled

Better social and mental health to addict

Provision of better health facilities at doorsteps

Awareness and control for communicable

Survival of heart failure

Social indicators of Pakistan will improve

This will decrease load of patients on teaching hospitals and specialized institutions by promoting physical and mental health. By adopting preventive and Hygienic principles, the number of patients and diseases will decrease. Resultantly budget load of Government for treatment will decrease and saving will be utilized for development programs.

11.1.1 Financial Impact:

In the beginning, It is extremely difficult to put a money value on each life saved by taking/shifting a critically ill patient to the appropriate health facility for treatment. However, the exact amount spent shall be calculated against each patient shifted by analyzing data collected during operations.

11.2 Revenue Generation

Revenue will be generated from:

Indoor fee

Laboratory fees

Diagnostic facility fees

Dental fee

ECG fee

Private room charges

Ambulance charges

12. IMPLEMENTATION SCHEDULE

12.1 IMPLEMENTATION SCHEDULE/GANTT CHART

Original Gestation period (From September, 2017 to June, 2019)

Extension in Gestation period for one year with no change in cost & Scope till June 2020.

1st Revised gestation period till June, 2021

2nd Revised gestation period till June, 2023.

3rd Revised gestation period till June, 2025

12.2 RESULT BASED MONITORING (RBM) INDICATORS

undefined

12.3 IMPLEMENTATION PLAN

12.4 M&E PLAN

The Operation team will monitor the progress of the project and will hold regular weekly meeting to review the progress under the supervision of Project Director.

12.5 RISK MITIGATION PLAN

Attached

RISK REGISTER

Programme for Revamping of all THQ Hospitals in Punjab

			itigation / C		MITIGATION		
Risk Item No	Risk Description/Event	Cause	Effect / Consequences	Likelihood (1 to 3)	Impact (1 to 3)	Risk Score (1 to 9)	Mitigation / Actions
1	Due date for the completion of some hospital sites may be extended due to increase in scope from the Client	Direct instructions from the Medical Superintendents / Hospital Administration to revamp the remaining areas	Significant scope increase requested by the Hospital administration will result in: 1. Project delays 2. Contractor claims 3. Increase in project cost along with variations	3	3	9	Hospital administration is requested to finalize the scope during joint field visits of C&W and PMU
2	Various unexpected structural issues are being encountered	Unforeseen structural issues are expected to face during execution in hospital buildings approaching end of life	Stoppage of work Performance of the Contractor has affected Delays in the project	3	3	9	Various items which are unforeseen and expected to be used during execution may be taken in estimates so that those can be executed to address these issues
3	Change in management of the Client	Management change	Re-briefing is to be carried out	2	2	4	Acceleration of understanding for smooth and expeditious transition, without affecting the project
4	Financial Issues	Funds for these schemes should be provided as per the targets	Delay in tendering Effect on quality as the Consultant supervision will not take place Inconvenience to the patients	3	3	9	Approval of PCIs and early release of funds is requested
5	Nationwide spread of pandemic i.e. COVID-19 in 2nd and 3rd quarter of this year	Work delays during nationwide lockdown.	Delays in completion of works Claim requests received by Contractor and Consultant	3	3	9	Contractor will be asked to depute fully vaccinated labor

12.6 PROCUREMENT PLAN

undefined

13. MANAGEMENT STRUCTURE AND MANPOWER REQUIREMENTS

The Organogram of new Health Management Structure is available in PC-I

14. ADDITIONAL PROJECTS / DECISIONS REQUIRED

NA

15. CERTIFICATE

Focal Person Name:Mr. KHIZAR HAYAT Designation:Project Director, PMU P&SHD

Email: Tel. No.:042-99231206

Fax No:

Address:31/E1, Shahrah-e-imam Hussain? Road? Block E 1 Gulberg III, Lahore, Punjab

15. It is certified that the project titled "Revamping of THQ Hospital Fero zwala (3rd Revised)" has been prepared on the basis of instruction provided by the Planning Commission for the preparation of PC-I for Social Sector projects.

Prepared By:

(HISSAN ANEES)

DIRECTOR PLANNING & HR, PMU, PRIMARY & SECONDARY HEALTHCARE DEPARTMENT, LAHORE (042-99231206) (Oct-2022)

PROCUREMENT SPECIALIST, (PMU). PRIMARY & SECONDARY HEALTHCARE DEPARTMENT, LAHORE (042-99231206) (Oct-2022)

(HAMZA NASEEM) PROJECT MANAGER CIVIL, PMU, PRIMARY & SECONDARY HEALTHCARE DEPARTMENT, LAHORE (042-99231206) (Oct-2022)

Checked By:

(Dr. AYESHA PARVEZ) DEPPUTY PROJECT DIRECTOR (PMU), PRIMARY & SECONDARY HEALTHCARE

DEPARTMENT, LAHORE (042-99231206) (Oct-2022)

Approved By:

(KHIZAR HAYAT) PROJECT DIRECTOR (PMU) PRIMARY & SECONDARY HEALTHCARE DEPARTMENT, LAHORE

(042-99231206) (Oct-2022)

(DR. IRSHAD AHMAD) SECRETARY,

GOVERNMENT OF THE PUNJAB

PRIMARY & SECONDARY HEALTHCARE DEPARTMENT, LAHORE (042-99204567)

(Oct-2022)

17. RELATION WITH OTHER PROJECTS