



PC-1

## Revamping of THQ Hospital, Fort Abbas District Bahawalnagar

ORIGINAL APPROVED COST	<b>PKR Million. 340.042/-</b>
ORIGINAL APPROVED GESTATION	<b>72 Months</b> <b>Till June 2025</b>
APPROVAL FORUM	<b>DDSC (DDSC)</b>

## 1. NAME OF THE PROJECT

Revamping of THQ Hospital, Fort Abbas District Bahawalnagar

## 2. LOCATION OF THE PROJECT

### 2.1. DISTRICT(S)

I. BAHAWALNAGAR

### 2.2. TEHSIL(S)

I. FORT ABBAS

## 3. AUTHORITIES RESPONSIBLE FOR

### 3.1. SPONSORING AGENCY

- PRIMARY AND SECONDARY HEALTH CARE

### 3.2. EXECUTION AGENCY

- PRIMARY AND SECONDARY HEALTH CARE

### 3.3. OPERATIONS AND MAINTENANCE AGENCY

- PRIMARY AND SECONDARY HEALTH CARE

### 3.4. CONCERNED FEDERAL MINISTRY

- NATIONAL HEALTH SERVICES, REGULATIONS AND COORDINATION

## 4. PLAN PROVISION

Sr #	Description
1	<b>Source of Funding:</b> Scheme Listed in ADP CFY
2	<b>Proposed Allocation:</b> 0.000
3	<b>GS No:</b> 5265
4	<b>Total Allocation:</b> 0.000
5	<b>Funds Diverted:</b> 0.000
6	<b>Balance Funds:</b> 0.000
7	<b>Comments:</b> Funded out of block provision reflected at G.S No.658 with an allocation of Rs. 1,800 million (Capital = Rs. 1.300 Million & Revenue = Rs. 500 Million).

## 5. PROJECT OBJECTIVES

attached

## **5. Project objectives and its relationship with Sectorial Objectives and Components**

The Government of Punjab is making strenuous efforts for a better and effective Health Care system. The Defining step in this direction was to recognize the importance of Health Care at Primary & Secondary Levels. As a first step towards better health care at primary and secondary level, the department under the guidance of Government of the Punjab has decided to launch massive revamping of 40 THQ & DHQ Hospitals in the financial year 2016-17 along with revamping of emergencies of 15 selected THQs and emergencies of all Hospitals. In addition to that, Government has assigned the task of revamping of all remaining 85 THQ Hospitals of Punjab during 2017-18. The Project Management Unit, Revamping Program, Primary and Secondary Healthcare Department has started the 2<sup>nd</sup> Phase of the said revamping program in September, 2017.

### **5.1 Background of Primary & Secondary Healthcare Department**

Effective primary and secondary healthcare is particularly important in resource-poor countries. Effective delivery of vaccinations, maternal and child care (MCH) and treatment of common pathologies (such as malaria, gastroenteritis, respiratory tract infections and other vector borne diseases) is essential for the achievement of Sustainable Development Goals (SDGs). Effective diagnostic triage, an organized system of prescription and queue management, an effective and stringent sterilization regime, quality nursing and consultant care, implementation of minimum service delivery standards (MSDS) and delivery of care for chronic pathologies lie at the center for the provision of universal health care at a cost that the community can afford as envisaged in domains established by the 1978 Alma-Ata Declaration of WHO. Primary care serves as the cornerstone for building a strong healthcare system that ensures positive health outcomes and health equity. The deficiencies in quality of care represent neither the failure of professional compassion nor necessarily a lack of resources rather, they result from gaps in knowledge, inappropriate applications of available technology and unstructured planning. Local health care systems in our setup have practically not been able to implement department's objectives. Result is continuous lack of quality improvement to lower health outcomes.

Quality health care is actually provision of health care by timely, skillful application of medical technology in a culturally sensitive manner within the available resource constraints. Eliminating poor quality involves not only giving better care but also eliminating under provision of essential clinical services (system wide microscopy for diagnosing tuberculosis, for example); stopping overuse of some care (prenatal ultrasonography or unnecessary injections, for example); and ending misuse of unneeded services (such as unnecessary hysterectomies or antibiotics for viral infections). A sadly unique feature of quality is that poor quality can obviate all the implied benefits of good access and effective treatment. At its best, poor quality is wasteful and at its worst, it causes actual harm.

Keeping in view this basic essence of primary and secondary health care, The Government of Punjab is dedicated in making strenuous efforts for ensuring a better and effective Health Care system. The Defining step in this direction was to recognize the importance of Health Care at Primary & Secondary Levels. As a first step towards better health care at primary and secondary level, a separate department was created by bifurcating the Health department into two departments Specialized Health Care & Medical Education Department and Primary & Secondary Health Care (P&SH) Department. The principle reason for bifurcation has been to improve governance and service delivery in the spheres of health care across the province. Primary and Secondary Health Care Department has been entrusted the responsibility of primary and secondary level health facilities including preventive health services and Vertical Programs. P&SH Department accordingly has its functional responsibility in respect of 26 District Headquarter Hospitals (DHQs), 129 Tehsil Headquarter Hospitals (THQs), 322 Rural Health Centers (RHCs) and 2,504 Basic Health Units (BHUs). Moreover, specialized programs like Expanded Program for Immunization (EPI), TB Control (DOTS), Hepatitis Control Programs as well as special campaigns such as Dengue Campaign, Polio Eradication Campaigns also fall in purview of the department. The establishments like Director General Health Services (DGHS), Drug Testing Labs (DTLs) and Bio-medical Engineering Workshops also assist the department in discharge of its functions efficiently. Establishment of Internal delivery Unit at Primary and Secondary Health Care Department has been aimed for institutional strengthening and capacity building of Primary and Secondary Health Care Department. Monitoring and follow up remains one of key ingredients for good governance and is at heart of all management models. Therefore, an Internal Delivery Unit, comprising well qualified and experienced persons, is being established within P&SH Department. Internal Delivery Unit shall be manned with qualified and experienced consultants. Internal Delivery Unit shall be responsible for every such task needed to strengthen the PSHD which may range from operational matters to monitoring e.g. tracking pace of all initiatives of the Department through the process such as tracking procurement of medicines by districts, procurement of vaccine by Director EPI, pace of various development schemes and performance of Drug Testing & Bio-mechanical Labs etc.

The basic mandate of Primary & Secondary Health Department is to focus on preventive health care in primary sector along with basic diagnostics and treatment facilities at secondary level. The context is to primarily lessen the load on tertiary care health establishments and to reduce treatment costs. The major challenge for Primary & Secondary Health Department is to boost the confidence of masses and raise the level of trust in the primary health care system. The reality is that most of the health care establishments at secondary level are not currently providing health care services up to the optimal level, owing to a myriad of reasons including heavy patient load, scarcity of resources, human resource constraints and dysfunctional biomedical and allied equipment.

Due to lack of structured planning and monitoring, previous efforts did not materialize into an integrated health care regime, rather these have resulted in

haphazard construction, poor repair and maintenance, lack of basic amenities, absence of waiting areas, substandard diagnostics and therapeutics, shabby outlook and suboptimal level of patient care over all. Such state of affairs has severely jolted level of trust in health care system by common man and hence the patients prefer to visit tertiary level hospitals or even private health facilities for treatment of even very common pathologies. This subsequently has a cascade effect on socioeconomics of common man who has to spend more in shape of travelling from villages to district headquarters and then bearing costs of private treatment, secondly, this has also increased disease load on our tertiary health care establishments.

Keeping in view this importance of primary and secondary health care, the department decided to launch massive revamping program for all DHQs and THQs all over the Punjab.

## **5.2 Project Management Unit (PMU), Primary & Secondary Healthcare Department**

In order to successfully complete the program objectives in the given timeframe, it is imperative to establish a dedicated Program Management Unit (PMU) having technical and administrative expertise and autonomy, as the regular machinery of the department is too busy with the routine work and cannot successfully steer the program. The PMU is responsible for the successful implementation of the Revamping Program through completion of all related projects. After the implementation of all these projects, the Primary & Secondary Healthcare network will be improved. The PMU shall ensure that the DHQ & THQ hospitals have a well-constructed physical infrastructure with vibrant management model for efficient service delivery and improved processes to focus on patient distress in prompt manner. It adheres to Minimum Service Delivery Standards (MSDS) to address the patients' needs in the most efficient and systematic manner.

In this regard, a dedicated team of Project Management Unit (PMU) has been established to execute the project. PMU's office is located at 31-E/1, Shahrah-e-Imam Hussain, Gulberg-III, near Qaddafi stadium, Lahore. It is headed by a Project Director with a committed team comprising of Deputy Project Director, Finance and Administration, ICT), Project Managers, Project Officers, Engineers, supporting administrative and technical staff, experienced and qualified Health consultants., Directors (Operations, Human Resource & Planning and infrastructure, Outsourcing) as well as Procurement Specialist.

## **5.3 Infrastructural Interventions**

The construction of various new blocks of hospital complex is constructed without any proper planning and necessary connection to existing blocks. On the whole, the complete infrastructure of hospital is quite complex and scattered, access to various blocks of hospital is quite inadequate and there is no proper connection or link between different blocks of hospital. In the revamping program of

DHQ and THQ Hospitals, the placement of various facilities of hospitals are re-planned keeping in view the layout of existing blocks for facilitation of patients and some modifications/alterations were proposed in the blocks for necessary link or connection between the blocks.

Major infrastructural interventions can be divided in the following four categories

### **5.3.1 External Development**

### **5.3.2 Internal Development**

### **5.3.3 Medical Infrastructure Development**

### **5.3.4 Emergencies Development**

### **5.3.1 External Development**

#### **5.3.1.1 External Platforms**

In order to improve the communication between blocks, necessary interventions are taken to improve the existing internal metaled road network. Moreover, new internal metaled road network is also designed and proposed to access the blocks of hospital accordingly. Despite the improvement in metaled road network, external platforms except metaled road is also designed and proposed for patients to access the blocks by simply walking among the blocks.

#### **5.3.1.2 Façade Improvement**

In order to improve the aesthetics of hospital, façade uplift with aluminum composite panels with aluminum cladding, false steel structures, façade aluminum windows and aluminum doors are designed in order to give the feel of modern architectural era.

#### **5.3.1.3 Sewerage System**

The most important entity of a hospital lies in its cleanliness. Infrastructural interventions to keep the hospital clean were taken in the form of improvement of sewerage system of the hospital. These interventions include the re designing of sewerage system, construction of new manholes, laying of new sewer lines and connection between trunk sewer and hospital sewer.

#### **5.3.1.4 Landscaping (Horticulture)**

Landscaping in hospital adds aesthetic & beauty to the built environment as well as improves in reducing the pollution. Soft & hard landscape reduces dust particles moment in air, hence contributes in a clean environment. The hours spent

in a hospital can be stressful for patients, staff and visitors. According to research easy access to a natural environment can contribute to stress management and potentially improve health outcomes: physiological studies indicate that 3-5 minutes spent in such Hospital Outdoor Landscape Design environments reduces anger, anxiety and pain and induces relaxation. Research also shows that “positive distractions” can reduce stress and their visual forms include gardens, scenic views and artwork, which play a critical role in modern hospital design: gardens, fountains, and water features provide patients, staff and visitors with restorative experiences of nature. In this regard complete lawns development, placement of benches, dust bins, playing equipment, fruit trees, flower plants, fruit trees and gazebos are proposed in all hospitals under revamping program

#### **5.3.1.5 Water Filtration Plant**

In the modern era, the access to clean water for everyone is becoming rare day by day. Especially in hospitals, the supply of water free from any harmful impurity is one of the most basic needs. To cope up with this problem water filtration system according to the existing nature of water is designed and water filtration plant is proposed accordingly. For ease of patients, drinking water supply network was designed to provide filtered water in wards and in various drinking stations within the hospital building

#### **5.3.1.6 External Electrification**

One of the major hindrances in functionality and ineffectiveness of electro medical equipment and other facilitating electrical appliances is either interrupted power supply or power supply with lesser voltage than required. This problem was solved by providing express line or dual electrical supply in all hospitals under revamping. Despite these two facilities based, on the current and proposed electrical load of hospital new transformers were proposed to step down the voltage to desired level and complete generator backup system was designed and generators along with automatic transfer switches were proposed accordingly. Moreover, to fully lighten up the hospital for proper utilization of all facilities of hospital during the low/no-light hours of the day, external pole lights to lighten up the pathways and garden lights to lighten up the lawns were designed and proposed.

#### **5.3.1.7 Parking and Waiting area**

Non-clinical facilitation of patients and attendants were specially considered in the revamping program. One such facilitation step is designing the parking and waiting areas on basis of daily influx of vehicles and patients/attendants during the

peak hours. Parking and waiting areas on several places of hospital were then proposed according to the design.

#### **5.3.1.8 External Signage**

External signage system is designed including various signage types for complete guidance of patient attendants and to search concerned facility promptly.

### **5.3.2 Internal development**

#### **5.3.2.1 Aesthetic improvement**

In order to improve the aesthetics of hospital wards, corridors, rooms and toilet blocks, flooring and dado design of suitable material in these areas is proposed. Despite of aesthetics, the material of flooring and dado design were chosen to provide ease in cleaning process. For further improvement in aesthetics, paint on exterior and interior part of the hospital, poly-vinyl chloride paneling to conceal the dampness damaged areas and steel cladding of columns are proposed.

#### **5.3.2.2 Ramp and Stretcher improvement**

For hospitals having more than one floor, there is a huge problem of patient transfer with stretcher. This problem is solved by proposing new ramps/stretcher ways where needed. Moreover, in order to further improve the communication between various floors of hospitals improvement of stair cases with hand rail or guard rails is proposed.

#### **5.3.2.3 Seamless flooring and Lead Lining**

To keep high risk areas like Operation theaters, I.C.U, C.C.U, and Gynecology Operation Theater bacteria free is one of the basic medical practices. In the revamping program of hospitals low epoxy paint is proposed in these areas to provide seamless flooring so that the bacterial growth within the grooves can be prevented. Moreover, to make the X-Ray rooms radio-resistant and to keep the patients away from the harm of rays, interventions are taken in X-ray rooms regarding provision of lead lining in walls, ceiling and floor.

Interventions were taken regarding hazardous radiation emitting areas to make them radio-resistant in order to keep patients/attendants away from harmful radiations. These interventions were in the form of provision of lead lining in ceiling, walls and roofs of X-Ray rooms.

#### **5.3.2.4 Aluminum doors and windows**



In order to make sound and heat proof the doors and windows of wards, corridors and major health facilities are proposed as aluminum doors and windows. Which despite of above benefits are also aesthetically pleasing. Corridor wire mesh windows and rolling blinds for windows are proposed in order to invite or stop the day light within the wards according to the requirement. Moreover, existing wooden doors having shabby and dirty look are proposed to be re-polished and washroom doors are proposed to be replaced with PVC doors to make them resistant against water.

#### **5.3.2.5 Improvement of washroom blocks**

The area of hospital which can be dirty at most is its washroom or toilet blocks. To improve the cleanliness of hospital the special interventions were taken regarding the renovation of toilet block of hospital. This renovation includes the re tiling of existing damaged flooring and skirting and addition of water closets etc.

#### **5.3.2.6 Facilitation of attendants and patients**

The facilitation of attendants is also one of the most basic things to be provided in the hospital. The facilitation of attendants contributes towards the facilitation of patients. In order to facilitate the attendants, pantries are designed at that location of hospital where attendants can be effectively facilitated. These pantries include stoves and washing machines. Moreover, it is also very important to educate the patients and attendants regarding the seasonal and general diseases along with its cure and prevention. Installation of LED televisions in various locations of hospitals especially in wards and waiting areas is also proposed in the design in this regard.

#### **5.3.2.7 Furniture and Fixtures**

One more step towards the facilitation of attendants or patients is placement of benches in waiting areas. The most rush positions of hospital are chosen in this regard and placement of benches is designed according to the patient number and flow. In order to improve the efficiency of consultants or doctors, interventions regarding the renovations of doctor or consultant office are designed in this regard. The doctor room furniture is designed for this purpose keeping in view the existing area of room and necessary required equipment. To carry and dispose of the medical and general waste material of hospital, waste bin sets are designed to place at various positions of the hospital. These positions are marked by keeping in view the general circulation of the public and sensitivity of the area.

#### **5.3.2.8 Air Conditioners, Refrigerators and LEDs**

According to the different standards, there is a separate requirement of temperature to control the environment of particular place with respect to the nature of facility. In this regard, air conditioners are proposed according to the required tonnage of the specific area. For better efficiency and performance delivery, cabinet air conditioners are proposed in the wards and other facilities having larger areas. The maintenance and repair services of these air conditioners are outsourced so that uninterrupted performance can be delivered. For further facilitation of patients and attendants, placement of refrigerator is proposed on each nursing counter. These refrigerators are proposed for items requiring specific temperature for storage purposes. LEDs will also be placed at various points to facilitate the patients and attendants.

#### **5.3.2.9 Internal Signage and Paintings**

As described earlier, the information regarding the positions of major health facility especially emergency and labor room etc. is very much essential for any person entering inside the covered area of hospital. For these purposes, different types of signage are proposed including corridor hanging signage, floor map boards, room numbers and room names plaques. For general information duty rooster boards, janitorial station signage, waste bin set signage, emergency exit signage.

Different kinds of paintings are designed according to the nature of area where it is desired to be fixed. These paintings are beneficial in a sense that it improves the aesthetics of hospital and moreover, such painting patterns are designed so that it give the relaxation and soothing feelings to aid in the healing of patients. Moreover, in order to create a healthy, positive, entertaining and friendly environment for interest of children, paintings on children wards is proposed.

#### **5.3.3 Medical Infrastructure Development**

To cope with the emergency condition of clinically serious patient, oxygen supply system is designed by proposing an individual oxygen supply system for each major health facility. This oxygen supply network comprises on copper pipe line, flow meter with bed head units, cylinders and setup and individual central oxygen supply system. The contract of filling of oxygen gas in cylinders is outsourced for uninterrupted oxygen gas supply to the patients.

For patient receiving, information, guidance, appointment or for any other task, separate reception counters are proposed in various blocks so that, all necessary information regarding the block is available on the counter round the clock. In this way, utilization of clinical facilities will be optimized. For indoor patient department, complete facilitation and care of patients admitted in wards is ensured

by proposal of nursing counter in each ward. This nursing counter will be placed or constructed in such a placement that each bed can be monitored by the nurse available.

The design regarding architectural planning of above mentioned facilities are designed according to the patient facilities and architectural planning standards. These designed facilities are then designed in the existing building structure according to the patient flow and sensitivity of facility.

#### **5.3.3.1 Emergency Department:**

All THQS and DHQs are already providing emergency services to critical ill patients. As far as the existing sources including human resources & equipment are not sufficient to fulfill the requirement. Primary and secondary healthcare department is going to take the initiative to improve emergencies of hospitals by providing new equipment and human resource in form of recruitment of doctors, nurses and paramedical staff along with Infrastructure of Causality Department. Ultimate goal of revamping of emergencies is to enhance the quality of medical services to critical ill patient in golden hour to decrease the mortality and morbidity rate in causality department of each hospital.

##### **5.3.3.1.1 General Overview of Emergency Department**

In any hospital, the most important and critical area is its emergency block. Specially, if hospital is situated on a highway where there is a huge flux of rapidly moving traffic which can be a major source of casualties, if patient treatment is not proper. Besides road trauma cases, cardiac cases and burn cases etc. are also more likely to be initially treated in emergency. Proper first aid to patient reduces morbidity and mortality. The emergency department of hospital is a block where in time service delivery is so much essential that delay in proper treatment can cause lot of lives to suffer from serious diseases for rest of their life. In a nutshell, the efficiency and in time service delivery of emergency block depicts the overall efficiency of the hospital.

In order to improve the emergency department and to ensure in time service delivery of the same, special initiatives are being taken in this regard. Infrastructure of emergency department depends a lot on its service delivery and efficiency. An emergency department with all necessary medical and general equipment and equipped with all essential medical facilities but without ineffective and poorly planned infrastructure will never fulfill its need. Conclusively, such infrastructural interventions are planned in this program so that the efficiency of emergency department can be optimized. Some of the following major interventions are listed below:

##### **5.3.3.1.2 Position of Emergency Department**

It is planned that new construction of building should be avoided at most because already existing blocks with no proper utilization are existing in all of the hospitals. The emergency block should be on such a location that the distance between that department and main entrance gate should be minimum with respect to other locations or positions of complex. To fulfill this purpose, that portion of this building block is selected for re planning of emergency department which is most near to the entrance gate. The far positioning of emergency department will result the lost in time for patient during its travelling which can be crucial.

#### **5.3.3.1.3 Access towards the Emergency Department**

The route leading towards the emergency department is important in this aspect that a smooth track and a widened path will be feasible for the movement of vehicle or stretcher. Initiatives are taken in this program for construction of new pathways or renovation of existing ones leading towards the emergency department. Such material of the external platform is selected so that a smooth movement should be observed over it rather than jerks bumps. Moreover, the width of the passage from entrance gate up to emergency department is designed by keeping in view the flux of the vehicles rushing towards the emergency block.

#### **5.3.3.1.4 Medical Infrastructure Emergency:**

The existing emergency department or other block of the hospital according to its access from entrance gate, is designed and re planned according to the above described emergency facilities. The changings or amendments in the existing covered area of the hospital are proposed according space availability. Due to the rush of patients and increased number of minor surgeries performed in the emergency department make it one of the dirtiest department of the hospital. Hence, in this regards it is very much essential to keep the floors of certain area of emergency department bacteria free. Seamless flooring is proposed in this regard to avoid the groves so that the cleaning process can be made easy. Low epoxy paint is designed and proposed in this regard on Minor OT, Gurney area and specialized healthcare unit.

Provision of medical gasses is essential to facilitate the patients suffering from breathing issue due to some disease and ailment. The filling process of oxygen in the cylinders is outsourced to ensure the continuous supply of the oxygen among the beds. The oxygen system comprises on copper pipe, central oxygen supply system for pressure maintenance, oxygen cylinders and flow meter with bed head units.

#### **5.3.3.1.5 General Building Interventions:**

In order to improve the over building condition of emergency blocks following major interventions are taken:

1. Provision of flooring and skirting
2. Painting on interior and exterior side of department

3. Provision of false ceiling
4. Replacement of damaged and renovation of existing wooden doors
5. Provision of aluminum doors and windows
6. Public health work regarding supply of water and gas along with improvement of sewerage system
7. Provision of LED panel lights, ceiling fans, exhaust and wall bracket fans
8. Improvement of existing wiring and distribution including replacement of damaged equipment and proposal of new equipment

#### **5.3.3.2 Monitoring and Quality Assurance (Process Interventions)**

During construction phase, “Construction Supervision” will be carried out by the Procuring Agency (Director Infrastructure) along with Punjab Buildings department (C&W D) who will certify construction activity.

#### **5.3.3.2.1 MSDS (Minimum Service Delivery Standards)**

MSDS are minimum level of services, which the patients and service users have a right to expect. MSDS include minimum package of services, standards of care (level specific) and mandatory requirements/systems for delivery of effective health care services. The World Health Assembly in Alma-Atta in 1978 expressed the need of action to protect and promote the health for all the people of the world. Essential health is to be made universally accessible to individuals and families through their full participation and at a cost that the community and country can afford. MSDS is now being deemed to be of vital importance at Secondary HealthCare level. The THQ hospital provides promotive, preventive, curative, diagnostics, in patients, referral services and also specialist care.

THQ hospitals are supposed to provide basic and comprehensive EmONC. THQ hospital provides referral care to the patients including those referred by the Rural Health Centers, Basic Health Units, Lady Health Workers and other primary care facilities. The District Head Quarters Hospital is located at District headquarters level and serves a population of 1 to 3 million, depending upon the category of the hospital. The THQ hospital provides promotive, preventive, curative, advance diagnostics, inpatient services, advance specialist and referral services. Services package and standards of care at SHC level are also not well defined. Deficient areas include: weak arrangements to deal with non-communicable diseases, mental, geriatric problems and specialized surgical care especially at THQ. There is disproportionate emphasis on maternal and child health services at SHC facilities. Services-package being provided at PHC and SHC are also deficient in terms of Health care providers’ obligations, patients’ rights and obligations.

MSDS umbrella is very vast and it requires a very extensive and planned approach towards, gap analysis, planning, development, implementation,

monitoring and evaluation. MSDS comprises of 10 thematic area, 30 standards and 162 indicators. Government of Punjab has taken an initiative to standardize all hospitals of Punjab in accordance with Punjab Health Care Commission Minimum service delivery standards. PMU team segregated MSDS indicators into various targets and sub-targets to make these targets achievable. Manuals for both clinical and non-clinical specialties are being prepared comprising of departmental organizational plan, criteria for essential human resource, essential equipment, general and specialized SOPs, departmental safety guidelines etc. Standardized Medical Protocols (SMPs) are standard steps to be taken by a health facility during medical or surgical management of a patient. Standard Operating Procedure (SOPs) are detailed description of steps required in performing a task including specifications that must be complied with and are vital to ensure the delivery of these services .It requires literature review, departmental view, facility visits, consultative visits and development of action plan for implementation of MSDS. Effective MSDS implementation requires essential documentation. Documentation is a key for record keeping, monitoring and auditing. For this purpose, registers, forms, displays have to be designed with coding for effective tracking. In addition to this it also requires analysis from field from utilization point of view.

Displays constituting of public serving messages, health related information and general facility related guidelines. In order to monitor effective implementation, compliance monitoring is required to be carried out by field experts which is followed up by further planning to ensure continuous delivery of effective, accessible, continuous and quality services to masses in uninterrupted manner.

MSDS implementation is a complex procedure. Because it requires

1. Capacity building for understanding, development and continuous implementation of MSDS.
2. Ecosystem for establishing its implementation by full cooperation, collaboration, commitment of
3. Continuous monitoring
4. Continuous audit
5. Continuous training, refresher courses with purpose of reinforcement
6. Continuous quality improvement
7. Continuous Strengths, Weaknesses, Opportunities, and Threats (SWOT) analysis and gap identification
8. Continuous strategy making and implementation with backup plan for secondary options.
9. Responsibility designation for clinical and non-clinical procedures and activities.
10. Effective utilization, calibration and maintenance of equipment with record maintenance and their audit
11. Establishment of plans, implementation, analysis of gaps with alternate planning regarding fire evacuation plan, hospital infectional control plan, hospital operational and

strategic plans, disaster plan both internal (partial / complete) and external .

### **The PDSA cycle**

1. Developing a plan to test the change (Plan),
2. Carrying out the test (Do),
3. Observing and learning from the consequences (Study), and
4. Determining what modifications should be made to the test (Act).
5. Monitoring effective load sharing of Human resource and equipment within hospitals.
6. Addition of new HR/ rationalization on requirement of MSDS indicator compliance for effective departmental organization and their planned trainings by MPDD, UHS ETC
7. Standard optimization of Standard operating procedures and methods for their effective adoption by hospital human resource.
8. We have also extended our MSDS implementation in 20 more departments such as dentistry, ICU, CCU, Dialysis, mortuary, burn unit, physiotherapy, orthopedics, medicine, nursing, paedes, ophthalmology, derma, TB, urology, patient transfer system, store and purchase, audit and accounts, procurement, planning etc. We are also in process of preparing manuals, SOPS, plans, universal forms, and universal registers with universal tracking system of record.
9. We have developed an application for continuous monitoring of MSDS compliance.

Health managers are considered essential at both the strategic and operational levels of health systems. To gain an initial understanding of the management workforce for service deliver. Every health system desires managers who are competent and have the knowledge, skills and demeanor to be effective. The performance of health services managers will depend in part on how certain standard support systems function. Even good managers will have problems if procedures for running finances, staff, etc., are not working well. Functional systems should have clear rules and regulations, good guides and forms, effective monitoring and supervision and appropriate support staff, e.g. account staff, supplies and information staff and secretarial support A health manager is supposed to be competent in planning, budgeting, financial management systems , personnel management systems, including performance management , procurement and distribution systems for drugs and other commodities , information management and monitoring systems , systems for managing assets and other logistics, infrastructure and transport. Support systems help to ensure uniformity in management practices and ensure that management and administrative systems function and get results.

### **5.3.3.3 Laboratory**

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the Laboratory in THQ hospitals. Majority of patients are suffering problems some time life threatening phases due to delay in diagnosis and treatment according to diagnosis in case of lack of laboratory in vicinity.

#### **5.3.3.4 X-Ray**

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the Radiology unit in THQ hospitals. Majority of patients are suffering problems some time life threatening phases due to delay in diagnosis and treatment according to diagnosis in case of lack of Radiology unit in vicinity. A healthy human being enables not only nutrition of the physical body but also enhances social interaction and promotes self-esteem and feelings of self-esteem and feelings of wellbeing. The radiology equipment serves as a “window “to the patient treatment regarding the body.

#### **5.3.3.5 CCU**

Understanding these ground realities Primary and Secondary Healthcare Department, Government of the Punjab has decided to establish coronary care units (CCU) in THQ hospitals as a part of its Revamping Program. This will improve the quality of healthcare and timely provision of life saving treatment will be possible to large number of patients. A coronary care unit (CCU) is a special department of a hospital or health care facility that provide coronary care to patients. Coronary care units cater to patients with severe and life-threatening cardiac illnesses and which require constant, close monitoring and support from specialized equipment and medications in order to ensure normal bodily functions.

Coronary care units are staffed by highly trained doctors and nurses who specialize in caring for cardiac patients. They are also distinguished from normal hospital wards by a higher staff-to-patient ratio and access to advanced medical resources and equipment that are not routinely available elsewhere. Common conditions that are treated within CCUs including angina, myocardial infection, cardiac arrhythmia, cardiac shock etc. Patients may be transferred directly to coronary care unit from an emergency department or from a ward if they rapidly deteriorate, and immediately require cardiac care treatment.

#### **5.3.3.6 Dialysis Unit**

Chronic kidney disease is now a significant public health problem worldwide. Chronic kidney disease globally affects almost 10 % of general population with Incidence in prevalence of disease are still rising especially in



developing countries .The rise in chronic kidney disease is by aging of the populations and growing problems of obesity, diabetes, high blood pressure and cardiovascular diseases.

Tehsil head Quarter Hospital (THQ) serve large catchment populations of the district and provide a range of specialist care in addition to basic outpatient and inpatient services. Patient who are in need of dialysis, are referred to tertiary care hospital due to non-availability or insufficient number of dialysis machines. Patient's condition not only deteriorate but also compromise the effectiveness of life saving intervention due to approaching to other cites or to costly private setups of dialysis. Primary and Secondary Healthcare Department has decided to establish & strengthening already existing 5 bedded dialysis unit at THQ hospitals. This will improve the quality of healthcare and timely provision of life saving treatment will be possible to large number of patients.

Dialysis unit is a special department of a hospital or health care facility that provides a lifesaving support to patients with chronic renal disease along with pre-existing diseases like diabetes, hypertension, ischemic heart disease to ensure normal bodily functions. Dialysis units are staffed by highly trained doctors, dialysis technicians and dialysis nurses who have done specialized training in caring for such patients. Patients are usually admitted from out door and often from emergency and registered for their timing and schedule of dialysis because these patients are given regular appointments twice or thrice a week as per defined by nephrologist/physician.

#### **5.3.3.7 Labor Rooms/Nurseries**

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the Labor Rooms/Nursery unit in THQ hospitals.

#### **5.3.3.8 Operation Theater**

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the Operation Theater in THQ hospitals. Majority of patients are suffering problems some time life threatening phases due to delay in treatment according to diagnosis in case of lack of Operation Theater in vicinity.

#### **5.3.3.9 Orthopedic unit**

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the orthopedic unit in THQ

hospitals. Majority of patients are suffering problems some time life threatening phases due to delay in diagnosis and treatment according to diagnosis in case of lack of orthopedic unit in vicinity.

#### **5.3.3.10 Gynecology Department**

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the gynecology unit in THQ hospitals. Majority of patients are suffering problems some time life threatening phases due to delay in diagnosis and treatment according to diagnosis in case of lack of gynecology unit in vicinity.

#### **5.3.3.11 Surgical Unit**

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the surgical unit in THQ hospitals. Majority of patients are suffering problems some time life threatening phases due to delay in diagnosis and treatment according to diagnosis in case of lack of surgical unit in vicinity.

#### **5.3.3.12 Intensive Care Unit (ICU)**

Tehsil Headquarter Hospitals (THQ) serve catchment populations of the whole Tehsil (0.5-1 million) and provide a range of specialist care in addition to basic outpatient and inpatient services. They typically have about 80 to 150 beds and a broad range of specialized services including surgery, medicine, paediatrics, obstetrics, gynaecology, ENT, ophthalmology, orthopaedics, urology, neurosurgery etc. Patient who are in need of intensive care are usually referred to tertiary care hospital but due to long distance they had to travel and time consumed on road due to heavy traffic and other unavoidable circumstance ,patient's condition not only deteriorate but also compromise the effectiveness of life saving intervention. Understanding these ground realities Primary and Secondary Healthcare Department, Government of the Punjab has decided to establish intensive care units (ICU) in THQ hospitals as a part of its Annual Development Plan. This will improve the quality of healthcare and timely provision of life saving treatment will be possible to large number of patients.

Primary and Secondary Healthcare Revamping programme (PSHRP) is the initiative by the Chief Minister of Punjab to strengthen the healthcare delivery system in the province Acquisition of licenses for all THQ Hospital by developing and implementing uniform set of standard Operating procedures (SOPs) & standard medical protocol (SMP) for compliance to MSDS of PHC is planned as a part of PSHRP.

An **intensive care unit (ICU)** is a special department of a hospital or health care facility that provides intensive treatment medicine. Intensive care units cater to patients with severe and life-threatening illnesses and injuries, which require constant, close monitoring and support from specialized equipment and medications in order to ensure normal bodily functions. Intensive care units are staffed by highly trained doctors and nurses who specialize in caring for critically ill patients. They are also distinguished from normal hospital wards by a higher staff-to-patient ratio and access to advanced medical resources and equipment that are not routinely available elsewhere. Common conditions that are treated within ICUs include ARDS, trauma, multiple organ failure and sepsis. Patients may be transferred directly to an intensive care unit from an emergency department if required, or from a ward if they rapidly deteriorate, or immediately after surgery if the surgery is very invasive and the patient is at high risk of complications.

#### **5.3.3.13 Mortuary Unit**

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the mortuary unit in THQ hospitals. Postmortem or autopsy is a part of medico legal investigation into a death which is conducted by a judicial medical officer. Realizing the problems countered medico legal process focusing on following important areas;

1. Improving quality and motivation levels of human resource conducting medico legal Examination.
2. Improve methods to collect and preserve samples so that so that these may best be available for further forensic analysis.
3. Improving physical infrastructure at tehsil level to provide enabling environment for better conduct of medico legal cases including improvement in state of mortuaries at tehsil level.
4. Improvement in legal framework including improved forms.

#### **5.3.3.14 Dental Unit**

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the dental unit in THQ hospitals. Majority of patients are suffering problems some time life threatening phases due to delay in diagnosis and treatment according to diagnosis in case of lack of dental unit in vicinity.

#### **5.3.3.15 Physiotherapy Unit (33 THQ Hospitals)**

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the physiotherapy unit in all THQ hospitals. Majority of patients are suffering problems some time life threatening

phases due to delay in diagnosis and treatment according to diagnosis in case of lack of physiotherapy unit in vicinity.

1. Physiotherapy is a “science of healing and art of caring”. It pertains to the clinical examination, evaluation, assessment, diagnosis and treatment of musculoskeletal, Neurological, Cardio-Vascular and Respiratory systems ‘functional disorders including symptoms of pain, edema, and physiological, structural and psychosomatic ailments. It deals with methods of treatment based on movement, manual therapy, physical agents, and therapeutics modalities to relieve the pain and other complications. Hence, Physical therapy covers basic parameters of healing sciences i.e. preventive, promotive, diagnostic, rehabilitative, and curative.
2. Physiotherapy practice has a very long history and a modern clinical practice is heavily reliant on research and evidence based practice. The Primary and Secondary Healthcare Department Government of Punjab attests to this commitment by adopting and promoting the Standards of Practice for Physiotherapy.

### **Importance of Physiotherapy and Rehabilitation department**

1. Physiotherapy provides services to individuals and populations to develop maintain and restore maximum movement and functional ability throughout the lifespan. This includes providing services in circumstances where movement and function are threatened by aging, injury, disease or environmental factors. Functional movement is central to what it means to be healthy.
2. Physiotherapy is concerned with identifying and maximizing quality of life and movement potential within the spheres of promotion, prevention, treatment/intervention, habilitation and rehabilitation. This encompasses physical, psychological, emotional, and social wellbeing. Physiotherapy involves the interaction between physical therapist, patients/clients, other health professionals, families, care givers, and communities in a process where movement potential is assessed and goals are agreed upon, using knowledge and skills unique to physical therapists.
3. The proposed project entails setting up a Physiotherapy and Rehabilitation Department. Being one of the major players in human service sector, rehabilitation Departments provide a wide range of services relating to physical impairments and disabilities of all age groups. These services range from assessment, evaluation, diagnosis, treatment and plan of care of individuals, from newborns to the very oldest, who have medical problems or other health-related conditions that limit their abilities to move and perform functional activities in their daily lives. These services will be provided by qualified Physiotherapists Consultants. Our consultants

examine each individual and develop a plan using treatment techniques to promote the ability to move, reduce pain, restore function, and prevent disability. In addition, our doctor work with individuals to prevent the loss of mobility before it occurs by developing fitness- and wellness-oriented programs for healthier and more active lifestyles. The proposed Physiotherapy and Rehabilitation Department will provide all these services under one roof.

### **Opportunity Rationale**

Due to vast media exposure over past few years, women, as well as men, have become more conscious about their health especially youngsters. In Pakistan, Rehabilitation Clinics and Fitness Centers have grown over the years. It is easy to open GP clinic as space and skill requirement is very basic. But a Rehabilitation clinic provides more professional services with qualified staff including Physiotherapy doctors and experienced support staff and therefore, requires more planning and arrangement. Quite a few Physiotherapy and Rehabilitation Departments have opened in Lahore, Islamabad, Karachi and other relatively larger cities of Pakistan, which are catering to the demand of the people, but still there is a lot of unfulfilled demand as can be judged from excessive rush at the existing Physiotherapy Departments. The patient's ratio and problems with musculoskeletal disorders and neurological disorders are same in the tehsils and districts levels of Punjab. The business is service-oriented and carries large potential for serving poor people due to its unique nature and uncontrolled spreading of joints and muscles, and neurological problems, especially in the areas where our THQ Hospitals are located. There is lot of potential in this domain, especially for those who are committed to providing quality service.

### **5.3.3.16 Queue Management System (QMS)**

OPD in THQ has enormous patient load, due to the only big public sector serving hospital in Tehsils. At the moment the ticket system is prevailing but there is no mechanism to handle that ticket and assign number to the ticket and its being issued in manual format. This will also create dependency on the person issuing the ticket. After getting the tickets, patient will be provided with no guidance on where to go and when his term will come to meet the doctor and get the required service. This will create confusion and delayed service delivery. On the other hand it will waste lots of time on the end of doctor and patient as patient and doctor has no direct liaison with each other. Moreover, patient will again have to be dependent on some person to check that either doctor is free or any patient sitting in his facility. Here again, human intervention and dependency will come into play.

This project basically aims to remove all the human related dependency till the patient reach the doctors. Moreover, it also includes, recording basic information

for a patient and guiding him to the doctors room from registration count to triage without any dependency on hospital staff. This will improve the transparency as per the vision of good governance and serve the patient in an efficient and transparent manner. This will also help the patient in estimating that time estimate till his term which will give him relief and more belief on the fair system. On the other hand doctor will always have an idea that how many patients will be in queue and give him direct liaison with the patient sitting outside.

The need of queue management system is evident in hospital from the fact of lack of proper mechanism of patient queue management at OPD's, human resource deficiency and non-functional equipment. The Implementation of Queue Management System will provide and streamline Patient Queue Management at OPD with Ticket Generation and Display of Numbers on the counters. This will help in maintaining the queue on First IN First OUT (FIFO) basis. The system will also provide the information counter to the general public to educate them in the use of queue management system and short description of the process. After implementation of this system, the incoming patient will be guided in a manner to get the service on his turn without any dependency or interference of an external resource. All will be handled in an automated way with patient are being served at their turn.

The system manages the patients load, organizes the patient's queues in an adequate manner and gives them the ease in waiting area; and they will be examined gracefully by doctors at their turn. Basic information of the patient is also linked with its ticket, being taken at the first counter. This will help established a unique ID against each patient. This will also lead to the establishment of Electronic Medical Record. The Process flow of Queue Management System at THQ is given as follows:

There are 25 counters at THQ level including basic registration counter, triage counter, consultant office and hospital pharmacy. There is one ticketing machine with a bifurcation of male, female and old age person. The ticket will be issued to the relevant category accordingly. After receiving the ticket the said number will be blinked on male, female and old age counter. The person will move to that counter where he will be asked about his basic details which will be entered in the basic registration form software linked with QMS and that specific token / ticket number. He will also be asked about the disease and accordingly the relevant consultant / specialty area e.g. pediatrics, ophthalmology etc. after registering, he will take the printout and give the slip to patient / attendant along with its token number.

The basic fee of OPD will be received at the registration counter and accounted for in the basic registration software linked with QMS. The same token number will be displayed on the triage counter where his vitals will be taken and written on the same registration slip available with the patient. Now, keeping in view the specialty area the token number will be displayed on the relevant consultant office and he will be checked by relevant consultant. The consultant then diagnosed the medicine or either to admit it after his examination. In case of medicine he will be sent to hospital pharmacy where again the same ticket number will be displayed. There have to be an option available with the doctor to either redirect him to the hospital pharmacy or other (medical tests, referred to IPD). On displaying the same token number at pharmacy counter the patient will move to pharmacy counter along with his token number and registration slip and take prescribed medicine. Patient will be disposed from that window and process of QMS will be completed. There will be no entry in the basic registration software on the counters of triage, doctor at the moment. Detail of equipment is attached.

The process described above for THQ will be implemented. The important constraints for the systems are:

1. Same token number will be used at all the counters and patient will be getting the ticket from ticketing machine only once at the time of entry.
2. QMS will cater for missed, skipped or delayed patient at any counter.
3. There will be two LED displayed at different location in the waiting area to guide patients about the process details and to display token number along with announcement in URDU.
4. The gap between each display panel from ticketing machine to pharmacy can be customized according to requirement e.g. 5, 10, 30, 60 seconds etc.

#### **5.3.3.17 Electronic Medical Record (EMR)**

Establishment of network infrastructure, establishing a central data center, connectivity of different building through fiber, are also the major components of the revamping project in terms of ICT. This will including provision of networking point at all nursing stations and important areas where entries regarding patients' needs to be made e.g. Radiology/Pathology, Indoor, outdoor etc. This will serve as backbone to implement the Electronic Medical Record System in the Hospital which has the key feature of generating Unique Medical Record Number for each patient.

This MR number will serve as an identity for patients during their treatment, retrieval of records and for decision making.

EMR will also be able to log the patient for treatment being provided to him in different areas of hospital i.e. OPD, Pathology, Radiology, Surgery, Indoor, etc. and their integration. This will be achieved by entering the relevant information at each department against specific MR number of a patient in the Customized / Purpose build software (EMR) for these public healthcare facilities.

This entry of MR number against each patient in hospital will build a large database for patient and relevant diseases. This will help in analysis disease / epidemic prevention and better patient care through retrieval of patient history and proper diagnoses at physician end. Implementation of patient registration, Record keeping, physical queue management, E-prescription, supporting IT interventions for EMR and medicine dispensation. Detail of equipment is attached.

#### **5.3.3.18 Video Surveillance through CCTVs**

Installation of network based CCTV cameras is an important module in the ICT part of revamping project. Scope of this component is to install 60 to 80 cameras in each hospitals at important location i.e. entry, exit, OPD, waiting areas, Parking for surveillance and security purposes. This will also serve as major input to the security services by Outsourced Security Company in the hospitals. Moreover, there will be small scale central control room at each hospital to monitor the allocated locations where the cameras have been installed. This system will also have the facility to record the video for 15 days for all the cameras so that recording of specific duration can be produced on demand. This will also have the facility of central control room which has the capacity to access the camera of THQ hospitals and to view and monitor the area of specific camera within specific hospital at any given time. Therefore, it will establish a centralized surveillance and security mechanism for these 85 public sector healthcare facilities. Detail of equipment is attached.

#### **5.3.3.19 Medicine Store**

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the medicine store in THQ hospitals.

#### **5.3.3.20 Day Care Center**

On-site (or near-site) child care would lead to improve workplace satisfaction by allowing employers more frequent contact with their children,



reducing stress and anxiety over scheduling, and potentially providing financial benefit to the hospital. Therefore, P&SH Department has decided to establish the Day Care Center at every THQ Hospital. The Medical Superintendent of the concerned hospital will be the overall in-charge of the Day Care Center.

#### **5.4 Out Sourcing of Non Clinical Services**

It was planned to provide Outsourcing of following Non-clinical services through development Budget later on decided to shift to non-development Budget as per the decision of progress review meeting chaired by the Chairman P&D Board dated 01-01-2018 w.e.f. 30-06-2018:-

1. Janitorial services
2. Laundry services (On hold)
3. MEPG Services
4. CT scan
5. Security

##### **5.4.1 Janitorial services**

These services include cleaning of hospitals and its roads and ROW areas. Internal cleaning comprises of complete cleaning along with washrooms cleanliness and material for these services such as hand wash/sanitizer. The Outsourcing is hereby designed keeping in view the sizes of areas assigned to each sanitary worker along with condition and nature of service. Human resources are planned after measuring the total area of hospital, built up area excluding the areas of horticultural land and residential buildings. The workers shall work in three shifts in a day. Half of the total strength of sanitary workers shall work in morning shift due to patients load in OPD. The concerned sanitary work company is bound to provide cleaning services materials and their refilling as and when required.

The companies providing janitorial services will be required to provide quality janitorial services, complete their personnel strength on daily basis which will be ensured through biometric attendance. Also, the companies will be subject to pecuniary penalties by hospital authorities if services provided are not according to the contracts.

##### **5.4.2 Laundry Services**

Different models were being applied by the hospital administrations individually which were not properly catering the basic requirement of washing and disinfection of different items used for hospitals. This model includes the initial procurement of different daily use items such as three different colors bed sheets and pillow covers and are to be changed thrice a day. Moreover, the concerned company must provide washing and cleaning services of bed sheets, pillow covers, blankets along with covers, apparels/OT clothes.

#### **5.4.3 MEPG Services**

The service of the hospitals is suffering badly due to improper functionality of the existing electrical and mechanical equipment which arises due to lack of maintenance. This model satisfies the need of proper maintenance plan which comprises of regular visits of technicians for looking after of electrical and mechanical equipment and accessories. Outsourcing company will be responsible for immediate response and above mentioned services.

#### **5.4.4 CT Scan Services**

CT Scan Services in selected Hospitals of Punjab are also being undertaken as a component of Government's decision to revamp all Secondary Healthcare. The objective of this initiative is to provide high quality CT Scan Services to widely scattered population of low socio-economic groups at their door steps. It will ensure provision of satisfactory diagnose infections, muscle disorders, and bone fractures. The imaging technique of CT Scan can help doctor to study the blood vessels and other internal structures and assess the extent of internal injuries and internal bleeding.


#### **5.4.5 Security**

The outsourcing model is designed due to non-provision of security arrangements and improper parking in different areas of premises of hospital. This model consists of guards who shall work in two shifts to provide security and surveillance for complete premises of hospital excluding residential areas. The devices required for this service to operate are arms, walkie talkie, Base set per unit and torch etc.

#### **5.6 HR & Management Interventions Structure**


HR Interventions can be broadly classified into introduction of New Management Structure (NMS) staff.

## New Organogram of Hospital



### MS

- AMS/ SUPPORT MANAGER
  - IT/Data Analysis
  - IT/ Statistical Officer
    - 4 Data Entry Operators
- Admin
  - Admin Officer
    - 4 Monitors
    - Security
    - Transport
    - Parking
    - Janitorial
    - Canteen
    - External House Keeping
    - Civil Works
    - Technical works
    - Electrical Works
    - Internal House Keeping
    - Laundry
    - Stores & Supplies



#### **5.6.1 Non Clinical HR Interventions (Human Resource (HR) Plan Management Structure)**

Institution will run under the administrative control of Medical Superintendent, who will control this with the collaboration and cooperation of 3 Additional Medical Superintendents including AMS (Admin), AMS (HR & Budget) and AMS (clinical), 3 Deputy Medical Superintendents (morning, evening and night) will be reporting to AMS Clinical. Each clinical facility will be further controlled by head of concerned department and 6 administrative posts of HR & Legal Officer, IT/Static Officer, Budget & Account Officer, Admin Officer, Procurement Officer and Audit Officer will be provided as supporting hands for AMS Admin and AMS HR & Budget for smooth execution of hospital tasks.

#### **Responsibilities / Job Descriptions, Eligibility & Financial Implications for Management Structure of Hospital**

##### **5.6.2.1 Medical Superintendent**

Shall be overall responsible for all the affairs of the Hospital

##### **5.6.2.2 AMS Admin.**

Shall be responsible for following functions in addition to his own duties:

1. General administration
2. IT/Data analysis/statistics keeping (biometric machines, etc.).
3. In case of outsourced interventions like QMS/EMR he shall be responsible for enforcement of contract and in case of violation shall ensure action has been taken as envisaged in the contract.
4. He shall be responsible for entry of data on Citizen Feedback Model.
5. He shall be responsible for ensuring collection of report of actions taken on CFM reports and entry of that on CFM.
6. He shall be responsible for implementation of any IT related initiative in the hospital.
7. He shall be responsible for better record keeping of hospital
8. He shall devise and implement systems for better record keeping of hospital

9. He shall ensure generation of all types of reports/information required of hospital by District Government/P&SHD/any other authorized Public agency

### **New Management Structure (NMS)**

In place of the clerical positions, the P&SH Department has introduced a New Management Structure (NMS), in all District and Tehsil Headquarters Hospitals. The officers recruited as a part of the NMS have a minimum of 16 years of education. Their minimum qualification is MBA / B.Sc. Engineering / M.Com / Pharm-D / M.Cs / LLB / MPA / CA Inter / ACCA / ACMA / Master Degree or equivalent in relevant field etc. Their recruitments were undertaken through a competitive process by a third party testing service.

#### **5.6.2.3 Admin Officer**

Shall be responsible for general administrative affairs of hospital along with following functions:

1. Security
2. Transport
3. Parking
4. Janitorial
5. External housekeeping
6. Electrical works
7. Internal housekeeping
8. Laundry
9. Stores & supplies

In case these functions have been outsourced, he shall be responsible for enforcement of these contracts and shall ensure that penalties are imposed in case of violation of contract. In case he fails to enforce contract and the outsourced function is not performed at par as per contract and penalties have not been imposed he shall be liable for non-action. Moreover, only reporting of violation of contract shall not suffice but he has to ensure follow up till the penalty has been imposed and action as envisaged in contract in case of violation has been taken.

#### **Eligibility Criteria**

1. Minimum qualification Masters' degree in Economics/ Public Administration/ Finance/ MBA Finance/Administration or equivalent from HEC recognized University

2. Minimum 2 years post degree experience of administration (Additional credit may be given for hospital administration/ Public sector administration of similar nature)

#### **5.6.2.4 Human Resource Officer**

Shall be responsible for following:

1. Issuance of monthly Duty rosters & special duty rosters of Eid, Muhurram etc. of all clinical & non-clinical staff in hospital
2. Issuance of Transfer/postings orders within hospital
3. Taking of joining from new incumbents and charge relieving orders of relinquishing officials
4. File maintenance of all employees of hospital
5. Record of all enquires of employees of hospital
6. Leave record of employees
7. Adjustment of officials on duty during leave of concerned employee
8. Litigation/ legal issues of hospital (shall ensure all court cases are well attended and all legal matters of hospital are well taken care of)
9. Any other HR related function assigned by MS/AMS

#### **Eligibility Criteria**

1. Minimum qualification Masters' degree in Economics/ Public Administration/ Finance/ MBA HR/Management/ Finance/Administration or equivalent from HEC recognized University
2. Minimum 1 year post degree experience of administration (Additional credit may be given for hospital administration/Public sector experience of similar nature)

#### **5.6.2.5 IT/Statistical Officer**

He shall be responsible for IT support for all IT interventions in the hospital.

He shall be in liaison with HISDU, P&SHD for proper reflection of hospital record on HISDU dashboard. In case there is any discrepancy or error he shall resolve the issue. Moreover, he shall be responsible for functionality of all IT equipment.

#### **Eligibility Criteria**

1. Minimum qualification Masters' degree in Computer Science or equivalent from HEC recognized University
2. 2 years post degree experience of IT/Data analysis(Additional credit may be given for similar assignment experience)

#### **5.6.2.6 Finance & Budget Officer**

Shall be responsible for following:

1. Handling of all financial matters of hospital
2. Petty cash handling
3. Preparation of budget
4. Budget review
5. Maintenance of accounts and record
6. Any other function assigned by AMR HR & Finance/MS/P&SHD

#### **Eigibility Criteria**

1. Minimum qualification Masters' degree in Finance/ MBA Finance or equivalent from HEC recognized University (Additional credit may be given to Charter accountant/ACCA)
2. Minimum 2 years post degree experience of Finance, Accounts & Budget (Additional credit may be given for Public sector experience of similar nature)

#### **5.6.2.7 Procurement Officer**

Shall be responsible for following functions:

1. Procurement of all kinds for hospital
2. Shall be in liaison with P&SHD for procurements being conducted
3. Any other function assigned by AMS HR & Finance /MS/P&SHD

#### **Eigibility Criteria**

1. Minimum qualification Masters' degree in Finance/ MBA Finance or equivalent from HEC recognized University
2. 2 years post degree experience of procurement (Additional credit may be given for public sector experience of procurement)

#### **5.6.2.8 Quality Assurance Officer**



He shall be responsible for quality of all things in the hospital.

**Eligible Criteria**

1. Masters in Total Quality Management / Masters in Public Health/ Masters in Health Administration/ Masters in Hospital Management / Masters in Biochemistry / Biotechnology / Molecular Biology / Microbiology from an HEC recognized University or equivalent.

OR

16 years education along with Post graduate diploma in Total Quality Management/ Post graduate diploma in Health Safety and Environmental Management System / Post graduate diploma in Healthcare and Hospital Management / Quality Assurance or equivalent.

2. Minimum 1 Year post degree relevant experience.

**5.6.2.9 Logistics Officer**

He shall be responsible for Supply Chain, logistics, fleet, warehousing and inventory management, clearing and forwarding in the hospital.

**Eligible Criteria**

1. M.Sc. Supply Chain Management/ MBA or Equivalent.
2. One year experience in Supply Chain, logistics, fleet, warehousing and inventory management, clearing and forwarding.

**5.6.2.10 Data Entry Operators (DEO)**

Four Data entry operators shall help IT officer in dispensation of his responsibilities.

**Eligible Criteria**

1. Minimum qualification BA / B.Sc / B.COM / BCS or equivalent from HEC recognized University. In case of BA/B.COM candidate must have six months computer course / Diploma.

2. Proficient in MS Word/ MS Excel/ MS Power point (additional credit may be given for additional relevant certified computer courses)
3. 1 years post degree relevant experience

#### **5.6.2.11 Assistant Admin Officer**

Shall be responsible for general administrative affairs of hospital and assist the admin officer.

#### **Eligibility Criteria**

1. Minimum qualification Masters' degree in Social Sciences/Economics/ Public Administration/ Finance/ MBA Finance/Administration or equivalent from HEC recognized University
2. Minimum 2 years post degree experience of administration (Additional credit may be given for hospital administration/ Public sector administration of similar nature).

### **5.7 HR for QMS and MSDS and Day Care Center.**

#### **5.7.1.1 QMS Supervisor / Information Desk Officer**

Shall be responsible whole QMS networking

#### **Eligible Criteria**

1. M.Sc. (Comp. Engineering, Electronics, Electrical Engineering, IT, Telecommunication, Com. Science, Software Engineering, MCS), BCS (Comp. Engineering, Electronics, Electrical Engineering, IT, Telecommunication, Com. Science, Software Engineering, MBA, BBA, MPA, IT related 16 years Education.
2. Experience in the field of Software/Hardware/Network/DATA Quality Assurance, IT projects, IT enabled organizations, CCTV Control Room monitoring, Call Centre, Networking, Software Development will be considered as an added advantage during interview process.
3. Excellent communication Skill (Urdu, English) and IQ level
4. Age Limit of 21-28 years for Male & 21-30 years for Female
5. Typing Speed: 30WPM.

#### **5.7.1.2 Computer Operators**

Eight Computer operators shall help QMS Supervisor in dispensation of his responsibilities.

#### **Eligible Criteria**

1. Minimum qualification 14 year or Masters' degree from HEC recognized University
2. Proficient in MS Word/ MS Excel/ MS Power point (additional credit may be given for additional relevant certified computer courses)
3. 35 Word per Minute. Excellent communication in English and Urdu.

### **5.7.2 Consultants (MSDS) Implementation & Clinical Audit**

#### **Eligible Criteria**

1. MBBS & Masters in Public Health, or equivalent qualification.
2. The consultant must have 10 years of hands on experience of third party validation, clinical audit of hospitals, Minimum Service Delivery Standards (MSDSs) implementation / hand holding; Report Writing; working knowledge of international best practices in hospital management will be preferred. Proficiency in MS Office is must. Must have strong communication skills.

#### **5.7.2.1 Terms of Reference (TORs) for Consultants Minimum Service Delivery Standards (MSDS) Implementation & Clinical Audit**

Government of the Punjab, Primary and Secondary Healthcare Department (P&SHD) is implementing multiple initiatives to improve the quality of healthcare at DHQ/THQ level across the province. One of the initiatives is Primary and Secondary Healthcare Revamping program which is being implemented by the Project Management Unit (PMU). Currently PMU is also involved in the standardization of quality of care at facility level through uniform set of Standard Operating Procedures (SOPs) & Standard Medical Protocols (SMPs) for compliance. The department intends to make all DHQs and THQ hospitals of Punjab as MSDS compliant which have been devised by Punjab Healthcare Commission.

Punjab Healthcare Commission was established under the PHC Act 2010 as an autonomous regulatory body for health sector; with the purpose of improving the quality, safety and efficiency of healthcare service delivery for all Public and Private Healthcare Establishments (including Allopaths, Homeopaths and Tibbs) in the province of Punjab. The Punjab Healthcare Commission has developed

Minimum Service Delivery Standards (MSDS) for all hospitals to improve the quality of healthcare services all over the Punjab. All Healthcare Establishments are required to implement MSDS to acquire a License to deliver healthcare services in Punjab.

This standardization effort will not only ensure availability of minimum services delivery standards (MSDS), SOPs, SMPs at all levels, but also the other essential inputs for functioning of systems and processes to ensure the smooth and safe delivery of quality healthcare services. These will also create conducive working environment for healthcare providers.

#### **5.7.2.2 Objectives**

The objective of this assignment is to implement & check all SOPs, SMPs, Minimum Service Delivery Standards (MSDS) & conduct clinical audit for 125 DHQ/THQ hospitals. Furthermore, the consultant will also monitor ongoing multiple trainings at DHQ/THQ hospitals.

#### **5.7.2.3 Scope of Work**

1. Develop policy & strategy for clinical audit of 125 hospitals.
2. Develop detailed clinical audit plan, with expected deliverables from hospitals. 360 degrees clinical audit.
3. Visit DHQ/THQ hospitals, to assess MSDS implementation and detailed report generation with short coming & highlight areas of improvement.
4. Review SOPs, SMPs & ISO Standards in hospitals to identify non-compliance.
5. Visit DHQ/THQ hospitals to implement clinical audit as per devised strategy, as well as monitoring and implementing MSDS standards.
6. Prepare detailed visit reports of clinical short comings; and suggest, and implement improvement plan.
7. Monitoring & auditing of patient referral system, detailed report on error and recommendations on rectification of errors.
8. Visit DHQ/THQ hospitals to implement clinical audit as per devised strategy, as well as monitoring and implementing MSDS standards.
9. Prepare detailed visit reports of clinical short comings; and suggest, and implement improvement plan.
10. Monitoring & auditing of patient referral system, detailed report on error and recommendations on rectification of errors.
11. Monitoring and evaluation of multiple trainings imparted at DHQ/THQ hospitals.
12. Any other relevant task assigned by Project Director/Director Quality Assurance / Project Manager.

#### **5.7.2.4 Reporting Arrangements**

- The Consultant (MSDS & Clinical Audit) will report to the Project Director/Director Quality Assurance/Senior Project Manager, P&SHD

#### **5.7.2.5 Duration of Assignment**

- The duration of assignment will initially be for THREE MONTHS / 120 DAYS which will be extendable subject to satisfactory performance.

#### **5.7.2.6 Outputs / Key Deliverables**

- Study/desk review the relevant Minimum Service Delivery Standards (MSDS) prescribed by PHC & ISO Standards, train the hospital staff/monitor/facilitate their implementation.
- Study/desk review the existing Standard Operating Procedures (SOPs), train the hospital staff/monitor/facilitate their implementation and suggest improvements where necessary.
- Study/desk review the existing SMPs, train the hospital staff/monitor/facilitate their implementation and suggest improvements where necessary.
- Conduct hospital visits of 125 DHQ/THQ hospitals (each DHQ hospital to be visited monthly & each THQ hospital every three months).
- Conduct formal hospital survey for confirming the implementation of MSDS on the relevant Scoring Matrix.
- Submit detailed report of each hospital visit on a standard format prescribed for the purpose.
- Conduct a system, process analysis with special emphasis on clinical audit and submission of detailed report accordingly.

#### **5.7.2.7 Remunerations**

- The consultant will be paid amount of Rs. **4500-6500/- per day** with no other benefits.
- All logistics will be arranged/reimbursed by PMU for field visits (accommodation, refreshments etc).

#### **5.7.2.8 Terms of Payment**

- Consultant will be paid on monthly basis throughout the contract period.

### **5.7.3 HR for Day Care Center**

#### **5.7.3.1 Manager Day Care Center (DCC)**

Shall be responsible for general administrative affairs of DCC.

#### **Eligibility Criteria**

1. Minimum qualification Masters' degree in Economics/ Public Administration/ Finance/ MBA Finance/Administration or equivalent from HEC recognized University
2. Minimum 2 years post degree experience of administration (Additional credit may be given for hospital administration/ Public sector administration of similar nature)

#### **5.7.3.2 Montessori Trained Teacher**

Shall be responsible for basic education of children.

##### **Eligibility Criteria**


1. Minimum qualification BA/BSC or equivalent from HEC recognized University along with B.Ed.
2. Minimum 1 years post degree experience of teaching (Additional credit may be given for Public sector teaching of similar nature)

#### **5.7.3.3 Attendant / Care Giver**

Shall be responsible for special care of the children.

##### **Eligibility Criteria**

Minimum qualification Matric or equivalent alongwith diploma in relevant field



The Planning & Development Board vide letter No.12(24)PO(COORD-II)P&D/2022 dated 14-07-2022 has informed that revised standard pay package were discussed and approved by the 83<sup>rd</sup> PDWP meeting held on 28-06-2022 under the chairmanship of Chairman P&D Board for all ADP funded Project posts of Department /Organizations working in Government of the Punjab:

<b><u>Project Pay Scale (PPS)</u></b>	<b><u>Revised Project Pay Scales (Permissible Range) (PKR)</u></b>	<b><u>Annual Increment Up to % age</u></b>
PPS-1	28,000 --- 44,800	10
PPS-2	35,000 --56,000	10
PPS-3	43,750 -- 70,000	10
PPS-4	52,500 -- 84,000	10
PPS-5	70,000 --112000	10
PPS-6	105,000 -- 172,200	8
PPS-7	157,500 --258,300	8
PPS-8	218,750--358,750	8
PPS-9	306,250--502,250	8

PPS-10	437,500--700,000	5
PPS-11	612,500-- 980,000	5
PPS-12	875,000 --1,400,000	5

In view of the above the Pay package of NMS staff has been revised. Financial Implications of New Management Structure Model based on revised Standard Pay Package (PPS) approved by the 83<sup>rd</sup> PDWP meeting held on 28-06-2022:

Name of Post	No. of Employees	Original Pay package approved		Revised Pay package	
		Per Month Salary	Salary for One Year	Per Month Salary	Salary for One Year
Admin Officer	1	80,000	960,000	105,000	1,260,000
Human Resource Officer	1	80,000	960,000	105,000	1,260,000
IT/Statistical Officer	1	80,000	960,000	105,000	1,260,000
Finance & Budget Officer	1	80,000	960,000	105,000	1,260,000
Procurement Officer	1	80,000	960,000	105,000	1,260,000
Quality Assurance Officer	1	80,000	960,000	105,000	1,260,000
Logistics Officer	1	80,000	960,000	105,000	1,260,000
Data Entry Operator (DEO)	2	35,000	840,000	44,000	1,056,000
Assistant admin Officer	2	50,000	1,200,000	70,000	1,680,000
<b>Total</b>	<b>11</b>		<b>8,760,000</b>	<b>849,000</b>	<b>11,556,000</b>

### **5.8 Other Initiatives:**

There are many other initiatives which government plans to undertake in order to improve healthcare services in the province. These include:

- Rehabilitation of Emergency Ward
- Fixture of Benches
- Addition of Bracket Fans/Water Coolers/LCDs with signage
- Supply of Laboratory/ Equipment/USG/ECG etc.
- CCU Improvement
- Installation of Water filtration plants
- Replacement of Bed sheets/Pillows/Matresses
- Installation of Transformers/Dual Connection
- Improvement of Labor rooms/Nurseries



- Maintenance and replacement of Air-conditioners through Outsourcing
- Blood Bank improvement
- Installation of CCTV Cameras
- Installation of Basic Fire-fighting Equipment
- Up gradation of Pharmacy and medicine Store
- Improvement of Internal Roads and laying of Tough pavers
- External Development
- Rehabilitation of Hepatitis/T.B Control

The PMU is essential to deliver the project end-item within budget and time limitations, in accordance with technical specifications, and, when specified, in fulfillment of project objectives.

## **5.9 Patient Management Protocol**

### **5.9.1 Emergency:**

1. Initial reception and computerization of data, issuance of medical record number and preparation of record file.
2. Patients seen by C.M.O. initial assessment (brief history and physical examination) is entered on the emergency slip/file initial treatment is started.
3. C.M.O calls the medical officer / house officer of the relevant department who takes on of the following action:-
  - i. Discharges the patient from emergency department after the patient is stabilized (himself or after consultation).
  - ii. Returns the patient in emergency department and inform the consultant or call such patient is either discharged after some time i.e. 2 hours of admitted later on
  - iii. Patient is straight way admitted by the medical officer himself or in consultation with the consultant
4. A separate record is maintained by each department. Each patient discusses at the morning meeting and any pitfalls are any pitfalls are corrected.
5. The patient who is admitted is again entered into the computer in the ward, complete history and physical examination is carried out and relevant lab & radiological investigations are ordered. (If not already done in the emergency department).

6. The definitive management is either started by the medical officer himself or in consultation with the consultant. (Telephone or physically). The patient is prepared for surgery if required.
7. At the evening round of the ward, the patients admitted throughout the day (Through OPD or emergency) are seen by the specialist. Appropriate changes in the management are carried out.
8. During the night, medical officer & house officer will be on duty and they will remain in contact with consultant.
9. In the morning round all the new admissions and old patients are thoroughly discussed management / treatment changed, surgery ordered or discharge ordered.
10. The discharge certificate is either prepared by the house officer or medical officer. If prepared by the house officer, it is countersigned by the medical officer

Appropriate changes are made in the computer record after discharge. The file is sent to the central record.

#### **5.9.2 O.P.D:**

1. After the initial registration and issuance of computerized number patient is sent to the relevant medical officer with the OPD slip/file.
2. The medical officer / house officer of the relevant department performs the initial assessment. The medical officer himself advises the treatment / investigation or refers the patients to the specialist or admits the patient.
3. After admission. The same routine is followed which has been mentioned in the case of admission through emergency.

#### **5.9.3 Death or End of Life Management.**

1. The decision regarding resuscitation is made at the initial stages by the medical officer / house officer or specialist in consultation with the patient himself and / attendants.
2. The DNR (Do not resuscitate) patients are only seen by the medical officer/ hose officer at the time of death.
3. For the patients to be resuscitated, a special code (blue code) is declared when patient go onto cardiac or the terminal events.
4. The policy for very sick / terminal and dying patients is formulated at the hospital administration level and appropriate modifications are decided in the relevant department for each patient.

5. Every death is discussed weekly at the mortality committee at the department and at the hospital level cleared by the Medical Superintendent.

#### **5.9.4 Inventory Control System**

The stock keeping and issuance of such items shall also be controlled and monitored through closer supervision and checks and balance system built in the software. The stock and expense of durable and consumable items will be kept in the system and also as hard copies. The main stores computers will be linked with the sub stores computers through networking. The areas like emergency. Outpatient department, Indoor registration desks, Laboratory and Radiology Department, ICUs, etc., will have linkages with the main and sub stores to know about:-

1. Stock in hand of various items
2. New receipt of these items
3. The items which have been issued to other departments
4. The Items which are not available
5. The expenditure incurred on the purchase.

The budget and details of account shall be linked with the financial control system.

#### **5.9.5 Project Monitoring Committee**

A Project Monitoring Committee is proposed hereby as under to monitor the project regarding Revamping of THQ Hospital:

- |    |                                  |                    |
|----|----------------------------------|--------------------|
| 1. | Deputy Commissioner              | (Chairman)         |
| 2. | District Monitoring Officer      | (Member)           |
| 3. | Executive Engineer Buildings     | (Member)           |
| 4. | Assistant Commissioner Concerned | (Member)           |
| 5. | MS THQ Hospital                  | (Secretary/Member) |

The committee will monitor the progress of the project and will hold regular weekly meeting to review the progress.

#### **5.10 Relationship with Sectoral Objectives**

The Government of the Punjab, Primary & Secondary Healthcare Department is in the process of undertaking number of initiatives to improve health care delivery system in the province. The Government of the Punjab is firmly committed to provide health care services at the doorstep of the community through integrated approach. A number of projects to improve emergency health care service particularly targeting on the promptness and quality have been

initiated. Although major focus is on disease prevention and health promotion strategies by providing specialist health care services to victims of various diseases in the patients is one of the top most priority. The instant project will be a major wing to health department with line departments.

Mainly the linkage with social welfare and human empowerment, labour and manpower, Education Department, Special Education, Home of the project will be in a vibrant environment in the holistic manner. The scope of the project itself aims to establish horizontal linkage with all the stakeholders through multi-sectorial approach. The health care facilities and ongoing services provided in the hospital will seek strength and viability from its linkage and public ownership.

## **6. DESCRIPTION AND JUSTIFICATION OF PROJECT**

### **6.1 JUSTIFICATION OF PROJECT**

attached

## **1. Description, Justification and Technical Parameters**

The scheme has been estimated on face of the factual basic requirements and if needed, alterations and has been quoted in this PC-I. The Population of Fort Abbas District Bahawalnagar is more than 0.505 million. The area of the THQ Hospital Fort Abbas District Bahawalnagar is 307,889 SFT land.

### **6.1 Description and Justification**

The Project Management Unit, Revamping Program, Primary and Secondary Healthcare Department planned to start the 2<sup>nd</sup> Phase of the said revamping program. The instant PC-I is also meant for provision of requisite biomedical and non-biomedical equipment, Electricity, Furniture & Fixture, Signage, HR and outsourcing of services for Revamping of THQ Hospital, Fort Abbas District Bahawalnagar.

Revamping of THQ Hospital Fort Abbas District Bahawalnagar constitutes of value addition in all major domains of the hospital including improvement of Civil infrastructure, addition of water filtration plant facility, value addition in Emergency ward and making the health facility more equipped with modern bio-medical equipment. State of the art furniture and fixtures complemented by interior and exterior decors are also part of this revamping project backed by the thought of dedicated express line of electricity to ensure smooth operations of hospitals will bring the modern health facilities in healthy and comfortable environment at the door step of masses. Introduction of new model of outsourcing of laundry services to ensure provision of neat and clean bed sheets, pillow covers, blankets etc. round the clock is also a part of this project. Fool proof security and adequate cleanliness measures of whole health facility are also proposed in this PC-I.

Civil work component will be carried out through C&W Department instead of District Health Authority for this hospital. Value addition in Emergency block is proposed in four domains i.e. Triage, Minor O.T, Specialized care room and emergency ward. Addition of Water Filtration Plant facility where it is not available as unclean or polluted water is devastating for human health. A key consideration was made while selecting furniture and its compatibility with hospital grade cleaners, detergents and disinfectants. Signage is an effective interface between the user and intended facility. Effective signage promotes the healthcare facility in a patient friendly manner. Access is an important part of quality of care. A crucial aspect for patient satisfaction is their comfort levels with the facility itself i.e. a person's ease in navigating a facility, and the timeliness in receiving care. Clear and proper signage at strategic points helps patients in reaching their destination without losing much of their valuable time and saves lot of their efforts in unnecessary enquiring from persons. In this regard, the Equipment of Emergency, Bio-Medical, Non-Bio-Medical, Electricity, Signage, Janitorial, Security, Laundry, Maintenance of Generator and Horticulture have been added as per actual requirement of the Hospital. The Equipment of MSDS, IT, Furniture Fixture, Day

Care Center, HR, Medical Gases, Cafeteria are fixed in all hospitals as per yardstick established by P& SH Department. Prior to initiation of this exercise standardization of required facilities was done by committee of experts in P & SH Department and on the basis of it, gaps were identified which would be covered under this PC-I.

### **Justification for 3<sup>rd</sup> Revision of PC-I**

1. Originally the Civil work component of the scheme was planned to be executed by the Health Council of the concerned District Health Authority based on cost estimates prepared by the Infrastructure Wing of PMU and approved by the DDSC. Accordingly, funds of Rs.3, Rs.5 and Rs.10 million were provided during FY 2017-18 for the execution of work as per parameters provided to these THQ Hospitals. However, no reasonable revamping civil work was carried out and hence did not fulfil the requirement and the objectives of the Revamping Program. Now P&SHD has decided to carry out further revamping of Civil work through Communication and Works Department Punjab to accomplish the uniformity of THQ Hospitals with already revamped hospitals of Phase-I. Hence the Rough Cost Estimates of the Punjab Buildings Department has been included in the civil work cost of this scheme.
2. Primary & Secondary Healthcare Department (P&SHD) made a decision to shift all the clerical posts in DHQ / THQ hospitals of Punjab to District Health Authorities as per notification dated 24<sup>th</sup> October, 2017. This administrative decision was taken due to a multiplicity of reasons which were adversely affecting healthcare service delivery in the hospitals. Primarily, these clerical posts were not specialized in any particular field, and therefore, the HR hired against these posts were generalized to the extent that they were not able to perform functions of Hospitals and Health Specific tasks that any medical administration should ideally perform. Additionally, public complaints against the clerical staff on issues such as behavior, performance created an environment of malfeasance in all hospitals. In place of the clerical positions, the Department introduced a New Management Structure (NMS), in all District and Tehsil Headquarters Hospitals. The officers/officials recruited as a part of the NMS have a minimum of 16 years of education. Introduction of New Management Structures (NMS) across all secondary hospitals in the Punjab, has allowed for the overall efficiency of District and Tehsil Headquarters Hospitals. In each Tehsil Headquarter Hospital HR under MNS has been provided for smooth running of the health services. Pay Package for NMS Staff was never been revised since 2017-18, therefore it was decided to approach the P&D Department for revision of Pay package. The PDWP approved revised pay page in its meeting held on 08-02-2022 based on PPS approved in 60<sup>th</sup> PDWP meeting as under: -

Name of Posts	60 <sup>th</sup> PDWP Meeting		
	PPS Assigned	Permissible Range (PKR) & Annual increment	Approved Pay Package
HR & Legal Officer, IT & Statistical Officer, Admin Officer, Procurement Officer, Finance & Budget Officer, Logistics Officer, Quality Assurance Officer, Audit Officer and Biomedical Engineer	PPS-6	75,000-105,000 (8% annual incr.)	75,000
Assistant Admin Officer	PPS-5	50,000-75000 (10% annual incr.)	50,000
Data Entry Operator	PPS-3	35,000-55,000 (10% annual incr.)	35,000

Now the Planning & Development Board vide letter No.12(24)PO(COORD-II)P&D/2022 dated 14-07-2022 has informed that revised standard pay package were discussed and approved by the 83<sup>rd</sup> PDWP meeting held on 28-06-2022 under the chairmanship of Chairman P&D Board for all ADP funded Project posts of Department /Organizations working in Government of the Punjab. Therefore, the revised Pay Package has been incorporated in the revised PC-I.

3. As the gestation period of the PC-I till 30.06.2023, therefore, the cost of NMS has been revised for smooth running of the Tehsil Headquarter Hospitals and hence PC-I has been proposed till 30- 06-2025.
4. Infrastructure team has conducted the Joint visits with the team of C&W Department. During the field visits, few alterations were recommended by the technical teams which have been incorporated in the Revised Rough Cost Estimates of the subject scheme and have been attached with the PC-I along with comparative statement. Therefore, Civil works component cost has been increased from Rs. 9.932 million to Rs. 48.319 million due to few changes in the scope and MRS rates (2<sup>nd</sup> Bi-annual 2022).



**85 THQ Hospitals covered under the Program:**

The location map of the 85 THQ hospitals that will be taken up for rehabilitation in this program is given below:

PROJECT MANAGEMENT UNIT  
PRIMARY & SECONDARY HEALTHCARE DEPARTMENT



LOCATION OF DHQ AND THQ HOSPITALS IN PUNJAB



## **6.2 SECTORAL SPECIFIC INFORMATION**

Social Sectors, Health Department

## 7. CAPITAL COST ESTIMATES

**Financial Components:** Revenue  
**Cost Center:**OTHERS- (OTHERS)  
**Fund Center (Controlling):**N/A

**Grant Number:**Development - (PC22036)  
**LO NO:**LO17011142  
**A/C To be Credited:**Assan Assignment

PKR Million

S r #	Object Code	2019-2020		2020-2021		2021-2022		2022-2023		2023-2024		2024-2025	
		Local	Foreign	Local	Foreign	Local	Foreign	Local	Foreign	Local	Foreign	Local	Foreign
1	A05270-To Others	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
2	A12403-Other Buildings	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
<b>Total</b>		<b>0.000</b>	<b>0.000</b>	<b>0.000</b>	<b>0.000</b>	<b>0.000</b>	<b>0.000</b>	<b>0.000</b>	<b>0.000</b>	<b>0.000</b>	<b>0.000</b>	<b>0.000</b>	<b>0.000</b>

**Financial Components:** Capital  
**Cost Center:**OTHERS- (OTHERS)  
**Fund Center (Controlling):**LE4203

**Grant Number:**Government Buildings - (PC12042)  
**LO NO:**LO22010059  
**A/C To be Credited:**Account-I

PKR Million

S r #	Object Code	2019-2020		2020-2021		2021-2022		2022-2023		2023-2024		2024-2025	
		Local	Foreign	Local	Foreign	Local	Foreign	Local	Foreign	Local	Foreign	Local	Foreign
1	A12403-Other Buildings	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
2	A05270-To Others	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

<b>Total</b>	<b>0.000</b>	<b>0.000</b>	<b>0.000</b>	<b>0.000</b>	<b>0.000</b>	<b>0.000</b>	<b>0.000</b>	<b>0.000</b>	<b>0.000</b>	<b>0.000</b>	<b>0.000</b>	<b>0.000</b>
--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------	--------------

## Abstract of Cost

Name of THQ Hospital	THQ FORT ABBAS											
	Original			1st Revised			2nd Revised			3rd Revised		
Scope of work	Cost in million											
	Capital	Revenue	Total	Capital	Revenue	Total	Capital	Revenue	Total	Capital	Revenue	Total
Capital component												
Internal development	0.000	23.447	23.447	0.000	23.447	23.447	7.521	10.000	17.521	30.243	10.000	40.243
External development	0.000	5.547	5.547	0.000	5.547	5.547	2.411	0.000	2.411	18.076	0.000	18.076
Water filtration plant	0.000	5.600	5.600	0.000	5.600	5.600	0.000	0.000	0.000	0.000	0.000	0.000
TOTAL Capital component	0.000	34.595	34.595	0.000	34.595	34.595	9.932	10.000	19.932	48.319	10.000	58.319
Revenue component												
Emergency	0.000	20.463	20.463	0.000	20.463	20.463	0.000	27.876	27.876	0.000	47.336	47.336
MSDS	0.000	8.647	8.647	0.000	8.647	8.647	0.000	9.654	9.654	0.000	13.438	13.438
Med. Machinery and Equipment	0.000	49.391	49.391	0.000	49.391	49.391	0.000	64.314	64.314	0.000	102.011	102.011
Electricity	0.000	13.247	13.247	0.000	13.247	13.247	0.000	17.747	17.747	0.000	26.747	26.747
IT & QMS & Surveillance	0.000	14.515	14.515	0.000	14.515	14.515	0.000	16.715	16.715	0.000	20.120	20.120
Furniture and Fixtures	0.000	13.504	13.504	0.000	13.504	13.504	0.000	13.504	13.504	0.000	18.788	18.788
Interior and Exterior decorations/ Signage	0.000	3.405	3.405	0.000	3.405	3.405	0.000	4.695	4.695	0.000	4.695	4.695
Day Care Center	0.000	1.600	1.600	0.000	1.600	1.600	0.000	1.600	1.600	0.000	1.600	1.600
Human resource (HR) plan	0.000	17.220	17.220	0.000	17.220	17.220	0.000	28.860	28.860	0.000	44.144	44.144
LC Deficit during procurement (currency fluctuation)							0.000	2.845	2.845	0.000	2.845	2.845
Total Revenue component	0.000	141.993	141.993	0.000	141.993	141.993	0.000	187.810	187.810	0.000	281.723	281.723
Outsourcing component												
Janitorial Services	0.000	16.110	16.110	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Security and Parking services	0.000	6.118	6.118	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Laundry Services	0.000	2.400	2.400	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Maintenance (Generator)	0.000	2.870	2.870	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
MEP	0.000	4.082	4.082	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Medical Gases	0.000	1.304	1.304	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Cafeteria	0.000	6.743	6.743	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Horticulture services	0.000	14.957	14.957	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Total outsourcing cost	0.000	54.584	54.584	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Total	0.000	231.171	231.171	0.000	176.588	176.588	9.932	197.810	207.742	48.319	291.723	340.042
Contingency (1%) only on Civil Component	0.000	0.346	0.346	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Third Party Monitoring (TPM) (1%)	0.000	2.312	2.312	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Third Party Validation (TPV) (1%)	0.000	2.312	2.312	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Grand Total	0.000	236.141	236.141	0.000	176.588	176.588	9.932	197.810	207.742	48.319	291.723	340.042

## Emergency Equipment

Sr. No.	Area	ITEM DESCRIPTION	Yard Stick	Original			1st Revised			2nd Revised			3rd Revised		
				Required Quantity (T=6+S=0+E=6)	Actual Unit Price	Actual Total Cost(Rs)	Required Quantity (T=6+S=0+E=6)	Actual Unit Price	Actual Total Cost(Rs)	Required Quantity (T=6+S=0+E=6)	Actual Unit Price	Actual Total Cost(Rs)	Required Quantity (T=6+S=0+E=6)	Actual Unit Price	Actual Total Cost(Rs)
1	Reception Area	Table	0	0	99,750	-	0	99,750	-	0	99,750	-	0	99,750	-
2		Chairs	0	0	26,775	-	0	26,775	-	0	26,775	-	0	30,000	-
3		Computer Data Entry With Printer	1	1	141,750	141,750	1	141,750	141,750	1	141,750	141,750	1	195,000	195,000
4	3	Table (2.5 X 4)*(N)	0	0	101,850	-	0	101,850	-	0	101,850	-	0	101,850	-
5	6	Chairs *(N)	0	0	26,775	-	0	26,775	-	0	26,775	-	0	30,000	-
6	Triage area	B.p apparatus wall type*(N)	3	6	15,750	94,500	6	15,750	94,500	6	30,000	180,000	6	30,000	180,000
7		Gurney WITH FOOT STEP)*(N)	3	6	420,000	2,520,000	6	420,000	2,520,000	6	460,000	2,760,000	6	800,000	4,800,000
8		Mercury B.P apparatus*(N)	2	4	33,600	134,400	4	33,600	134,400	4	36,000	144,000	4	36,000	144,000
9		Laryngoscope paed's & adult each*(N)	2	4	10,500	42,000	4	10,500	42,000	4	12,000	48,000	4	20,000	80,000
10		Diagnostic set*(N)	1	2	45,150	90,300	2	45,150	90,300	2	50,000	100,000	2	85,000	170,000
11		ECG Machine (with trolley) *(N)	1	2	169,785	339,570	2	169,785	339,570	2	180,000	360,000	2	300,000	600,000
12		Central oxygen with accessories FOR each	0	0	420,000	-	0	420,000	-	0	-	-	0	-	-
13		NEBULIZER HD*(N)	2	4	125,265	501,060	4	125,265	501,060	4	215,000	860,000	4	300,000	1,200,000
14		SUCKER MACHINE*(N)	1	2	259,350	518,700	2	259,350	518,700	2	275,000	550,000	2	300,000	600,000
15		Resuscitation Trolley (fully equipped) )*(N)	1	2	244,733	489,466	2	244,733	489,466	2	400,000	800,000	2	600,000	1,200,000
16	Minor O.T	INSTRUMENT CABINET*N	1	2	69,300	138,600	2	69,300	138,600	2	69,300	138,600	2	69,300	138,600
17		MEDICINE TROLLEY*N	1	2	60,900	121,800	2	60,900	121,800	2	60,900	121,800	2	60,900	121,800
18		O.T table WITH foot step	1	1	1,417,500	1,417,500	1	1,417,500	1,417,500	1	2,000,000	2,000,000	1	2,500,000	2,500,000
19		Anesthesia Machine	1	1	2,509,554	2,509,554	1	2,509,554	2,509,554	1	3,000,000	3,000,000	1	7,000,000	7,000,000
20		Sucker machine	1	1	259,350	259,350	1	259,350	259,350	1	275,000	275,000	1	300,000	300,000
21		Portable O.T Lights	1	1	304,220	304,220	1	304,220	304,220	1	500,000	500,000	1	900,000	900,000
22		Ceiling o.t light	1	1	414,750	414,750	1	414,750	414,750	1	800,000	800,000	1	950,000	950,000
23		Hot air oven	1	1	110,000	110,000	1	110,000	110,000	1	385,000	385,000	1	450,000	450,000
24		Autoclave	1	1	441,000	441,000	1	441,000	441,000	1	550,000	550,000	1	850,000	850,000
25		Instrument trolley*N	1	1	54,000	54,000	1	54,000	54,000	1	54,000	54,000	1	55,000	55,000
26	Constant / specialized care room	Defibrillator*N	1	1	310,000	310,000	1	310,000	310,000	1	650,000	650,000	1	800,000	800,000
27		Instrument cabinet	1	1	69,300	69,300	1	69,300	69,300	1	69,300	69,300	1	69,300	69,300
28		GURNEYS*N	4	0	420,000	-	0	420,000	-	0	460,000	-	0	850,000	-
29		Sucker machine *(N)	2	0	259,350	-	0	259,350	-	0	275,000	-	0	300,000	-
30		Nebulizer HD*(N)	2	0	125,265	-	0	125,265	-	0	215,000	-	0	300,000	-
31		Center Oxygen supply*N	1	0	420,000	-	0	420,000	-	0	-	-	0	-	-
32		Resuscitation Trolley (fully equipped) )*(N)	1	0	237,618	-	0	237,618	-	0	400,000	-	0	600,000	-
33		Defibrillator*N	1	0	302,605	-	0	302,605	-	0	650,000	-	0	800,000	-
34		Pulse- oximeter*(N)	4	0	104,000	-	0	104,000	-	0	160,000	-	0	225,000	-
35		Bedside-monitor*(N)	4	0	301,665	-	0	301,665	-	0	550,000	-	0	1,200,000	-
36	7	ECG MACHINE)*(N)	1	0	169,785	-	0	169,785	-	0	169,785	-	0	300,000	-
37		BP APPARATUS*N	1	0	15,750	-	0	15,750	-	0	16,000	-	0	16,000	-
38		FOOT STEP)*(N)	1	0	3,150	-	0	3,150	-	0	4,000	-	0	5,500	-
39		ATTENDANT BENCH)*(N)	1	0	5,250	-	0	5,250	-	0	8,000	-	0	10,000	-
40		(MOTRIZED BEDS) with accessories (with foot steps)*(N)	7	6	210,000	1,260,000	6	210,000	1,260,000	6	400,000	2,400,000	6	600,000	3,600,000
41	6	ECG machine(with trolley) *(N)	1	1	169,785	169,785	1	169,785	169,785	1	169,785	169,785	1	300,000	300,000
42		Pulse- oximeter *(N)	6	6	104,000	624,000	6	104,000	624,000	6	160,000	960,000	6	225,000	1,350,000
43		Bedside-monitor*(N)	3	3	301,665	904,995	3	301,665	904,995	3	550,000	1,650,000	3	1,200,000	3,600,000
44		B.P apparatus wall type *(N)	6	6	26,250	157,500	6	26,250	157,500	6	30,000	180,000	6	30,000	180,000

### Emergency Equipment

				Original			1st Revised			2nd Revised			3rd Revised		
Sr.	Area	ITEM DESCRIPTION	Yard	Required Quantity	Actual Unit	Actual Total	Required Quantity	Actual Unit	Actual Total	Required Quantity	Actual Unit	Actual Total	Required Quantity	Actual Unit	Actual Total
45	Emergency ward	Nebulizer HD *(N)	2	2	125,265	250,530	2	125,265	250,530	2	215,000	430,000	2	300,000	600,000
46		Resuscitation Trolley (fully equipped) )*(N)	1	1	237,618	237,618	1	237,618	237,618	1	400,000	400,000	1	600,000	600,000



## Emergency Equipment

				Original			1st Revised			2nd Revised			3rd Revised		
Sr.	Area	ITEM DESCRIPTION	Yard	Required Quantity	Actual Unit	Actual Total	Required Quantity	Actual Unit	Actual Total	Required Quantity	Actual Unit	Actual Total	Required Quantity	Actual Unit	Actual Total
47		Defibrillator*N	1	1	299,153	299,153	1	299,153	299,153	1	650,000	650,000	1	800,000	800,000
48		Sucker machine *(N)	2	2	259,350	518,700	2	259,350	518,700	2	275,000	550,000	2	300,000	600,000
49		Wheal chairs *(N)	0	0	31,500	-	0	31,500	-	0	35,000	-	0	35,000	-
50		Stretcher *(N)	0	0	69,300	-	0	69,300	-	0	69,300	-	0	69,300	-
51		ambo bag paedts with Mask*N	5	5	15,750	78,750	5	15,750	78,750	5	19,000	95,000	5	19,000	95,000
52	Generalized	ambo bag adult with Mask* N	5	5	15,750	78,750	5	15,750	78,750	5	19,000	95,000	5	19,500	97,500
53		patient stool * N	2	2	4,085	8,169	2	4,085	8,169	2	4,500	9,000	2	5,000	10,000
54		Portable x-rays (300 M.A)	1	1	3,450,350	3,450,350	1	3,450,350	3,450,350	1	4,300,000	4,300,000	1	9,800,000	9,800,000
55		Portable ultra-sound	1	1	1,403,325	1,403,325	1	1,403,325	1,403,325	1	1,500,000	1,500,000	1	2,400,000	2,400,000
		<b>Total</b>				<b>20,463,445</b>			<b>20,463,445</b>			<b>27,876,235</b>			<b>47,336,200</b>
						20.463			20.463			27.876			47.336

## MSDS

Sr. No.	ITEM DESCRIPTION	Original			1st Revised			2nd Revised			3rd Revised		
		Quantity Required	Actual Unit Price	Actual Total Cost(Rs)	Quantity Required	Actual Unit Price	Actual Total Cost(Rs)	Quantity Required	Actual Unit Price	Actual Total Cost(Rs)	Quantity Required	Actual Unit Price	Actual Total Cost(Rs)
1	Histology slide boxes	3	3,100	9,299	3	3,100	9,299	3	4,500	13,500	3	4,500	13,500
2	Labeling Device connected with Computer	3	60,000	180,000	3	60,000	180,000	3	80,000	240,000	3	80,000	240,000
3	Safe Transportation Boxes	2	15,750	31,500	2	15,750	31,500	2	18,000	36,000	2	18,000	36,000
4	Portable Safety Exhaust Hood	1	160,000	160,000	1	160,000	160,000	1	250,000	250,000	1	450,000	450,000
5	Centrifuge Machine	0	149,336	-	0	149,336	-	0	250,000	-	0	325,000	-
6	Hot plates	2	26,250	52,500	2	26,250	52,500	2	45,000	90,000	2	55,000	110,000
7	Water bath	1	157,500	157,500	1	157,500	157,500	1	157,500	157,500	1	300,000	300,000
8	Complaint boxes	10	3,150	31,500	10	3,150	31,500	10	3,150	31,500	10	3,150	31,500
9	Spine boards with Neck holders	4	31,080	124,320	4	31,080	124,320	4	31,080	124,320	4	31,080	124,320
10	Sensitometer	1	137,325	137,325	1	137,325	137,325	1	137,325	137,325	1	137,325	137,325
11	Densitometer personal	2	191,391	382,782	2	191,391	382,782	2	191,391	382,782	2	191,391	382,782
12	Box of Films	2	26,250	52,500	2	26,250	52,500	2	30,000	60,000	2	30,000	60,000
13	Aluminium Step Wedge	1	26,250	26,250	1	26,250	26,250	1	26,250	26,250	1	26,250	26,250
14	Non-Mercury thermometer	10	305	3,045	10	305	3,045	10	350	3,500	10	750	7,500
15	Brass or copper mesh screen	2	5,250	10,500	2	5,250	10,500	2	5,250	10,500	2	5,250	10,500
16	Wheel Chairs	0	31,500	-	0	31,500	-	0	35,000	-	0	35,000	-
17	Statures	0	67,830	-	0	67,830	-	0	75,000	-	0	75,000	-
18	Blood Warmer	3	246,750	740,250	3	246,750	740,250	3	275,000	825,000	3	275,000	825,000
19	Sequence Compression Device	2	210,000	420,000	2	210,000	420,000	2	230,000	460,000	2	600,000	1,200,000
20	Blood Bank Refrigerators with	0	682,500	-	0	682,500	-	0	700,000	-	0	1,469,900	-
21	Data Coder	1	84,000	84,000	1	84,000	84,000	1	100,000	100,000	1	-	-
22	Plasma Separator 1	0	4,200,000	-	0	4,200,000	-	0	4,500,000	-	0	4,500,000	-
23	Blood Storage Cabinet	1	682,500	682,500	1	682,500	682,500	1	700,000	700,000	1	1,469,900	1,469,900
24	Resuscitation Trolley	0	244,733	-	0	244,733	-	0	400,000	-	0	491,350	-
25	Ultra sound machine gyne	0	1,403,325	-	0	1,403,325	-	0	1,700,000	-	0	2,150,000	-
26	Delivery Table	0	47,250	-	0	47,250	-	0	47,250	-	0	48,500	-
27	Height and weight scale	4	8,400	33,600	4	8,400	33,600	4	10,000	40,000	4	31,500	126,000
28	Suction Electronic	0	259,350	-	0	259,350	-	0	275,000	-	0	275,000	-
29	Fetal Heart Rate Detector	1	144,375	144,375	1	144,375	144,375	1	175,000	175,000	1	275,000	275,000
30	Ambo bag	0	17,325	-	0	17,325	-	0	19,000	-	0	19,000	-
31	Neonatal size face mask	4	578	2,310	4	578	2,310	4	1,200	4,800	4	1,500	6,000
32	Exchange transfusion trays	2	10,000	20,000	2	10,000	20,000	2	10,000	20,000	2	12,000	24,000
33	Shoe racks SS	4	39,900	159,600	4	39,900	159,600	4	39,900	159,600	4	39,900	159,600
34	Sterilizer	0	2,940,000	-	0	2,940,000	-	0	3,500,000	-	0	7,800,000	-
35	Washer disinfectant	0	-	-	0	-	-	0	-	-	0	-	-
36	Packing table	0	-	-	0	-	-	0	-	-	0	-	-
37	Digital Sealer Printer	1	420,000	420,000	1	420,000	420,000	1	480,000	480,000	1	520,000	520,000
38	Backup Auto Clave	0	441,000	-	0	441,000	-	0	550,000	-	0	789,625	-
39	Racks for Manual	10	21,000	210,000	10	21,000	210,000	10	37,500	375,000	10	56,160	561,600
40	Locked Racks for MSDS Data	2	21,000	42,000	2	21,000	42,000	2	37,500	75,000	2	56,160	112,320
41	Eye Wash Station with shower	3	300,000	900,000	3	300,000	900,000	3	350,000	1,050,000	3	350,000	1,050,000
42	Air Curtain	4	50,190	200,760	4	50,190	200,760	4	60,000	240,000	4	60,000	240,000
43	Fire Sand Buckets with stand	5	15,000	75,000	5	15,000	75,000	5	20,000	100,000	5	20,000	100,000
44	Smoke Detectors	10	7,350	73,500	10	7,350	73,500	10	8,500	85,000	10	8,500	85,000
45	Heat Detector	5	8,400	42,000	5	8,400	42,000	5	10,000	50,000	5	10,000	50,000
46	Gas Detector	5	6,300	31,500	5	6,300	31,500	5	7,500	37,500	5	7,500	37,500
47	Fire Blankets	10	2,783	27,825	10	2,783	27,825	10	3,200	32,000	10	3,200	32,000
48	Fire Alarms	10	5,250	52,500	10	5,250	52,500	10	6,500	65,000	10	6,500	65,000

## MSDS

		Original			1st Revised			2nd Revised			3rd Revised		
Sr. No.	ITEM DESCRIPTION	Quantity Required	Actual Unit Price	Actual Total Cost(Rs)	Quantity Required	Actual Unit Price	Actual Total Cost(Rs)	Quantity Required	Actual Unit Price	Actual Total Cost(Rs)	Quantity Required	Actual Unit Price	Actual Total Cost(Rs)
49	Identification Bands	100	3	315	100	3	315	100	3	300	100	3	300
50	Wet Flooring Signages	0	431	-	0	431	-	0	550	-	0	750	-
51	Key Box	6	8,190	49,140	6	8,190	49,140	6	10,000	60,000	6	10,000	60,000
52	Dehumidifier	0	58,800	-	0	58,800	-	0	70,000	-	0	100,000	-
53	Tourniquet	4	840	3,360	4	840	3,360	4	850	3,400	4	1,500	6,000
54	LAB SAFETY BOX	2	3,150	6,300	2	3,150	6,300	2	4,000	8,000	2	4,000	8,000
55	densitometer	0	210,000	-	0	210,000	-	0	210,000	-	0	210,000	-
56	vending machine	0	630,000	-	0	630,000	-	0	630,000	-	0	630,000	-
57	Automatic shoe cover machine	2	296,100	592,200	2	296,100	592,200	2	332,500	665,000	2	332,500	665,000
58	Vein Finder	2	630,000	1,260,000	2	630,000	1,260,000	2	630,000	1,260,000	2	630,000	1,260,000
59	Blood Sample Vials (BOXES)	3	13	38	3	13	38	3	15	45	3	15	45
60	Bassinets	5	21,000	105,000	5	21,000	105,000	5	22,000	110,000	5	22,000	110,000
61	Chemical Spill Cleanup kit	2	100,000	200,000	2	100,000	200,000	2	100,000	200,000	2	100,000	200,000
62	Digital Temperature Humidity Guage	4	15,000	60,000	4	15,000	60,000	4	15,000	60,000	4	15,000	60,000
63	Bio Cleaning and Disinfection System	1	650,000	650,000	1	650,000	650,000	1	650,000	650,000	1	2,200,000	2,200,000
	<b>Total</b>			<b>8,647,094</b>			<b>8,647,094</b>			<b>9,653,822</b>			<b>13,437,942</b>
				8.647			8.647			9.654			13.438

## Medical Equipment

Medical Equipment																			
Sr. No.	Area	Name of Equipment	Yard Stick	Original				1st Revised				2nd Revised				3rd Revised			
				Available Quantity	Required Quantity	Cost per Unit	Total Cost	Available Quantity	Required Quantity	Cost per Unit	Total Cost	Available Quantity	Required Quantity	Cost per Unit	Total Cost	Available Quantity	Required Quantity	Cost per Unit	Total Cost
1	Laboratory	Semi Auto Clinical Chemistry Analyzer	1	2	0	449,295	-	2	0	449,295	-	2	0	550,000	-	2	0	550,000	-
2		Hematology Analyzer	1	2	0	427,350	-	2	0	427,350	-	2	0	550,000	-	2	0	750,000	-
3		Electrolyte Analyzer	1	1	0	427,350	-	1	0	427,350	-	1	0	550,000	-	1	0	550,000	-
4		Blood Gas Analyzer	0	0	0	2,744,858	-	0	0	2,744,858	-	0	0	3,200,000	-	0	0	1,400,000	-
5		Clinical Microscope	1	5	0	132,825	-	5	0	132,825	-	5	0	180,000	-	5	0	250,000	-
6		Water Bath	1	1	0	60,000	-	1	0	60,000	-	1	0	157,500	-	1	0	325,000	-
7		Hot air Oven	1	3	0	210,000	-	3	0	210,000	-	3	0	385,000	-	3	0	450,000	-
8		Distilled water plant	1	0	1	52,500	52,500	0	1	52,500	52,500	0	1	75,000	75,000	0	1	125,000	125,000
9		Auto pipettes	10	9	1	31,500	31,500	9	1	31,500	31,500	9	1	40,500	40,500	9	1	45,000	45,000
10		glass wares	0	0	0	105,000	-	0	0	105,000	-	0	0	105,000	-	0	0	105,000	-
11	X-Rays	Centrifuge Machine	2	2	0	149,336	-	2	0	149,336	-	2	0	250,000	-	2	0	400,000	-
12		Static X-ray Machine	1	1	0	4,200,000	-	1	0	4,200,000	-	1	0	6,000,000	-	1	0	12,000,000	-
13		Mobile X-Ray Machine	0	1	0	3,850,524	-	1	0	3,850,524	-	1	0	4,300,000	-	1	0	9,800,000	-
14		Computerized Radiography System	0	0	0	4,018,245	-	0	0	4,018,245	-	0	0	4,500,000	-	0	0	4,500,000	-
15		Dental X-Ray	0	2	0	282,975	-	2	0	282,975	-	2	0	350,000	-	2	0	525,000	-
16		Lead apron and PPE	2	2	0	52,500	-	2	0	52,500	-	2	0	60,000	-	2	0	85,000	-
17		Density meter personal (Add)	0	0	0	210,000	-	0	0	210,000	-	0	0	210,000	-	0	0	250,000	-
18		Lead glass /shield	0	0	0	105,000	-	0	0	105,000	-	0	0	105,000	-	0	0	150,000	-
19		Lead Walls	0	0	0	525,000	-	0	0	525,000	-	0	0	525,000	-	0	0	525,000	-
20		Portable/Mobile Ultrasound	0	1	0	1,371,331	-	1	0	1,371,331	-	1	0	1,500,000	-	1	0	2,400,000	-
21	Ultrasound	Color Doppler RADIOLOGY	1	0	1	3,698,310	3,698,310	0	1	3,698,310	3,698,310	0	1	4,500,000	4,500,000	0	1	5,500,000	5,500,000
22	CCU	ICU MONITOR	2	17	0	301,665	-	17	0	301,665	-	17	0	900,000	-	17	0	1,250,000	-
23		Temporary pace maker	0	0	0	315,000	-	0	0	315,000	-	0	0	315,000	-	0	0	550,000	-
24		Defibrillator	1	2	0	299,153	-	2	0	299,153	-	2	0	650,000	-	2	0	800,000	-
25		ECG Machine Three Channel	2	4	0	169,785	-	4	0	169,785	-	4	0	169,785	-	4	0	300,000	-
26		ETT Machine	0	1	0	2,021,838	-	1	0	2,021,838	-	1	0	2,200,000	-	1	0	3,000,000	-
27		Color doplor CARDIOLOGY	0	1	0	4,681,790	-	1	0	4,681,790	-	1	0	4,800,000	-	1	0	6,000,000	-
28		Suction Pump	2	0	2	259,350	518,700	0	2	259,350	518,700	0	2	275,000	550,000	0	2	300,000	600,000
29	Blood Bank	Blood Cabinet	1	1	0	690,539	-	1	0	690,539	-	1	0	700,000	-	1	0	1,500,000	-
30		Centrifuge Machine	2	0	2	149,336	298,673	0	2	149,336	298,673	0	2	250,000	500,000	0	2	400,000	800,000
31		Slide viewer	1	2	0	42,000	-	2	0	42,000	-	2	0	55,000	-	2	0	55,000	-
32		Clinical Microscope	1	0	1	132,825	132,825	0	1	132,825	132,825	0	1	180,000	180,000	0	1	250,000	250,000
33	Dialysis Unit (10 beds)	Computerized Hemo Dialysis Machine	5	4	1	1,050,000	1,050,000	4	1	1,050,000	1,050,000	4	1	1,600,000	1,600,000	4	1	3,200,000	3,200,000
34	Nursery	Baby Cot	10	5	5	14,669	73,343	5	5	14,669	73,343	5	5	16,000	80,000	5	5	16,000	80,000
35		Phototherapy Unit	2	1	1	130,200	130,200	1	1	130,200	130,200	1	1	655,000	655,000	1	1	850,000	850,000
36		Infant Warmer	2	1	1	335,638	335,638	1	1	335,638	335,638	1	1	985,000	985,000	1	1	1,050,000	1,050,000
37		Pulse Oximeter	6	4	2	104,500	209,000	4	2	104,500	209,000	4	2	160,000	320,000	4	2	225,000	450,000
38		Infant Incubator	2	3	0	858,932	-	3	0	858,932	-	3	0	900,000	-	3	0	1,750,000	-
39		Suction Pump	1	0	1	259,350	259,350	0	1	259,350	259,350	0	1	275,000	275,000	0	1	300,000	300,000
40		Hospital Grade Nebulizer Heavy Duty	2	4	0	125,265	-	4	0	125,265	-	4	0	215,000	-	4	0	300,000	-
41	O.T (04)	Anesthesia Machine with Ventilator	1	0	1	2,509,554	2,509,554	0	1	2,509,554	2,509,554	0	1	3,000,000	3,000,000	0	1	7,000,000	7,000,000
42		BED SIDE PATIENT MONITOR	2	0	2	441,000	882,000	0	2	441,000	882,000	0	2	550,000	1,100,000	0	2	1,200,000	2,400,000
43		Defibrillator	2	0	2	308,713	617,425	0	2	308,713	617,425	0	2	650,000	1,300,000	0	2	800,000	1,600,000
44		Electrosurgical Unit	1	2	0	507,530	-	2	0	507,530	-	2	0	700,000	-	2	0	900,000	-
45		Operation Table	1	3	0	1,426,215	-	3	0	1,426,215	-	3	0	2,000,000	-	3	0	2,500,000	-
46		Ceiling Operating Light	1	0	1	413,013	413,013	0	1	413,013	413,013	0	1	800,000	800,000	0	1	950,000	950,000
47		STEAM STERILIZER	1	0	1	3,465,000	3,465,000	0	1	3,465,000	3,465,000	0	1	4,000,000	4,000,000	0	1	7,800,000	7,800,000
48		Suction Pump	2	0	2	259,350	518,700	0	2	259,350	518,700	0	2	275,000	550,000	0	2	300,000	600,000
49		Resuscitation trolley With Crash Cart	2	0	2	244,733	489,466	0	2	244,733	489,466	0	2	400,000	800,000	0	2	600,000	1,200,000
50		mayo table	4	0	4	21,000	84,000	0	4	21,000	84,000	0	4	23,000	92,000	0	4	23,000	92,000
51	Orthopedic	MOBILE OPERATING LIGHT	1	1	0	304,220	-	1	0	304,220	-	1	0	400,000	-	1	0	900,000	-
52		Operation Table	0	0	0	1,426,215	-	0	0	1,426,215	-	0	0	2,000,000	-	0	0	5,000,000	-
53		ORTHOPEDIC DRILL	0	0	0	1,108,740	-	0	0	1,108,740	-	0	0	1,500,000	-	0	0	4,000,000	-
54		Plaster Cutting Pneumatic	1	0	1	276,250	276,250	0	1	276,250	276,250	0	1	450,000	450,000	0	1	1,500,000	1,500,000
55		Pneumatic Tourniquets	0	0	0	262,500	-	0	0	262,500	-	0	0	262,500	-	0	0	300,000	-
56		Orthopedic Instruments	0	2	0	432,623	-	2	0	432,623	-	2	0	550,000	-	2	0	550,000	-

## Medical Equipment

				Original				1st Revised				2nd Revised				3rd Revised			
Sr. No.	Area	Name of Equipment	Yard Stick	Available Quantity	Required Quantity	Cost per Unit	Total Cost	Available Quantity	Required Quantity	Cost per Unit	Total Cost	Available Quantity	Required Quantity	Cost per Unit	Total Cost	Available Quantity	Required Quantity	Cost per Unit	Total Cost
57	Gynea (20 beds)	Portable/Mobile Ultrasound	1	0	1	1,418,958	1,418,958	0	1	1,418,958	1,418,958	0	1	1,500,000	1,500,000	0	1	2,400,000	2,400,000
58		Autoclave	1	1	0	441,000	-	1	0	441,000	-	1	0	550,000	-	1	0	850,000	-
59		Delivery Set	10	0	10	31,500	315,000	0	10	31,500	315,000	0	10	40,000	400,000	0	10	65,000	650,000
60		Delivery Table	2	0	2	47,250	94,500	0	2	47,250	94,500	0	2	47,250	94,500	0	2	55,000	110,000
61		BED SIDE PATIENT MONITOR	2	0	2	294,000	588,000	0	2	294,000	588,000	0	2	550,000	1,100,000	0	2	1,200,000	2,400,000
62		D & C Set	2	0	2	34,650	69,300	0	2	34,650	69,300	0	2	40,000	80,000	0	2	60,000	120,000
63		Vacume Extractor	1	0	1	259,350	259,350	0	1	259,350	259,350	0	1	300,000	300,000	0	1	350,000	350,000
64		CTG Machine	1	1	0	628,049	-	1	0	628,049	-	1	0	725,000	-	1	0	900,000	-
65		ECG Machine Three Channel	1	0	1	169,785	169,785	0	1	169,785	169,785	0	1	180,000	180,000	0	1	300,000	300,000
66		Portable O.T Light	2	0	2	304,220	608,440	0	2	304,220	608,440	0	2	400,000	800,000	0	2	900,000	1,800,000
67	Surgical Emergency (10 beds)	Baby Cot	2	0	2	14,669	29,337	0	2	14,669	29,337	0	2	16,000	32,000	0	2	16,000	32,000
68		Delivery trolley	2	0	2	47,250	94,500	0	2	47,250	94,500	0	2	47,250	94,500	0	2	47,250	94,500
69		Desktop Fetal Heart Rate Detector	1	0	1	144,375	144,375	0	1	144,375	144,375	0	1	175,000	175,000	0	1	200,000	200,000
70		Steam Sterilizer	0	1	0	3,355,849	-	1	0	3,355,849	-	1	0	4,000,000	-	1	0	7,800,000	-
71		Operation Table	0	1	0	1,426,215	-	1	0	1,426,215	-	1	0	2,000,000	-	1	0	2,500,000	-
72		MOBILE OPERATING LIGHT	0	1	0	285,466	-	1	0	285,466	-	1	0	400,000	-	1	0	900,000	-
73		Suction Pump	0	2	0	259,350	-	2	0	259,350	-	2	0	275,000	-	2	0	300,000	-
74		Laryngoscope	0	5	0	9,744	-	5	0	9,744	-	5	0	12,000	-	5	0	20,000	-
75		Set of Surgical Instruments	0	0	0	141,750	-	0	0	141,750	-	0	0	160,000	-	0	0	220,000	-
76		Stretcher	10	0	10	68,250	682,500	0	10	68,250	682,500	0	10	69,300	693,000	0	10	69,300	693,000
77	Others	wheel chair	10	0	10	31,500	315,000	0	10	31,500	315,000	0	10	35,000	350,000	0	10	35,000	350,000
78		foot support	6	0	6	4,200	25,200	0	6	4,200	25,200	0	6	4,500	27,000	0	6	5,148	30,888
79		Resuscitation trolley With Crash Cart	5	0	5	237,618	1,188,091	0	5	237,618	1,188,091	0	5	400,000	2,000,000	0	5	600,000	3,000,000
80		BP Apparatus	15	2	13	15,750	204,750	2	13	15,750	204,750	2	13	16,000	208,000	2	13	16,000	208,000
81		Ventilator	0	0	0	2,195,080	-	0	0	2,195,080	-	0	0	3,500,000	-	0	0	5,500,000	-
82		CPAP	1	0	1	1,098,510	1,098,510	0	1	1,098,510	1,098,510	0	1	2,100,000	2,100,000	0	1	2,800,000	2,800,000
83		X-RAY PROCESSOR	1	0	1	858,440	858,440	0	1	858,440	858,440	0	1	925,000	925,000	0	1	1,200,000	1,200,000
84		Hand wash Scrub Double Bay	2	0	2	94,500	189,000	0	2	94,500	189,000	0	2	100,000	200,000	0	2	140,000	280,000
85		Image Intensifier	0	0	0	4,667,460	-	0	0	4,667,460	-	0	0	4,667,460	-	0	0	12,000,000	-
86		Central Medical Gass Pipe Line System	7	0	7	850,000	5,950,000	0	7	850,000	5,950,000	0	7	-	-	0	7	-	-
87	ICU	Motorized Patient bed with bed side,Mattress,IV stand, Attendant Bench	4	0	4	210,000	840,000	0	4	210,000	840,000	0	4	400,000	1,600,000	0	4	600,000	2,400,000
88		Sphygmomanometer wall mtd	4	0	4	15,750	63,000	0	4	15,750	63,000	0	4	30,000	120,000	0	4	35,000	140,000
89		Resuscitation trolley With Crash Cart	2	0	2	244,733	489,466	0	2	244,733	489,466	0	2	400,000	800,000	0	2	600,000	1,200,000
90		Defibrillator	1	0	1	299,153	299,153	0	1	299,153	299,153	0	1	650,000	650,000	0	1	800,000	800,000
91		Defibrillator with Monitor	0	0	0	330,750	-	0	0	330,750	-	0	0	650,000	-	0	0	800,000	-
92		ECG Machine Three Channel	0	0	0	169,785	-	0	0	169,785	-	0	0	180,000	-	0	0	300,000	-
93		Syringe pump	1	0	1	108,780	108,780	0	1	108,780	108,780	0	1	125,000	125,000	0	1	200,000	200,000
94		Suction Pump	0	0	0	259,350	-	0	0	259,350	-	0	0	275,000	-	0	0	300,000	-
95		ICU Monitor	0	0	0	298,200	-	0	0	298,200	-	0	0	900,000	-	0	0	1,250,000	-
96		Instrument Trolley	1	0	1	55,000	55,000	0	1	55,000	55,000	0	1	55,000	55,000	0	1	55,000	55,000
97	MORTUERY	Ward instruments	0	0	0	-	-	0	0	-	-	0	0	-	-	0	0	-	-
98		Ventilator intensive care	2	0	2	1,600,000	3,200,000	0	2	1,600,000	3,200,000	0	2	3,500,000	7,000,000	0	2	5,500,000	11,000,000
99		CPAP with humidifier	0	0	0	1,098,510	-	0	0	1,098,510	-	0	0	2,100,000	-	0	0	2,800,000	-
100		DELIVERY TROLLEY STAINLESS STEEL	1	0	1	23,835	23,835	0	1	23,835	23,835	0	1	47,250	47,250	0	1	47,250	47,250
101		Ambu-Bag, adult	4	0	4	17,325	69,300	0	4	17,325	69,300	0	4	19,000	76,000	0	4	19,000	76,000
102		Ambu-Bag, paedrs	4	0	4	17,325	69,300	0	4	17,325	69,300	0	4	19,000	76,000	0	4	19,000	76,000
103		TWO BODY REFRIGERATOR WITH CASTERS 220v 50Hz Along with Atopsy Table & Lifter Trolley	1	0	1	2,470,546	2,470,546	0	1	2,470,546	2,470,546	0	1	3,000,000	3,000,000	0	1	3,500,000	3,500,000
104		Dental Unit	2	0	2	2,190,000	4,380,000	0	2	2,190,000	4,380,000	0	2	2,820,000	5,640,000	0	2	2,820,000	5,640,000
105		Autoclave	1	0	1	441,000	441,000	0	1	441,000	441,000	0	1	550,000	550,000	0	1	850,000	850,000
106		Dental X-RAY Machine	1	0	1	282,975	282,975	0	1	282,975	282,975	0	1	350,000	350,000	0	1	525,000	525,000
107	Dental Unit	Digital Intra Oral Camera	0	0	0	94,500	-	0	0	94,500	-	0	0	150,000	-	0	0	600,000	-
108		DENTAL CAUTERY	0	0	0	84,000	-	0	0	84,000	-	0	0	160,000	-	0	0	900,000	-
109		Ultrasonic scaling	1	0	1	120,750	120,750	0	1	120,750	120,750	0	1	175,000	175,000	0	1	300,000	300,000
110		Curing lights	1	0	1	52,500	52,500	0	1	52,500	52,500	0	1	95,000	95,000	0	1	150,000	150,000
111		Endo motor system	1	0	1	199,601	199,601	0	1	199,601	199,601	0	1	265,000	265,000	0	1	500,000	500,000

## Medical Equipment

		Original						1st Revised				2nd Revised				3rd Revised			
Sr. No.	Area	Name of Equipment	Yard Stick	Available Quantity	Required Quantity	Cost per Unit	Total Cost	Available Quantity	Required Quantity	Cost per Unit	Total Cost	Available Quantity	Required Quantity	Cost per Unit	Total Cost	Available Quantity	Required Quantity	Cost per Unit	Total Cost
112		Dental cabinet	0	0	0	42,000	-	0	0	42,000	-	0	0	70,000	-	0	0	160,000	-
113		Dental examination/surgical instrument sets	4	0	4	157,500	630,000	0	4	157,500	630,000	0	4	175,000	700,000	0	4	175,000	700,000
114		Shortwave diathermy	1	0	1	844,562	844,562	0	1	844,562	844,562	0	1	1,500,000	1,500,000	0	1	2,750,000	2,750,000
115		Infrared Radiation	1	0	1	142,916	142,916	0	1	142,916	142,916	0	1	315,222	315,222	0	1	526,500	526,500
116		TENS(Transcutaneous Electrical Nerve Stimulation)	1	0	1	132,577	132,577	0	1	132,577	132,577	0	1	275,000	275,000	0	1	585,000	585,000
117		Treatment couch	4	0	4	10,080	40,320	0	4	10,080	40,320	0	4	75,000	300,000	0	4	760,500	3,042,000
118		A. Electrical Heating Pads	3	0	3	6,300	18,900	0	3	6,300	18,900	0	3	20,000	60,000	0	3	117,000	351,000
119		B. Hot pack unite	1	0	1	131,782	131,782	0	1	131,782	131,782	0	1	253,485	253,485	0	1	1,053,000	1,053,000
120		C. Paraffin bath	1	0	1	154,082	154,082	0	1	154,082	154,082	0	1	308,071	308,071	0	1	819,000	819,000
121	Physiotherapy unit	Therapeutic ULTRASOUND unit	1	0	1	141,748	141,748	0	1	141,748	141,748	0	1	275,000	275,000	0	1	819,000	819,000
122		Treadmill	1	0	1	335,111	335,111	0	1	335,111	335,111	0	1	950,000	950,000	0	1	1,404,000	1,404,000
123		Mats	1	0	1	75,817	75,817	0	1	75,817	75,817	0	1	150,000	150,000	0	1	292,500	292,500
124		Quadriceps Bench	1	0	1	189,164	189,164	0	1	189,164	189,164	0	1	425,000	425,000	0	1	750,000	750,000
125		Ergometer Cycling	1	0	1	66,087	66,087	0	1	66,087	66,087	0	1	175,000	175,000	0	1	409,500	409,500
126		Mirror	1	0	1	24,640	24,640	0	1	24,640	24,640	0	1	45,000	45,000	0	1	400,000	400,000
127		Floor Mounted Parallel Bars	1	0	1	87,821	87,821	0	1	87,821	87,821	0	1	150,000	150,000	0	1	590,000	590,000
128		Pully System	1	0	1	41,826	41,826	0	1	41,826	41,826	0	1	128,594	128,594	0	1	409,500	409,500
129		Trollies	4	0	4	2,520	10,080	0	4	2,520	10,080	0	4	35,000	140,000	0	4	50,000	200,000
130		Stool(Steel)	4	0	4	2,520	10,080	0	4	2,520	10,080	0	4	7,000	28,000	0	4	10,000	40,000
131	Beds	Fowler beds with Mattress	40	0	40	70,000	2,800,000	0	40	70,000	2,800,000	0	40	110,000	4,400,000	0	40	150,000	6,000,000
		<b>Total</b>					<b>49,391,202</b>				<b>49,391,202</b>				<b>64,314,121</b>				<b>102,010,638</b>
							<b>49.391</b>				<b>49.391</b>				<b>64.314</b>				<b>102.011</b>

### Electricity

Sr. No.	Item Name	Original			1st Revised			2nd Revised			3rd Revised		
		Quantity	Per Unit Cost	Total Cost	Quantity	Per Unit Cost	Total Cost	Quantity	Per Unit Cost	Total Cost	Quantity	Per Unit Cost	Total Cost
1	Transformers (200 KVA)	1	600,000	600,000	1	600,000	600,000	1	600,000	600,000	1	600,000	600,000
2	Transformers (100 KVA)	1	450,000	450,000	1	450,000	450,000	1	450,000	450,000	1	450,000	450,000
3	Transformers (50 KVA)	0	300,000	-	0	300,000	-	0	300,000	-	0	300,000	-
4	Generator (200 KVA)	0	4,000,000	-	0	4,000,000	-	0	4,000,000	-	1	9,000,000	9,000,000
5	Generator (100 KVA)	1	2,300,000	2,300,000	1	2,300,000	2,300,000	1	2,300,000	2,300,000	1	2,300,000	2,300,000
6	2 Ton air conditioners (split)	37	55,500	2,053,500	37	55,500	2,053,500	37	55,500	2,053,500	37	55,500	2,053,500
7	2 Ton air conditioners (Cabinet)	17	78,000	1,326,000	17	78,000	1,326,000	17	78,000	1,326,000	17	78,000	1,326,000
8	4 Ton air conditioners (Cabinet)	8	120,000	960,000	8	120,000	960,000	8	120,000	960,000	8	120,000	960,000
9	Ceiling Fans 56"	50	3,090	154,500	50	3,090	154,500	50	3,090	154,500	50	3,090	154,500
10	Exhaust Fans	36	3,000	108,000	36	3,000	108,000	36	3,000	108,000	36	3,000	108,000
11	Bracket Fans 18"	90	3,280	295,200	90	3,280	295,200	90	3,280	295,200	90	3,280	295,200
12	Dual Connection of Electricity / Express Line	1	5,000,000	5,000,000	1	5,000,000	5,000,000	1	9,500,000	9,500,000	1	9,500,000	9,500,000
<b>Total</b>				<b>13,247,200</b>			<b>13,247,200</b>			<b>17,747,200</b>			<b>26,747,200</b>
				<b>13.247</b>			<b>13.247</b>			<b>17.747</b>			<b>26.747</b>

### IT & QMS & Surveillance

Sr. No.	Item Name	Original			1st Revised			2nd Revised			3rd Revised		
		Quantity	Per Unit Cost	Total Cost	Quantity	Per Unit Cost	Total Cost	Quantity	Per Unit Cost	Total Cost	Quantity	Per Unit Cost	Total Cost
1	Desktop, UPS, LED	30	75,000	2,250,000	30	75,000	2,250,000	30	130,000	3,900,000	30	216,000	6,480,000
2	MS Windows License	30	20,000	600,000	30	20,000	600,000	30	20,000	600,000	30	20,000	600,000
3	Scanner Flatbed with ADF	3	90,000	270,000	3	90,000	270,000	3	150,000	450,000	3	150,000	450,000
4	Heavy duty Printer	7	40,000	280,000	7	40,000	280,000	7	50,000	350,000	7	110,000	770,000
5	Multimedia Projector with Screen	1	100,000	100,000	1	100,000	100,000	1	100,000	100,000	1	100,000	100,000
6	Tabs	4	50,000	200,000	4	50,000	200,000	4	50,000	200,000	4	50,000	200,000
7	Laptop	1	100,000	100,000	1	100,000	100,000	1	100,000	100,000	1	100,000	100,000
8	MS Windows License	1	20,000	20,000	1	20,000	20,000	1	20,000	20,000	1	20,000	20,000
9	QMS System	1	3,700,000	3,700,000	1	3,700,000	3,700,000	1	4,000,000	4,000,000	1	4,000,000	4,000,000
10	Networking	1	995,000	995,000	1	995,000	995,000	1	995,000	995,000	1	1,200,000	1,200,000
11	Monitoring & Surveillance (CCTV)	1	5,000,000	5,000,000	1	5,000,000	5,000,000	1	5,000,000	5,000,000	1	5,000,000	5,000,000
12	Public Address System	1	1,000,000	1,000,000	1	1,000,000	1,000,000	1	1,000,000	1,000,000	1	1,200,000	1,200,000
	<b>Total</b>			<b>14,515,000</b>			<b>14,515,000</b>			<b>16,715,000</b>			<b>20,120,000</b>
				<b>14.515</b>			<b>14.515</b>			<b>16.715</b>			<b>20.120</b>



## Furniture and Fixtures

Sr. No.	Item Name	Original			1st Revised			2nd Revised			3rd Revised		
		Quantity	Unit Price	Total	Quantity	Unit Price	Total	Quantity	Unit Price	Total	Quantity	Unit Price	Total
1	Benches (internal)	60	30,000	1,800,000	60	30,000	1,800,000	60	30,000	1,800,000	60	40000	2,400,000
2	Benches (external)	10	10,000	100,000	10	10,000	100,000	10	10,000	100,000	10	40000	400,000
3	Electric Water Cooler	8	45,000	360,000	8	45,000	360,000	8	45,000	360,000	8	60000	480,000
4	Doctors rooms Furniture	30	70,000	2,100,000	30	70,000	2,100,000	30	70,000	2,100,000	30	125000	3,750,000
5	Examination couches	10	35,000	350,000	10	35,000	350,000	10	35,000	350,000	10	35000	350,000
6	Fire Blanket	5	2,500	12,500	5	2,500	12,500	5	2,500	12,500	5	3000	15,000
7	Fire Extinguisher (Water Based)	30	8,000	240,000	30	8,000	240,000	30	8,000	240,000	30	2500	75,000
8	Acrylic Board	150	2,200	330,000	150	2,200	330,000	150	2,200	330,000	150	2000	300,000
9	Rostrum	2	18,000	36,000	2	18,000	36,000	2	18,000	36,000	2	20000	40,000
10	Blinds for windows	6000	150	900,000	6000	150	900,000	6000	150	900,000	6000	200	1,200,000
11	Paintings	100	6,000	600,000	100	6,000	600,000	100	6,000	600,000	100	5000	500,000
12	Waste Bin Sets (3 bin)	40	6,000	240,000	40	6,000	240,000	40	6,000	240,000	40	9000	360,000
13	Printing			1,000,000			1,000,000			1,000,000			1,000,000
	<b>Machinery and Equipment's</b>												
14	Refrigerator(Domestic) front glass double door	2	160,000	320,000	2	160,000	320,000	2	160,000	320,000	2	150000	300,000
15	Refrigerator glass single door	5	80,000	400,000	5	80,000	400,000	5	80,000	400,000	5	90000	450,000
16	Refrigerator 16 cft	5	36,000	180,000	5	36,000	180,000	5	36,000	180,000	5	50000	250,000
17	Air Curtain On Door	5	50,000	250,000	5	50,000	250,000	5	50,000	250,000	5	75000	375,000
18	Washing machines for pantries	3	13,000	39,000	3	13,000	39,000	3	13,000	39,000	3	11000	33,000
19	Gas Burner for pantries	10	4,800	48,000	10	4,800	48,000	10	4,800	48,000	10	80000	800,000
20	Fire Extinguishers DCP	30	4,800	144,000	30	4,800	144,000	30	4,800	144,000	30	6500	195,000
21	LED TV	15	55,000	825,000	15	55,000	825,000	15	55,000	825,000	15	140000	2,100,000
22	Industrial Exhaust	5	50,000	250,000	5	50,000	250,000	5	50,000	250,000	5	60000	300,000
23	Acrylic Display Board	4	20,000	80,000	4	20,000	80,000	4	20,000	80,000	4	20000	80,000
	<b>Laundry &amp; Washing</b>												
24	Bed Sheets and pillow covers	300	1,250	375,000	300	1,250	375,000	300	1,250	375,000	300	2500	750,000
25	Pillows	150	400	60,000	150	400	60,000	150	400	60,000	150	500	75,000
26	Blankets with covers	100	5,000	500,000	100	5,000	500,000	100	5,000	500,000	100	4000	400,000
	<b>Medicine Store</b>												
27	Medicine (Iron Racks) 8x6x2 (Required)	20	50,000	1,000,000	20	50,000	1,000,000	20	50,000	1,000,000	20	60000	1,200,000
28	Moveable Iron Stairs (Required)	2	15,000	30,000	2	15,000	30,000	2	15,000	30,000	2	20000	40,000
29	Lifters (Required)	2	37,000	74,000	2	37,000	74,000	2	37,000	74,000	2	35000	70,000
30	Pallets 3x4 (Plastic) (Required)	20	12,000	240,000	20	12,000	240,000	20	12,000	240,000	20	10000	200,000
31	Dehumidifier (Required)	1	100,000	100,000	1	100,000	100,000	1	100,000	100,000	1	125000	125,000
32	Insect Killer (Required)	25	8,000	200,000	25	8,000	200,000	25	8,000	200,000	25	6500	162,500
33	Thermometer (Required)	20	16,000	320,000	20	16,000	320,000	20	16,000	320,000	20	600	12,000
	<b>Total</b>	<b>7169</b>	<b>951100</b>	<b>13,503,500</b>	<b>7169</b>	<b>951100</b>	<b>13,503,500</b>	<b>7169</b>	<b>951100</b>	<b>13,503,500</b>	<b>7169</b>	<b>1288300</b>	<b>18,787,500</b>
				<b>13.504</b>			<b>13.504</b>			<b>13.504</b>			<b>18.788</b>

## Signage and plaques

Sr No	Type	Kinds of Sign Boards	Original			1st Revised			2nd Revised			3rd Revised		
			Quantity	Rates	Cost	Quantity	Rates	Cost	Quantity	Rates	Cost	Quantity	Rates	Cost
		<b>External Sign Boards</b>												
1	A1	External Platform/Road Signage (Circular)	7	10,119	70,833	7	10,119	70,833	7	13,951	97,657	7	13,951	97,657
2	A2	External Platform/Road Signage (Triangular)	7	9,257	64,799	7	9,257	64,799	7	12,762	89,337	7	12,762	89,337
3	B1	Main Directional Board	1	112,496	112,496	1	112,496	112,496	1	155,107	155,107	1	155,107	155,107
4	C1	Directional Board (Single Sheet)	12	14,454	173,448	12	14,454	173,448	12	19,929	239,148	12	19,929	239,148
5	C2	Directional Board (Two Sheets)	1	22,495	22,495	1	22,495	22,495	1	31,016	31,016	1	31,016	31,016
6	C3	Directional Board (Three Sheets)	1	30,158	30,158	1	30,158	30,158	1	41,581	41,581	1	41,581	41,581
7	C4	Directional Board (Four Sheets)	1	37,243	37,243	1	37,243	37,243	1	51,351	51,351	1	51,351	51,351
8	C5	Directional Board (Five Sheets)	1	45,228	45,228	1	45,228	45,228	1	62,360	62,360	1	62,360	62,360
9	C6	Directional Board (Six Sheets)	1	52,808	52,808	1	52,808	52,808	1	72,810	72,810	1	72,810	72,810
10	C7	Additional Panel (For Fixation on existing Foundation & Posts)	3	7,944	23,832	3	7,944	23,832	3	10,952	32,857	3	10,952	32,857
11	D1	Departmental Signage on Building	7	47,206	330,442	7	47,206	330,442	7	65,087	455,612	7	65,087	455,612
12	E1	External Map Boards	3	41,187	123,561	3	41,187	123,561	3	56,788	170,365	3	56,788	170,365
		<b>Internal Signage</b>	0	-	-	0	-	-	0	-	-	0	-	-
1	F1	Internal Hanging Signage (Main Entrance)	5	90,873	454,365	5	90,873	454,365	5	125,294	626,472	5	125,294	626,472
2	F2	Internal Hanging Signage (Main Entrance 2)	5	69,188	345,940	5	69,188	345,940	5	95,396	476,980	5	95,396	476,980
3	F3	Internal Hanging Signage (Corridor)	5	51,241	256,205	5	51,241	256,205	5	70,651	353,255	5	70,651	353,255
4	F4	Internal Hanging Signage (Corridor 2)	5	51,835	259,175	5	51,835	259,175	5	71,470	357,350	5	71,470	357,350
5	G1	Internal Department Signage on wall	7	13,107	91,749	7	13,107	91,749	7	18,071	126,498	7	18,071	126,498
6	H1	Specialist Name Plaques fixed on wall	20	3,767	75,340	20	3,767	75,340	20	5,194	103,880	20	5,194	103,880
7	J1	Room Name Plaques and Numbers fixed on wall	110	866	95,260	110	866	95,260	110	1,194	131,362	110	1,194	131,362
8	K1	Internal Wall Signage	110	1,423	156,530	110	1,423	156,530	110	1,961	215,754	110	1,961	215,754
9	L1	Room Numbers Fixed on Wall	60	3,611	216,660	60	3,611	216,660	60	4,978	298,704	60	4,978	298,704
10	M1	Advance Fire Exit Sign	10	1,837	18,370	10	1,837	18,370	10	2,534	25,340	10	2,534	25,340
11	M2	Fire Exit Sign Mounted Above the Door	10	1,271	12,710	10	1,271	12,710	10	1,753	17,528	10	1,753	17,528
12	N1	Fire Safety/Equipment Signage	20	2,434	48,680	20	2,434	48,680	20	3,357	67,144	20	3,357	67,144
13	P1	Floor Map Board	5	21,088	105,440	5	21,088	105,440	5	29,075	145,376	5	29,075	145,376
14	Q1	Caution Signage	25	2,173	54,325	25	2,173	54,325	25	2,996	74,900	25	2,996	74,900
15	Q2	Caution Signage	5	653	3,265	5	653	3,265	5	902	4,508	5	902	4,508
16	Q3	Caution Signage	10	1,143	11,430	10	1,143	11,430	10	1,576	15,764	10	1,576	15,764
17	Q4	Caution Signage	15	888	13,320	15	888	13,320	15	1,225	18,375	15	1,225	18,375
		<b>Total</b>			<b>3,306,107</b>			<b>3,306,107</b>			<b>4,558,390</b>			<b>4,558,390</b>
		Designing and Site Supervision			99,183			99,183			136,752			136,752
		<b>Grand Total</b>			<b>3,405,290</b>			<b>3,405,290</b>			<b>4,695,142</b>			<b>4,695,142</b>
					3.405			3.405			4.695			4.695

## DAY CARE CENTER

### Yard Stick as per Women Development Department

Sr. No.	ITEMS	Original			1st Revised			2nd Revised			3rd Revised		
		Yard Stick (DCC of 25 Kids)	Unit Cost	Total	Yard Stick (DCC of 25 Kids)	Unit Cost	Total	Yard Stick (DCC of 25 Kids)	Unit Cost	Total	Yard Stick (DCC of 25 Kids)	Unit Cost	Total
1	Cylinder Block	1	3,000	3,000	1	3,000	3,000	1	3,000	3,000	1	3,000	3,000
2	Geometrical Cabinet (36 pcs)	1	4,000	4,000	1	4,000	4,000	1	4,000	4,000	1	4,000	4,000
3	Geometrical Solids (10 pcs)	1	2,200	2,200	1	2,200	2,200	1	2,200	2,200	1	2,200	2,200
4	Base for Geometrical Solids (14 pcs)	1	2,000	2,000	1	2,000	2,000	1	2,000	2,000	1	2,000	2,000
5	Constructive Triangles (4 box)	1	400	400	1	400	400	1	400	400	1	400	400
6	Metal Insets (10 - shape)	1	1,000	1,000	1	1,000	1,000	1	1,000	1,000	1	1,000	1,000
7	Stand for metal insets	1	2,000	2,000	1	2,000	2,000	1	2,000	2,000	1	2,000	2,000
8	Paper Board for metal insets (10 Boards)	1	5,000	5,000	1	5,000	5,000	1	5,000	5,000	1	5,000	5,000
9	Sandpaper Alphabets (English)	3	2,000	6,000	3	2,000	6,000	3	2,000	6,000	3	2,000	6,000
10	Sandpaper Alphabets (Urdu)	3	3,500	10,500	3	3,500	10,500	3	3,500	10,500	3	3,500	10,500
11	Sandpaper Number	3	2,000	6,000	3	2,000	6,000	3	2,000	6,000	3	2,000	6,000
12	Hammer Case	2	1,000	2,000	2	1,000	2,000	2	1,000	2,000	2	1,000	2,000
13	Soft Reading Book	15	200	3,000	15	200	3,000	15	200	3,000	15	200	3,000
14	Shape Sorting Case	2	500	1,000	2	500	1,000	2	500	1,000	2	500	1,000
15	Transport Set (Model)	2	700	1,400	2	700	1,400	2	700	1,400	2	700	1,400
16	Model Puzzles (S)	7	300	2,100	7	300	2,100	7	300	2,100	7	300	2,100
17	Model Puzzles (B)	7	500	3,500	7	500	3,500	7	500	3,500	7	500	3,500
18	Storybook	20	100	2,000	20	100	2,000	20	100	2,000	20	100	2,000
19	Information Book (Large)	20	350	7,000	20	350	7,000	20	350	7,000	20	350	7,000
20	Basket (L)	10	1,000	10,000	10	1,000	10,000	10	1,000	10,000	10	1,000	10,000
21	Basket (S)	10	600	6,000	10	600	6,000	10	600	6,000	10	600	6,000
22	Color table Box	2	1,000	2,000	2	1,000	2,000	2	1,000	2,000	2	1,000	2,000
23	ABC Block	4	500	2,000	4	500	2,000	4	500	2,000	4	500	2,000
24	Number Block	4	500	2,000	4	500	2,000	4	500	2,000	4	500	2,000
25	Color Pensils (Large)	5	450	2,250	5	450	2,250	5	450	2,250	5	450	2,250
26	Color Crayons (Large)	5	300	1,500	5	300	1,500	5	300	1,500	5	300	1,500
27	Marker Color (Board and Permanent)	15	395	5,925	15	395	5,925	15	395	5,925	15	395	5,925
28	Fruits Basket (Model Set)	2	1,000	2,000	2	1,000	2,000	2	1,000	2,000	2	1,000	2,000
29	Vegetables Basket (Model Set)	2	1,000	2,000	2	1,000	2,000	2	1,000	2,000	2	1,000	2,000
30	Animal Sets	2	600	1,200	2	600	1,200	2	600	1,200	2	600	1,200
31	Insects sets	2	400	800	2	400	800	2	400	800	2	400	800
32	Shape Sorting House	2	1,500	3,000	2	1,500	3,000	2	1,500	3,000	2	1,500	3,000
33	Flash card (Small)	10	120	1,200	10	120	1,200	10	120	1,200	10	120	1,200
34	Flash card (Big)	10	325	3,250	10	325	3,250	10	325	3,250	10	325	3,250
35	Sand Play	2	1,000	4,000	2	1,000	4,000	2	1,000	4,000	2	1,000	4,000
36	Gym Play	2	2,000	3,000	2	2,000	3,000	2	2,000	3,000	2	2,000	3,000
37	Straight Mats	20	1,500	40,000	20	1,500	40,000	20	1,500	40,000	20	1,500	40,000
38	Folding Mats	20	2,000	6,000	20	2,000	6,000	20	2,000	6,000	20	2,000	6,000
39	Diaper Changing Mats	3	300	1,500	3	300	1,500	3	300	1,500	3	300	1,500
40	Cube Cushion	2	500	1,000	2	500	1,000	2	500	1,000	2	500	1,000
41	Square Cushion	2	500	600	2	500	600	2	500	600	2	500	600
42	Baby Mirror	3	300	2,400	3	300	2,400	3	300	2,400	3	300	2,400
43	Pink Tower With Stand	1	800	500	1	800	500	1	800	500	1	800	500
44	Dressing Frames	10	500	8,000	10	500	8,000	10	500	8,000	10	500	8,000
45	Monkey Stuffed	2	800	2,400	2	800	2,400	2	800	2,400	2	800	2,400
46	Lion Stuffed	2	1,200	3,400	2	1,200	3,400	2	1,200	3,400	2	1,200	3,400
47	Cater Pillar Stuffed	2	1,700	3,000	2	1,700	3,000	2	1,700	3,000	2	1,700	3,000

## DAY CARE CENTER

### Yard Stick as per Women Development Department

Sr. No.	ITEMS	Original			1st Revised			2nd Revised			3rd Revised		
		Yard Stick (DCC of 25 Kids)	Unit Cost	Total	Yard Stick (DCC of 25 Kids)	Unit Cost	Total	Yard Stick (DCC of 25 Kids)	Unit Cost	Total	Yard Stick (DCC of 25 Kids)	Unit Cost	Total
48	Stuffed toys (Animal shaped i.e. Monkey, lion, caterpillar etc)	6	1,500	9,000	6	1,500	9,000	6	1,500	9,000	6	1,500	9,000
49	Long Roads with Stands	1	1,500	1,500	1	1,500	1,500	1	1,500	1,500	1	1,500	1,500
50	Number Rods	1	500	500	1	500	500	1	500	500	1	500	500
51	Stand Number Rods	1	800	800	1	800	800	1	800	800	1	800	800
52	Soft toys	2	700	1,400	2	700	1,400	2	700	1,400	2	700	1,400
53	Infants Manual Weight Machine	1	1,000	1,000	1	1,000	1,000	1	1,000	1,000	1	1,000	1,000
54	Toddlers Manual Weight Machine	1	1,000	1,000	1	1,000	1,000	1	1,000	1,000	1	1,000	1,000
55	Tri Cycles	4	3,500	14,000	4	3,500	14,000	4	3,500	14,000	4	3,500	14,000
56	Wooden Cots	10	10,000	100,000	10	10,000	100,000	10	10,000	100,000	10	10,000	100,000
57	Mattresses for Cots	10	1,200	12,000	10	1,200	12,000	10	1,200	12,000	10	1,200	12,000
58	Pillows	10	300	3,000	10	300	3,000	10	300	3,000	10	300	3,000
59	Bed Sheets and pillow covers	20	400	8,000	20	400	8,000	20	400	8,000	20	400	8,000
60	Nets	10	600	6,000	10	600	6,000	10	600	6,000	10	600	6,000
61	High Chairs for feeding	15	3,000	45,000	15	3,000	45,000	15	3,000	45,000	15	3,000	45,000
62	Rockers Cum Bouncer	8	2,500	20,000	8	2,500	20,000	8	2,500	20,000	8	2,500	20,000
63	Cot Mobile	10	1,500	15,000	10	1,500	15,000	10	1,500	15,000	10	1,500	15,000
64	Plastic Chairs (Round edges Animal Shapes)	7	600	4,200	7	600	4,200	7	600	4,200	7	600	4,200
65	Multi-Purpose Table	2	3,000	6,000	2	3,000	6,000	2	3,000	6,000	2	3,000	6,000
66	Writing Board	1	500	500	1	500	500	1	500	500	1	500	500
67	Electric Sterilizer	2	5,000	10,000	2	5,000	10,000	2	5,000	10,000	2	5,000	10,000
68	Electric Warmer	2	5,000	10,000	2	5,000	10,000	2	5,000	10,000	2	5,000	10,000
69	Table sets	2	4,000	8,000	2	4,000	8,000	2	4,000	8,000	2	4,000	8,000
70	Rocker	6	3,200	19,200	6	3,200	19,200	6	3,200	19,200	6	3,200	19,200
71	Activity Gym (Infants)	5	2,000	10,000	5	2,000	10,000	5	2,000	10,000	5	2,000	10,000
72	Play Gym	5	2,700	13,500	5	2,700	13,500	5	2,700	13,500	5	2,700	13,500
73	Activity Gym (Toddlers)	5	2,000	10,000	5	2,000	10,000	5	2,000	10,000	5	2,000	10,000
74	Toiler Training Seat	10	3,000	30,000	10	3,000	30,000	10	3,000	30,000	10	3,000	30,000
75	Infant Toys	30	4,000	120,000	30	4,000	120,000	30	4,000	120,000	30	4,000	120,000
76	Bath Toys	15	1,000	15,000	15	1,000	15,000	15	1,000	15,000	15	1,000	15,000
77	Fun Links Teether	15	300	4,500	15	300	4,500	15	300	4,500	15	300	4,500
78	Fun Pal Teether	15	500	7,500	15	500	7,500	15	500	7,500	15	500	7,500
79	Fun Rattle	15	400	6,000	15	400	6,000	15	400	6,000	15	400	6,000
80	Mother feeding Chair	1	3,000	3,000	1	3,000	3,000	1	3,000	3,000	1	3,000	3,000
81	Soft Books (duplication)	20	500	10,000	20	500	10,000	20	500	10,000	20	500	10,000
82	Bottle Brushes	3	300	900	3	300	900	3	300	900	3	300	900
List of others Items i.e. Kitchen, Office, Electric items				-			-			-			-
1	Water Dispenser	1	14,000	14,000	1	14,000	14,000	1	14,000	14,000	1	14,000	14,000
2	Microwave Oven	1	12,400	12,400	1	12,400	12,400	1	12,400	12,400	1	12,400	12,400
3	Fridge	1	34,000	34,000	1	34,000	34,000	1	34,000	34,000	1	34,000	34,000
4	Kitchen Accessories / Cutlery etc.	24	200	4,800	24	200	4,800	24	200	4,800	24	200	4,800
5	Sofa Set	1	40,000	40,000	1	40,000	40,000	1	40,000	40,000	1	40,000	40,000
6	Office Table	1	5,000	5,000	1	5,000	5,000	1	5,000	5,000	1	5,000	5,000
7	Office Chairs	5	10,000	50,000	5	10,000	50,000	5	10,000	50,000	5	10,000	50,000
8	Air Conditioner	2	42,000	84,000	2	42,000	84,000	2	42,000	84,000	2	42,000	84,000
9	LCD	1	27,000	27,000	1	27,000	27,000	1	27,000	27,000	1	27,000	27,000
10	DVD player	1	5,000	5,000	1	5,000	5,000	1	5,000	5,000	1	5,000	5,000
11	CCTV Cameras	1	100,000	100,000	1	100,000	100,000	1	100,000	100,000	1	100,000	100,000
12	Fire Alarms	3	5,000	15,000	3	5,000	15,000	3	5,000	15,000	3	5,000	15,000
13	UPS	1	10,000	10,000	1	10,000	10,000	1	10,000	10,000	1	10,000	10,000

## DAY CARE CENTER

Yard Stick as per Women Development Department

		Original			1st Revised			2nd Revised			3rd Revised		
Sr. No.	ITEMS	Yard Stick (DCC of 25 Kids)	Unit Cost	Total	Yard Stick (DCC of 25 Kids)	Unit Cost	Total	Yard Stick (DCC of 25 Kids)	Unit Cost	Total	Yard Stick (DCC of 25 Kids)	Unit Cost	Total
14	Vacuum Cleaner	1	7,000	7,000	1	7,000	7,000	1	7,000	7,000	1	7,000	7,000
15	Fire Extinguishers (Large)	2	5,000	10,000	2	5,000	10,000	2	5,000	10,000	2	5,000	10,000
16	Electric Insect Killer	2	7,800	15,600	2	7,800	15,600	2	7,800	15,600	2	7,800	15,600
17	Electric Hand Dryer	1	4,000	4,000	1	4,000	4,000	1	4,000	4,000	1	4,000	4,000
18	Electric Heater	2	5,000	10,000	2	5,000	10,000	2	5,000	10,000	2	5,000	10,000
19	Ceiling/bracket Fans	4	8,000	32,000	4	8,000	32,000	4	8,000	32,000	4	8,000	32,000
20	Curtains	2	45,000	90,000	2	45,000	90,000	2	45,000	90,000	2	45,000	90,000
21	Carpets	1	100,000	100,000	1	100,000	100,000	1	100,000	100,000	1	100,000	100,000
22	Other miscellaneous items	1	218,675	218,675	1	218,675	218,675	1	218,675	218,675	1	218,675	218,675
	<b>TOTAL</b>			<b>1,600,000</b>			<b>1,600,000</b>			<b>1,600,000</b>			<b>1,600,000</b>
				1.600			1.600			1.600			1.600

### Human Resource Model of THQ Hospital

		Original				1st Revised				2nd Revised				3rd Revised				
Sr. No.	NAME OF POST	No. of Employees	Per Month Salary	Per Month Salary for Person	Salary for One Year	No. of Employees	Per Month Salary	Per Month Salary for Person	Salary for One Year	No. of Employees	Per Month Salary	Per Month Salary for Person	Salary for Two Years	No. of Employees	Project Pay Scale	Per Month Salary	Per Month Salary for all Person	Salary for Two Years
1	ADMIN OFFICER	1	60,000	60,000	720,000	1	60,000	60,000	720,000	1	80,000	80,000	1,920,000	1	6	105,000	105,000	3,255,000
2	HUMAN RESOURCE & LEGAL OFFICER	1	60,000	60,000	720,000	1	60,000	60,000	720,000	1	80,000	80,000	1,920,000	1	6	105,000	105,000	3,255,000
3	IT/STATISTICAL OFFICER	1	60,000	60,000	720,000	1	60,000	60,000	720,000	1	80,000	80,000	1,920,000	1	6	105,000	105,000	3,255,000
4	FINANCE, BUDGET & AUDIT OFFICER	1	60,000	60,000	720,000	1	60,000	60,000	720,000	1	80,000	80,000	1,920,000	1	6	105,000	105,000	3,255,000
5	PROCUREMENT OFFICER	1	60,000	60,000	720,000	1	60,000	60,000	720,000	1	80,000	80,000	1,920,000	1	6	105,000	105,000	3,255,000
6	QUALITY ASSURANCE OFFICER	1	60,000	60,000	720,000	1	60,000	60,000	720,000	1	80,000	80,000	1,920,000	1	6	105,000	105,000	3,255,000
7	LOGISTICS OFFICER	1	60,000	60,000	720,000	1	60,000	60,000	720,000	1	80,000	80,000	1,920,000	1	6	105,000	105,000	3,255,000
8	DATA ENTRY OPERAOTOR (DEO)	2	25,000	50,000	600,000	2	25,000	50,000	600,000	2	35,000	70,000	1,680,000	2	3	44,000	88,000	2,728,000
9	ASSISTANT ADMIN OFFICER	2	40,000	80,000	960,000	2	40,000	80,000	960,000	2	50,000	100,000	2,400,000	2	5	70,000	140,000	4,340,000
10	HR FOR QMS and MSDS and Day Care Center																	
11	QMS Supervisor / Information Desk Officer	2	25,000	50,000	600,000	2	25,000	50,000	600,000	2	25,000	50,000	600,000	2		25,000	50,000	600,000
12	Computer Operator	8	20,000	160,000	1,920,000	8	20,000	160,000	1,920,000	8	20,000	160,000	1,920,000	8		20,000	160,000	1,920,000
13	Consultants (MSDS) Implementation & Clinical Audit	1	100,000	100,000	1,200,000	1	100,000	100,000	1,200,000	1	100,000	100,000	1,200,000	1		100,000	100,000	1,200,000
14	Training on MSDS Compliance for Staff of THQ Hospital	1000	4,000	4,000,000	4,000,000	1000	4,000	4,000,000	4,000,000	1000	4,000	4,000,000	4,000,000	1000		4,000	4,000,000	4,000,000
15	Rent for Vehicle			500,000				500,000				500,000				0	500,000	
16	Manager Day Care Center	1	45,000	45,000	540,000	1	45,000	45,000	540,000	1	45,000	45,000	540,000	1		45,000	45,000	540,000
17	Montessori Trained Teacher	1	35,000	35,000	420,000	1	35,000	35,000	420,000	1	35,000	35,000	420,000	1		35,000	35,000	420,000
18	Attendant / Care Giver	4	25,000	100,000	1,200,000	4	25,000	100,000	1,200,000	4	25,000	100,000	1,200,000	4		25,000	100,000	1,200,000
19	Office Boy	1	20,000	20,000	240,000	1	20,000	20,000	240,000	1	20,000	20,000	240,000	1		20,000	20,000	240,000
Sub Total of HR Model				4,860,000	17,220,000			4,860,000	17,220,000			5,040,000	28,140,000				5,273,000	40,473,000
					17.220				17.220				28.140					40.473
Utilization of HR Component									0.720				3.671					
Total of HR Component													28.86					44.144

## Janitorial Services

	Original		From 1st Revised to onwards
Assumptions			<p>In the light of decision made during the Progress Review Meeting of Revamping of DHQ/THQ Hospitals held on 01-01-2018 under the Chairmanship of Chairman, P&amp;D Board; it was inter alia decided as under:</p> <p><b>"It would be made sure by the P&amp;SH Department that the outsourcing would be shifted to the non-development side from 1st July 2018 next FY".</b></p> <p>In view of above, Outsourcing cost has been excluded from this PC-I.</p>
Covered area excluding residential area	42,352	sft	
Covered area assigned to one sweeper	7,500	sft	
Number of sweepers required for covered area	6	Persons	
Road and ROW area	107,183	sft	
Road and ROW assigned to one sweeper	15,000	sft	
Number of sweepers required for road and ROW area	7	Persons	
Number of washroom blocks	15	blocks	
Number of washroom block assigned to one sweeper	3	Persons	
Number of sweepers required for total washroom blocks	5	Persons	
Total sweeper in morning shift	18	Persons	
Total number of sweepers in evening shift	9	Persons	
Total number of sweepers in night shift	9	Persons	
Total number of sweepers in all shifts	35	Persons	
Number of sewer men required	3	Persons	
Number of supervisors	3	Persons	
Salary component			
Type of worker	No of workers	Salary per month	Salary for One Year
Sweepers / Janitors	36	22,000	9,581,581
Sewer men	3	22,000	792,000
Supervisors	3	26,000	936,000
Cost of Supply per Month		400,000	4,800,000
Sub Total (Salary component)			16,109,581
16.110			

16.110

Security and Parking				
	Original			From 1st Revised to onwards
<b>Assumptions</b>				
Covered area excluding residences	42,352			
Covered Area per guard	15,000			
<b>Number of guards</b>	<b>3</b>			
Open area excluding parking area	107,183			
Area covered per guard per shift for open area excluding parking	15,000			
<b>Number of guards for total area excluding parking area</b>	<b>7</b>			
Number of gates	2			
<b>Number of guards at gates</b>	<b>4</b>			
<b>Total No of Guard</b>	<b>14</b>			
Total number of all guards for second shift	7			
<b>Lady Searcher</b>	<b>4</b>			
Number of parking areas	1			
Number of guards for parking lot per shift (Morning+ Evening)	2			
Total no. of Supervisors	2			
				<p>In the light of decision made during the Progress Review Meeting of Revamping of DHQ/THQ Hospitals held on 01-01-2018 under the Chairmanship of Chairman, P&amp;D Board; it was inter alia decided as under:  <b>"It would be made sure by the P&amp;SH Department that the outsourcing would be shifted to the non-development side from 1st July 2018 next FY".</b>  In view of above, Outsourcing cost has been excluded from this PC-I.</p>
<b>Type of worker</b>	<b>No of workers</b>	<b>Salary per month</b>	<b>Salary per Month for all Person</b>	
Supervisors	2	24,675	49,350	
Ex-Army	7	21,525	150,675	
Civilian	9	21,000	189,000	
Lady Searcher	4	21,525	86,100	
Parking	2	21,525	43,050	
<b>Sub total</b>				
<b>Equipment cost</b>				
Lump sum Provision (Walk Through Gate=1, Metal Detector=4, Walkies Talkies=8, Base Set=1)				
<b>Sub total</b>				
<b>Subtracting Parking Fees</b>				
<b>Total Security and Parking Services</b>				



## Laundry Services

		Original		From 1st Revised to onwards
Number of beds	40			In the light of decision made during the Progress Review Meeting of Revamping of DHQ/THQ Hospitals held on 01-01-2018 under the Chairmanship of Chairman, P&D Board; it was inter alia decided as under: "It would be made sure by the P&SH Department that the outsourcing would be shifted to the non-development side from 1st July 2018 next FY". In view of above, Outsourcing cost has been excluded from this PC-I.
Type of Item	No of Beds	Per bed cost per year	Total Cost	
No of Bed	40	30,000	1,200,000	
Transport Charges			1,200,000	
Total for laundry items			2,400,000	
Total			2.400	

Maintenance of Generator				
	Original		From 1st Revised to onwards	
Item Name	Quantity	Cost per year	Total Cost	<p>In the light of decision made during the Progress Review Meeting of Revamping of DHQ/THQ Hospitals held on 01-01-2018 under the Chairmanship of Chairman, P&amp;D Board; it was inter alia decided as under:  <b>"It would be made sure by the P&amp;SH Department that the outsourcing would be shifted to the non-development side from 1st July 2018 next FY"</b>.  In view of above, Outsourcing cost has been excluded from this PC-I.</p>
<b>Periodical Maintenance Cost</b>				
Number of Generators (200 KVA)	-	500,000	-	
Number of Generators (100 KVA)	2	300,000	600,000	
Number of Generators (50 KVA)	1	175,000	175,000	
Repairs Cost	1	775,000	775,000	
<b>HR Cost</b>				
Supervisor	1	40,000	240,000	
Generator Operator	3	30,000	1,080,000	
Technical Staff/Mechanic	-	30,000	-	
<b>Total</b>			<b>2,870,000</b>	
			<b>2.870</b>	

## MEP

Original					From 1st Revised to onwards
Type of worker / Component	No of workers	Salary per month	Salary per Month for all persons	Salary for One Year	<p>In the light of decision made during the Progress Review Meeting of Revamping of DHQ/THQ Hospitals held on 01-01-2018 under the Chairmanship of Chairman, P&amp;D Board; it was inter alia decided as under:</p> <p>"It would be made sure by the P&amp;SH Department that the outsourcing would be shifted to the non-development side from 1st July 2018 next FY".</p> <p>In view of above, Outsourcing cost has been excluded from this PC-I.</p>
Supervisors	1	56,420	56,420	677,040	
Plumber	1	32,550	32,550	390,600	
AC/ Technician	1	34,720	34,720	416,640	
Electrician	2	31,465	62,930	755,160	
Car painter	1	30,380	30,380	364,560	
<b>Total (Salary component)</b>			<b>217,000</b>	<b>2,604,000</b>	
	No.	Per Unit Cost per Year	Cost per Year for all Items	Cost for One Year	
A/C	125	6,665	833,125	833,125	
Fridge	6	4,000	24,000	24,000	
UPS	12	8,000	96,000	96,000	
Water Cooler	15	4,000	60,000	60,000	
Exhaust	7	3,000	21,000	21,000	
Geyser	15	4,000	60,000	60,000	
Water Pump	3	3,000	9,000	9,000	
Carpentry Work		-	180,000	180,000	
Electrical Work		-	120,000	120,000	
Plumbing Work		-	75,000	75,000	
<b>Sub Total</b>				<b>1,478,125</b>	
<b>General Total</b>				<b>4,082,125</b>	
				<b>4.082</b>	

## Medical Gases

		Original				From 1st Revised to onwards
Scope of Work		Monthly Consumption per THQ Hospital	Annual Consumption per THQ Hospital	Rate per Cylinder	Total Annual Cost per THQs	<p>In the light of decision made during the Progress Review Meeting of Revamping of DHQ/THQ Hospitals held on 01-01-2018 under the Chairmanship of Chairman, P&amp;D Board; it was inter alia decided as under:  <b>"It would be made sure by the P&amp;SH Department that the outsourcing would be shifted to the non-development side from 1st July 2018 next FY".</b>                      In view of above, Outsourcing cost has been excluded from this PC-I.</p>
Oxygen	Medical Oxygen Gas in 240 CFTCylinder (MM)	12	144	1850	266,400	
	Medical Oxygen Gas in 48 CFTCylinder (MF)	30	360	1,000	360,000	
	Medical Oxygen Gas in 24 CFTCylinder (ME)	40	480	800	384,000	
Nitrous Oxide	Nitrous Oxide in 1,620 Liter (XE)	2	24	5,000	120,000	
	Nitrous Oxide in 16,200 Liter (XM)	1	12	12,500	150,000	
Nitrogen Gas	Nitrogen Gas	1	12	2,000	24,000	
Total					<b>1,304,400</b>	

1.304

## Cafeteria Pre-Fabrication Cateen (Procurement)

		Original				From 1st Revised to onwards
Sr. No.	Description of work	Unit	Qty	Rate (Rs)	Amount (Rs)	<p>In the light of decision made during the Progress Review Meeting of Revamping of DHQ/THQ Hospitals held on 01-01-2018 under the Chairmanship of Chairman, P&amp;D Board; it was inter alia decided as under:</p> <p><b>"It would be made sure by the P&amp;SH Department that the outsourcing would be shifted to the non-development side from 1st July 2018 next FY".</b></p> <p>In view of above, Outsourcing cost has been excluded from this PC-I.</p>
1	Excavation in foundation of building, bridges and other structures, including dagbelling, dressing, refilling around structure with excavated earth, watering and ramming lead upto one chain (30 m) and lift upto 5 ft. (1.5 m) for ordinary soil	Cft	2545	6.13	15,602	
2	Spraying anti-termite liquid mixed with water in the ratio of 1:40.	Sft	4305	2.21	9,514	
3	Supplying and filling sand of approved quality from outside sources under floors etc complete in all respects.	Cft	2268	15.62	35,426	
4	Providing, laying, watering and ramming brick ballast 1½" to 2"(40 mm to 50 mm) gauge mixed with 25% sand, for floor and foundation, complete in all respects.	Cft	998	39.15	39,069	
5	Providing and laying damp proof course (1½" thick (40 mm) ) of cement concrete 1:2:4, with one coat bitumen and one coat polythene sheet 500gauge	Sft	318	43.34	13,789	
6	Brick work with cement, sand mortar ratio 1:5	Cft	1792	180.25	323,071	
7	Cement concrete plain Ratio 1: 4: 8 including placing, compacting, finishing and curing complete (including screening and washing of stone aggregate)	Cft	427	170.72	72,893	
8	Cement concrete plain Ratio 1: 2 : 4 including placing, compacting, finishing and curing complete (including screening and washing of stone aggregate)	Cft	1043	190.48	198,746	
9	Placing Granite tiles (24"x24"x0.5") using white cement over a bed of ¾" (20 mm) thick cement mortar 1:6.	Sft	2160	200.00	432,000	
10	Providing and laying Tuff pavers, having 7000 PSI, crushing strength of approved manufacturer, over 2" to 3" sand cushion i/c grouting with sand in joints i/c finishing to require slope . complete in all respect.	Sft	720	118.00	84,960	
<b>Total Amount of Platform Construction</b>					<b>1,225,070</b>	
<b>Pre-Fabrication of Canteen Structure</b>						
11	Providing and fixing aluminium frame window with double glazed glass 6mm+6mm thick complete in all respect as approved by engineer	Sft	48	1100.00	52,800	
12	Providing and fixing aluminium frame door with single glazed glass 6mm thick complete in all respect as approved by engineer	Sft	56	700.00	39,200	
13	Fixing of frameless Glass wall of approved quality and design as approved by engineer	Sft	550	1500.00	825,000	
14	Providing Granite skirting or dado 4/8"(13 mm) thick including rounding of corner and straight ening of top edge and finishing to smooth surface afterplastering	Sft	491	212.00	104,177	
15	Placing & erection of pre-painted Box section tube Columns of M.S sheet 4mm thick of size 4" x4" complete in all respect.	Kg	693	150.00	103,950	
16	Placing & erection of pre-painted Box section tube Rafters of M.S sheet 4mm thick of size 3" x3" with all fittings, complete in all respect.	Kg	1040	150.00	155,925	
17	Placing & erection of pre-painted Box section tube Purlins of M.S sheet 1.6 mm thick ( 16 Gauge) of size 2" x2", with all fittings, complete in all respect.	Rft	676	120.00	81,144	
18	Placing & erection of pre-painted, Galvanized Sandwitted board of 0.5 mm thick M.S sheet with 50mm PU insulation with all fittings, complete in all respect.	Sft	2640	400.00	1,055,800	
19	Placing & fixing glass wool complete in all respect.	Sft	3024	50.00	151,200	
20	Placing & fixing Gypsum False Ceiling, complete in all respect.	Sft	3024	70.00	211,680	
21	Providing & Fixing corrugated galvanized iron sheets 22 gauge with EPDM screw fittings, complete in all respect.	Sft	3629	145.00	526,176	
<b>Total Cost of Pre-Fabrication of Canteen Structure</b>					<b>3,307,052</b>	
<b>Total Amount (Rs)</b>					<b>4,532,121</b>	
22	Electrification				998,735	
23	Plumbing and Sanitary				410,000	
24	Kitching Fixtures				802,000	
<b>Grand Total Amount (Rs)</b>					<b>6,742,856</b>	

6.743

LANDSCAPE DEVELOPMENT WORKS					
COST ESTIMATE					From 1st Revised to onwards
Sr. No.	Description	Unit	Original		
			Quantity	Unit Rate Rs.	Amount Rs.
1	<b>SOFT LANDSCAPE</b>				
1.1	<b>TOP SOIL</b>				
	Providing, spreading and leveling of topsoil (sweet soil including manure and fertilizers) as required complete in all respects as per Drawings, Specifications and as approved by the Engineer.	Cft	52,156	22	1,147,432
1.2	<b>STONE / PEBBLES</b>				
	Supply and laying a layer of pebbles/stone at specified locations with Landscape base as in Landscape Design approved by the Engineer.	Truck	4	34,375	137,500
1.3	<b>GRASSING</b>				
a	<b>GRASSING (EXISTING NON MAINTANE LAWNS)</b>				
	Providing and dibbing of Fine Dacca grass where required, including mud filling/leveling and contour shape preparation confirming to the criteria outlined in the Specifications, complete in all respects as per Drawings, Specifications and as approved by the Engineer.	Sft	71,528	7	500,696
b	<b>GRASSING (NEW LAWNS)</b>				
	Providing and dibbing of Fine Dacca grass, including mud filling/leveling and contour shape preparation confirming to the criteria outlined in the Specifications, complete in all respects as per Drawings, Specifications and as approved by the Engineer.	Sft	89,411	11.25	1,005,874
1.4	<b>TREE / SHRUBS (SPREADING)</b>				
	Providing and planting tree / shrub as listed and as arrangement and type shown in the Drawings, in pits of size 305mm x 305mm x 305mm. Dug in improved soil 610mm, deep filled by adding 10% cow dung manure and confirming to the criteria outlined in the Specifications, complete in all respects and to the satisfaction of Engineer.				
a	Trees 18" pot 6'-7' - Terminally, Cassia Fistula, Bauhinia Variegated, Alstonia Choirs, Ficus Yellow, Ficus Black, Jacaranda, Pliken, Mangifera etc.	No's	365	1,500	547,500
b	Trees 12" pot 3'-4' - Polyalthia Long folia, Terminally, Cassia Fistula, Bauhinia Variegated, Latonia Choirs, Delonix Regia, Ficus Yellow, Focus Black, Fichus Starlight, Melaluca, Mimuspss, Pine, Ficus Amestral, Pliken, Palms etc.	No's	85	270	22,950
c	Plantation of Fruit Plants in the vacant area 12" pot 3'-4' - Am rood, Jaman, Berri, Mango, Citrus. Including site preparation, plantation, watering and maintenance for six months.	No's	200	600	120,000
1.5	Shrubs and Ornamental Plants 10" pot Pittosporum Variegated, Murray Small, Ixora Coccoinea, Juniper Variegated, Hibiscus Variegated, Carronda Dwarf Spp, Jasmine Sambac(Mottya), Leucophyllum Frutescens(Silvery), Rose, Nerium, Lantana, Canna, Asparagass, Conocarpus, Acalypha, Callistemon Dwarf, Cestrum, Thabernaemontara Variegated etc.	No's	32,513	69	2,243,397
a	Shrubs and Ornamental Plants 12" pot Pittosporum Variegated, Ixora Cochineal, Juniper Variegated, Carronade Dwarf, Jasmine Thai, Plumier Robar, Cassia Malacca, Largest mea, Euphorbia, Jestrophia Thai etc	No's	5,109	195	996,255
1.6	<b>GROUND COVERS</b>				
	Providing and planting ground covers as listed and as arrangement and type shown in the Drawings, in pits of size 150mm x 150mm x 150mm. Dug in improved soil 610mm deep filled by adding 10% cow dung manure and confirming to the criteria outlined in the Specifications, complete in all respects and to the satisfaction of Engineer.				
	Ground Cover Plastic Bag Plants Alternant Hera, Dianella, Iresine (Red), Hemercollis(Dailyly), Duranta etc	No's	34,723	12	416,676
1.7	<b>PALMS</b>				
	Providing and planting palms as per Drawings, specifications and to the satisfaction of Engineer.				
a	Palm 18" pot - Queen Palm, Wodyetia Bifurcate, Washingtonian Palm, Biskarkia etc.	No's	42	3,675	154,350
b	Palm 18" pot - Phoenix Palm, Cyrus Palm	No's	56	1,800	100,800
1.8	<b>CREEPERS</b>				
	Providing and planting Creepers as listed and as arrangement and type shown in the Drawings, in pits of size 305mm x 305mm x 305mm. Dug in improved soil 610mm, deep filled by adding 10% cow dung manure and confirming to the criteria outlined in the Specifications, complete in all respects and to the satisfaction of Engineer.				
	Creepers 12" Pot - Bougainvillea, Bonsai, Qusqualus, Bombay Creeper etc.	No's	173	195	33,735
2	<b>HARD LANDSCAPE</b>				
2.1	<b>WALK WAYS</b>				
a	Excavation of walkways and edging including brick ballast under 12"x14" curb stones fixing with 1:2:4 PCC, supply of 7000PSI tuff tiles 60mmas per approved design fixing on 4" brick ballast compacted and grouting with sand.	Sft	7153	150	1,072,950
2.2	<b>BENCHES</b>				
	Concrete Bench 5' wide complete in all respects and to the satisfaction of Engineer as per approved design.	No's	33	14,698	485,034
2.3	<b>DUSTBINS</b>				
	Complete in all respects and to the satisfaction of Engineer as per approved design.	No's	22	27,700	609,400
2.4	<b>PLAYING EQUIPMENTS</b>				
	Complete in all respects and to the satisfaction of Engineer as per approved design.	No's	1	544,939	544,939

In the light of decision made during the Progress Review Meeting of Revamping of DHQ/THQ Hospitals held on 01-01-2018 under the Chairmanship of Chairman, P&D Board; it was inter alia decided as under:  
 "It would be made sure by the P&SH Department that the outsourcing would be shifted to the non-development side from 1st July 2018 next FY".  
 In view of above, Outsourcing cost has been excluded from this PC-1.

LANDSCAPE DEVELOPMENT WORKS					
COST ESTIMATE				From 1st Revised to onwards	
		Original			In the light of decision made during the Progress Review Meeting of Revamping of DHQ/THQ Hospitals held on 01-01-2018 under the Chairmanship of Chairman, P&D Board; it was inter alia
2.5	<b>PLANTERS</b>				
	Concrete planters 2' X 2-1/2' complete in all respects and to the satisfaction of Engineer as per approved design.	No's	31	3,850	119,350
2.6	<b>WATER POINTS (Injector Pump 1HP)</b>	No's	6	45,000	270,000
3	<b>SOFT LANDSCAPE MAINTENANCE</b> (Including maintenance and up keeping of site for 6 months) after development as per specifications and to the satisfaction of Engineer.	Sft	178,821	9.00	1,609,389
4	<b>CONSTRUCTION OF PLANTERS</b>				
	<b>Large Size</b>				
4.1	with keystones fixed with cement with top concrete slab as per design and to the satisfaction of Engineer.	No's	696	550	382,800
	<b>Medium Size</b>				
4.2	with keystones fixed with cement with top concrete slab as per design and to the satisfaction of Engineer.	No's	90	550	49,500
	<b>Small Size</b>				
4.3	with keystones fixed with cement with top concrete slab as per design and to the satisfaction of Engineer.	No's	67	550	36,850
5	<b>GAZEBO</b> Construction of Gazebo 12' X 12' with top fiberglass 3 layer canopy as per approved design and to the satisfaction of Engineer.	No's	1	200,000	200,000
	<b>Total Amount of - Landscaping</b>				<b>12,807,377</b>
	<b>PRA(16%)</b>				2,049,180
	<b>Design Consultancy</b>				100,000
	<b>Grand Total</b>				<b>14,956,557</b>
					<b>14.957</b>

996  
3-09-22

R/K 2972

# BUILDINGS DEPT.

PHONE NO.062-9250334

From,

The Superintending Engineer,  
Buildings Circle, Bahawalpur

To,

The Project Manager,  
Civil PMU, P&SHD Lahore.

No.

996

/DB,

Dated:

03/09


2022.

Subject: -

**ROUGH COST ESTIMATE FOR "PROGRAMME FOR REVAMPING  
OF ALL THQ HOSPITALS IN PUNJAB ONE AT THQ HOSPITAL  
FORTABBAS DISTRICT BAHAWALNAGAR".**

The rough cost estimate amounting to **Rs.48.319(M)** for the scheme cited as subject, prepared on the basis of MRS for 2<sup>nd</sup> Biannual 2022 is sent dully vetted for arranging administrative approval please.

DA/ Estimates


  
Superintending Engineer,  
Buildings Circle, Bahawalpur


No. & Date Even:

Copy is forwarded to the:-

1. The Chief Executive Officer, District Health Authority, Bahawalnagar.
2. The Executive Engineer, Buildings Division, Bahawalnagar with reference to his office letter No.1897/DB, dated 26.08.2022.  
for information and necessary action.

Superintending Engineer,  
Buildings Circle, Bahawalpur.

  
Received 27/10/2022

Consultant Civil Please check Estimates  
  
27/10/2022

RECEIVED	
Diary No:	5825
Date:	27-10-2022
PMU, P&SHD	
Deputy PD	
Finance & Admin	
Procurement	
Outsourcing	
Infrastructure	
Planning & HR	✓
ICT	
Operations	
Health	
Legal	
I & C	
BERC	





(4)  
(3)

## ROUGH COST ESTIMATE FRAMED IN THE OFFICE OF THE EXECUTIVE ENGINEER BUILDINGS DIVISION BAHAWALNAGAR FOR THE REVAMPING OF THQ HOSPITAL FORT ABBAS

---

### HISTORY

The Govt. of the Punjab desired to provide better health facilities over all the Punjab. The THQ Fort ABBAS provides the health care services to 5 lac population alongwith the patients coming from other nearby towns & villages. With the growing of population, the need of health care facilities is also increasing. Keeping in this view, Govt. of the Punjab. Accordingly, Project Manager Civil, PMU, Primary and Secondary Health Care Department, provided the scope of work (copy attached).

Now, the rough cost estimate for the subject scheme has been prepared on basis of Plinth Area Rate/MRS 2<sup>nd</sup> Bi-Annual period (1<sup>st</sup> July, 2022 to 31<sup>st</sup> Dec., 2022) amounting to **Rs. 48.319 (M)** for the Administrative approval and arrangement of funds.

### SCOPE OF WORK.

REVAMPING OF OPD BLOCK	01 job
REVAMPING OF XRAY /OPT BLOCK	01 job
REVAMPING OF INDOOR BLOCK	01 job
REVAMPING OF EMERGENCY BLOCK	01 job
REVAMPING OF DYLASIS /CARDIC BLOCK	01 job
NEW CONSTRUCTION AND EXTENSION IN HOSPITAL	1175 sft
SANITRY WORK OF THQ	01 job
PROVISION OF ELECTRIC INSTALATION OF THQ	01 job
FIRE ALARM SYSTEM OF THQ	01 job
SEWERAGE SYSTEM OF THQ	510 rft
STREET LIGHT (50 WATT)	05 No

### SPECIFICATION

The Standard specifications (the latest edition) of Punjab Building Department will be following during the execution of work.

### RATE.

Rates provided in the Estimate are as per  
MRS/Plinth Area Rates 2<sup>nd</sup> Bi-Annual period (1<sup>st</sup> July, 2022 to 31<sup>st</sup> Dec., 2022)  
and N.S. items are as per prevailing market Rates.

### COST.

Total cost of this scheme comes out **Rs. 48.319 (M)**

11/11/11  
11/11/11

15

**SCOPE OF WORK FOR REVAMPING OF HEALTH FACILITY THQ HOSPITAL FORT ABBAS DISTRICT BAHAWALNAGAR**

No	Item	OPD Block	Diagnostic Block (X-Ray & Lab)	Indoor Block (Male and Female Wards)	Dialysis Block	Emergency Block	Remarks
1	Porcelain Floor Tile replacement	<p>All floor tiles full body porcelain needs to be fixed in entire outer corridor of OPD Block.</p> <p>All floor tiles full body porcelain needs to be fixed in entire inner corridor of OPD Block.</p> <p><b>Note Only in rooms/offices indicated during site visit where at present Terrazo flooring exists full body porcelain tiles need to be fixed in those rooms only.</b></p>	<p>All floor tiles full body porcelain needs to be retained in linking corridor between OPD Block and Diagnostic/OT block.</p> <p>All floor tiles full body porcelain needs to be retained in outer corridor of Diagnostic/OT Block.</p> <p>All floor tiles full body porcelain needs to be fixed in main corridor of Diagnostic/OT block.</p> <p>All floor tiles full body porcelain needs to be fixed in inner corridor of OT block only.</p> <p><b>Note In the inner corridor of Diagnostic block all floor tiles need to be retained.</b></p> <p><b>Note floor tiles not to be fixed inside OT (where surgery takes place)</b></p> <p><b>Note Only in rooms/offices indicated during site visit where at present Terrazo flooring exists full body porcelain tiles need to be fixed.</b></p>	<p>All floor tiles full body porcelain needs to be retained in outer corridor of Indoor Block.</p> <p>All floor tiles full body porcelain needs to be retained in linking corridor between Diagnostic/OT block and Indoor block.</p> <p>All floor tiles full body porcelain needs to be fixed in entire Indoor block (Inside main/side corridors and in male/female wards).</p> <p><b>Note Only in rooms/offices indicated during site visit where at present Terrazo flooring exists full body porcelain tiles need to be fixed.</b></p>	<p>All floor settled needs to be rectified first by making proper disposal of sewerage of dialysis block and then fixing all floor tiles full body porcelain in entire dialysis block.</p>	<p>All floor marble in Emergency block needs to be retained..</p>	<p>Tiles specifications, brand, size and Installation will be as per specified C&amp;W standards.</p>



4	Verandah opening (opening to open area)/ MS Windows on Façade	All cemented windows in outer corridor of OPD block needs to be replaced with Aluminum windows as fixed in linking corridor between OPD block and Diagnostic/OT Block. All Aluminum windows in linking corridor between OPD and Diagnostic/OT block needs to be retained.	Not Required.	All cemented windows in outer corridor of Indoor block needs to be replaced with Aluminum windows as fixed in linking corridor between OPD block and Diagnostic/OT Block.	Not Required.	Not Required.	Specifications will be as per C&W standards.
5	Existing Internal Windows	All Existing MS internal windows need to be replaced with Aluminium Windows. MS Windows at façade and inside rooms/offices other than Aluminum windows need to be replaced with Aluminum windows.	All Existing MS internal windows in Diagnostic Block (X-Ray, Hepatitis Clinic and OT ) needs to be replaced with Aluminum Windows. All inner windows in outer corridor of Diagnostic/OT block needs to be replaced with Aluminum windows. All cemented windows in OT block needs to be closed by doing brick work. Aluminum windows to be fixed at left most end inside OT. Note All windows inside OT (where surgery takes place) opening outside needs to be closed by doing brick work followed by plaster and paint works.	All Existing MS internal windows inside male and female wards and in entire Indoor block needs to be replaced with Aluminium Windows. All existing internal Aluminum windows inside wards need to be retained only safety grills need to be removed.	Not Required.	All Existing internal MS windows in Emergency block other than Aluminum needs to be replaced with Aluminum windows.	Specifications, Aluminum and glass color will be as per specified C&W Standards
6	Internal Electric fittings	All Electric fittings including switch boards, plates, sockets, wires, DBs & bracket fans should be replaced and installed at standard height from Finish Floor level and all must be identical. All old switch fittings & DBs if requires need to be changed.	All Electric fittings including switch boards, plates, sockets, wires, DBs & bracket fans should be replaced and installed at standard height from Finish Floor level and all must be identical. All old switch fittings & DBs if requires need to be changed.	All Electric fittings including switch boards, plates, sockets, wires, DBs & bracket fans should be replaced and installed at standard height from Finish Floor level and all must be identical. All old switch fittings & DBs if requires need to be changed.	Not Required.	Not Required.	Model Specifications/ Brands, should be as per specified C&W Standards.
7	Internal Lighting Fixtures	All corridors and rooms should lit with SMD's with concealed wiring.	All corridors and rooms should lit with SMD's with concealed wiring at 8 ft distance. All old switch fittings & DBs if requires need to be changed.	All corridors and rooms should lit with SMD's with concealed wiring.	Not Required.	Not Required.	Model Specifications/ Brands and distance should be as per specified C&W Standards.



8	Revamping of Public Toilets	<p>Patient/Attendant washrooms in OPD Block needs to be revamped completely by fixing full body porcelain tiles on floor and full body porcelain tiles on wall up to a minimum height of 7 ft. All existing fixtures should be replaced with new fixtures along with new water supply (where damaged) and sewerage connections (where damaged). Entrance doors of all washrooms need to be replaced with UPVC doors. Common vanities to be made. Exhaust fans 24" two or three as per requirement with Aluminum ventilators need to be fixed.</p>	<p>All Patient/Attendant washrooms in Diagnostic Block (X-Ray, Hepatitis, Clinic and OT) needs to be revamped completely by fixing full body porcelain tiles on floor and full body porcelain tiles on wall up to a minimum height of 7 ft. All existing fixtures should be replaced with new fixtures along with new water supply (where damaged) and sewerage connections (where damaged). Entrance doors of all washrooms need to be replaced with UPVC doors. Common vanities to be made. Exhaust fans 24" two or three as per requirement with Aluminum ventilators need to be fixed.</p>	<p>4 x Patient/Attendant washrooms in male and female wards need to be revamped completely by fixing full body porcelain tiles on floor and full body porcelain tiles on wall up to a minimum height of 7 ft. All existing fixtures should be replaced with new fixtures along with new water supply (where damaged) and sewerage connections (where damaged). Entrance doors of all washrooms need to be replaced with UPVC doors. Common vanities to be made. Exhaust fans 24" two or three as per requirement with Aluminum ventilators need to be fixed.</p>	<p>2 x Patient/Attendant washrooms at back of HCV Negative dialysis ward need to be revamped completely by fixing full body porcelain tiles on floor and full body porcelain tiles on wall up to a minimum height of 7 ft. All existing fixtures should be replaced with new fixtures along with new water supply (where damaged) and sewerage connections (where damaged). Entrance doors of all washrooms need to be replaced with UPVC doors. Common vanities to be made. Exhaust fans 24" two or three as per requirement with Aluminum ventilators need to be fixed.</p>	Not Required.	<p>Vanity, wash basin, water closets, bath room accessories, tile size and color will be as per specified C&amp;W standards. All Washroom doors should be replaced with UPVC doors having specified C&amp;W Standards.</p>
9	Wall Paint	<p>Surface of walls of OPD Block should be prepared after plastering in patches (where required only) and wall Putty prior to paint works.</p>	<p>Surface of walls of all Blocks should be prepared after plastering in patches (where required only) and wall Putty prior to paint works.</p>	<p>Surface of walls of all Blocks should be prepared after plastering in patches (where required only) and wall Putty prior to paint works.</p>	<p>Surface of walls of all Blocks should be prepared after plastering in patches (where required only) and wall Putty prior to paint works.</p>	<p>Surface of walls of all Blocks should be prepared after plastering in patches (where required only) and wall Putty prior to paint works.</p>	<p>Plaster Cement Ratio, wall putty brand specifications, paint specifications, brand and color will be as per C&amp;W standards.</p>
10	Roof Treatment	<p>Required as per C&amp;W standards.</p>	<p>Required as per C&amp;W standards</p>	<p>Required as per C&amp;W standards</p>	<p>Not Required.</p>	<p>Not Required.</p>	
11	Nursing Counter (Ward)	<p>Not required.</p>	<p>Nursing counter will be provided upto 2.5' height with granite/ marble on top as per C&amp;W standards.</p>	<p>2 x Nursing counter will be provided upto 2.5' height with granite/ marble on top as per C&amp;W standards. 2 x washrooms at back of nursing counter to be revamped completely with its door to be replaced with UPVC door.</p>	<p>Not Required.</p>	<p>Not Required.</p>	



1. The first part of the document is a list of names and addresses of the members of the committee.

2. The second part of the document is a list of names and addresses of the members of the committee.

3. The third part of the document is a list of names and addresses of the members of the committee.

4. The fourth part of the document is a list of names and addresses of the members of the committee.

5. The fifth part of the document is a list of names and addresses of the members of the committee.

6. The sixth part of the document is a list of names and addresses of the members of the committee.

7. The seventh part of the document is a list of names and addresses of the members of the committee.

8. The eighth part of the document is a list of names and addresses of the members of the committee.

9. The ninth part of the document is a list of names and addresses of the members of the committee.

10. The tenth part of the document is a list of names and addresses of the members of the committee.

11. The eleventh part of the document is a list of names and addresses of the members of the committee.

12. The twelfth part of the document is a list of names and addresses of the members of the committee.

13. The thirteenth part of the document is a list of names and addresses of the members of the committee.

14. The fourteenth part of the document is a list of names and addresses of the members of the committee.

12	Stairs - Marble and Railing	Not required.	Not Required.	On steps of stairs leading to first floor Marble needs to be fixed on steps. Railing needs to be fixed on stairs leading to first floor. All wall/dado tiles to be fixed on stairs. Aluminum windows to be fixed on windows att riser of stairs.	Not Required.	Not Required.	Marble/Granite type and installation technique will be as per C&W Standards.
13	Entrance	On all Entrances of OPD Block on Podium and steps Marble/Granite needs to be fixed.	On all Entrances Podium and steps Marble/Granite needs to be fixed.	On all Entrances Podium and steps Marble/Granite needs to be fixed.	On All Entrances On Podium And Steps Marble/Granite Needs To Be Fixed.	Not Required.	
14	Ramps - Tile and Railing	Ramp at Entrance of OPD needs to be made with Antiskid tiles fixed on it with SS railing.	Antiskid tiles need to be fixed on ramp at entrance with SS Railing fixed on it.	On ramp at Entrance Antiskid tiles with SS railing needs to be fixed.	On ramp at Entrance Antiskid tiles with SS railing needs to be fixed.	On ramp at Entrance Antiskid tiles with SS railing needs to be fixed.	
15	Façade Uplifting	Façade needs to be uplifted and seepage issues need to be treated after using appropriate sealers as per C&W standards.	Façade needs to be uplifted and seepage issues need to be treated after using appropriate sealers as per C&W standards.	Façade needs to be uplifted and seepage issues need to be treated after using appropriate sealers as per C&W standards.	Not Required.	Not Required.	
16	Lead lining Walls (X-Ray)	Not required.	Lead Lining needs to be done inside X-Ray Room.	Not required.	Not Required.	Not Required.	
17	Anitmicrobial Treatment (OTs)	Not required.	Inside 3 x OT's Antimicrobial flooring, Antimicrobial wall panelling and non-porous ceiling needs to be done.	Not required.	Not Required.	Not Required.	
18	External Weather Shield	External weather shield of grey and white pattern of first class quality needs to be done on the front Elevation missing portion only matching as per IDAP revamped area.	External weather shield of grey and white pattern of first class quality needs to be done on the front Elevation only.	External weather shield of grey and white pattern of first class quality needs to be done on the front Elevation only.	External weather shield of grey and white pattern of first class quality needs to be done on the front Elevation only.	External weather shield of grey and white pattern of first class quality needs to be done on the front Elevation only.	
19	Edge Protection	SS Edge Protection needs to be fixed on all corners up to height of Wall/Dado tiles.	SS Edge Protection needs to be fixed on all corners up to height of 5 ft. till the height of Wall/Dado tiles.	SS Edge Protection needs to be fixed on all corners up to height of Wall/Dado tiles.	SS Edge Protection needs to be fixed on all corners up to height of Wall/Dado tiles.	SS Edge Protection needs to be fixed on all corners up to height of Wall/Dado tiles.	



20	Columns SS Cladding	SS Cladding required to be done on Columns at entrance.	SS Cladding required to be done on Columns at entrance.	SS Cladding required to be done on Columns at entrance.	SS Cladding required to be done on Columns at entrance.	SS Cladding required to be done on Columns at entrance.		
21	Plumbing Works	Damaged Water supply & sewerage pipes causing seepage to be repaired & rectified.	Damaged Water supply & sewerage pipes causing seepage to be repaired & rectified.	Damaged Water supply & sewerage pipes causing seepage to be repaired & rectified.	Damaged Water supply & sewerage pipes causing seepage to be repaired & rectified.	Damaged Water supply & sewerage pipes causing seepage to be repaired & rectified.		
22	Fire Alarm System	Required.	Required.	Required.	Required.	Required.		
23	Expansion joint of Building	Treat expansion joint of building properly & cover it with SS plate and water bearer inside as per C&W standards. Expansion joints on roof top to have double wall covered with pre cast slabs and sealing gaps between slabs properly.	Treat expansion joint of building properly & cover it with SS plate and water bearer inside as per C&W standards. Expansion joints on roof top to have double wall covered with pre cast slabs and sealing gaps between slabs properly.	Treat expansion joint of building properly & cover it with SS plate and water bearer inside as per C&W standards. Expansion joints on roof top to have double wall covered with pre cast slabs and sealing gaps between slabs properly.	Treat expansion joint of building properly & cover it with SS plate and water bearer inside as per C&W standards. Expansion joints on roof top to have double wall covered with pre cast slabs and sealing gaps between slabs properly.	Treat expansion joint of building properly & cover it with SS plate and water bearer inside as per C&W standards. Expansion joints on roof top to have double wall covered with pre cast slabs and sealing gaps between slabs properly.		
24	Specific Points	<p>1) All cemented benches to be dismantled in OPD reception.</p> <p>2) Room (FBO office at present) needs to be extended for QMS, its entrance door to be relocated and its exit door to be made in main/linking corridor as discussed during visit.</p> <p>3) Reception counter to be made at OPD Entrance as per C&amp;W standards.</p> <p>4) Inside Hepatitis clinic wall/dado tiles need to be fixed up to height of 6ft. Inside Hepatitis clinic one slab to be dismantled and on remaining slabs marble with nosing needs to be fixed. All water supply and sewerage connections to be made concealed in Hepatitis Clinic.</p> <p>5) Door to be made from OT opening in the outer corridor for dirty linen collection. Room for washing dirty linen to be made at end of corridor by making a door for access to it from outer corridor and partition walls to be made in outer corridor for converting them into rooms for doctor office / dirty and clean linen stockings with access door from outer corridor as discussed during Hospital visit.</p> <p>6) One room to be extended for shifting new NMS officers hired as discussed during the Hospital visit.</p> <p>7) Aluminum door half solid and half glazed glass door to be fixed in outer corridor of Indoor block as discussed during Hospital visit.</p> <p>8) In labor room, Gyane ward, labor room's main/side corridor all floor tiles and wall/dado tiles full body porcelain needs to be fixed.</p> <p>9) All Patient/Attendant washrooms in Labor room/Gyane ward needs to be revamped completely.</p> <p>10) Sewerage lines hole in outer corridor of Indoor block needs to be closed.</p>						
25	Electrification	All external main cables of hospital which are hanging in Air should be concealed in all respects. Similarly, few existing DB's need to replace as per site condition along with proper earthing of complete hospital.						



# ROUGH COST ESTIMATE FOR THE REVAMPING OF THQ HOSPITAL TEHSIL FORT ABBAS DISTRICT BAHAWALNAGAR.


## GENERAL ABSTRACT OF COST


Sr. No	Description	Based on Plinth Area/MRS Rates 2nd B-I Annual 2022								Remarks
		Qty	Unit	Rates					Amount	
				B.P.	E.I.	P.H.	S.G.	Total		
1	2	3	4	5	6	7	8	9	10	11
1	Dismentling	1 job	P.JOB				-	680220	Rs.680220/-	Detail Attached
2	REVAMPING OF OPD BLOCK	1 job	P.JOB		-	-	-	11039600	Rs.11039600/-	Detail Attached
3	REVAMPING OF XRAY /OPT BLOCK	1 job	P.JOB		-	-	-	8956700	Rs.8956700/-	Detail Attached
4	REVAMPING OF INDOOR BLOCK	1 job	P-Job		-	-	-	6564600	Rs.6564600/-	Detail Attached
5	REVAMPING OF EMERGENCY BLOCK	1 job	P-Job		-	-	-	1424400.00	Rs.1424400/-	Detail Attached
6	REVAMPING OF DYLASIS /CARDIC BLOCK	1 job	P-Job		-	-	-	1901800	Rs.1901800/-	Detail Attached
7	NEW CONSTRUCTION AND EXTENSION IN HOSPITAL									
i	Construction of Control Room (size: 14' x 16')	271 sft	P.sft	3603	227			3830	Rs.1037930/-	Based on MRS 2ND BI Annual 2022
ii	CONSTRUCTION OF STORE 18X18	380	P.sft	3603	227			3830	Rs.1455400/-	Based on MRS 2ND BI Annual 2023
iii	EXTENSION IN 2 NO ROOM 2(14X14)	392	P.sft	3603	227			3830	Rs.1501360/-	Based on MRS 2ND BI Annual 2024
iv	Construction of 01NO Room FOR WASHING (size: 10' x 10')	132	P.sft	3603	227	120		3950	Rs.521400/-	Based on MRS 2ND BI Annual 2025




Sr. No	Description	Based on Plinth Area/MRS Rates 2nd B-I Annual 2022								Remarks
		Qty	Unit	Rates					Amount	
				B.P.	E.I.	P.H.	S.G.	Total		
1	2	3	4	5	6	7	8	9	10	11
8	SANITRY WORK OF THQ	1 job	P-Job		-	-	-	1074000	Rs.1074000/-	Detail Attached
9	PROVISION OF ELECTRIC INSTALATION OF THQ	1 job	P-Job		-	-	-	6132500.00	Rs.6132500/-	Detail Attached
10	FIRE ALARM SYSTEM OF THQ <i>Plinth Area @ 70/- P.S.A</i>	1 job	P-Job		-	-	-	1891700.00	Rs.1891700/-	Detail Attached
11	SEWERAGE SYSTEM OF THQ	1 job	P-Job		-	-	-	686100.00	Rs.686100/-	Detail Attached
12	DETAIL OF STREET LIGHT	1 job	P-Job		-	-	-	1150590.00	Rs.1150590/-	Detail Attached
	Total "A"								Rs.46018300/-	
	i) Add 5% PRA	Rs.46018300/-							Rs.2300915/-	
Total "E"									Rs.48319215/-	
Total									48.319 (M)	

  
Sub Engineer

  
Sub Divisional Officer  
Buildings Sub Division  
fort abbas

  
Executive Engineer  
Buildings Division  
Bahawalnagar

  
Superintending Engineer  
Buildings Circle Bahawalpur






13

**ROUGH COST ESTIMATE FOR THE REVAMPING OF THQ  
HOSPITAL TEHSIL FORT ABBAS DISTRICT BAHAWALNAGAR.**


**GENERAL ABSTRACT**

1	Dismantling	Rs. 680220/-
2	REVAMPING OF OPD BLOCK	Rs. 11039600/-
3	REVAMPING OF XRAY /OPT BLOCK	Rs. 8956700/-
4	REVAMPING OF INDOOR BLOCK	Rs. 6564600/-
5	REVAMPING OF EMERGENCY BLOCK	Rs. 1424400/-
6	REVAMPING OF DYALYSIS /CARDIC BLOCK	Rs. 1901800/-
7	NEW CONSTRUCTION AND EXTENSION IN HOSPITAL	Rs. 4516090/-
8	SANITRY WORK OF THQ	Rs. 1074000/-
9	PROVISION OF ELECTRIC INSTALATION OF THQ	Rs. 6132500/-
10	FIRE ALARM SYSTEM OF THQ	Rs. 1891700/-
11	SEWERAGE SYSTEM OF THQ	Rs. 686100/-
12	DETAIL OF STREET LIGHT	Rs. 1150590/-
		Rs. 46018300/-
	ADD 5% PRA	Rs. 2300915/-
	TOTAL	Rs. 48319215/-
		Rs.48.319 (M)

  
Sub Engineer

  
Sub Divisional Officer,  
Buildings Sub Division,  
Fort Abbas.

  
Executive Engineer  
Buildings Division  
Bahawalnagar

  
Superintending Engineer  
Buildings Circle Bahawalpur

10

10

10

Amended Rough Cost Estimate

REVAMPING OF THQ HOSPITAL TEHSIL FORT ABBAS DISTRICT BAHAWALNAGAR.

COMPARATIVE ABSTRACT OF COST

Sr.No	Description of Items	As Per Approved AA mrs 1st bi annual 2021							As Per Revised ROUGH Estimate 2nd bi annual 2022							Difference		Remarks
		Plinth Area/ Quantity	B.P.	P.H.	E.I	Rate	Unit	Amount.	Plinth Area/ Quantity	B.P.	P.H.	E.I	Rate	Unit	Amount.	Saving	Excess	
1	Construction of Fiber Glass Parking Shed (45' x 35')	1575 Sft	482	-	-	482	P.Sft	759150/-	- Sft	-	-	-	-	P.Sft	/-	759150/-	/-	as per new scope of work and based on plinth area rates 2nd bi annual 2022
2	Construction of Fiber Glass Parking Shed (90' x 30')	2700 Sft	482	-	-	482	P.Sft	1301400/-	- Sft	-	-	-	-	P.Sft	/-	1301400/-	/-	
3	Construction of Guard Room (8' x 10')	105 Sft	2071	75	98	2244	P.Sft	235620/-	- Sft	-	-	-	-	P.Sft	/-	235620/-	/-	do/-
4	Construction of office and hall for physiotherapy Unit	1435 Sft	2071	75	98	2244	P.Sft	3220140/-	- Sft	-	-	-	-	P.Sft	/-	3220140/-	/-	do/-
5	Dismantling	-	-	-	-	-	-	-	1 job	680220	-	-	356237 <del>680220</del>	P.JOB	356237 <del>680220</del>	/-	/-	do/-
6	REVAMPING OF OPD BLOCK	-	-	-	-	-	-	-	1 job	11039600	-	-	11039600	P.JOB	11039600/-	/-	/-	do/-
7	REVAMPING OF XRAY/OPT BLOCK	-	-	-	-	-	-	-	1 job	8956700	-	-	8956700	P.JOB	8956700/-	/-	/-	do/-
8	REVAMPING OF INDOOR BLOCK	-	-	-	-	-	-	-	1 job	6564600	-	-	6564600	P.JOB	6564600/-	/-	/-	do/-
9	REVAMPING OF EMERGENCY BLOCK	-	-	-	-	-	-	-	1 job	1424400	-	-	1424400	P.JOB	1424400/-	/-	/-	do/-
10	REVAMPING OF DYLASIS/CARDIC BLOCK	-	-	-	-	-	-	-	1 job	1901800	-	-	1901800	P.JOB	1901800/-	/-	/-	do/-
11	Cost of Improvement and ranovation of main building.	1 job	3942700			3942700	P.job	3942700/-	-				total		30567320/-	/-	26624620/-	do/-
12	Construction of Control Room (size: 14' x 16')	-	-	-	-	-	-	-	271 sft	3603	-	227	3830	P.Sft	1037930/-	/-	1037930/-	do/-
13	CONSTRUCTION OF STORE 18X18	-	-	-	-	-	-	-	380 sft	3603	-	227	3830	P.Sft	1455400/-	/-	1455400/-	do/-
14	EXTENSION IN 2 NO ROOM 2(14X14)	-	-	-	-	-	-	-	392 sft	3603	-	227	3830	P.Sft	1501360/-	/-	1501360/-	do/-





14

NOT  
JULY

305

6

100

1941.

NEW YORK

10

10

•

100

5

2000

9

1

...D. ...

51.

1100.

Pag

e 10

02



**DISMANTLING OF ALL BUILDINGS****Dismantling**

1 Dismantling glazed or encaustic tiles, etc.

FLOOR

**OP Building**

OUTER GALLERY	1	x	1	x	104	x	7	728	Sft
	1	x	1	x	88	x	7	616	"
IN SIDE CORRIDOR		x	1	x	104	x	8.5	884	"
PODIUM	1	x	1	x	23.5	x	32	752	"
"	1	x	1	x	14.5	x	14.5	210	"
MS ROOM			1	x	15 7/8	x	14	222	Sft
			1	x	9	x	11.75	106	"

**DIAGNOSTIC BLOCK**

	1	x	1	x	18	x	7	126	sft
OT GALLERY	1	x	1	x	57	x	7	399	sft
			1	x	18.56	x	13.56	252	sft
			1	x	13.56	x	13.56	184	"
toilet			1	x	8.5	x	8.25	70	"
"			2	x	4	x	4.667	37	"
			1	x	7.56	x	7	53	"
			1	x	7.56	x	6.25	47	"

**IN DOOR (CLINICAL BLOCK)**

INNER GALLERY		x	1	x	42	x	8	336	"
	1	x	1	x	69	x	8	552	"
GALLERY			1	x	66	x	8	528	Sft
MAST BARD			1	x	36	x	47.25	1701	Sft
			1	x	19.875	x	47.25	939	"
			1	x	36	x	48	1728	"
			2	x	11	x	8.75	193	"
	1	x	2	x	10	x	9.25	185	"
	1	x	6	x	4.25	x	2.875	73	Sft
			4	x	4.25	x	4.25	72	"
			2	x	4.25	x	4.25	36	"
	1	x	2	x	4.875	x	4.25	41	"

**LA**

DELIVERY ROOM			1	x	12.5	x	14.75	184	Sft
DOCTOR ROOM			1	x	9.5	x	14.75	140	Sft
LABOUR			1	x	17.25	x	23.5	405	"
TOILET			1	x	9.5	x	7.66	73	"
"			2		4.25	x	4.25	36	"
"	1	x	2	x	4.875	x	4.25	41	"
"	1	x	1	x	9	x	5	45	"
GALLERY			1	x	4	x	15	60	"

**CARDIAC UNIT**

TOILET			2	x	5.875	x	5.875	69	"
"	1	x	2	x	5.375	x	5	54	"
"	1	x	1	x	4.25	x	6.375	27	"
Toilet			2	x	4.25	x	3.75	32	Sft
			1	X	3.5	x	7.66	27	"

**DYLASIS UNIT**

OFFICE			1	x	10	x	18	180	"
"	1	x	2	x	18	x	14	504	"
"	1	x	1	x	12	x	12	144	"
"			1	x	18	x	12	216	Sft
"			1	X	8	x	8	64	"
"			1	x	11	x	23	253	Sft
GALLERY			1	x	19.5	x	8	156	Sft
TOILET	1	x	3	x	5	x	6	90	"





										Total	13870	Sft
<b>Skirting</b>												
OUTER GALLA	1	x	2	x(	104	+	7	)x	6		1332	Sft
	1	x	2	x(	88	+	7	)x	6		1140	Sft
<b>IN SIDE</b>												
CORRIDOR	1	x	2	x(	104	+	8.5	)x	6		1350	Sft
PODIUM	1	x	2	x(	23.5	+	32	)x	0.5		56	Sft
"	1	x	2	x(	14.5	+	14.5	)x	0.5		29	Sft
MS ROOM	1	x	2	x(	15 7/8	+	14	)x	0.5		30	Sft
	1	x	2	x(	9	+	11.75	)x	0.5		21	Sft
<b>DIAGNOSTIC</b>												
<b>C BLOCK</b>												
	1	x	2	x(	18	+	7	)x	5		250	Sft
OT GALLERY	1	x	2	x(	57	+	7	)x	5		640	Sft
	1	x	2	x(	18.56	+	13.56	)x	5		321	Sft
	1	x	2	x(	13.56	+	13.56	)x	5		271	Sft
toilet	1				8.5		8.25					
"	2	x	2	x(	4	+	4.667	)x	5		173	Sft
	1	x	2	x(	7.56	+	7	)x	5		146	Sft
	1	x	2	x(	7.56	+	6.25	)x	5		138	Sft
<b>IN DOOR</b>												
<b>(CLINICAL BLOCK)</b>												
		x				+		)x				Sft
INNER GALLAY	1	x	2	x(	42	+	8	)x	5		500	Sft
	1	x	2	x(	69	+	8	)x	5		770	Sft
GALLERY	1	x	2	x(	66	+	8	)x	5		740	Sft
MALE WARD	1	x	2	x(	36	+	47.25	)x	5		833	Sft
CHILDREN	1	x	2	x(	19.875	+	47.25	)x	5		671	Sft
FEMALE												
WARD	1	x	2	x(	36	+	48	)x	5		840	Sft
NURSING												
STATION	2	x	2	x(	11	+	8.75	)x	5		395	Sft
TOILET	2	x	2	x(	10	+	9.25	)x	5		385	Sft
=	6				4.25		2.875					
=	4	x	2	x(	4.25	+	4.25	)x	5		340	Sft
=	2	x	2	x(	4.25	+	4.25	)x	5		170	Sft
=	2	x	2	x(	4.875	+	4.25	)x	5		183	Sft
<b>LABOUR</b>												
<b>ROOM</b>												
DELIVERY												
ROOM	1	x	2	x(	12.5	+	14.75	)x	0.5		27	Sft
DOCTOR												
ROOM	1	x	2	x(	9.5	+	14.75	)x	0.5		24	Sft
LABOUR	1	x	2	x(	17.25	+	23.5	)x	0.5		41	Sft
TOILET	1	x	2	x(	9.5	+	7.66	)x	5		172	Sft
"	2	x	2	x(	4.25		4.25	)x	5		170	
"	2	x	2	x	4.875	x	4.25	)x	5		183	Sft
"	1	x	2	x(	9	+	5	)x	5		140	Sft
GALLERY	1	x	2	x(	4	+	15	)x	5		190	Sft
<b>CARDIC UNIT</b>												
TOILET	2	x	2	x(	5.875	+	5.875	)x	5		235	Sft
"	2	x	2	x(	5.375	+	5	)x	5			
"	1	x	2	x(	4.25	+	6.375	)x	5			
Toilet	2	x	2	x	4.25	+	3.75	)x	5		159	Sft
	1	x	2	x	3.5	+	7.66	)x	5		268	Sft
<b>DYLASIS UNIT</b>												
OFFICE	1	x	2	x(	10	+	18	)x	0.5		28	Sft
"	2	x	4	x	18	+	14	)x	0.5		1008	Sft
"	1	x	2	x(	12	+	12	)x	0.5		24	Sft
"	1	x	2	x(	18	+	12	)x	0.5		30	Sft
"	1	x	2	x(	8	+	8	)x	0.5		16	Sft
"	1	x	2	x(	11	+	23	)x	0.5		34	Sft
GALLERY	1	x	2	x(	19.5	+	8	)x	4		220	Sft
TOILET	3	x	2	x(	5	+	6	)x	5		330	Sft
<b>Total</b>										<b>15023</b>	<b>Sft</b>	
<b>D/d</b>												
GALLERY OPEN		4	x		7	x	6				168	Sft
		4	x		8.5	x	5				170	Sft



2014  
2015

2016

**REVAMPING OF XRAY /OPT BLOCK**

- 1 Providing and laying superb quality Porcelain glazed tiles flooring of MASTER brand of specified size in approved design, Color and Shade with adhesive/bond over 3/4" thick (1:3) cement plaster i/c the cost of sealer for finishing the joints i/c cutting grinding complete in all respect as approved and directed by the Engineer Incharge.  
a) Full body Glazed Tile (ii) 400mm x400 mm

**FLOOR**

**DIAGNOSTIC BLOCK**

	1	x								sft
OT GALLERY	1	x	1	x	57	x	7	x	399	sft
			1	x	18.56	x	13.56		252	sft
			1	x	13.56	x	13.56		184	
<b>Total</b>									<b>835</b>	<b>Sft</b>
@									<b>278.20</b>	<b>P Sft</b>

Rs. 232297/-

Providing and laying superb quality Ceramic tile floors of Master brand of specified size, Glossy/Matt/ Texture of approved Color and Shade as per approved design with adhesive bond, over 3/4" thick (1:2) cement sand plaster i/c the cost of sealer for finishing the joints i/c cutting grinding complete in all respects and as approved and directed by the Engineer Incharge.

toilet	1	x	8.5	x	8.25				70	
"	2	x	4	x	4.667				37	
	1	x	7.56	x	7				53	
	1	x	7.56	x	6.25				47	
<b>TOTAL</b>									<b>207.00</b>	<b>SFT</b>
@									<b>239.90</b>	<b>P.SFT</b>

Rs. 49659/-

- 2 Cement concrete plain including placing, compacting, finishing and curing complete (including screening and washing of stone aggregate):

1042 X	1/8	=	130.25
@			38,126.10

Rs. 49659/-

- 3 Providing and laying superb quality Porcelain glazed tiles of Master brand, skirting/dado of specified size, Color and Shade with adhesive/bond over 1/2" thick (1:2) cement plaster i/c the cost of and sealer for finishing the joints, cutting grinding complete in all respect as approved and directed by the Engineer Incharge.  
a) Full body Glazed Tile (ii) 400mm x400 mm

**WALL**

**DIAGNOSTIC BLOCK**

**GALLERY**

										Sft
"	1	x	2	x	57	+	7	)x	6	768
	1	x	2	x	18.56	+	13.56	)x	0.5	32
	1	x	2	x	13.56	+	13.56	)x	0.5	27
<b>Total</b>									<b>827</b>	<b>Sft</b>

<b>Net Total</b>	<b>827</b>	<b>Cft</b>
@	<b>292.65</b>	<b>P Sft</b>

Rs. 242022/-

Providing and laying superb quality Ceramic tiles dado of Master brand of specified size, Glossy /Matt /Texture skirting/dado of approved Color and Shade with adhesive bond over 1/2" thick (1:2) cement plaster i/c the cost of sealer for finishing the joints i/c cutting grinding complete in all respects as approved and directed by the Engineer Incharge.

toilet	1	x	2	x(	8.5	+	8.25	)x	7	235	Sft
"	1	x	2	x(	4	+	4.667	)x	7	121	Sft
toilet	1	x	2	x(	7.56	+	7	)x	7	204	Sft
"	1	x	2	x(	7.56	+	6.25	)x	7	193	Sft
TOTAL									=	753	Sft
									@	292.65	%Sft

Rs. 220365/-



4 Preparing surface and painting with emulsion paint:-

Roof

OPT BLOCK

GALLERY	1	x	18	x	7	x	1	126	"
ROOM	1	x	18.56	x	13.56	x	1	252	"
TOILET	1	x	7.667	x	7	x	1	54	"
TOILET	1	x	7.667	x	6.25	x	1	48	"
STORE	1	x	8	x	13.56	x	1	108	"
TREATMEN	1	x	8.75	x	12.5	x	1	109	"
TOILET	1	x	8.75	x	5	x	1	44	"
GALLERY	1	x	54	x	8	x	1	432	"
STORE	1	x	13.667	x	13.56	x	1	185.00	"
TOILET	1	x	8.425	x	8.25	x	1	70	"
"	2	x	4	x	4.667	x	1	37	"
TOTAL								1465	

walls

OPT BLOCK

GALLERY	1	x	1	x	18	+	7	)x	6	150	Sft
RECOVERY											
ROOM	1	x	2	x	18.56	+	13.56	)x	10.5	675	Sft
TOILET	1	x	2	x	7.667	+	7	)x	5	147	Sft
TOILET	1	x	2	x	7.667	+	6.25	)x	5	139	Sft
STORE											
ROOM	1	x	2	x	8	+	13.56	)x	10.5	453	Sft
TREATMEN											
T ROOM	1	x	2	x	8.75	+	12.5	)x	10.5	446	Sft
TOILET	1	x	2	x	8.75	+	5	)x	5	138	Sft
GALLERY	1	x	1	x	54	+	8	)x	6	372	"
STORE											
ROOM	1	x	2	x	13.667	+	13.56	)x	10.5	572	"
TOILET	1	x	2	x	8.425	+	8.25	)x	5	167	Sft
"	2	x	2	x	4	+	4.667	)x	5	173	Sft
TOTAL										3432	

Total 4897 Sft  
Net 4897 Sft  
@ 2,795.49 %Sft

Rs. 136895/-

- 5 Providing and applying wall putty of 2mm thickness over plastered surface(newsurface)to prepare the surface even and smooth complete in all respect.

SAME AS ITEM NO 5 = 4897  
@ 371.05

Rs. 18170/-

- 6 Providing and fixing Openable door comprising of 3mm thick UPVC hollow profile ,chowkat frame of 60mmx64mm and leaf frame 60 mmx106 mm both duly reinforced with G.I box frame inside the void with 20 mm wide panel with grooves on both sides i/c the cost of hardwares, hinges, four bolt and cutting changes on approved & directed by the Engineer Incharge

Toilets Doors

OPD	3	x	2	x	7	x	1	42	"
"	2	x	2.5	x	7	x	1	35	"
Total								77	Sft
@								700.00	P.Sft

Rs. 53900/-

- 7 Providing and laying 3/4" thick full width Prepolished Marble slab for Vanities/ Shelves/ Treads/Window Cills, having Uniform texture ( Spotl ess) with adhesive bond ov er 3/4" thi ck (1:2) cement sand mortori/c the cost of matching sealer compl etein all r epects as approved and directed by the Engineer Incharge.  
i) China Verona

STEPS	2	X	12	X	1	24	SFT
	2	X	8	X	1	16	SFT
	2	X	10	X	1	20	SFT
	4	X	16	X	1	64	SFT
	1	X	23	X	2	46	
Total							170 Sft
@							412.3 P.Sft

Rs. 70091/-



8 Providing and laying Prepolished Granite of specified thickness and shade of full width of approved quality laid with adhesive bond over 3/4" thick (1:2) cement sand mortar bed, complete in all respect as approved and directed by the Engineer Incharge 3/4" thick

Nursing Counters

Ward	2	x	8	x	2	x	1	32	Sft
O.T& Lbr Room	2	x	8	x	2	x	1	32	"
<b>Total</b>								<b>64</b>	<b>Sft</b>
<b>@</b>								<b>1,310.7</b>	<b>P.Sft</b>

Rs. 83885/-

9 Extra for Bevelling charges of marble edge in approved design complete in all respects i/c the cost of Carbor and amdiscas approved and directed by the Engineer Incharge.

<b>Total</b>	<b>170</b>	<b>Rft</b>
<b>@</b>	<b>24.9</b>	<b>P.Sft</b>

Rs. 4233/-

10 Providing and laying 3/8" thick Prepolished Marble skirting/risers having uniform texture( spotless) of size 24" x6" of approved quality and shade with adhesive bond over 3/4" thick (1:2) cement sand mortar complete in all respect i/c the cost of matching sealer to finish the joints as approved and directed by the Engineer Incharge. i) China Verona

STEPS	2	X	12	X	0.5	12	SFT
	2	X	8	X	0.5	8	SFT
	2	X	10	X	0.5	10	SFT
	4	X	16	X	0.5	32	SFT
	1	X	23	X	0.5	11.5	
<b>Total</b>						<b>74</b>	<b>Sft</b>
<b>@</b>						<b>204.6</b>	<b>P.Sft</b>

Rs. 15034/-

11 Applying floating coat of cement 1/32" (0.8 mm) thick.  
Coverd Area of old Building

OPT	89	X	81	7209	Sft
<b>Net Total</b>				<b>7209</b>	<b>Sft</b>
<b>@</b>				<b>1835.90</b>	<b>%Sft</b>

Rs. 132350/-

12 Providing and fixing 1 1/2" (40 mm) thick deodar wood panelled or panelled and glazed, doors and windows, with out mild steel chowk at ( frame ), etc. complete in all respects (excluding sliding bolt or lock) with:-

opt	1	x	4	x	7	x	1	28	Sft
<b>Total</b>								<b>28</b>	<b>Sft</b>
<b>@</b>								<b>1,527.70</b>	<b>P.Sft</b>

Rs. 42776/-

13 Painting New surface Painting doors and windows, any typ 3-coat

INDOOR	1	x	2	x	4	x	7	x	1	56	"
<b>Total</b>										<b>56</b>	<b>Sft</b>
<b>@</b>										<b>2,387.45</b>	<b>%Sft</b>

Rs. 1337/-

14 Painting old surface Painting doors and windows, any typ 2-coat  
afterscraping blister

OPT	3	x	2	x	4.5	x	7	x	1	189	"
	3	x	2	x	3.5	x	7	x	1	147	"
	8	x	2	x	2.5	x	7	x	1	280.00	"
<b>Total</b>										<b>616</b>	<b>Sft</b>
<b>@</b>										<b>2,175.50</b>	<b>%Sft</b>

Rs. 13401/-

15 Providing and applying weather shield paint of approved quality on external surface of building including preparation of surface, application of primer complete in all respect:

old surface											
OPT block	2	x	1	x	89	x	14.5	x	1	2581	"
	1	x	2	x	14	x	14.5	x	1	406	"
<b>Total</b>										<b>2987</b>	<b>Sft</b>
<b>Net</b>										<b>2987</b>	<b>Sft</b>
<b>@</b>										<b>1,925.45</b>	<b>%Sft</b>

Rs. 57513/-





- 16 Providing and fixing lead lining 2mm thick lead sheet with wall for radiation protection upto roof height as per instruction and covering with MDF board 3/4" thick paneling including frame of kail wood 1-1/2" x 2" including termite proofing and fancy deodar wood beading complete in all respect as approved by the Engineer Incharge. Also Approved by the Radiation Protecting Agency.

x-ray Room		1	x	14	x	17	x	1	238	Sft	
"	1	x	2	x(	14	+	17	)x	12	744	Sft
Total									982	Sft	
@									850.00	P Sft	

Rs. 834700/-

- 17 Supply and installation of Clip-in tile (0.6 mm -0.7 mm thick )non-porous alumnium false ceiling of specified size fitted with 'Clip-in' suspension system hanged on Concealed T/Shiplap edge/runners @ 600 mmX600 mm grid,Edge Trims fasten on wall with plug and screw @ 500 mm c/c i/c cutting charges of tiles to required size,suspension rods and joints sealed with silicon if required of DAMPA/Demark, as approved and directed by the Engineer Incharge. (a) Sharp edges & flange 19.5 mm  
(iii) 600 mmX 600 mm

OPT Block	1	x	18 4/7	x	13 4/7	x	1	252	Sft
OPT Block	1	x	19.875	x	17.875	x	1	355	Sft
	1	x	13.5	x	17.875	x	1	241	Sft
<b>Total</b>								<b>848</b>	<b>Sft</b>
<b>@</b>								<b>750.00</b>	<b>P Sft</b>

Rs. 636000/-

- 18 Providing and Laying Anti-microbial Floor (Gerflor Flooring), Anti-Bacterial, Anti-Static,Homogeneous, with best abrasion resistance,best indoor air quality, easy maintenance, No wax for life and high stain resistance, High performance homogeneous flooring, Resistant to main chemical products used in healthcare, Installed with Self leveling compound, complete in all respects and as approved by the Engineer Incharge.

OPT Block	1	x	18 4/7	x	13 4/7	x	1	252	Sft
OPT Block	1	x	19.875	x	17.875	x	1	355	Sft
	1	x	13.5	x	17.875	x	1	241	Sft
							<b>Total</b>	<b>848</b>	<b>Sft</b>
							<b>@</b>	<b>1,200.00</b>	<b>P Sft</b>

Rs. 1017600/-

- 19 Providing And Laying Anti-microbial wall panelling/ cladding SPM Walls Panels that Can Resists to heavy impacts, Non-porous & 100% Antibacterial material suitable for high infection risk areas, Welded joints for perfect water tightness between panels or with vinyl flooring, Resists to standard cleaning, disinfection and antiseptic products, Heavy traffic resistant, Sustainable formulation) 2mm thick

OPT Block	1	x	2	x(	18 4/7	+	13 4/7	)x	12	772	Sft
	1	x	2	x(	19.875	+	17.875	)x	12	906	Sft
	1	x	2	x(	13.5	+	17.875	)x	12	753	Sft
								<b>Total</b>		<b>2431</b>	<b>Sft</b>
								<b>@</b>		<b>1,850.00</b>	<b>P Sft</b>

Rs. 4497350/-


- 20 Providing and fitting all types of glazed aluminium windows of anodised bronze colour partly fixed and partly sliding using delux sections of approved manufacturer having frame size of 100 x 20 mm (4" x 3/4" ) and leaf frame sections of 50 x 20 mm (2" x 3/4" ), all of 1.6 mm thickness including 5 mm thick imported tinted glass with rubber gasket using approved standard latches, hardware etc., as approved by the Engineer in-charge

<b>opt</b>		4	x	6	x	6 1/4	x	1	150	Sft
	W	8	x	5	x	4	x	1	160	Sft
	W	6	x	4	x	4	x	1	96	Sft
							<b>Total</b>		<b>406</b>	<b>Sft</b>
							<b>@</b>		<b>1,348.40</b>	<b>P.Sft</b>


Rs. 547450/-

**Total:** = **Rs. 8956688/-**

**Say** = **Rs. 8956700/-**

  
Sub Engineer

Sub Divisional Officer  
Buildings Sub Division,  
Fort Abbas

  
**Executive Engineer**  
**Buildings Division**  
**Bahawalnagar**



**REVAMPING OF INDOOR BLOCK**

- 1 Providing and laying superb quality Porcelain glazed tiles flooring of MASTER brand of specified size in approved design, Color and Shade with adhesive/bond over 3/4" thick (1:3) cement plaster i/c the cost of sealer for finishing the joints i/c cutting grinding complete in all respect as approved and directed by the Engineer Incharge.  
a) Full body Glazed Tile (ii) 400mm x400 mm

FLOOR

**IN DOOR (CLINICAL BLOCK)**

INNER GALLERY	1	x	42	x	8	336	"
	1	x	69	x	8	552	"
MALE WARD	1	x	36	x	47.25	1701	Sft
CHILDREN	1	x	19.875	x	47.25	939	"
FEMALE WARD	1	x	36	x	48	1728	"
NURSING STATION	2	x	11	x	8.75	193	"
<b>LABOUR</b>							
DELIVERY ROOM	1	x	12.5	x	14.75	184	Sft
DOCTOR ROOM	1	x	9.5	x	14.75	140	Sft
LABOUR	1	x	17.25	x	23.5	405	"
GALLERY	1	x	4	x	15	60	"
<b>Total</b>						<b>6238</b>	<b>Sft</b>

**Total**      **6238**      **Sft**  
@      **278.20**      **P Sft**      **Rs. 1735412/-**

- 2 Providing and laying superb quality Ceramic tile floors of Master brand of specified size, Glossy/Matt/ Texture of approved Color and Shade as per approved design with adhesive bond, over 3/4" thick (1:2) cement sand plaster i/c the cost of sealer for finishing the joints i/c cutting grinding complete in all respects and as approved and directed by the Engineer Incharge.

TOILET	2	x	10	x	9.25	185	"
=	6	x	4.25	x	2.875	73	Sft
=	4	x	4.25	x	4.25	72	"
=	2	x	4.25	x	4.25	36	"
=	2	x	4.875	x	4.25	41	"
TOILET	1	x	9.5	x	7.66	73	"
"	2		4.25	x	4.25	36	"
"	2	x	4.875	x	4.25	41	"
"	1	x	9	x	5	45	"
						<b>602.00</b>	<b>SFT</b>

@      **239.90**      **P.SFT**      **Rs. 144420/-**

- 3 Cement concrete plain including placing, compacting, finishing and curing complete (including screening and washing of stone aggregate):

6840 X 1/8 = **855.00**  
@      **38,126.10**

**Rs. 325978/-**

- 4 Providing and laying superb quality Porcelain glazed tiles of Master brand, skirting/dado of specified size, Color and Shade with adhesive/bond over 1/2" thick (1:2) cement plaster i/c the cost of and sealer for finishing the joints, cutting grinding complete in all respect as approved and directed by the Engineer Incharge.  
a) Full body Glazed Tile (ii) 400mm x400 mm

FLOOR

**IN DOOR (CLINICAL BLOCK)**

INNER GALLERY	1	x	2	x	42	+	0	)x	6	504	Sft
---------------	---	---	---	---	----	---	---	----	---	-----	-----



	1	x	2	x(	69	+	0	)x	6	828	Sft
MALE WARD	1	x	2	x(	36	+	47.25	)x	6	999	Sft
CHILDREN	1	x	2	x(	19.875	+	47.25	)x	6	806	Sft
FEMALE WARD	1	x	2	x(	36	+	48	)x	6	1008	Sft
NURSING STATION	2	x	2	x(	11	+	8.75	)x	6	474	Sft
<b>LABOUR ROOM</b>											
DELIVERY ROOM	1	x	2	x(	12.5	+	14.75	)x	6	327	Sft
DOCTOR ROOM	1	x	2	x(	9.5	+	14.75	)x	0.5	24	Sft
LABOUR	1	x	2	x(	17.25	+	23.5	)x	0.5	41	Sft
GALLERY	1	x	2	x(	0	+	15	)x	7	210	Sft

**Total 5221 Sft**

**D/d**

GALLERY OPEN	4	x	7	x	6	168	Sft
	4	x	8.5	x	5	170	Sft
	2	x	10	x	5	100	"
D7	9	x	5	x	5	225	"
D1	10	x	2	x	5	100	"
D2	9	x	2.5	x	7	158	"
D6	3	x	4.5	x	7	95	Sft

**Total 1016 Sft**

**Net Total 4205 Cft**

**@ 292.65 P Sft**

**Rs. 1230593/-**

Providing and laying superb quality Ceramic tiles dado of Master brand of specified size, Glossy /Matt /Texture skirting/dado of approved Color and Shade with adhesive bond over 1/2 "thick (1:2) cement plaster i/c the cost of seal er for finishing the joints i/c cutting grinding complete in al respects as approved and directed by the Engineer Incharge.

TOILET	2	x	2	x(	10	+	9.25	)x	7	539	Sft
=	6	x	2	x(	4.25	+	7	)x	7	945	Sft
=	4	x	2	x(	4.25	+	4.25	)x	7	476	Sft
=	2	x	2	x(	4.25	+	4.25	)x	7	238	Sft
=	2	x	2	x(	4.875	+	4.25	)x	7	256	Sft
TOILET	1	x	2	x(	9.5	+	7.66	)x	7	240	Sft
"	2	x	2	x(	4.25	+	4.25	)x	7	238	Sft
"	2	x	2	x(	4.875	+	4.25	)x	7	256	Sft
"	1	x	2	x(	9	+	5	)x	7	196	Sft
<b>TOTAL</b>										<b>=</b>	<b>3384</b>

**@ 292.65 %Sft**

**Rs. 990328/-**

**5 Preparing surface and painting with emulsion paint:-AFTER SCRAPING**

**Roof**

**IN DOOR**

DELIVER	1	x	12.5	x	14.75	184	"
LADTY DR	1	x	9.425	x	14.75	139	"
LABOUR	1	x	17.25	x	23.425	404	"
WASH	1	x	9.5	x	7.667	73	"
"	4	x	4.25	x	4.25	72	"
"	1	x	9	x	5	45	"
WARD	1	x	19.875	x	47.25	939	"
STORE	1	x	14	x	17	238	"
MALE	1	x	36	x	47 1/4	1701	"
TOILET	1	x	10	x	9.25	93	"
"	3	x	4.25	x	3.875	49	"
"	2	x	4.25	x	4.25	36	"
NURSING	1	x	11	x	8.75	96	"
WASH	1	x	5.5	x	8	44	"
STORE	1	x	5.5	x	8	44	"
STORE	1	x	5	x	10	50	"
NURSING	1	x	10	x	16	160	"
TOILET	1	x	5	x	8	40	"



DENGUE	1	x	12	x	19	228	"
TOILET	1	x	5	x	8.56	43	"
STORE	1	x	9	x	19	171	"
NURSING	1	x	10	x	15.25	153	"
TOILET	1	x	5	x	8	40	"
STORE	1	x	5	x	10	50	"
NURSING	1	x	11	x	8.75	96	"
WASH	1	x	5.5	x	8	44	"
STORE	1	x	5.5	x	8	44	"
WARD	1	x	36	x	48	1728	"
"	1	x	19.875	x	48	954	Sft
TOILET	1	x	10	x	9.25	93	"
"	3	x	4.25	x	3.875	49	"
"	2	x	4.25	x	4.25	36	"
TOILET	1	x	9.5	x	7.667	73	Sft
"	2	x	4.25	x	4.25	36	"
"	2	x	4.25	x	4.875	41	"
GUSTRIC	1	x	12	x	19	228	"
STORE	1	x	5	x	10	50	"
TOILET	1	x	5	x	8.56	43	"
STORE	1	x	9	x	19	171	"
GALLERY	1	x	42	x	8.5	357	"
"	1	x	39	x	8.5	332	"
"	1	x	30	x	8.5	255	Sft
TOSTORE	1	x	48.5	x	8.5	412	"
"	1	x	39	x	9	351	"
OUTER	1	x	113	x	7	791	"
GALLERY	1	x	15	x	4	60	"
						11336	

walls

IN DOOR BLOCK

DELIVER										
ROOM	1	x	2	x(	12.5	+	14.75	)x	10.5	572
LADTY DR										
ROOM	1	x	2	x(	9.425	+	14.75	)x	10.5	508 Sft
LABOUR										
ROOM	1	x	2	x(	17.25	+	23.425	)x	10.5	854 Sft
WASH										
ROOM	1	x	2	x(	9.5	+	7.667	)x	5	172 Sft
"	4		2	x	4.25	x	4.25	)x	5	340 Sft
"	1	x	2	x	9	x	5	)x	5	140 Sft
MALE										
WARD	1	x	2	x	19.875	x	47.25	)x	10.5	1410 Sft
STORE										
ROOM	1	x	2	x	14	x	17	)x	10.5	651 Sft
MALE										
WARD 2	1	x	2	x(	36	+	47 1/4	)x	10.5	1748 Sft
TOILET	1	x	2	x(	10	+	9.25	)x	5	193 Sft
"	3	x	2	x(	4.25	+	3.875	)x	5	244 Sft
"	2	x	2	x(	4.25	+	4.25	)x	5	170 Sft
NURSING										
STATION	1	x	2	x(	11	+	8.75	)x	10.5	415 Sft
WASH										
ROOM	1	x	1	x	5.5	x	8	x	5	68 Sft
STORE										
ROOM	1	x	2	x(	5.5	+	8	)x	10.5	284 Sft
STORE										
ROOM	1	x	2	x(	5	+	10	)x	10.5	315 Sft
NURSING										
OFFICE	1	x	2	x(	10	+	16	)x	10.5	546 Sft
TOILET	1	x	2	x	5	x	8	x	5	130 Sft
DENGUE										
ROOM	1	x	2	x	12	x	19	x	10.5	651 Sft
TOILET	1	x	2	x(	5	+	8.56	)x	5	136 Sft





STORE											
ROOM	1	x	8	x	9	x	19	x	10.5	2352	Sft
NURSING											
OFFICE	1	x	2	x	10	+	15.25	x	10.5	530	Sft
TOILET	1	x	2	x	5	+	8	x	5	130	Sft
STORE											
ROOM	1	x	2	x	5	+	10	x	10.5	315	Sft
NURSING											
STATION	1	x	2	x	11	+	8.75	x	10.5	415	Sft
WASH											
ROOM	1	x	2	x	5.5	+	8	x	5	135	Sft
STORE											
ROOM	1	x	2	x	5.5	+	8	x	10.5	284	Sft
FEMALE											
WARD	1	x	2	x	36	+	48	x	10.5	1764	Sft
"	1	x	2	x	19.875	+	48	x	10.5	1425	"
TOILET	1	x	2	x	10	+	9.25	x	5	193	"
"	3	x	2	x	4.25	+	3.875	x	5	244	Sft
"	2	x	2	x	4.25	+	4.25	x	5	170	Sft
TOILET	1	x	2	x	9.5	+	7.667	x	5	172	Sft
"	2	x	2	x	4.25	+	4.25	x	5	170	Sft
"	2	x	2	x	4.25	+	4.875	x	5	183	Sft
GUSTRIC											
ROOM	1	x	2	x	12	+	19	x	10.5	651	Sft
STORE											
ROOM	1	x	2	x	5	+	10	x	10.5	315	Sft
TOILET	1	x	2	x	5	+	8.56	x	5	136	Sft
STORE											
ROOM	1	x	2	x	9	+	19	x	10.5	588	Sft
GALLERY	1	x	2	x	42	+	8.5	x	6	606	Sft
"	1	x	2	x	39	+	8.5	x	6	570	Sft
"	1	x	2	x	30	+	8.5	x	6	462	Sft
LINK GALLERY											
TOSTORE		x	2	x		+		x	6	0	Sft
	1	x	2	x	48.5	+	8.5	x	10.5	1197	Sft
	1	x	2	x	39	+	9	x	10.5	1008	Sft
OUTER											
GALLERY	1	x	2	x	113	+	7	x	6	1440	Sft
	1	x	2	x	15	+	4	x	6	228	Sft
										25230	

<b>Total</b>	<b>36566</b>	<b>Sft</b>	
<b>Net</b>	<b>36566</b>	<b>Sft</b>	
<b>@</b>	<b>2,795.90</b>	<b>%Sft</b>	<b>Rs. 1022349/-</b>

6 Providing and applying wall putty of 2mm thickness over plastered surface(newsurface)to prepare the surface even and smooth complete in all respect.

SAME AS ITEM NO 5

=	<b>36566</b>	<b>SFT</b>	
@	<b>371.05</b>	<b>%SFT</b>	<b>Rs. 135678/-</b>

7 Applying floating coat of cement 1/32" (0.8 mm) thick.

Coverd Area of old Building

IN.D	208	X 48	9984	Sft
------	-----	------	------	-----

<b>Net Total</b>	<b>9984</b>	<b>Sft</b>	
<b>@</b>	<b>1835.90</b>	<b>%Sft</b>	<b>Rs. 183296/-</b>

8 Providing and fixing all types of partly fixed and partly openable glazed anodised bronze colour aluminium doors, using deluxe section of M/s Al-Cop or Pakistan Cables, having chowkat frame of size 40 x 100 mm (1½" x 4") and leaf frame of 60x40mm (2½" x 1½") wide sections including the cost of ¼" (5 mm) thick imported tinted glass with aluminium triangular gola and rubber gasket to support the glass and leaf edging, using approved standard fittings, locks, 3" (75 mm) wide long handles etc., and hardware any required as approved by the engineer in-charge. (2mm thick)

corridor lab back	D	4	x	5	x	8.5	170.00	Sft
-------------------	---	---	---	---	---	-----	--------	-----



**Total** 170 Sft  
**@** 1,437.60 P.Sft

**Rs. 244392/-**

**9** Extra rate for the provision of aluminium plate D61 in Aluminium Door as approved by the engi neer i n- char ge.

corridor lab back D 4 x 2 x 5 x 4 160 Sft  
**Total** 160 Sft

**@** 1,500.00 P.Sft

**Rs. 240000/-**

**10** Providing and fixing Openable door comprising of 3mm thick UPVC hollow profile ,chowkat frame of 60mmx64mm and leaf frame 60 mmx106 mm both duly reinforced with G.I box frame inside the void with 20 mm wide panel with grooves on both sides i/c the cost of hardwares, hinges, four bolt and cutting changes on approved & directed by the Engineer Incharge

**Toilets Doors**

INDOOR 14 x 2.5 x 7 245 Sft  
 indoor 10 x 2 x 7 140 Sft

**Total** 385 Sft

**@** 700.00 P.Sft

**Rs. 269500/-**

**11** Painting old surface Painting doors and windows, any typ 2-coat afterscraping blister

**IN DOOR**

12 x 2 x 2.5 x 7 420 "  
 6 x 2 x 3.5 x 7 294 "

**Total** 714 Sft

**@** 2,175.50 %Sft

**Rs. 15533/-**

**12** Providing and applying weather shield paint of approved quality on external surface of building including preparation of surface, application of primer complete in all respect:old surface:

1 x 1 x 47.75 x 14.5 692 "  
 1 x 1 x 29 x 14.5 421 "  
 1 x 1 x 10.125 x 14.5 147 "  
 1 x 1 x 10.125 x 14.5 147 "


**Total** 1407 Sft


**@** 1,925.45 %Sft


**Rs. 27091/-**

**Total: = Rs. 6564570/-**

**Say = Rs. 6564600/-**

  
 Sub Engineer

  
 Sub Divisional Officer  
 Buildings Sub Division,  
 Fort Abbas

  
 Executive Engineer  
 Buildings Division  
 Bahawalnagar



# **REVAMPING OF EMERGENCY BLOCK**

1 Preparing surface and painting with emulsion paint:-AFTER  
SCRAPING DISTEMPERING

## **Roof**

### **EMENRGENCY BLOCK**

EVTERNENCE	1	x	16	x	16	256	"
DOCTOR	1	x	14	x	11	154	"
SIDE ROOM	1	x	8.25	x	6	50	"
TOILET	1	x	5	x	6	30	"
BLOOD BANK	1	x	14	x	13	182	"
SIDE ROOM	1	x	8.25	x	6	50	"
TOILET	1	x	5	x	6	30	"
EMERGENCY	1	x	14	x	12	168	"
GALLERY	1	x	10	x	10	100	"
STRELIZATION	1	x	10.25	x	6	62	"
SCRUB	1	x	10.25	x	5.75	59	"
LOBBY	1	x	10.25	x	5.75	59	"
OPT	1	x	18	x	18	324	"
MEDICAL	1	x	12.75	x	12.75	163	"
DRESSING	1	x	12.75	x	10	128	"
WASH ROOM	1	x	10	x	5	50	"
WASH ROOM	1	x	10	x	11.25	113	"
"	3	x	3	x	5	45	"
HEART STORE	1	x	12.5	x	18	225	Sft
LINEN	1	x	10	x	10.875	109	"
TOILET	1	x	4.75	x	6.425	31	"
"	2	x	5	x	3	30	"
WARD	1	x	13	x	18	234	Sft
NURSING	1	x	12.75	x	9.56	122	"
TOILET	3	x	4	x	6	72	"
WARD	1	x	12	x	19	228	"
GALLERY	1	x	57	x	7	399	"
"	1	x	32	x	7	224	"
						3697	

## **walls**

### **EMENRGENCY BLOCK**

EVTERNENCE DOCTOR	1	x	2	x/	16	+	16	)x	10.5	672	Sft
OFFICE	1	x	2	x/	14	+	11	)x	10.5	525	Sft
SIDE ROOM	1	x	2	x/	8.25	+	6	)x	10.5	299	Sft
TOILET	1	x	2	x/	5	+	6	)x	5	110	Sft
BLOOD BANK	1	x	2	x/	14	+	13	)x	10.5	567	Sft
SIDE ROOM	1	x	2	x/	8.25	+	6	)x	10.5	299	Sft
TOILET	1	x	2	x/	5	+	6	)x	5	110	Sft
EMERGENCY TREATMENT GALLERY	1	x	2	x/	14	+	12	)x	10.5	546	Sft
ROOM	1	x	2	x/	10	+	10	)x	10.5	420	Sft
STRELIZATION	1	x	2	x/	10.25	+	6	)x	10.5	341	Sft
SCRUB	1	x	2	x/	10.25	+	5.75	)x	10.5	336	Sft
LOBBY	1	x	2	x/	10.25	+	5.75	)x	10.5	336	Sft
OPT	1	x	2	x/	18	+	18	)x	10.5	756	Sft
MEDICAL STORE	1	x	2	x/	12.75	+	12.75	)x	10.5	536	Sft
DRESSING	1	x	2	x/	12.75	+	10	)x	10.5	478	Sft
WASH ROOM	1	x	2	x/	10	+	5	)x	5	150	Sft
WASH ROOM	1	x	2	x/	10	+	11.25	)x	5	213	Sft
"	3	x	2	x/	3	+	5	)x	5	240	Sft
HEART STORE	1	x	2	x/	12.5	+	18	)x	10.5	641	Sft
LINEN	1	x	2	x/	10	+	10.875	)x	10.5	438	Sft
TOILET	1	x	2	x/	4.75	+	6.425	)x	5	112	Sft



"	2	x	2	x	5	+	3	)x	5	160	Sft
WARD	1	x	2	x	13	+	18	)x	10.5	652	Sft
NURSING											
STATION	1	x	2	x	12.75	+	9.56	)x	10.5	469	Sft
TOILET	3	x	2	x	4	+	6	)x	5	300	Sft
WARD	1	x	2	x	12	+	19	)x	10.5	651	Sft
GALLERY	1	x	2	x	57	+	7	)x	8	1024	Sft
"	1	x	2	x	32	+	7	)x	8	624	Sft
										12005	

**Total** 15702 Sft  
**Net** 15702 Sft  
**@** 2,795.90 %Sft

Rs. 439012/-

- 2 Providing and applying wall putty of 2mm thickness over plastered surface(newsurface)to prepare the surface even and smooth complete in all respect.

SAME AS ITEM NO 5

= 15702 SFT  
**@** 371.05 %SFT

Rs. 58262/-

- 3 Applying floating coat of cement 1/32" (0.8 mm) thick.

Coverd Area of old Building

EMERGENCY 57 X 43 2451 Sft

**Net Total** 2451 Sft  
**@** 1835.90 %Sft

Rs. 44998/-

- 4 Providing and fitting all types of glazed aluminium windows of anodised bronze colour partly fixed and partly sliding using delux sections of approved manufacturer having frame size of 100 x 20 mm (4" x 3/4" ) and leaf frame sections of 50 x 20 mm (2" x 3/4" ), all of 1.6 mm thickness including 5 mm thick imported tinted glass with rubber gasket using approved standard latches, hardware etc., as approved by the Engineer in-charge

EMERGENCY 5 x 6 x 6 180 Sft  
W 9 x 4 x 4 144 Sft  
**Total** 324 Sft  
**@** 1,348.40 P.Sft

Rs. 436882/-

- 5 Providing and fixing Aluminum Fly screen comprising of Fiber Aluminum wire guaze ( Malasian) fixed in aluminum frame of approved manufacturer brownze Colour/ powder coated of size 1-1/2" x 1/2" and 1.6mm thick with rubber gasket and hardware as approved and directed by the engineer in charge. complete in all respect.

Take 1/2 Qty of item# 12 Above

324 x 1/2 162 Sft  
**Total** 162 Sft  
**@** 493.05 P.Sft

Rs. 79874/-

- 6 Providing and fixing M.S. grill fabricated with MS Square polished Vertical/horizontal Bars of specified size @ 4" c/c ' passed through punched holes in MS Patti of 1-1/4" x 1/8" i/c the cost of 1-1/4" x 1/8" MS patti for Frame of windows and painting 3 coat complete in all respect as approved and directed by the Engineer Incharge.

(i) 3/8" Squar Bars

EMERGENCY 3 x 6 x 6 108 Sft  
W 7 x 4 x 4 112 Sft

**Total** 220 Sft  
**@** 854.55 P.Sft

Rs. 188001/-

- 7 Providing and fixing all types of partly fixed and partly openable glazed anodised bronze colour aluminium doors, using delux section of M/s Al-Cop or Paki stan Cables, having chowkat frame of size 40 x 100 mm (1 1/2" x 4" ) and leaf frame of 60x40mm (2 1/2" x 1 1/2" ) wide sections including the cost of 1/4" (5 mm) thick imported tinted glass with aluminium triangular gola and rubber gasket to support the glass and leaf edging, using approved standard fittings, locks, 3" (75 mm) wide long handles etc., and hardware any required as approved by the engineer in-charge. (2mm thick)

EMERGENCY from D 1 x 5 x 8.5 43 Sft






## "CONSTRUCTION OF RAMP"

MRS 2nd Bi-Annual 2022

1 Excavation in foundation of building, bridges and other structures, including dagbelling, dressing, refilling around structure with excavated earth, watering and ramming lead upto one chain (30 m) and lift upto 5 ft. (1.5 m) b) in ordinary soil				=	14 Cft.	
2	x6	x1-1/2	x 3/4	=	3 Cft.	
1	x2-1/2	x1-1/2	x 3/4			
Total					17 Cft. @ 10677.45%oCft	Rs. 182/-
2 Dry rammed brick or stone ballast, 1½" to 2" (40 mm to 50mm) gauge.				=	9 Cft.	
2	x6	x1-1/2	x 1/2	=	2 Cft.	
1	x2-1/2	x1-1/2	x 1/2			
Total					11 Cft. @ 8891.50%oCft	Rs. 978/-
3 Pacca brick work with cement sand mortar in foundation and plinth.i) Ratio 1:6				=	14 Cft.	
2	x6	x 3/4	(.75+2.25)/2	=	1 Cft.	
1	x2-1/2	x 3/4	x 3/4	=	15 Cft. @Rs.27768.70%oCft	Rs. 4026/-
Total.						
4 Filling, watering and ramming earth under floors:-with surplus earth from foundation, etc				=	11 Cft	
Take 2/3 of It.No.1	17	x 2/3		=	11 Cft. @Rs.5090.45%oCft	Rs. 56/-
Total.						
with new ear th ex cav ated f r om outsi de lead upto 1-mile						
	1	x6	x2-1/2 (0+1.5)/2	=	11 Cft	
D/d surplus earth				=	11 Cft	
Total.				=	0 Cft. @Rs.12097.40%oCft	Rs. 0/-
5 Cement plaster 1:4 upto 20' (6.00 m) height:- a) ½" (13 mm) thick						
1	x2	x6	(0+2)/2	=	12 Sft.	
Total.				=	12 Sft. @ 3241.60%oSft	Rs. 389/-
6 Supplying and filling sand under floor or plugging in wells.						
1	x6	x2-1/2	x 1/4	=	4 Cft.	
Total.				=	4 Cft. @Rs.2823.30%oCft	Rs. 113/-
7 Providing laying watering and ramming brick ballast 1½" to 2" gauge mixed with 25% sand for floor foundation complete in all respects.						
1	x6	x2-1/2	x 1/4	=	4 Cft.	
Total.				=	4 Cft. @Rs.9284.40%oCft	Rs. 371/-
8 Cement concrete plain including placing, compacting, finishing and curing complete (including screening and washing of stone aggregate):Ratio 1: 2: 4						
1	x6	x4	x 0.08	=	2.00 Cft.	
Total				=	2.00 Cft. @ 38126.10%oCft	Rs. 763/-
9 Providing and laying superb quality Porcelain glazed tiles flooring of MASTER brand of specified size in approved design, Color and Shade with adhesive/bond over 3/4" hick(1:3)cement plaster i/c the cost of seal er for finishing the joints i/c cutting grinding complete in all respect as approved and directed by the Engineer Inchargee. (Non-Skid Chequered Tiles) 300mmx300mm						
1	x6	x4		=	24.00 Sft.	
Total				=	24.00 Sft. @ 211.55P.Sft	Rs. 5077/-
10 Providing and fixing 2'-9" high stair railing comprising of non magnetic (304) Stain less steel 2" dia pipe railing of 18 SWG welded with vertical posts of 2" dia stainless steel round/ Squar pipe/ Tong (chimta) @ 2-ft c/c fixed on alternate steps with 3" long steel screws and brass rawal plugs , 3-Nos diagonal stainless steel pipes of 1/2" dia passes through goties fixed on vertical post, i/c staines steel welding, fixing & polishing complete in all respects as approved and directed by the Engineer Incharge.						
2	x6			=	12.00 Rft.	
Total				=	12.00 Rft. @ 2361.45P.Rft	Rs. 28337/-
11 Carriage of 100 Cft. (2.83 cu.m) of all materials like stone aggregate, spawl, kankar lime (unslaked), surkhi, etc. Or 150 Cft. (4.25 cu.m) of timber, by truck or by any other means owned by the contractor.(220-Km from Sakhi sarwar Quarry) to hasilpur						
1	x2	x88	/ 100	=	2 cft.	
Total.				=	2 cft. @ 12161.75%oCft	Rs. 243/-
Total.						Rs. 40535/-

  
Sub Engineer

  
Sub Divisional Officer  
Buildings Sub Division,  
fort abbas

  
Executive Engineer  
Buildings Division  
Bahawalnaga



S#		Qty:	Unit	Rate	Amount
	Incoming Breakers for PDBs (For wards)				
	Supplying, Installation and commissioning of MCCB (Moulded Case Circuit Breaker) of specified rating made of LEGRAND FRANCE/ GE U.S.A / SCHNEIDER GERMANY / TERASAKI JAPAN/SIEMEN/ABB SWITZERLAND (with fixed Thermal-Magnetic Trip ) in prelaid DBs and Panels i/c the cost of screws, necessary wire complete in all				
(a)	Tripple Pole 150A(36 KA) (1*2=2)	2	ench	18,094.30	36188.6
	Outgoing Breakers for PDBs (For wards)				
	Supplying, Installation and comissioning of MCB (Miniature Circuit Breaker) of specified rating made of LEGRAND FRANCE/ GE U.S.A / SCHNEIDER GERMANY / SIEMEN GERMAN/TERASAKI JAPAN/ ABB SWITZERLAND in prelaid DBs and Panels i/c the cost of screws, necessary wire complete in all respect as approved and directed by the				
(a)	Tripple Pole 63A(36 KA) (2*2=4)	6	each	17,434.30	104605.8
(b)	Single Pole 32A(10 KA) (6*2=12)	12	each	1,299.95	15599.4
(c)	Single Pole 16A(10 KA) (6*2=12)	12	each	1,299.95	15599.4
7	P/F wall mounted DB (Distribution Board) made with 16SWG Sheet (Recessed/Surface mounted Type), Powder coated Paint, i/c the cost of Lock, Indication lights, Thimble, Copper Comb, Wiring, Netural & Earth Bar, Door Earthing, Digital Voltmeter, Digital Ammeter, Volt Selector Switch, Ammeter selector switch, Current Transformers and Controles Complete LDBs (For OPD & Small wards)				
(a)	6" deep				
(ii)	63A (18"x24"x6")	3x1.5 = 4.5	each	18,691.40	84111.3
	Incoming Breakers for LDBs (For OPD & Small wards)				
	Supplying, Installation and commissioning of MCCB (Moulded Case Circuit Breaker) of specified rating made of LEGRAND FRANCE/ GE U.S.A / SCHNEIDER GERMANY / TERASAKI JAPAN/SIEMEN/ABB SWITZERLAND (with fixed Thermal-Magnetic Trip ) in prelaid DBs and Panels i/c the cost of screws, necessary wire complete in all				
(a)	Tripple Pole 63A(36 KA) (1*3=3)	3	ench	17,434.30	52302.9
	Outgoing Breakers for LDBs (For OPD & Small wards)				
	Supplying, Installation and comissioning of MCB (Miniature Circuit Breaker) of specified rating made of LEGRAND FRANCE/ GE U.S.A / SCHNEIDER GERMANY / SIEMEN GERMAN/TERASAKI JAPAN/ ABB SWITZERLAND in prelaid DBs and Panels i/c the cost of screws, necessary wire complete in all respect as approved and directed by the				
(a)	Single Pole 20A(10 KA) (4*3=12)	12		1,299.95	15599.4
(b)	Single Pole 16A(10 KA) (4*3=12)	12		1,299.95	15599.4
(c)	Single Pole 10A(10 KA) (6*3=18)	18		1,299.95	23399.1
8	P/F wall mounted DB (Distribution Board) made with 16SWG Sheet (Recessed/Surface mounted Type), Powder coated Paint, i/c the cost of Lock, Indication lights, Thimble, Copper Comb, Wiring, Netural & Earth Bar, Door Earthing, Digital Voltmeter, Digital Ammeter, Volt Selector Switch, Ammeter selector switch, Current Transformers and Controles Complete LDBs (For Emergency & Wards)				
(a)	6" deep				
(ii)	63A (18"x24"x6")	3x1.5 = 4.5	each	18,691.40	84111.3
	Incoming Breakers for LDBs (For Emergency & Wards)				
	Supplying, Installation and commissioning of MCCB (Moulded Case Circuit Breaker) of specified rating made of LEGRAND FRANCE/ GE U.S.A / SCHNEIDER GERMANY / TERASAKI JAPAN/SIEMEN/ABB SWITZERLAND (with fixed Thermal-Magnetic Trip ) in prelaid DBs and Panels i/c the cost of screws,				
(a)	Tripple Pole 63A(36 KA) (1*3=3)	3	ench	17,434.30	52302.9
	Outgoing Breakers for LDBs (For Emergency & Wards)				
	Supplying, Installation and comissioning of MCB (Miniature Circuit Breaker) of specified rating made of LEGRAND FRANCE/ GE U.S.A / SCHNEIDER GERMANY / SIEMEN GERMAN/TERASAKI JAPAN/ ABB SWITZERLAND in prelaid DBs and Panels i/c the cost of screws, necessary wire complete in all respect as approved and directed by the Engineer Incharge.				
(a)	Single Pole 20A(10 KA) (4*3=12)	12		1,299.95	15599.4
(b)	Single Pole 16A(10 KA) (4*3=12)	12		1,299.95	15599.4
(c)	Single Pole 10A(10 KA) (6*3=18)	18		1,299.95	23399.1
B	LT POWER CABLE				
1	95 mm sq (37/0.072") PVC insulated, PVC sheathed 4 core, 660/1100 volt non armoured cable (For Transformer)	100	rft	3,676.95	367695
2	70 mm sq (19/0.083") PVC insulated, PVC sheathed 4 core, 660/1100 volt non armoured cable (For Transformer and MDB-I)	300	rft	2,605.05	781515
3	50 mm sq (19/0.072") PVC insulated, PVC sheathed 4 core, 660/1100 volt non armoured cable (For PDBs)	300	rft	1,859.25	557775
4	7/1.12 mm (7/0.044") PVC insulated, PVC sheathed twin core, 250/440 volts. copper conductor cables for service connection, in prelaid pipe/G.I. wire/trenches, etc (For LDBs and ACs)	250	rft	160.75	40187.5
5	7/0.91 mm (7/0.036") PVC insulated, PVC sheathed twin core, 250/440 volts. copper conductor cables for service connection, in prelaid pipe/G.I. wire/trenches, etc (for Internal Wiring of Hospital)	1000	rft	110.3	110300
6	7/0.74 mm (7/0.029") PVC insulated, PVC sheathed twin core, 250/440 volts. copper conductor cables for service connection, in prelaid pipe/G.I. wire/trenches, etc (for Internal Wiring of Hospital)	100	rft	87	8700
7	3/0.74 mm (3/0.029") PVC insulated, PVC sheathed twin core, 250/440 volts. copper conductor cables for service connection, in prelaid pipe/G.I. wire/trenches, etc (for Internal Wiring of Hospital)	100	rft	43.65	4365
	TOTAL				5382855.45

*[Signature]*

**Executive Engineer  
Buildings Division  
Bahawalnagar**



46

**FIRE ALARM SYSTEM OF THQ**


**Abstract of Cost**


Sr. No.	Description of Items	Plinth Area	Rates (Rs./Sft)				Total (Rs.)	Unit	Amount (Rs.)	Remarks
			B.P	E.I	P.H	Sui Gas				
1	ALL BUILDINGS									
i	O.P.D	7380 Sft	70				70	P. Sft	516600	
ii	XRAY	7209 Sft	70				70	P. Sft	504630	
iii	IN.DOOR	9984 Sft	70				70	P. Sft	698880	
iv	EMERGENCY	2451 Sft	70				70	P. Sft	171570	
							<b>Total "A"</b>		<b>1891680</b>	

Say 1891700

Or 1.892 (M)

  
Sub Engineer

  
Sub Divisional Officer,  
Buildings Sub Division  
Fort Abbas

  
Executive Engineer  
Buildings Division  
Bahawalnagar



# SEWERAGE SYSTEM OF THQ

Sub Head No: 05

## EXTERNAL SEWERAGE SYSTEM

- 1 Earthwork excavation in open cutting for sewers and manholes and shown in drawings including shuttering and timbering, dressing to correct section and dimensions according to templates and levels, and removing surface water, in all types of soil except shingle, gravel and rock:-

S/L 12"	1 x 80	x 1 1/2	x 1	=	120 Cft	
	1 x 200	x 1 1/2	x 1	=	300 Cft	
	1 x 150	x 1 1/2	x 1	=	225 Cft	
	1 x 80	x 1 1/2	x 1	=	120 Cft	
Man Holes	10 x 6	x 4 1/2	x 2 1/2	=	675 Cft	
				Total:	= 1440 Cft	
				@	11740.70 %Cft	Rs. 16907 /-

- 2 P/L dry brick ballast 1-1/2" to 2" gauge in F&P.

Man Holes	10 x 6	x 4 1/2	x 1/2	=	135 Cft	
				@	8891.90 %Cft	Rs. 12004 /-

- 3 Providing and laying R.C.C. pipe sewers, moulded with cement concrete 1:1 1/2:3 conforming to ASTM Specification C-76-20, Class II, Wall B, including carriage of pipe from factory to site of work, lowering in trenches to correct alignment and grade, jointing with rubber ring, cutting pipes where necessary, testing, etc., complete.  
i) 12" i/dia

1 x ( 80+200+150+80 )	=	510.00 Rft	
Total	=	510.00 Rft	
@	695.60 P. Rft		Rs. 354756 /-

- 4 (a) (i) Reinforced cement concrete in roof slab, beams, columns lintels, girders and other structural members laid in situ or precast laid in position, or prestressed members cast in situ, complete in all respects:- 1:2:4 with shuttering.

Man Hole	10 x 5 1/2	x 4	x 3/8	=	83 Cft	
				@	556.5 P. cft	Rs. 46190 /-

- 6 Fabrication of mild steel reinforcement i/c cutting, bonding, laying in position i/c cost of binding wire its labour charges also removal of rust from bars.  
(b) Deformed Bars (Grade-40)

Take Same Qty item#05 Above

83	x	<u>5.00</u>	x	0.454	=	188.41 Kg	
Total:-					=	188.41 Kg	
					@	31403.05 % Kg	Rs. 59166 /-

- 5 Pacca brick work with cement sand mortar 1 : 4 in other than building.

Man Holes	10 x 2 x 5 1/2	x 3/4	x 4	=	330 Cft	
	10 x 2 x 2 1/2	x 3/4	x 4	=	150 Cft	
				Total:	= 480 Cft	
				@	30526.30 %Cft	Rs. 146526 /-

- 6 Providing and Laying cement concrete 1:2:4 plain.

Man Holes	10 x 4	x 2 1/2	x 1/8	=	13 Cft	
				@	38126.10 %Cft	Rs. 4956 /-





7 1/2" thick cement plaster 1:4 up to 20' height.

Man Holes 1/5	10 x 2	x( 4 + 2 1/2 )x 4	=	520 Sft
Top	10 x 2	x( 5 1/2 + 2 1/2 )x 3/4	=	120 Sft
O/S	10 x 2	x( 5 1/2 + 4 )x 2	=	380 Sft
Total:				= 1020 Sft
				@ 3241.60 %Sft
				Rs. 33064 /-

10 Carriage of 100 Cft. (2.83 cu.m) of all materials like stone aggregate, spawl, kankar lime (unslaked), surkhi, etc. Or 150 Cft. (4.25 cu.m) of timber, by truck or by any other means owned by the contractor.(220-Km from Sakhi sarwar Quarry) to Hasilpur

83 x 88 / 100

		=	73.00 Cft	
Total		=	73.00 Cft	
		@	12161.75 % Cft	Rs. 8878 /-


11 Rehandling of earthwork Lead upto a single throw of Kassi, phaorah or shovel.

Take Same Qy as item No.1 above.


		=	1440 Cft	
		@	2,539.70 %0 Cft	Rs. 3657 /-

Total Rs. 686104 /-

Say Rs. 686100 /-

  
Sub Engineer

  
Sub Divisional Officer  
Buildings Sub Division,  
Fort Abbas

  
Executive Engineer  
Buildings Division  
Bahawalnagar



## Analysis of Rate:-

**Providing And Fixing Stainless Steel Clading 20-Swg I/C Fixing With Screws On Columns/wall/Doors Complete In All Respects And As Approved By The Engineer Incharge**

Analysis Purpose----- 10x10 = 100 Sft  
Unit -----P.Sft  
2nd Bi-Annual 2022

- a Providing And Fixing Stainless Steel Clading 20-Swg I/C Fixing With Screws On Columns/wall/Doors Complete In All Respects And As Approved By The Engineer Incharge

Thicknes 20Swg

1x8x4	=	32 Sft	
5% wastages	=	5 "	
<b>Total</b>		<b>37 Sft</b>	
		@ 1150 P.Sft	42550

**Total Rs: 42550**


Add 20% contractor's profit and OHC Rs: 8510


**G.Total Rs: 51060**

Rate P.Sft 51060 / 32 = 1596 P.Sft

**Say Rs: = 1596 P.Sft**

  
Sub Engineer


  
Sub Divisional Officer,  
Buildings Sub Division  
fort abbas

  
Executive Engineer  
Buildings Division  
Bahawalnagar



# CLINICAL BLOCK OF THQ HOSPITAL FORT ABBAS GROUND FLOOR

PART 1



indoor


OPT / XRay

OP D Block


Emergency Block

cardiac unit

PART 2



PART 3



Executive Engineer  
Buildings Division  
Bahawalnagar

## Legends:

Residential Area	
Road	
Wall	
Power Line	
OHT	
Tree	
Man Hole	
Tube Well	
Light Pole	
Lawns	
Earthen Areas	
Asphalt Roads	
Tough Pavers	
P.C.C / Plinth Protection	
Boundary Wall	
Brick Pavers / Soling	
Drain	
Tap	
Hand Pump	
Air Conditioner	
Tube Light	
Fan	
Roof Light	
Bulb	

AREA	716887.132 SR
AREA WITHIN BOUNDARY WALL	423522.536 SR
AREA OF CLINICAL BLOCK	423522.536 SR

OPENING SCHEDULE OF DOORS AND WINDOWS					
NO.	DOOR	HEIGHT	WIDTH	DOOR	HEIGHT
D1	2'-0"	7'-0"	W1	3'-0"	5'-0"
D2	2'-0"	7'-0"	W2	4'-0"	4'-0"
D3	3'-0"	7'-0"	W3	8'-0"	8'-0"
D4	3'-0"	7'-0"	W4	8'-0"	8'-0"
D5	4'-0"	7'-0"	W5	5'-0"	5'-0"
D6	4'-0"	7'-0"	W6		
D7	5'-0"	7'-0"	W7		
D8	6'-0"	7'-0"	V1	2'-0"	2'-0"
D9	7'-0"	7'-0"	V2		

Project: CAD MAPPING OF TEHSIL HEAD QUARTER HOSPITALS, PUNJAB

Client:   
Consultant:

Drawing Title: THQ FORT ABBAS HOSPITAL CLINICAL BLOCK PLAN

Drawing No: SKAPS/FORT ABBAS 105

Sub Divisional Officer  
Buildings Sub Division  
Fort Abbas



## 8. ANNUAL OPERATING COST (POST COMPLETION)

**Financial Components:** Capital  
**Cost Center:**OTHERS- (OTHERS)  
**Fund Center (Controlling):**LE4203

**Grant Number:**Government Buildings - (PC12042)  
**LO NO:**LO22010059  
**A/C To be Credited:**Account-I

PKR Million

Sr #	Object Code	2025-2026		2026-2027		2027-2028		2028-2029		2029-2030	
		Local	Foreign	Local	Foreign	Local	Foreign	Local	Foreign	Local	Foreign
1	A05270-To Others	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
2	A12403-Other Buildings	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
<b>Total</b>		<b>0.000</b>	<b>0.000</b>	<b>0.000</b>	<b>0.000</b>	<b>0.000</b>	<b>0.000</b>	<b>0.000</b>	<b>0.000</b>	<b>0.000</b>	<b>0.000</b>

**Financial Components:** Capital  
**Cost Center:**OTHERS- (OTHERS)  
**Fund Center (Controlling):**LE4203

**Grant Number:**Government Buildings - (PC12042)  
**LO NO:**LO22010059  
**A/C To be Credited:**Account-I

PKR Million

Sr #	Object Code	2025-2026		2026-2027		2027-2028		2028-2029		2029-2030	
		Local	Foreign	Local	Foreign	Local	Foreign	Local	Foreign	Local	Foreign
1	A12403-Other Buildings	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
2	A05270-To Others	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
<b>Total</b>		<b>0.000</b>	<b>0.000</b>	<b>0.000</b>	<b>0.000</b>	<b>0.000</b>	<b>0.000</b>	<b>0.000</b>	<b>0.000</b>	<b>0.000</b>	<b>0.000</b>



**8. Annual Operating and Maintenance Cost after Completion of the Project**

The Annual operating and maintenance cost after completion of the project will be borne by the concerned District Health Authority (DHA) as well as Primary and secondary healthcare Department, Lahore.

## **9. DEMAND AND SUPPLY ANALYSIS**

Semi modern health facilities and scientific diagnostics are presently available in this Hospital. This initiative of revamping Hospital will cover all departments and components of healthcare including Medical, Surgical, psychiatric, Cardiac, ENT, Ophthalmic and Pediatrician components. Moreover, women health components i.e. Gynecology and obstetric will also be emphasized upon. In emergency, calamities and natural disasters, valuable lives will be saved through revamping of Emergency Units.

## **10. FINANCIAL PLAN AND MODE OF FINANCING**

### **10.1 FINANCIAL PLAN EQUITY INFORMATION**

### **10.2 FINANCIAL PLAN DEBT INFORMATION**

undefined

### **10.3 FINANCIAL PLAN GRANT INFORMATION**

attached

## 8. Financial Plan and Mode of Financing

The project will be executed / financed through Annual Development Program under the sector Primary and Secondary Healthcare Department, the Government of Punjab. Year wise financial utilization is as under:

### Revenue Side

(Rs.in  
Million)

Year	2017-18	2018-19	2019-20	2020-21	2021-22	2022-23	Total
Funds Released	49.000	18.692	0.112	0.227	3.637	7.802	79.470
Utilization	31.654	17.417	0.112	0.220	3.397	1.299	54.099

### Capital Side:

Year	2017-18	2018-19	2019-20	2020-21	2021-22	2022-23	Total
Funds Released	0	0	0	0	0	9.932	9.932
Utilization	0	0	0	0	0	0	0

**Balance funds may be provided for completion of the project in subsequent years through ADP**

## **10.4 WEIGHT COST OF CAPITAL INFORMATION**

undefined

## **11. PROJECT BENEFITS AND ANALYSIS**

### **11.1 PROJECT BENEFIT ANALYSIS INFORMATION**

#### **3 Social Benefits with Indicators**

Social economic burden will be decreased due to availability of better medical services in the district. Time and money of community will be saved which were expended in other cities like Lahore Islamabad etc. on treatment of patients and for boarding and logging of attendants. The social status of community will rise.

#### **11.3.1 Social Impact:**

A number of patients lose their lives or suffer serious disabilities for want of timely access to the health facilities. The project will ensure that no one is left to reach the health facilities. The most important beneficiaries will be mothers having complicated delivery conditions. The number of patients transferred to the health facilities for treatment and lifesaving will serve as indicators for performance evaluation. In long term the project will help in improving socio-economic indicators of IMR and MMR.

#### **Employment Generation (Director and Indirect)**

Revamping of this Hospital will lead to generation of employment for highly skilled /professional staff and unskilled staff leading to reduction of unemployment. Huge employments opportunity will be created from the establishment of the project. The Medical doctors and paramedics who are trained in this discipline or intended to specialize in this field can make maximum use of training. A large number of gazette and non-gazette posts will be available for employment directly or indirectly.

### **11.2 ENVIRONMENTAL IMPACT ANALYSIS**

#### **Environmental Impact**

It will have no hazardous effect on the environment. On the other hand, addition of horticulture and landscaping will provide healthy environment to the general public. All the more, the program is environment friendly having no adverse environmental effects. Simultaneously, this shall further improve environment by creating sense of responsibility among employed and beneficiaries of the service.

### **11.3 PACT ANALYSIS**

### **11.4 ECONOMIC ANALYSIS**

#### **Employment Generation (Director and Indirect)**

Revamping of this Hospital will lead to generation of employment for highly skilled /professional staff and unskilled staff leading to reduction of unemployment. Huge employments opportunity will be created from the establishment of the project. The Medical doctors and paramedics who are trained in

this discipline or intended to specialize in this field can make maximum use of training. A large number of gazette and non-gazette posts will be available for employment directly or indirectly.

## **11.5 FINANCIAL ANALYSIS**

### **Financial Benefits & Analysis**

Tremendous public benefits will be accrued from revamping of Emergency Units:

The Targets of Sustainable Development Goals (SDGs) will be achieved

The Human Development Index of Pakistan (HDI) will improve

Infant Mortality Rate will decrease

Mother Mortality rate will be decreased

The international commitments of Pakistan will be accomplished

Health standard of public will

Better Health Facilities to mother and

Prompt and scientific facility for operation

Rehabilitation of disables and injured

Blindness in this area will be decreased and controlled

Better social and mental health to addict

Provision of better health facilities at doorsteps

Awareness and control for communicable

Survival of heart failure

Social indicators of Pakistan will improve

This will decrease load of patients on teaching hospitals and specialized institutions by promoting physical and mental health. By adopting preventive and Hygienic principles, the number of patients and diseases will decrease. Resultantly budget load of Government for treatment will decrease and saving will be utilized for development programs.

#### **11.1.1 Financial Impact:**

In the beginning, It is extremely difficult to put a money value on each life saved by taking/shifting a critically ill patient to the appropriate health facility for treatment. However, the exact amount spent shall be calculated against each patient shifted by analyzing data collected during operations.

#### **11.2 Revenue Generation**

Revenue will be generated from:

Indoor fee

Laboratory fees

Diagnostic facility fees

Dental fee

ECG fee

Private room charges

Ambulance charges

From other fees prescribed by Government

#### Impact of Delays on Project Cost and Viability

Delay in the implementation of the project will lead to increase in cost and increase financial burden on the Government and general population of Punjab. Since the project is one of the major needs and a long awaited desire of the community, therefore, Government of the Punjab contemplated plan for early execution of Revamping of Emergency Units. The delay will not only deprive the patients of the state of the art facility but also distort the public image of the Government.

## **12. IMPLEMENTATION SCHEDULE**

### **12.1 IMPLEMENTATION SCHEDULE/GANTT CHART**

Original Gestation period (From September, 2017 to June, 2019)

Extension in Gestation period for one year with no change in cost & Scope till June 2020.

1st Revised gestation period till June, 2021

2nd Revised gestation period till June, 2023.

3rd Revised gestation period till June, 2025

### **12.2 RESULT BASED MONITORING (RBM) INDICATORS**

undefined

### **12.3 IMPLEMENTATION PLAN**

undefined

### **12.4 M&E PLAN**

The operation team will monitor the progress of the project and will hold regular weekly meeting to review the progress under the supervision of Project Director.

### **12.5 RISK MITIGATION PLAN**

attached

## RISK REGISTER

### Programme for Revamping of all THQ Hospitals in Punjab

RISK DATA				Pre-Mitigation / Current Qualitative Assessment			MITIGATION
Risk Item No	Risk Description/Event	Cause	Effect / Consequences	Likelihood (1 to 3)	Impact (1 to 3)	Risk Score (1 to 9)	Mitigation / Actions
1	Due date for the completion of some hospital sites may be extended due to increase in scope from the Client	Direct instructions from the Medical Superintendents / Hospital Administration to revamp the remaining areas	Significant scope increase requested by the Hospital administration will result in: 1. Project delays 2. Contractor claims 3. Increase in project cost along with variations	3	3	9	Hospital administration is requested to finalize the scope during joint field visits of C&W and PMU
2	Various unexpected structural issues are being encountered	Unforeseen structural issues are expected to face during execution in hospital buildings approaching end of life	1. Stoppage of work 2. Performance of the Contractor has affected 3. Delays in the project	3	3	9	Various items which are unforeseen and expected to be used during execution may be taken in estimates so that those can be executed to address these issues
3	Change in management of the Client	Management change	Re-briefing is to be carried out	2	2	4	Acceleration of understanding for smooth and expeditious transition, without affecting the project
4	Financial Issues	Funds for these schemes should be provided as per the targets	1) Delay in tendering 2) Effect on quality as the Consultant supervision will not take place 3) Inconvenience to the patients	3	3	9	Approval of PCIs and early release of funds is requested
5	Nationwide spread of pandemic i.e. COVID-19 in 2nd and 3rd quarter of this year	Work delays during nationwide lockdown.	1) Delays in completion of works 2) Claim requests received by Contractor and Consultant	3	3	9	Contractor will be asked to depute fully vaccinated labor

## 12.6 PROCUREMENT PLAN

undefined

## 13. MANAGEMENT STRUCTURE AND MANPOWER REQUIREMENTS

The Organogram of new Health Management Structure is available in PC-I

## 14. ADDITIONAL PROJECTS / DECISIONS REQUIRED

NA

## 15. CERTIFICATE

**Focal Person Name:**Mr. KHIZAR HAYAT

**Designation:**Project Director, PMU P&SHD

**Email:**

**Tel. No.:**


**Fax No:**

**Address:**31/E1, Shahrah-e-imam Hussain? Road? Block E 1 Gulberg III, Lahore, Punjab



15. It is certified that the project titled "Revamping of THQ Hospital East Abbas" (3<sup>rd</sup> Revised)" has been prepared on the basis of instruction provided by the Planning Commission for the preparation of PC-I for Social Sector projects.


Prepared By:



(HISSAN ANEES)  
DIRECTOR PLANNING & HR, PMU,  
PRIMARY & SECONDARY HEALTHCARE  
DEPARTMENT, LAHORE  
(042-99231206)  
(Oct-2022)




(RIZWAN SHOUKAT)  
PROCUREMENT SPECIALIST, (PMU),  
PRIMARY & SECONDARY HEALTHCARE  
DEPARTMENT, LAHORE  
(042-99231206)  
(Oct-2022)



(HAMZA NASEEM)  
PROJECT MANAGER CIVIL, PMU,  
PRIMARY & SECONDARY HEALTHCARE DEPARTMENT, LAHORE  
(042-99231206)  
(Oct-2022)

Checked By:



(Dr. AYESHA PARVEZ)  
DEPUTY PROJECT DIRECTOR (PMU),  
PRIMARY & SECONDARY HEALTHCARE  
DEPARTMENT, LAHORE  
(042-99231206)  
(Oct-2022)



(KHIZAR HAYAT)  
PROJECT DIRECTOR (PMU),  
PRIMARY & SECONDARY HEALTHCARE  
DEPARTMENT, LAHORE  
(042-99231206)  
(Oct-2022)

Approved By:



(DR. IRSHAD AHMAD)  
SECRETARY,  
GOVERNMENT OF THE PUNJAB  
PRIMARY & SECONDARY HEALTHCARE DEPARTMENT, LAHORE  
(042-99204567)  
(Oct-2022)

