

PC-1
Revamping of THQ Hospital, Murree District Rawalpindi

ORIGINAL APPROVED COST	PKR Million. 315.883/-
ORIGINAL APPROVED GESTATION	72 Months Till June 2025
APPROVAL FORUM	DDSC (DDSC)

1. NAME OF THE PROJECT

Revamping of THQ Hospital, Murree District Rawalpindi

2. LOCATION OF THE PROJECT

- 2.1. DISTRICT(S)
 - I. RAWALPINDI

3. AUTHORITIES RESPONSIBLE FOR

- 3.1. SPONSORING AGENCY
 - PRIMARY AND SECONDARY HEALTH CARE
- 3.2. EXECUTION AGENCY
 - PRIMARY AND SECONDARY HEALTH CARE
- 3.3. OPERATIONS AND MAINTENANCE AGENCY
 - PRIMARY AND SECONDARY HEALTH CARE
- 3.4. CONCERNED FEDRAL MINISTRY
 - NATIONAL HEALTH SERVICES, REGULATIONS AND COORDINATION

3	AUTHORITIES RESPONSIBLE	
	3.1 Sponsoring	Government of the Punjab, Primary and Secondary Healthcare Department
	3.2 Execution	PMU for Revamping Program of Primary and Secondary Healthcare Department, District Health Councils and C&W Department.
	3.3 Operation & Maintenance	PMU for Revamping Program of Primary and Secondary Healthcare Department and District Health Authority
	3.4 Concerned Federal Ministry	Ministry of National Health Services, Regulation and Coordination Pakistan

4. PLAN PROVISION

Sr#	Description
1	Source of Funding: Scheme Listed in ADP CFY
2	Proposed Allocation: 0.000
3	GS No:5226
4	Total Allocation: 0.000
5	Funds Diverted:0.000
6	Balance Funds:0.000
7	Comments: Funded out of block provision reflected at G.S No.658 with an allocation of Rs. 1,800 million (Capital = Rs. 1.300 Million & Revenue = Rs. 500 Million).

5. PROJECT OBJECTIVES

Attached

5. Project objectives and its relationship with Sectorial Objectives and Components

The Government of Punjab is making strenuous efforts for a better and effective Health Care system. The Defining step in this direction was to recognize the importance of Health Care at Primary & Secondary Levels. As a first step towards better health care at primary and secondary level, the department under the guidance of Government of the Punjab has decided to launch massive revamping of 40 THQ & DHQ Hospitals in the financial year 2016-17 along with revamping of emergencies of 15 selected THQs and emergencies of all Hospitals. In addition to that, Government has assigned the task of revamping of all remaining 85 THQ Hospitals of Punjab during 2017-18. The Project Management Unit, Revamping Program, Primary and Secondary Healthcare Department has started the 2nd Phase of the said revamping program in September, 2017.

5.1 Background of Primary & Secondary Healthcare Department

Effective primary and secondary healthcare is particularly important in resource-poor countries. Effective delivery of vaccinations, maternal and child care (MCH) and treatment of common pathologies (such as malaria, gastroenteritis, respiratory tract infections and other vector borne diseases) is essential for the achievement of Sustainable Development Goals (SDGs). Effective diagnostic triage, an organized system of prescription and queue management, an effective and stringent sterilization regime, quality nursing and consultant care, implementation of minimum service delivery standards (MSDS) and delivery of care for chronic pathologies lie at the center for the provision of universal health care at a cost that the community can afford as envisaged in domains established by the 1978 Alma-Ata Declaration of WHO. Primary care serves as the cornerstone for building a strong healthcare system that ensures positive health outcomes and health equity. The deficiencies in quality of care represent neither the failure of professional compassion nor necessarily a lack of resources rather, they result from gaps in knowledge, inappropriate applications of available technology and unstructured planning. Local health care systems in our setup have practically not been able to implement department's objectives. Result is continuous lack of quality improvement to lower health outcomes.

Quality health care is actually provision of health care by timely, skillful application of medical technology in a culturally sensitive manner within the available resource constraints. Eliminating poor quality involves not only giving better care but also eliminating under provision of essential clinical services (system wide microscopy for diagnosing tuberculosis, for example); stopping overuse of some care (prenatal ultrasonography or unnecessary injections, for example); and ending misuse of unneeded services (such as unnecessary hysterectomies or antibiotics for viral infections). A sadly unique feature of quality is that poor quality can obviate all the implied benefits of good access and effective treatment. At its best, poor quality is wasteful and at its worst, it causes actual harm.

Keeping in view this basic essence of primary and secondary health care, The Government of Punjab is dedicated in making strenuous efforts for ensuring a better and effective Health Care system .The Defining step in this direction was to recognize the importance of Health Care at Primary & Secondary Levels. As a first step towards better health care at primary and secondary level, a separate department was created by bifurcating the Health department into two departments Specialized Health Care & Medical Education Department and Primary & Secondary Health Care (P&SH) Department. The principle reason for bifurcation has been to improve governance and service delivery in the spheres of health care across the province. Primary and Secondary Health Care Department has been entrusted the responsibility of primary and secondary level health facilities including preventive health services and Vertical Programs. P&SH Department accordingly has its functional responsibility in respect of 26 District Headquarter Hospitals (DHQs), 129 Tehsil Headquarter Hospitals (THQs), 322 Rural Health Centers (RHCs) and 2,504 Basic Health Units (BHUs). Moreover, specialized programs like Expanded Program for Immunization (EPI), TB Control (DOTS), Hepatitis Control Programs as well as special campaigns such as Dengue Campaign, Polio Eradication Campaigns also fall in purview of the department. The establishments like Director General Health Services (DGHS), Drug Testing Labs (DTLs) and Biomedical Engineering Workshops also assist the department in discharge of its functions efficiently. Establishment of Internal delivery Unit at Primary and Secondary Health Care Department has been aimed for institutional strengthening and capacity building of Primary and Secondary Health Care Department. Monitoring and follow up remains one of key ingredients for good governance and is at heart of all management models. Therefore, an Internal Delivery Unit, comprising well qualified and experienced persons, is being established within P&SH Department. Internal Delivery Unit shall be manned with qualified and experienced consultants. Internal Delivery Unit shall be responsible for every such task needed to strengthen the PSHD which may range from operational matters to monitoring e.g. tracking pace of all initiatives of the Department through the process such as tracking procurement of medicines by districts, procurement of vaccine by Director EPI, pace of various development schemes and performance of Drug Testing & Bio-mechanical Labs etc.

The basic mandate of Primary & Secondary Health Department is to focus on preventive health care in primary sector along with basic diagnostics and treatment facilities at secondary level. The context is to primarily lessen the load on tertiary care health establishments and to reduce treatment costs. The major challenge for Primary & Secondary Health Department is to boost the confidence of masses and raise the level of trust in the primary health care system. The reality is that most of the health care establishments at secondary level are not currently providing health care services up to the optimal level, owing to a myriad of reasons including heavy patient load, scarcity of resources, human resource constraints and dysfunctional biomedical and allied equipment.

Due to lack of structured planning and monitoring, previous efforts did not materialize into an integrated health care regime, rather these have resulted in haphazard construction, poor repair and maintenance, lack of basic amenities, absence of waiting areas, substandard diagnostics and therapeutics, shabby outlook and suboptimal level of patient care over all. Such state of affairs has severely jolted level of trust in health care system by common man and hence the patients prefer to visit tertiary level hospitals or even private health facilities for treatment of even very common pathologies. This subsequently has a cascade effect on socioeconomics of common man who has to spend more in shape of travelling from villages to district headquarters and then bearing costs of private treatment, secondly, this has also increased disease load on our tertiary health care establishments.

Keeping in view this importance of primary and secondary health care, the department decided to launch massive revamping program for all DHQs and THQs all over the Punjab.

5.2 Project Management Unit (PMU), Primary & Secondary Healthcare Department

In order to successfully complete the program objectives in the given timeframe, it is imperative to establish a dedicated Program Management Unit (PMU) having technical and administrative expertise and autonomy, as the regular machinery of the department is too busy with the routine work and cannot successfully steer the program. The PMU is responsible for the successful implementation of the Revamping Program through completion of all related projects. After the implementation of all these projects, the Primary & Secondary Healthcare network will be improved. The PMU shall ensure that the DHQ & THQ hospitals have a well-constructed physical infrastructure with vibrant management model for efficient service delivery and improved processes to focus on patient distress in prompt manner. It adheres to Minimum Service Delivery Standards (MSDS) to address the patients' needs in the most efficient and systematic manner.

In this regard, a dedicated team of Project Management Unit (PMU) has been established to execute the project. PMU's office is located at 31-E/1, Shahrah-e-Imam Hussain, Gulberg-III, near Qaddaffi stadium, Lahore. It is headed by a Project Director with a committed team comprising of Deputy Project Director, Finance and Administration, ICT), Project Managers, Project Officers, Engineers, supporting administrative and technical staff, experienced and qualified Health consultants., Directors (Operations, Human Resource & Planning and infrastructure, Outsourcing) as well as Procurement Specialist.

5.3 Infrastructural Interventions

The construction of various new blocks of hospital complex is constructed without any proper planning and necessary connection to existing blocks. On the whole, the complete infrastructure of hospital is quite complex and scattered, access to various blocks of hospital is quite inadequate and there is no proper connection or link between different blocks of hospital. In the revamping program of

DHQ and THQ Hospitals, the placement of various facilities of hospitals are replanned keeping in view the layout of existing blocks for facilitation of patients and some modifications/alterations were proposed in the blocks for necessary link or connection between the blocks.

Major infrastructural interventions can be divided in the following four categories

- **5.3.1 External Development**
- **5.3.2 Internal Development**
- **5.3.3 Medical Infrastructure Development**
- **5.3.4 Emergencies Development**

5.3.1 External Development

5.3.1.1 External Platforms

In order to improve the communication between blocks, necessary interventions are taken to improve the existing internal metaled road network. Moreover, new internal metaled road network is also designed and proposed to access the blocks of hospital accordingly. Despite the improvement in metaled road network, external platforms except metaled road is also designed and proposed for patients to access the blocks by simply walking among the blocks.

5.3.1.2 Façade Improvement

In order to improve the aesthetics of hospital, façade uplift with aluminum composite panels with aluminum cladding, false steel structures, façade aluminum windows and aluminum doors are designed in order to give the feel of modern architectural era.

5.3.1.3 Sewerage System

The most important entity of a hospital lies in its cleanliness. Infrastructural interventions to keep the hospital clean were taken in the form of <u>improvement of sewerage system</u> of the hospital. These interventions include the re designing of sewerage system, construction of new manholes, laying of new sewer lines and connection between trunk sewer and hospital sewer.

5.3.1.4 Landscaping (Horticulture)

Landscaping in hospital adds aesthetic & beauty to the built environment as well as improves in reducing the pollution. Soft & hard landscape reduces dust particles moment in air, hence contributes in a clean environment. The hours spent

in a hospital can be stressful for patients, staff and visitors. According to research easy access to a natural environment can contribute to stress management and potentially improve health outcomes: physiological studies indicate that 3-5 minutes spent in such Hospital Outdoor Landscape Design environments reduces anger, anxiety and pain and induces relaxation. Research also shows that "positive distractions" can reduce stress and their visual forms include gardens, scenic views and artwork, which play a critical role in modern hospital design: gardens, fountains, and water features provide patients, staff and visitors with restorative experiences of nature. In this regard complete lawns development, placement of benches, dust bins, playing equipment, fruit trees, flower plants, fruit trees and gazebos are proposed in all hospitals under revamping program

5.3.1.5 Water Filtration Plant

In the modern era, the access to clean water for everyone is becoming rare day by day. Especially in hospitals, the supply of water free from any harmful impurity is one of the most basic needs. To cope up with this problem water filtration system according to the existing nature of water is designed and water filtration plant is proposed accordingly. For ease of patients, drinking water supply network was designed to provide filtered water in wards and in various drinking stations within the hospital building

5.3.1.6 External Electrification

One of the major hindrances in functionality and ineffectiveness of electro medical equipment and other facilitating electrical appliances is either interrupted power supply or power supply with lesser voltage than required. This problem was solved by providing express line or dual electrical supply in all hospitals under revamping. Despite these two facilities based, on the current and proposed electrical load of hospital new transformers were proposed to step down the voltage to desired level and complete generator backup system was designed and generators along with automatic transfer switches were proposed accordingly. Moreover, to fully lighten up the hospital for proper utilization of all facilities of hospital during the low/no-light hours of the day, external pole lights to lighten up the pathways and garden lights to lighten up the lawns were designed and proposed.

5.3.1.7 Parking and Waiting area

Non-clinical facilitation of patients and attendants were specially considered in the revamping program. One such facilitation step is designing the parking and waiting areas on basis of daily influx of vehicles and patients/attendants during the

peak hours. <u>Parking and waiting areas</u> on several places of hospital were then proposed according to the design.

5.3.1.8 External Signage

<u>Eexternal signage system</u> is designed including various signage types for complete guidance of patient attendants and to search concerned facility promptly.

5.3.2 Internal development

5.3.2.1 Aesthetic improvement

In order to improve the aesthetics of hospital wards, corridors, rooms and toilet blocks, flooring and dado design of suitable material in these areas is proposed. Despite of aesthetics, the material of flooring and dado design were chosen to provide ease in cleaning process. For further improvement in aesthetics, paint on exterior and interior part of the hospital, poly-vinyl chloride paneling to conceal the dampness damaged areas and steel cladding of columns are proposed.

5.3.2.2 Ramp and Stretcher improvement

For hospitals having more than one floor, there is a huge problem of patient transfer with stretcher. This problem is solved by proposing new ramps/stretcher ways where needed. Moreover, in order to further improve the communication between various floors of hospitals improvement of stair cases with hand rail or guard rails is proposed.

5.3.2.3 Seamless flooring and Lead Lining

To keep high risk areas like Operation theaters, I.C.U, C.C.U, and Gynecology Operation Theater bacteria free is one of the basic medical practices. In the revamping program of hospitals low epoxy paint is proposed in these areas to provide seamless flooring so that the bacterial growth within the groves can be prevented. Moreover, to make the X-Ray rooms radio-resistant and to keep the patients away from the harm of rays, interventions are taken in X-ray rooms regarding provision of lead lining in walls, ceiling and floor.

Interventions were taken regarding hazardous radiation emitting areas to make them radio-resistant in order to keep patients/attendants away from harmful radiations. These interventions were in the form of provision of lead lining in ceiling, walls and roofs of X-Ray rooms.

5.3.2.4 Aluminum doors and windows

In order to make sound and heat proof the doors and windows of wards, corridors and major health facilities are proposed as aluminum doors and windows. Which despite of above benefits are also aesthetically pleasing. Corridor wire mesh windows and rolling blinds for windows are proposed in order to invite or stop the day light within the wards according to the requirement. Moreover, existing wooden doors having shabby and dirty look are proposed to be re-polished and washroom doors are proposed to be replaced with PVC doors to make them resistant against water.

5.3.2.5 Improvement of washroom blocks

The area of hospital which can be dirty at most is its washroom or toilet blocks. To improve the cleanliness of hospital the special interventions were taken regarding the renovation of toilet block of hospital. This renovation includes the re tiling of existing damaged flooring and skirting and addition of water closets etc.

5.3.2.6 Facilitation of attendants and patients

The facilitation of attendants is also one of the most basic things to be provided in the hospital. The facilitation of attendants contributes towards the facilitation of patients. In order to facilitate the attendants, pantries are designed at that location of hospital where attendants can be effectively facilitated. These pantries include stoves and washing machines. Moreover, it is also very important to educate the patients and attendants regarding the seasonal and general diseases along with its cure and prevention. Installation of LED televisions in various locations of hospitals especially in wards and waiting areas is also proposed in the design in this regard.

5.3.2.7 Furniture and Fixtures

One more step towards the facilitation of attendants or patients is placement of benches in waiting areas. The most rush positions of hospital are chosen in this regard and placement of benches is designed according to the patient number and flow. In order to improve the efficiency of consultants or doctors, interventions regarding the renovations of doctor or consultant office are designed in this regard. The doctor room furniture is designed for this purpose keeping in view the existing area of room and necessary required equipment. To carry and dispose of the medical and general waste material of hospital, waste bin sets are designed to place at various positions of the hospital. These positions are marked by keeping in view the general circulation of the public and sensitivity of the area.

5.3.2.8 Air Conditioners, Refrigerators and LEDs

According to the different standards, there is a separate requirement of temperature to control the environment of particular place with respect to the nature of facility. In this regard, air conditioners are proposed according to the required tonnage of the specific area. For better efficiency and performance delivery, cabinet air conditioners are proposed in the wards and other facilities having larger areas. The maintenance and repair services of these air conditioners are outsourced so that uninterrupted performance can be delivered. For further facilitation of patients and attendants, placement of refrigerator is proposed on each nursing counter. These refrigerators are proposed for items requiring specific temperature for storage purposes. LEDs will also be placed at various points to facilitate the patients and attendants.

5.3.2.9 Internal Signage and Paintings

As described earlier, the information regarding the positions of major health facility especially emergency and labor room etc. is very much essential for any person entering inside the covered area of hospital. For these purposes, different types of signage are proposed including corridor hanging signage, floor map boards, room numbers and room names plaques. For general information duty rooster boards, janitorial station signage, waste bin set signage, emergency exit signage.

Different kinds of paintings are designed according to the nature of area where it is desired to be fixed. These paintings are beneficial in a sense that it improves the aesthetics of hospital and moreover, such painting patterns are designed so that it give the relaxation and soothing feelings to aid in the healing of patients. Moreover, in order to create a healthy, positive, entertaining and friendly environment for interest of children, paintings on children wards is proposed.

5.3.3 Medical Infrastructure Development

To cope with the emergency condition of clinically serious patient, oxygen supply system is designed by proposing an individual oxygen supply system for each major health facility. This oxygen supply network comprises on copper pipe line, flow meter with bed head units, cylinders and setup and individual central oxygen supply system. The contract of filling of oxygen gas in cylinders is outsourced for uninterrupted oxygen gas supply to the patients.

For patient receiving, information, guidance, appointment or for any other task, separate reception counters are proposed in various blocks so that, all necessary information regarding the block is available on the counter round the clock. In this way, utilization of clinical facilities will be optimized. For indoor patient department, complete facilitation and care of patients admitted in wards is ensured

by proposal of nursing counter in each ward. This nursing counter will be placed or constructed in such a placement that each bed can be monitored by the nurse available.

The design regarding architectural planning of above mentioned facilities are designed according to the patient facilities and architectural planning standards. These designed facilities are then designed in the existing building structure according to the patient flow and sensitivity of facility.

5.3.3.1 Emergency Department:

All THQS and DHQs are already providing emergency services to critical ill patients. As far as the existing sources including human resources & equipment are not sufficient to fulfill the requirement. Primary and secondary healthcare department is going to take the initiative to improve emergencies of hospitals by providing new equipment and human resource in form of recruitment of doctors, nurses and paramedical staff along with Infrastructure of Causality Department. Ultimate goal of revamping of emergencies is to enhance the quality of medical services to critical ill patient in golden hour to decrease the mortality and morbidity rate in causality department of each hospital.

5.3.3.1.1 General Overview of Emergency Department

In any hospital, the most important and critical area is its emergency block. Specially, if hospital is situated on a highway where there is a huge flux of rapidly moving traffic which can be a major source of causalities, if patient treatment is not proper. Besides road trauma cases, cardiac cases and burn cases etc. are also more likely to be initially treated in emergency. Proper first aid to patient reduces morbidity and mortality. The emergency department of hospital is a block where in time service delivery is so much essential that delay in proper treatment can cause lot of lives to suffer from serious diseases for rest of their life. In a nutshell, the efficiency and in time service delivery of emergency block depicts the overall efficiency of the hospital.

In order to improve the emergency department and to ensure in time service delivery of the same, special initiatives are being taken in this regard. Infrastructure of emergency department depends a lot on its service delivery and efficiency. An emergency department with all necessary medical and general equipment and equipped with all essential medical facilities but without ineffective and poorly planned infrastructure will never fulfill its need. Conclusively, such infrastructural interventions are planned in this program so that the efficiency of emergency department can be optimized. Some of the following major interventions are listed below:

5.3.3.1.2 Position of Emergency Department

It is planned that new construction of building should be avoided at most because already existing blocks with no proper utilization are existing in all of the hospitals. The emergency block should be on such a location that the distance between that department and main entrance gate should be minimum with respect to other locations or positions of complex. To fulfill this purpose, that portion of this building block is selected for re planning of emergency department which is most near to the entrance gate. The far positioning of emergency department will result the lost in time for patient during its travelling which can be crucial.

5.3.3.1.3 Access towards the Emergency Department

The route leading towards the emergency department is important in this aspect that a smooth track and a widened path will be feasible for the movement of vehicle or stretcher. Initiatives are taken in this program for construction of new pathways or renovation of existing ones leading towards the emergency department. Such material of the external platform is selected so that a smooth movement should be observed over it rather than jerks bumps. Moreover, the width of the passage from entrance gate up to emergency department is designed by keeping in view the flux of the vehicles rushing towards the emergency block.

5.3.3.1.4 Medical Infrastructure Emergency:

The existing emergency department or other block of the hospital according to its access from entrance gate, is designed and re planned according to the above described emergency facilities. The changings or amendments in the existing covered area of the hospital are proposed according space availability. Due to the rush of patients and increased number of minor surgeries performed in the emergency department make it one of the dirtiest department of the hospital. Hence, in this regards it is very much essential to keep the floors of certain area of emergency department bacteria free. Seamless flooring is proposed in this regard to avoid the groves so that the cleaning process can be made easy. Low epoxy paint is designed and proposed in this regard on Minor OT, Gurney area and specialized healthcare unit.

Provision of medical gasses is essential to facilitate the patients suffering from breathing issue due to some disease and ailment. The filling process of oxygen in the cylinders is outsourced to ensure the continuous supply of the oxygen among the beds. The oxygen system comprises on copper pipe, central oxygen supply system for pressure maintenance, oxygen cylinders and flow meter with bed head units.

5.3.3.1.5 General Building Interventions:

In order to improve the over building condition of emergency blocks following major interventions are taken:

- 1. Provision of flooring and skirting
- 2. Painting on interior and exterior side of department

- 3. Provision of false ceiling
- 4. Replacement of damaged and renovation of existing wooden doors
- 5. Provision of aluminum doors and windows
- 6. Public health work regarding supply of water and gas along with improvement of sewerage system
- 7. Provision of LED panel lights, ceiling fans, exhaust and wall bracket fans
- 8. Improvement of existing wiring and distribution including replacement of damaged equipment and proposal of new equipment

5.3.3.2 Monitoring and Quality Assurance (Process Interventions)

During construction phase, "Construction Supervision" will be carried out by the Procuring Agency (Director Infrastructure) along with Punjab Buildings department (C&W D) who will certify construction activity.

5.3.3.2.1 MSDS (Minimum Service Delivery Standards)

MSDS are minimum level of services, which the patients and service users have a right to expect. MSDS include minimum package of services, standards of care (level specific) and mandatory requirements/systems for delivery of effective health care services. The World Health Assembly in Alma-Atta in 1978 expressed the need of action to protect and promote the health for all the people of the world. Essential health is to be made universally accessible to individuals and families through their full participation and at a cost that the community and country can afford. MSDS is now being deemed to be of vital importance at Secondary HealthCare level. The THQ hospital provides promotive, preventive, curative, diagnostics, in patients, referral services and also specialist care.

THQ hospitals are supposed to provide basic and comprehensive EmONC. THQ hospital provides referral care to the patients including those referred by the Rural Health Centers, Basic Health Units, Lady Health Workers and other primary care facilities. The District Head Quarters Hospital is located at District headquarters level and serves a population of 1 to 3 million, depending upon the category of the hospital. The THQ hospital provides promotive, preventive, curative, advance diagnostics, inpatient services, advance specialist and referral services. Services package and standards of care at SHC level are also not well defined. Deficient areas include: weak arrangements to deal with non-communicable diseases, mental, geriatric problems and specialized surgical care especially at THQ. There is disproportionate emphasis on maternal and child health services at SHC facilities. Services-package being provided at PHC and SHC are also deficient in terms of Health care providers' obligations, patients' rights and obligations.

MSDS umbrella is very vast and it requires a very extensive and planned approach towards, gap analysis, planning, development, implementation,

monitoring and evaluation. MSDS comprises of 10 thematic area, 30 standards and 162 indicators. Government of Punjab has taken an initiative to standardize all hospitals of Punjab in accordance with Punjab Health Care Commission Minimum service delivery standards. PMU team segregated MSDS indicators into various targets and sub-targets to make these targets achievable. Manuals for both clinical and non-clinical specialties are being prepared comprising of departmental organizational plan, criteria for essential human resource, essential equipment, general and specialized SOPs, departmental safety guidelines etc. Standardized Medical Protocols (SMPs) are standard steps to be taken by a health facility during medical or surgical management of a patient. Standard Operating Procedure (SOPs) are detailed description of steps required in performing a task including specifications that must be complied with and are vital to ensure the delivery of these services .It requires literature review, departmental view, facility visits, consultative visits and development of action plan for implementation of MSDS. Effective MSDS implementation requires essential documentation. Documentation is a key for record keeping, monitoring and auditing. For this purpose, registers, forms, displays have to be designed with coding for effective tracking. In addition to this it also requires analysis from field from utilization point of view.

Displays constituting of public serving messages, health related information and general facility related guidelines. In order to monitor effective implementation, compliance monitoring is required to be carried out by field experts which is followed up by further planning to ensure continuous delivery of effective, accessible, continuous and quality services to masses in uninterruptable manner.

MSDS implementation is a complex procedure. Because it requires

- 1. Capacity building for understanding, development and continuous implementation of MSDS.
- 2. Ecosystem for establishing its implementation by full cooperation, collaboration, commitment of
- 3. Continuous monitoring
- 4. Continuous audit
- 5. Continuous training, refresher courses with purpose of reinforcement
- 6. Continuous quality improvement
- 7. Continuous Strengths, Weaknesses, Opportunities, and Threats (SWOT) analysis and gap identification
- 8. Continuous strategy making and implementation with backup plan for secondary options.
- 9. Responsibility designation for clinical and non-clinical procedures and activities.
- 10. Effective utilization, calibration and maintenance of equipment with record maintenance and their audit
- 11. Establishment of plans, implementation, analysis of gaps with alternate planning regarding fire evacuation plan, hospital inflectional control plan, hospital operational and

strategic plans, disaster plan both internal (partial / complete) and external.

The PDSA cycle

- 1. Developing a plan to test the change (Plan),
- 2. Carrying out the test (Do),
- 3. Observing and learning from the consequences (Study), and
- 4. Determining what modifications should be made to the test (Act).
- 5. Monitoring effective load sharing of Human resource and equipment within hospitals.
- Addition of new HR/ rationalization on requirement of MSDS indicator compliance for effective departmental organization and their planned trainings by MPDD, UHS ETC
- 7. Standard optimization of Standard operating procedures and methods for their effective adoption by hospital human resource.
- 8. We have also extended our MSDS implementation in 20 more departments such as dentistry, ICU, CCU, Dialysis, mortuary, burn unit, physiotherapy, orthopedics, medicine, nursing, paeds, ophthalmology, derma, TB, urology, patient transfer system, store and purchase, audit and accounts, procurement, planning etc. We are also in process of preparing manuals, SOPS, plans, universal forms, and universal registers with universal tracking system of record.
- 9. We have developed an application for continuous monitoring of MSDS compliance.

Health managers are considered essential at both the strategic and operational levels of health systems. To gain an initial understanding of the management workforce for service deliver. Every health system desires managers who are competent and have the knowledge, skills and demeanor to be effective. The performance of health services managers will depend in part on how certain standard support systems function. Even good managers will have problems if procedures for running finances, staff, etc., are not working well. Functional systems should have clear rules and regulations, good guides and forms, effective monitoring and supervision and appropriate support staff, e.g. account staff, supplies and information staff and secretarial support A health manager is supposed to be competent in planning, budgeting, financial management systems personnel management systems, including performance management, procurement and distribution systems for drugs and other commodities, information management and monitoring systems, systems for managing assets and other logistics, infrastructure and transport. Support systems help to ensure uniformity in management practices and ensure that management and administrative systems function and get results.

5.3.3.3 Laboratory

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the Laboratory in THQ hospitals. Majority of patients are suffering problems some time life threatening phases due to delay in diagnosis and treatment according to diagnosis in case of lack of laboratory in vicinity.

5.3.3.4 X-Ray

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the Radiology unit in THQ hospitals. Majority of patients are suffering problems some time life threatening phases due to delay in diagnosis and treatment according to diagnosis in case of lack of Radiology unit in vicinity. A healthy human being enables not only nutrition of the physical body but also enhances social interaction and promotes self-esteem and feelings of self-esteem and feelings of wellbeing. The radiology equipment serves as a "window "to the patient treatment regarding the body.

5.3.3.5 CCU

Understanding these ground realities Primary and Secondary Healthcare Department, Government of the Punjab has decided to establish coronary care units (CCU) in THQ hospitals as a part of its Revamping Program. This will improve the quality of healthcare and timely provision of life saving treatment will be possible to large number of patients. A coronary care unit (CCU) is a special department of a hospital or health care facility that provide coronary care to patients. Coronary care units cater to patients with severe and life-threatening cardiac illnesses and which require constant, close monitoring and support from specialized equipment and medications in order to ensure normal bodily functions.

Coronary care units are staffed by highly trained doctors and nurses who specialize in caring for cardiac patients. They are also distinguished from normal hospital wards by a higher staff-to-patient ratio and access to advanced medical resources and equipment that are not routinely available elsewhere. Common conditions that are treated within CCUs including angina, myocardial infection, cardiac arrhythmia, cardiac shock etc. Patients may be transferred directly to coronary care unit from an emergency department or from a ward if they rapidly deteriorate, and immediately require cardiac care treatment.

5.3.3.6 Dialysis Unit

Chronic kidney disease is now a significant public health problem worldwide. Chronic kidney disease globally affects almost 10 % of general population with Incidence in prevalence of disease are still rising especially in

developing countries .The rise in chronic kidney disease is by aging of the populations and growing problems of obesity, diabetes, high blood pressure and cardiovascular diseases.

Tehsil head Quarter Hospital (THQ) serve large catchment populations of the district and provide a range of specialist care in addition to basic outpatient and inpatient services. Patient who are in need of dialysis, are referred to tertiary care hospital due to non-availability or insufficient number of dialysis machines. Patient's condition not only deteriorate but also compromise the effectiveness of life saving intervention due to approaching to other cites or to costly private setups of dialysis. Primary and Secondary Healthcare Department has decided to establish & strengthening already existing 5 bedded dialysis unit at THQ hospitals. This will improve the quality of healthcare and timely provision of life saving treatment will be possible to large number of patients.

Dialysis unit is a special department of a hospital or health care facility that provides a lifesaving support to patients with chronic renal disease along with pre-existing diseases like diabetes, hypertension, ischemic heart disease to ensure normal bodily functions. Dialysis units are staffed by highly trained doctors, dialysis technicians and dialysis nurses who have done specialized training in caring for such patients. Patients are usually admitted from out door and often from emergency and registered for their timing and schedule of dialysis because these patients are given regular appointments twice or thrice a week as per defined by nephrologist/physician.

5.3.3.7 <u>Labor Rooms/Nurseries</u>

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the Labor Rooms/Nursery unit in THQ hospitals.

5.3.3.8 Operation Theater

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the Operation Theater in THQ hospitals. Majority of patients are suffering problems some time life threatening phases due to delay in treatment according to diagnosis in case of lack of Operation Theater in vicinity.

5.3.3.9 Orthopedic unit

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the orthopedic unit in THQ

hospitals. Majority of patients are suffering problems some time life threatening phases due to delay in diagnosis and treatment according to diagnosis in case of lack of orthopedic unit in vicinity.

5.3.3.10 Gynecology Department

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the gynecology unit in THQ hospitals. Majority of patients are suffering problems some time life threatening phases due to delay in diagnosis and treatment according to diagnosis in case of lack of gynecology unit in vicinity.

5.3.3.11 Surgical Unit

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the surgical unit in THQ hospitals. Majority of patients are suffering problems some time life threatening phases due to delay in diagnosis and treatment according to diagnosis in case of lack of surgical unit in vicinity.

5.3.3.12 Intensive Care Unit (ICU)

Tehsil Headquarter Hospitals (THQ) serve catchment populations of the whole Tehsil (0.5-1 million) and provide a range of specialist care in addition to basic outpatient and inpatient services. They typically have about 80 to 150 beds and a broad range of specialized services including surgery, medicine, paediatrics, obstetrics, gynaecology, ENT, ophthalmology, orthopaedics, urology, neurosurgery etc. Patient who are in need of intensive care are usually referred to tertiary care hospital but due to long distance they had to travel and time consumed on road due to heavy traffic and other unavoidable circumstance ,patient's condition not only deteriorate but also compromise the effectiveness of life saving intervention. Understanding these ground realities Primary and Secondary Healthcare Department, Government of the Punjab has decided to establish intensive care units (ICU) in THQ hospitals as a part of its Annual Development Plan. This will improve the quality of healthcare and timely provision of life saving treatment will be possible to large number of patients.

Primary and Secondary Healthcare Revamping programme (PSHRP) is the initiative by the Chief Minister of Punjab to strengthen the healthcare delivery system in the province Acquisition of licenses for all THQ Hospital by developing and implementing uniform set of standard Operating procedures (SOPs) & standard medical protocol (SMP) for compliance to MSDS of PHC is planned as a part of PSHRP.

An **intensive care unit (ICU)** is a special department of a hospital or health care facility that provides <u>intensive treatment medicine</u>. Intensive care units cater to patients with <u>severe and life-threatening</u> illnesses and injuries, which require constant, close monitoring and support from specialized equipment and medications in order to ensure <u>normal bodily functions</u>. Intensive care units are staffed by highly trained <u>doctors</u> and <u>nurses</u> who specialize in caring for critically ill patients. They are also distinguished from normal hospital wards by a higher staff-to-patient ratio and access to advanced medical resources and equipment that are not routinely available elsewhere. Common conditions that are treated within ICUs include <u>ARDS</u>, <u>trauma</u>, <u>multiple organ failure</u> and <u>sepsis</u>. Patients may be transferred directly to an intensive care unit from an <u>emergency department</u> if required, or from a ward if they rapidly deteriorate, or immediately after surgery if the surgery is very invasive and the patient is at high risk of complications.

5.3.3.13 Mortuary Unit

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the mortuary unit in THQ hospitals. Postmortem or autopsy is a part of medico legal investigation into a death which is conducted by a judicial medical officer. Realizing the problems countered medico legal process focusing on following important areas;

- 1. Improving quality and motivation levels of human resource conducting medico legal Examination.
- 2. Improve methods to collect and preserve samples so that so that these may best be available for further forensic analysis.
- Improving physical infrastructure at tehsil level to provide enabling environment for better conduct of medico legal cases including improvement in state of mortuaries at tehsil level.
- 4. Improvement in legal framework including improved forms.

5.3.3.14 Dental Unit

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the dental unit in THQ hospitals. Majority of patients are suffering problems some time life threatening phases due to delay in diagnosis and treatment according to diagnosis in case of lack of dental unit in vicinity.

5.3.3.15 Physiotherapy Unit (33 THQ Hospitals)

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the physiotherapy unit in all THQ hospitals. Majority of patients are suffering problems some time life threatening phases due to delay in diagnosis and treatment according to diagnosis in case of lack of physiotherapy unit in vicinity.

- 1. Physiotherapy is a "science of healing and art of caring". It pertains to the clinical examination, evaluation, assessment, diagnosis and treatment of musculoskeletal, Neurological, Cardio-Vascular and Respiratory systems 'functional disorders including symptoms of pain, edema, and physiological, structural and psychosomatic ailments. It deals with methods of treatment based on movement, manual therapy, physical agents, and therapeutics modalities to relieve the pain and other complications. Hence, Physical therapy covers basic parameters of healing sciences i.e. preventive, promotive, diagnostic, rehabilitative, and curative.
- Physiotherapy practice has a very long history and a modern clinical practice is heavily reliant on research and evidence based practice. The Primary and Secondary Healthcare Department Government of Punjab attests to this commitment by adopting and promoting the Standards of Practice for Physiotherapy.

Importance of Physiotherapy and Rehabilitation department

- 1. Physiotherapy provides services to individuals and populations to develop maintain and restore maximum movement and functional ability throughout the lifespan. This includes providing services in circumstances where movement and function are threatened by aging, injury, disease or environmental factors. Functional movement is central to what it means to be healthy.
- 2. Physiotherapy is concerned with identifying and maximizing quality of life and movement potential within the spheres of promotion, prevention, treatment/intervention, habilitation and rehabilitation. This encompasses physical, psychological, emotional, and social wellbeing. Physiotherapy involves the interaction between physical therapist, patients/clients, other health professionals, families, care givers, and communities in a process where movement potential is assessed and goals are agreed upon, using knowledge and skills unique to physical therapists.
- 3. The proposed project entails setting up a Physiotherapy and Rehabilitation Department. Being one of the major players in human service sector, rehabilitation Departments provide a wide range of services relating to physical impairments and disabilities of all age groups. These services range from assessment, evaluation, diagnosis, treatment and plan of care of individuals, from newborns to the very oldest, who have medical problems or other health-related conditions that limit their abilities to move and perform functional activities in their daily lives. These services will be provided by qualified Physiotherapists Consultants. Our consultants

examine each individual and develop a plan using treatment techniques to promote the ability to move, reduce pain, restore function, and prevent disability. In addition, our doctor work with individuals to prevent the loss of mobility before it occurs by developing fitness- and wellness-oriented programs for healthier and more active lifestyles. The proposed Physiotherapy and Rehabilitation Department will provide all these services under one roof.

Opportunity Rationale

Due to vast media exposure over past few years, women, as well as men, have become more conscious about their health especially youngsters. In Pakistan, Rehabilitation Clinics and Fitness Centers have grown over the years. It is easy to open GP clinic as space and skill requirement is very basic. But a Rehabilitation clinic provides more professional services with qualified staff including Physiotherapy doctors and experienced support staff and therefore, requires more planning and arrangement. Quite a few Physiotherapy and Rehabilitation Departments have opened in Lahore, Islamabad, Karachi and other relatively larger cities of Pakistan, which are catering to the demand of the people, but still there is a lot of unfulfilled demand as can be judged from excessive rush at the existing Physiotherapy Departments. The patient's ratio and problems with musculoskeletal disorders and neurological disorders are same in the tehsils and districts levels of Punjab. The business is service-oriented and carries large potential for serving poor people due to its unique nature and uncontrolled spreading of joints and muscles, and neurological problems, especially in the areas where our THQ Hospitals are located. There is lot of potential in this domain, especially for those who are committed to providing quality service.

5.3.3.16 Queue Management System (QMS)

OPD in THQ has enormous patient load, due to the only big public sector serving hospital in Tehsils. At the moment the ticket system is prevailing but there is no mechanism to handle that ticket and assign number to the ticket and its being issued in manual format. This will also create dependency on the person issuing the ticket. After getting the tickets, patient will be provided with no guidance on where to go and when his term will come to meet the doctor and get the required service. This will create confusion and delayed service delivery. On the other hand it will waste lots of time on the end of doctor and patient as patient and doctor has no direct liaison with each other. Moreover, patient will again have to be dependent on some person to check that either doctor is free or any patient sitting in his facility. Here again, human intervention and dependency will come into play.

This project basically aims to remove all the human related dependency till the patient reach the doctors. Moreover, it also includes, recording basic information for a patient and guiding him to the doctors room from registration count to triage without any dependency on hospital staff. This will improve the transparency as per the vision of good governance and serve the patient in an efficient and transparent manner. This will also help the patient in estimating that time estimate till his term which will give him relief and more belief on the fair system. On the other hand doctor will always have an idea that how many patients will be in queue and give him direct liaison with the patient sitting outside.

The need of queue management system is evident in hospital from the fact of lack of proper mechanism of patient queue management at OPD's, human resource deficiency and non-functional equipment. The Implementation of Queue Management System will provide and streamline Patient Queue Management at OPD with Ticket Generation and Display of Numbers on the counters. This will help in maintaining the queue on First IN First OUT (FIFO) basis. The system will also provide the information counter to the general public to educate them in the use of queue management system and short description of the process. After implementation of this system, the incoming patient will be guided in a manner to get the service on his turn without any dependency or interference of an external resource. All will be handled in an automated way with patient are being served at their turn.

The system manages the patients load, organizes the patient's queues in an adequate manner and gives them the ease in waiting area; and they will be examined gracefully by doctors at their turn. Basic information of the patient is also linked with its ticket, being taken at the first counter. This will help established a unique ID against each patient. This will also lead to the establishment of Electronic Medical Record. The Process flow of Queue Management System at THQ is given as follows:

There are 25 counters at THQ level including basic registration counter, triage counter, consultant office and hospital pharmacy. There is one ticketing machine with a bifurcation of male, female and old age person. The ticket will be issued to the relevant category accordingly. After receiving the ticket the said number will be blinked on male, female and old age counter. The person will move to that counter where he will be asked about his basic details which will be entered in the basic registration form software linked with QMS and that specific token / ticket number. He will also be asked about the disease and accordingly the relevant consultant / specialty area e.g. pediatrics, ophthalmology etc. after registering, he will take the printout and give the slip to patient / attendant along with its token number.

The basic fee of OPD will be received at the registration counter and accounted for in the basic registration software linked with QMS. The same token number will be displayed on the triage counter where his vitals will be taken and written on the same registration slip available with the patient. Now, keeping in view the specialty area the token number will be displayed on the relevant consultant office and he will be checked by relevant consultant. The consultant than diagnosed the medicine or either to admit it after his examination. In case of medicine he will be sent to hospital pharmacy where again the same ticket number will be displayed. There have to be an option available with the doctor to either redirect him to the hospital pharmacy or other (medical tests, referred to IPD). On displaying the same token number at pharmacy counter the patient will move to pharmacy counter along with his token number and registration slip and take prescribed medicine. Patient will be disposed from that window and process of QMS will be completed. There will be no entry in the basic registration software on the counters of triage, doctor at the moment. Detail of equipment is attached.

The process described above for THQ will be implemented. The important constraints for the systems are:

- Same token number will be used at all the counters and patient will be getting the ticket from ticketing machine only once at the time of entry.
- 2. QMS will cater for missed, skipped or delayed patient at any counter.
- 3. There will be two LED displayed at different location in the waiting area to guide patients about the process details and to display token number along with announcement in URDU.
- 4. The gap between each display panel from ticketing machine to pharmacy can be customized according to requirement e.g. 5, 10, 30, 60 seconds etc.

5.3.3.17 Electronic Medical Record (EMR)

Establishment of network infrastructure, establishing a central data center, connectivity of different building through fiber, are also the major components of the revamping project in terms of ICT. This will including provision of networking point at all nursing stations and important areas where entries regarding patients' needs to be made e.g. Radiology/Pathology, Indoor, outdoor etc. This will serve as backbone to implement the Electronic Medical Record System in the Hospital which has the key feature of generating Unique Medical Record Number for each patient.

This MR number will serve as an identity for patients during their treatment, retrieval of records and for decision making.

EMR will also be able to log the patient for treatment being provided to him in different areas of hospital i.e. OPD, Pathology, Radiology, Surgery, Indoor, etc. and their integration. This will be achieved by entering the relevant information at each department against specific MR number of a patient in the Customized / Purpose build software (EMR) for these public healthcare facilities.

This entry of MR number against each patient in hospital will build a large database for patient and relevant diseases. This will help in analysis disease / epidemic prevention and better patient care through retrieval of patient history and proper diagnoses at physician end. Implementation of patient registration, Record keeping, physical queue management, E-prescription, supporting IT interventions for EMR and medicine dispensation. Detail of equipment is attached.

5.3.3.18 Video Surveillance through CCTVs

Installation of network based CCTV cameras is an important module in the ICT part of revamping project. Scope of this component is to install 60 to 80 cameras in each hospitals at important location i.e. entry, exit, OPD, waiting areas, Parking for surveillance and security purposes. This will also serve as major input to the security services by Outsourced Security Company in the hospitals. Moreover, there will be small scale central control room at each hospital to monitor the allocated locations where the cameras have been installed. This system will also have the facility to record the video for 15 days for all the cameras so that recording of specific duration can be produced on demand. This will also have the facility of central control room which has the capacity to access the camera of THQ hospitals and to view and monitor the area of specific camera within specific hospital at any given time. Therefore, it will establish a centralized surveillance and security mechanism for these 85 public sector healthcare facilities. Detail of equipment is attached.

5.3.3.19 Medicine Store

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the medicine store in THQ hospitals.

5.3.3.20 Day Care Center

On-site (or near-site) child care would lead to improve workplace satisfaction by allowing employers more frequent contact with their children,

reducing stress and anxiety over scheduling, and potentially providing financial benefit to the hospital. Therefore, P&SH Department has decided to establish the Day Care Center at every THQ Hospital. The Medical Superintendent of the concerned hospital will be the overall in-charge of the Day Care Center.

5.4 Out Sourcing of Non Clinical Services

It was planned to provide Outsourcing of following Non-clinical services through development Budget later on decided to shift to non-development Budget as per the decision of progress review meeting chaired by the Chairman P&D Board dated 01-01-2018 w.e.f. 30-06-2018:-

- 1. Janitorial services
- 2. Laundry services (On hold)
- 3. MEPG Services
- 4. CT scan
- 5. Security

5.4.1 Janitorial services

These services include cleaning of hospitals and its roads and ROW areas. Internal cleaning comprises of complete cleaning along with washrooms cleanliness and material for these services such as hand wash/sanitizer. The Outsourcing is hereby designed keeping in view the sizes of areas assigned to each sanitary worker along with condition and nature of service. Human resources are planned after measuring the total area of hospital, built up area excluding the areas of horticultural land and residential buildings. The workers shall work in three shifts in a day. Half of the total strength of sanitary workers shall work in morning shift due to patients load in OPD. The concerned sanitary work company is bound to provide cleaning services materials and their refilling as and when required.

The companies providing janitorial services will be required to provide quality janitorial services, complete their personnel strength on daily basis which will be ensured through biometric attendance. Also, the companies will be subject to pecuniary penalties by hospital authorities if services provided are not according to the contracts.

5.4.2 Laundry Services

Different models were being applied by the hospital administrations individually which were not properly catering the basic requirement of washing and disinfection of different items used for hospitals. This model includes the initial procurement of different daily use items such as three different colors bed sheets and pillow covers and are to be changed thrice a day. Moreover, the concerned company must provide washing and cleaning services of bed sheets, pillow covers, blankets along with covers, apparels/OT clothes.

5.4.3 MEPG Services

The service of the hospitals is suffering badly due to improper functionality of the existing electrical and mechanical equipment which arises due to lack of maintenance. This model satisfies the need of proper maintenance plan which comprises of regular visits of technicians for looking after of electrical and mechanical equipment and accessories. Outsourcing company will be responsible for immediate response and above mentioned services.

5.4.4 CT Scan Services

CT Scan Services in selected Hospitals of Punjab are also being undertaken as a component of Government's decision to revamp all Secondary Healthcare. The objective of this initiative is to provide high quality CT Scan Services to widely scattered population of low socio-economic groups at their door steps. It will ensure provision of satisfactory diagnose infections, muscle disorders, and bone fractures. The imaging technique of CT Scan can help doctor to study the blood vessels and other internal structures and assess the extent of internal injuries and internal bleeding.


5.4.5 Security

The outsourcing model is designed due to non-provision of security arrangements and improper parking in different areas of premises of hospital. This model consists of guards who shall work in two shifts to provide security and surveillance for complete premises of hospital excluding residential areas. The devices required for this service to operate are arms, walkie talkie, Base set per unit and torch etc.


5.6 HR & Management Interventions Structure

HR Interventions can be broadly classified into introduction of New Management Structure (NMS) staff.

New Organogram of Hospital



MS •AMS/ SUPPORT MANAGER •IT/Data Analysis •IT/ Statistical Officer •4 Data Entry Operators Admin Admin Officer •4 Monitors Security Transport Parking Janitorial Canteen •External House Keeping •Civil Works Technical works •Electrical Works •Internal House Keeping Laundry •Stores & Supplies



5.6.1 <u>Non Clinical HR Interventions (Human Resource (HR) Plan</u> <u>Management Structure)</u>

Institution will run under the administrative control of Medical Superintendent, who will control this with the collaboration and cooperation of 3 Additional Medical Superintendents including AMS (Admin), AMS (HR & Budget) and AMS (clinical), 3 Deputy Medical Superintendents (morning, evening and night) will be reporting to AMS Clinical. Each clinical facility will be further controlled by head of concerned department and 6 administrative posts of HR & Legal Officer, IT/Static Officer, Budget & Account Officer, Admin Officer, Procurement Officer and Audit Officer will be provided as supporting hands for AMS Admin and AMS HR & Budget for smooth execution of hospital tasks.

Responsibilities / Job Descriptions, Eligibility & Financial Implications for Management Structure of Hospital

5.6.2.1 Medical Superintendent

Shall be overall responsible for all the affairs of the Hospital

5.6.2.2 AMS Admin.

Shall be responsible for following functions in addition to his own duties:

- 1. General administration
- 2. IT/Data analysis/statistics keeping (biometric machines, etc.).
- In case of outsourced interventions like QMS/EMR he shall be responsible for enforcement of contract and in case of violation shall ensure action has been taken as envisaged in the contract.
- 4. He shall be responsible for entry of data on Citizen Feedback Model.
- 5. He shall be responsible for ensuring collection of report of actions taken on CFM reports and entry of that on CFM.
- 6. He shall be responsible for implementation of any IT related initiative in the hospital.
- 7. He shall be responsible for better record keeping of hospital
- 8. He shall devise and implement systems for better record keeping of hospital

9. He shall ensure generation of all types of reports/information required of hospital by District Government/P&SHD/any other authorized Public agency

New Management Structure (NMS)

In place of the clerical positions, the P&SH Department has introduced a New Management Structure (NMS), in all District and Tehsil Headquarters Hospitals. The officers recruited as a part of the NMS have a minimum of 16 years of education. Their minimum qualification is MBA / B.Sc. Engineering / M.Com / Pharm-D / M.Cs / LLB / MPA / CA Inter / ACCA / ACMA / Master Degree or equivalent in relevant field etc. Their recruitments were undertaken through a competitive process by a third party testing service.

5.6.2.3 Admin Officer

Shall be responsible for general administrative affairs of hospital along with following functions:

- 1. Security
- 2. Transport
- 3. Parking
- 4. Janitorial
- 5. External housekeeping
- 6. Electrical works
- 7. Internal housekeeping
- 8. Laundry
- 9. Stores & supplies

In case these functions have been outsourced, he shall be responsible for enforcement of these contracts and shall ensure that penalties are imposed in case of violation of contract. In case he fails to enforce contract and the outsourced function is not performed at par as per contract and penalties have not been imposed he shall be liable for non-action. Moreover, only reporting of violation of contract shall not suffice but he has to ensure follow up till the penalty has been imposed and action as envisaged in contract in case of violation has been taken.

Eligibility Criteria

 Minimum qualification Masters' degree in Economics/ Public Administration/ Finance/ MBA Finance/Administration or equivalent from HEC recognized University 2. Minimum 2 years post degree experience of administration (Additional credit may be given for hospital administration/ Public sector administration of similar nature)

5.6.2.4 <u>Human Resource Officer</u>

Shall be responsible for following:

- Issuance of monthly Duty rosters & special duty rosters of Eid,
 Muhurram etc. of all clinical & non-clinical staff in hospital
- 2. Issuance of Transfer/postings orders within hospital
- 3. Taking of joining from new incumbents and charge relieving orders of relinquishing officials
- 4. File maintenance of all employees of hospital
- 5. Record of all enquires of employees of hospital
- 6. Leave record of employees
- 7. Adjustment of officials on duty during leave of concerned employee
- 8. Litigation/ legal issues of hospital (shall ensure all court cases are well attended and all legal matters of hospital are well taken care of)
- 9. Any other HR related function assigned by MS/AMS

Eigibility Criteria

- Minimum qualification Masters' degree in Economics/ Public Administration/ Finance/ MBA HR/Management/ Finance/Administration or equivalent from HEC recognized University
- 2. Minimum 1 year post degree experience of administration (Additional credit may be given for hospital administration/Public sector experience of similar nature)

5.6.2.5 IT/Statistical Officer

He shall be responsible for IT support for all IT interventions in the hospital.

He shall be in liaison with HISDU, P&SHD for proper reflection of hospital record on HISDU dashboard. In case there is any discrepancy or error he shall resolve the issue. Moreover, he shall be responsible for functionality of all IT equipment.

Eligibility Criteria

- Minimum qualification Masters' degree in Computer Science or equivalent from HEC recognized University
- 2. 2 years post degree experience of IT/Data analysis(Additional credit may be given for similar assignment experience)

5.6.2.6 Finance & Budget Officer

Shall be responsible for following:

- 1. Handling of all financial matters of hospital
- 2. Petty cash handling
- 3. Preparation of budget
- 4. Budget review
- 5. Maintenance of accounts and record
- Any other function assigned by AMR HR & Finance/MS/P&SHD

Eigibility Criteria

- Minimum qualification Masters' degree in Finance/ MBA Finance or equivalent from HEC recognized University (Additional credit may be given to Charter accountant/ACCA)
- Minimum 2 years post degree experience of Finance, Accounts
 Budget (Additional credit may be given for Public sector experience of similar nature)

5.6.2.7 Procurement Officer

Shall be responsible for following functions:

- 1. Procurement of all kinds for hospital
- 2. Shall be in liaison with P&SHD for procurements being conducted
- 3. Any other function assigned by AMS HR & Finance /MS/P&SHD

Eigibility Criteria

- Minimum qualification Masters' degree in Finance/ MBA Finance or equivalent from HEC recognized University
- 2. 2 years post degree experience of procurement (Additional credit may be given for public sector experience of procurement)

5.6.2.8 **Quality Assurance Officer**

He shall be responsible for quality of all things in the hospital.

Eligible Criteria

 Masters in Total Quality Management / Masters in Public Health/ Masters in Health Administration/ Masters in Hospital Management / Masters in Biochemistry / Biotechnology / Molecular Biology / Microbiology from an HEC recognized University or equivalent.

OR

16 years education along with Post graduate diploma in Total Quality Management/ Post graduate diploma in Health Safety and Environmental Management System / Post graduate diploma in Healthcare and Hospital Management / Quality Assurance or equivalent.

2. Minimum 1 Year post degree relevant experience.

5.6.2.9 Logistics Officer

He shall be responsible for Supply Chain, logistics, fleet, warehousing and inventory management, clearing and forwarding in the hospital.

Eligible Criteria

- 1. M.Sc. Supply Chain Management/ MBA or Equivalent.
- 2. One year experience in Supply Chain, logistics, fleet, warehousing and inventory management, clearing and forwarding.

5.6.2.10 Data Entry Operators (DEO)

Four Data entry operators shall help IT officer in dispensation of his responsibilities.

Eligible Criteria

 Minimum qualification BA / B.Sc / B.COM / BCS or equivalent from HEC recognized University. In case of BA/B.COM candidate must have six months computer course / Diploma.

- 2. Proficient in MS Word/ MS Excel/ MS Power point (additional credit may be given for additional relevant certified computer courses)
- 3. 1 years post degree relevant experience

5.6.2.11 Assistant Admin Officer

Shall be responsible for general administrative affairs of hospital and assist the admin officer.

Eligibility Criteria

- Minimum qualification Masters' degree in Social Sciences/Economics/ Public Administration/ Finance/ MBA Finance/Administration or equivalent from HEC recognized University
- 2. Minimum 2 years post degree experience of administration (Additional credit may be given for hospital administration/Public sector administration of similar nature).

5.7 HR for QMS and MSDS and Day Care Center.

5.7.1.1 QMS Supervisor / Information Desk Officer

Shall be responsible whole QMS networking

Eligible Criteria

- M.Sc. (Comp. Engineering, Electronics, Electrical Engineering, IT, Telecommunication, Com. Science, Software Engineering, MCS), BCS (Comp. Engineering, Electronics, Electrical Engineering, IT, Telecommunication, Com. Science, Software Engineering, MBA, BBA, MPA, IT related 16 years Education.
- 2. Experience in the field of Software/Hardware/Network/DATA Quality Assurance, IT projects, IT enabled organizations, CCTV Control Room monitoring, Call Centre, Networking, Software Development will be considered as an added advantage during interview process.
- 3. Excellent communication Skill (Urdu, English) and IQ level
- 4. Age Limit of 21-28 years for Male & 21-30 years for Female
- 5. Typing Speed: 30WPM.

5.7.1.2 Computer Operators

Eight Computer operators shall help QMS Supervisor in dispensation of his responsibilities.

Eligible Criteria

- 1. Minimum qualification 14 year or Masters' degree from HEC recognized University
- 2. Proficient in MS Word/ MS Excel/ MS Power point (additional credit may be given for additional relevant certified computer courses)
- 3. 35 Word per Minute. Excellent communication in English and Urdu.

5.7.2 Consultants (MSDS) Implementation & Clinical Audit

Eligible Criteria

- 1. MBBS & Masters in Public Health, or equivalent qualification.
- 2. The consultant must have 10 years of hands on experience of third party validation, clinical audit of hospitals, Minimum Service Delivery Standards (MSDSs) implementation / hand holding; Report Writing; working knowledge of international best practices in hospital management will be preferred. Proficiency in MS Office is must. Must have strong communication skills.

5.7.2.1 <u>Terms of Reference (TORs) for Consultants Minimum Service</u> <u>Delivery Standards (MSDS) Implementation & Clinical Audit</u>

Government of the Punjab, Primary and Secondary Healthcare Department (P&SHD) is implementing multiple initiatives to improve the quality of healthcare at DHQ/THQ level across the province. One of the initiatives is Primary and Secondary Healthcare Revamping program which is being implemented by the Project Management Unit (PMU). Currently PMU is also involved in the standardization of quality of care at facility level through uniform set of Standard Operating Procedures (SOPs) & Standard Medical Protocols (SMPs) for compliance. The department intends to make all DHQs and THQ hospitals of Punjab as MSDS compliant which have been devised by Punjab Healthcare Commission.

Punjab Healthcare Commission was established under the PHC Act 2010 as an autonomous regulatory body for health sector; with the purpose of improving the quality, safety and efficiency of healthcare service delivery for all Public and Private Healthcare Establishments (including Allopaths, Homeopaths and Tibbs) in the province of Punjab. The Punjab Healthcare Commission has developed

Minimum Service Delivery Standards (MSDS) for all hospitals to improve the quality of healthcare services all over the Punjab. All Healthcare Establishments are required to implement MSDS to acquire a License to deliver healthcare services in Punjab.

This standardization effort will not only ensure availability of minimum services delivery standards (MSDS), SOPs, SMPs at all levels, but also the other essential inputs for functioning of systems and processes to ensure the smooth and safe delivery of quality healthcare services. These will also create conducive working environment for healthcare providers.

5.7.2.2 Objectives

The objective of this assignment is to implement & check all SOPs, SMPs, Minimum Service Delivery Standards (MSDS) & conduct clinical audit for 125 DHQ/THQ hospitals. Furthermore, the consultant will also monitor ongoing multiple trainings at DHQ/THQ hospitals.

5.7.2.3 Scope of Work

- 1. Develop policy & strategy for clinical audit of 125 hospitals.
- 2. Develop detailed clinical audit plan, with expected deliverables from hospitals. 360 degrees clinical audit.
- Visit DHQ/THQ hospitals, to assess MSDS implementation and detailed report generation with short coming & highlight areas of improvement.
- 4. Review SOPs, SMPs & ISO Standards in hospitals to identify non-compliance.
- Visit DHQ/THQ hospitals to implement clinical audit as per devised strategy, as well as monitoring and implementing MSDS standards.
- 6. Prepare detailed visit reports of clinical short comings; and suggest, and implement improvement plan.
- 7. Monitoring & auditing of patient referral system, detailed report on error and recommendations on rectification of errors.
- Visit DHQ/THQ hospitals to implement clinical audit as per devised strategy, as well as monitoring and implementing MSDS standards.
- 9. Prepare detailed visit reports of clinical short comings; and suggest, and implement improvement plan.
- 10. Monitoring & auditing of patient referral system, detailed report on error and recommendations on rectification of errors.
- 11. Monitoring and evaluation of multiple trainings imparted at DHQ/THQ hospitals.
- 12. Any other relevant task assigned by Project Director/Director Quality Assurance / Project Manager.

5.7.2.4 Reporting Arrangements

 The Consultant (MSDS & Clinical Audit) will report to the Project Director/Director Quality Assurance/Senior Project Manager, P&SHD

5.7.2.5 <u>Duration of Assignment</u>

 The duration of assignment will initially be for THREE MONTHS / 120 DAYS which will be extendable subject to satisfactory performance.

5.7.2.6 Outputs / Key Deliverables

- Study/desk review the relevant Minimum Service Delivery Standards (MSDS) prescribed by PHC & ISO Standards, train the hospital staff/monitor/facilitate their implementation.
- Study/desk review the existing Standard Operating Procedures (SOPs), train the hospital staff/monitor/facilitate their implementation and suggest improvements where necessary.
- Study/desk review the existing SMPs, train the hospital staff/monitor/facilitate their implementation and suggest improvements where necessary.
- Conduct hospital visits of 125 DHQ/THQ hospitals (each DHQ hospital to be visited monthly & each THQ hospital every three months).
- Conduct formal hospital survey for confirming the implementation of MSDS on the relevant Scoring Matrix.
- Submit detailed report of each hospital visit on a standard format prescribed for the purpose.
- Conduct a system, process analysis with special emphasis on clinical audit and submission of detailed report accordingly.

5.7.2.7 Remunerations

- The consultant will be paid amount of Rs. **4500-6500/- per day** with no other benefits.
- All logistics will be arranged/reimbursed by PMU for field visits (accommodation, refreshments etc).

5.7.2.8 Terms of Payment

 Consultant will be paid on monthly basis throughout the contract period.

5.7.3 HR for Day Care Center

5.7.3.1 Manager Day Care Center (DCC)

Shall be responsible for general administrative affairs of DCC.

Eligibility Criteria

- Minimum qualification Masters' degree in Economics/ Public Administration/ Finance/ MBA Finance/Administration or equivalent from HEC recognized University
- 2. Minimum 2 years post degree experience of administration (Additional credit may be given for hospital administration/ Public sector administration of similar nature)

5.7.3.2 Montessori Trained Teacher

Shall be responsible for basic education of children.

Eligibility Criteria


- 1. Minimum qualification BA/BSC or equivalent from HEC recognized University along with B.Ed.
- Minimum 1 years post degree experience of teaching (Additional credit may be given for Public sector teaching of similar nature)

5.7.3.3 Attendant / Care Giver

Shall be responsible for special care of the children.

Eligibility Criteria

Minimum qualification Matric or equivalent alongwith diploma in relevant field



The Planning & Development Board vide letter No.12(24)PO(COORD-II)P&D/2022 dated 14-07-2022 has informed that revised standard pay package were discussed and approved by the 83rd PDWP meeting held on 28-06-2022 under the chairmanship of Chairman P&D Board for all ADP funded Project posts of Department /Organizations working in Government of the Punjab:

Project Pay Scale (PPS)	Revised Project Pay Scales (Permissible Range) (PKR)	Annual Increment Up to % age
PPS-1	28,000 44,800	10
PPS-2	35,00056,000	10
PPS-3	43,750 70,000	10
PPS-4	52,500 84,000	10
PPS-5	70,000112000	10
PPS-6	105,000 172,200	8
PPS-7	157,500258,300	8
PPS-8	218,750358,750	8
PPS-9	306,250502,250	8

PPS-10	437,500700,000	5
PPS-11	612,500 980,000	5
PPS-12	875,0001,400,000	5

In view of the above the Pay package of NMS staff has been revised. Financial Implications of New Management Structure Model based on revised Standard Pay Package (PPS) approved by the 83rd PDWP meeting held on 28-06-2022:

	No. of	Original Pa	ay package	Revised Pay package			
Name of Post	Employees	Per Month Salary	Salary for One Year	Per Month Salary	Salary for One Year		
Admin Officer	1	80,000	960,000	105,000	1,260,000		
Human Resource Officer	1	80,000	960,000	105,000	1,260,000		
IT/Statistical Officer	1	80,000	960,000	105,000	1,260,000		
Finance & Budget Officer	1	80,000	960,000	105,000	1,260,000		
Procurement Officer	1	80,000	960,000	105,000	1,260,000		
Quality Assurance Officer	1	80,000	960,000	105,000	1,260,000		
Logistics Officer	1	80,000	960,000	105,000	1,260,000		
Data Entry Operator (DEO)	2	35,000	840,000	44,000	1,056,000		
Assistant admin Officer	2	50,000	1,200,000	70,000	1,680,000		
Total	11		8,760,000	849,000	11,556,000		

5.8 Other Initiatives:

There are many other initiatives which government plans to undertake in order to improve healthcare services in the province. These include:

- Rehabilitation of Emergency Ward
- Fixture of Benches
- Addition of Bracket Fans/Water Coolers/LCDs with signage
- Supply of Laboratory/ Equipment/USG/ECG etc.
- CCU Improvement
- Installation of Water filtration plants
- Replacement of Bed sheets/Pillows/Matrasses
- Installation of Transformers/Dual Connection
- Improvement of Labor rooms/Nurseries

- Maintenance and replacement of Air-conditioners through Outsourcing
- Blood Bank improvement
- Installation of CCTV Cameras
- Installation of Basic Fire-fighting Equipment
- Up gradation of Pharmacy and medicine Store
- Improvement of Internal Roads and laying of Tough pavers
- External Development
- Rehabilitation of Hepatitis/T.B Control

The PMU is essential to deliver the project end-item within budget and time limitations, in accordance with technical specifications, and, when specified, in fulfillment of project objectives.

5.9 Patient Management Protocol

5.9.1 Emergency:

- 1. Initial reception and computerization of data, issuance of medical record number and preparation of record file.
- 2. Patients seen by C.M.O. initial assessment (brief history and physical examination) is entered on the emergency slip/file initial treatment is started.
- 3. C.M.O calls the medical officer / house officer of the relevant department who takes on of the following action:
 - i. Discharges the patient from emergency department after the patient is stabilized (himself or after consultation).
 - ii. Returns the patient in emergency department and inform the consultant or call such patient is either discharged after some time i.e. 2 hours of admitted later on
 - iii. Patient is straight way admitted by the medical officer himself or in consultation with the consultant
- A separate record is maintained by each department. Each patient discusses at the morning meeting and any pitfalls are any pitfalls are corrected.
- 5. The patient who is admitted is again entered into the computer in the ward, complete history and physical examination is carried out and relevant lab & radiological investigations are ordered. (If not already done in the emergency department).

- 6. The definitive management is either started by the medical officer himself or in consultation with the consultant. (Telephone or physically). The patient is prepared for surgery if required.
- 7. At the evening round of the ward, the patients admitted throughout the day (Through OPD or emergency) are seen by the specialist. Appropriate changes in the management are carried out.
- 8. During the night, medical officer & house officer will be on duty and they will remain in contact with consultant.
- 9. In the morning round all the new admissions and old patients are thoroughly discussed management / treatment changed, surgery ordered or discharge ordered.
- 10. The discharge certificate is either prepared by the house officer or medical officer. If prepared by the house officer, it is countersigned by the medical officer

Appropriate changes are made in the computer record after discharge. The file is sent to the central record.

5.9.2 O.P.D:

- 1. After the initial registration and issuance of computerized number patient is sent to the relevant medical officer with the OPD slip/file.
- 2. The medical officer / house officer of the relevant department performs the initial assessment. The medical officer himself advises the treatment / investigation or refers the patients to the specialist or admits the patient.
- 3. After admission. The same routine is followed which has been mentioned in the case of admission through emergency.

5.9.3 Death or End of Life Management.

- 1. The decision regarding resuscitation is made at the initial stages by the medical officer / house officer or specialist in consultation with the patient himself and / attendants.
- 2. The DNR (Do not resuscitate) patients are only seen by the medical officer/ hose officer at the time of death.
- 3. For the patients to be resuscitated, a special code (blue code) is declared when patient go onto cardiac or the terminal events.
- The policy for very sick / terminal and dying patients is formulated at the hospital administration level and appropriate modifications are decided in the relevant department for each patient.

Every death is discussed weekly at the mortality committee at the department and at the hospital level cleared by the Medical Superintendent.

5.9.4 Inventory Control System

The stock keeping and issuance of such items shall also be controlled and monitored through closer supervision and checks and balance system built in the software. The stock and expense of durable and consumable items will be kept in the system and also as hard copies. The main stores computers will be linked with the sub stores computers through networking. The areas like emergency. Outpatient department, Indoor registration desks, Laboratory and Radiology Department, ICUs, etc., will have linkages with the main and sub stores to know about:-

- 1. Stock in hand of various items
- 2. New receipt of these items
- 3. The items which have been issued to other departments
- 4. The Items which are not available
- 5. The expenditure incurred on the purchase.

The budget and details of account shall be linked with the financial control system.

5.9.5 Project Monitoring Committee

A Project Monitoring Committee is proposed hereby as under to monitor the project regarding Revamping of THQ Hospital:

1.	Deputy Commissioner	(Chairman)
2.	District Monitoring Officer	(Member)
3.	Executive Engineer Buildings	(Member)
4.	Assistant Commissioner Concerned	l (Member)
5.	MS THQ Hospital (S	Secretary/Member)

The committee will monitor the progress of the project and will hold regular weekly meeting to review the progress.

5.10 Relationship with Sectoral Objectives

The Government of the Punjab, Primary & Secondary Healthcare Department is in the process of undertaking number of initiatives to improve health care delivery system in the province. The Government of the Punjab is firmly committed to provide health care services at the doorstep of the community through integrated approach. A number of projects to improve emergency health care service particularly targeting on the promptness and quality have been

initiated. Although major focus is on disease prevention and health promotion strategies by providing specialist health care services to victims of various diseases in the patients is one of the top most priority. The instant project will be a major wing to health department with line departments.

Mainly the linkage with social welfare and human empowerment, labour and manpower, Education Department, Special Education, Home of the project will be in a vibrant environment in the holistic manner. The scope of the project itself aims to establish horizontal linkage with all the stakeholders through multisectorial approach. The health care facilities and ongoing services provided in the hospital will seek strength and viability from its linkage and public ownership.

6. DESCRIPTION AND JUSTIFICATION OF PROJECT

6.1 JUSTIFICATION OF PROJECT

Attached

6. Description, Justification and Technical Parameters

The scheme has been estimated on face of the factual basic requirements and if needed, alterations and has been quoted in this PC-I. The Population of Tehsil Murree District Rawalpindi is more than 0.433 million. The area of the THQ Hospital Murree District Rawalpindi is 62,081 SFT land.

6.1 <u>Description and Justification</u>

The Project Management Unit, Revamping Program, Primary and Secondary Healthcare Department planned to start the 2nd Phase of the said revamping program. The instant PC-I is also meant for provision of requisite biomedical and non-biomedical equipment, Electricity, Furniture & Fixture, Signage, HR and outsourcing for Revamping of THQ Hospital Murree District Rawalpindi

Revamping of THQ Hospital Murree District Rawalpindi constitutes of value addition in all major domains of the hospital including improvement of Civil infrastructure, addition of water filtration plant facility, value addition in Emergency ward and making the health facility more equipped with modern bio-medical equipment. State of the art furniture and fixtures complemented by interior and exterior decors are also part of this revamping project backed by the thought of dedicated express line of electricity to ensure smooth operations of hospitals will bring the modern health facilities in healthy and comfortable environment at the door step of masses. Introduction of new model of outsourcing of laundry services to ensure provision of neat and clean bed sheets, pillow covers, blankets etc. round the clock is also a part of this project. Fool proof security and adequate cleanliness measures of whole health facility are also proposed in this PC-I.

Civil work component will be carried out through C&W Department instead of District Health Authority for this hospital. Value addition in Emergency block is proposed in four domains i.e. Triage, Minor O.T, Specialized care room and emergency ward. Addition of Water Filtration Plant facility where it is not available as unclean or polluted water is devastating for human health. A key consideration was made while selecting furniture and its compatibility with hospital grade cleaners, detergents and disinfectants. Signage is an effective interface between the user and intended facility. Effective signage promotes the healthcare facility in a patient friendly manner. Access is an important part of quality of care. A crucial aspect for patient satisfaction is their comfort levels with the facility itself i.e. a person's ease in navigating a facility, and the timeliness in receiving care. Clear and proper signage at strategic points helps patients in reaching their destination without losing much of their valuable time and saves lot of their efforts in unnecessary enquiring from persons. In this regard, the Equipment of Emergency, Bio-Medical, Non-Bio-Medical, Electricity, Signage, Janitorial, Security, Laundry, Maintenance of Generator and Horticulture have been added as per actual

requirement of the Hospital. The Equipment of MSDS, IT, Furniture Fixture, Day Care Center, HR, Medical Gases, Cafeteria are fixed in all hospitals as per yardstick established by P& SH Department. Prior to initiation of this exercise standardization of required facilities was done by committee of experts in P & SH Department and on the basis of it, gaps were identified which would be covered under this PC-I.

Justification for 3rd Revision of PC-I

- 1. Originally the Civil work component of the scheme was planned to be executed by the Health Council of the concerned District Health Authority based on cost estimates prepared by the Infrastructure Wing of PMU and approved by the DDSC. Accordingly, funds of Rs.3, Rs.5 and Rs.10 million were provided during FY 2017-18 for the execution of work as per parameters provided to these THQ Hospitals. However, no reasonable revamping civil work was carried out and hence did not fulfil the requirement and the objectives of the Revamping Program. Now P&SHD has decided to carry out further revamping of Civil work through Communication and Works Department Punjab to accomplish the uniformity of THQ Hospitals with already revamped hospitals of Phase-I. Hence the Rough Cost Estimates of the Punjab Buildings Department has been included in the civil work cost of this scheme.
- 2. Primary & Secondary Healthcare Department (P&SHD) made a decision to shift all the clerical posts in DHQ / THQ hospitals of Punjab to District Health Authorities as per notification dated 24th October, 2017. This administrative decision was taken due to a multiplicity of reasons which were adversely affecting healthcare service delivery in the hospitals. Primarily, these clerical posts were not specialized in any particular field, and therefore, the HR hired against these posts were generalized to the extent that they were not able to perform functions of Hospitals and Health Specific tasks that any medical administration should ideally perform. Additionally, public complaints against the clerical staff on issues such as behavior, performance created an environment of malfeasance in all hospitals. In place of the clerical positions, the Department introduced a New Management Structure (NMS), in all District and Tehsil Headquarters Hospitals. The officers/officials recruited as a part of the NMS have a minimum of 16 years of education. Introduction of New Management Structures (NMS) across all secondary hospitals in the Punjab, has allowed for the overall efficiency of District and Tehsil Headquarters Hospitals. In each Tehsil Headquarter Hospital HR under MNS has been provided for smooth running of the health services. Pay Package for NMS Staff was never been revised since 2017-18, therefore it was decided to approach the P&D Department for revision of Pay package. The PDWP approved revised pay page in its meeting held on 08-02-2022 based on PPS approved in 60th PDWP meeting as under: -

	60 th PDWP Me	eeting	
Name of Posts	PPS Assigned	Permissible Range (PKR) & Annual increment	Approved Pay Package
HR & Legal Officer, IT & Statistical Officer, Admin Officer, Procurement Officer, Finance & Budget Officer, Logistics Officer, Quality Assurance Officer, Audit Officer and Biomedical Engineer	PPS-6	75,000-105,000 (8% annual incr.)	75,000
Assistant Admin Officer	PPS-5	50,000-75000 (10% annual incr.)	50,000
Data Entry Operator	PPS-3	35,000-55,000 (10% annual incr.)	35,000

Now the Planning & Development Board vide letter No.12(24)PO(COORD-II)P&D/2022 dated 14-07-2022 has informed that revised standard pay package were discussed and approved by the 83rd PDWP meeting held on 28-06-2022 under the chairmanship of Chairman P&D Board for all ADP funded Project posts of Department /Organizations working in Government of the Punjab. Therefore, the revised Pay Package has been incorporated in the revised PC-I.

- 3. As the gestation period of the PC-I till 30.06.2023, therefore, the cost of NMS has been revised for smooth running of the Tehsil Headquarter Hospitals and hence PC-I has been proposed till 30- 06-2025.
- 4. Infrastructure team has conducted the Joint visits with the team of C&W Department. During the field visits, few alterations were recommended by the technical teams which have been incorporated in the Revised Rough Cost Estimates of the subject scheme and have been attached with the PC-I along with comparative statement. Therefore, Civil works component cost has been increased from Rs. 14.995 million to Rs. 43.240 million due to few changes in the scope and MRS rates (2nd Bi-annual 2022).

85 THQ Hospitals covered under the Program:

The location map of the 85 THQ hospitals that will be taken up for rehabilitation in this program is given below:

PROJECT MANAGEMENT UNIT PRIMARY & SECONDARY HEALTHCARE DEPARTMENT



LOCATION OF DHQ AND THQ HOSPITALS IN PUNJAB



6.2 SECTORAL SPECIFIC INFORMATION

Social Sectors health department

7. CAPITAL COST ESTIMATES

Financial Components: Revenue Grant Number: Development - (PC22036)

Cost Center:OTHERS- (OTHERS) LO NO:LO17010550

Fund Center (Controlling): N/A

A/C To be Credited: Assan Assignment

PKR Million

S r #	Object Code	2019-2020		2020	2020-2021		2021-2022		2022-2023		-2024	2024-2025	
		Local	Foreign	Local	Foreign	Local	Foreign	Local	Foreign	Local	Foreign	Local	Foreign
	A05270 -To Others	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	A12403-Other Buildings	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	Total	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

Financial Components: Capital Grant Number: Government Buildings - (PC12042)

Cost Center:OTHERS- (OTHERS)

LO NO:LO22010030

Fund Center (Controlling):LE4203 A/C To be Credited:Account-I

PKR Million

S r #	Object Code	2019	-2020	2020-	2021 2021-202		-2022	2022-2023		2023-2024		2024-2025	
		Local	Foreign	Local	Foreign	Local	Foreign	Local	Foreign	Local	Foreign	Local	Foreign
1	A12403-Other Buildings	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
2	A05270-To Others	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

Total	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Total	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

Abstract of Cost												
Name of THQ Hospital						Mu	rree					
Scope of work						Cost in	million					
•		Original			1st Revised	i		2nd Revise	d		3rd Revise	d
	Capital	Revenue	Total	Capital	Revenue	Total	Capital	Revenue	Total	Capital	Revenue	Total
Capital component				•								
Internal Development	0.000	8.038	8.038	0.000	8.038	8.038	3.436	0.000	3.436	29.262	0.000	29.262
External Development	0.000	1.956	1.956	0.000	1.956	1.956	10.235	0.000	10.235	13.978	0.000	13.978
Water filtration plant	0.000	5.600	5.600	0.000	5.600	5.600	1.324	0.000	1.324	0.000	0.000	0.000
Total Capital Component	0.000	15.594	15.594	0.000	15.594	15.594	14.995	0.000	14.995	43.240	0.000	43.240
Emergency	0.000	19.687	19.687	0.000	19.687	19.687	0.000	26.796	26.796	0.000	45.651	45.651
MSDS	0.000	8.647	8.647	0.000	8.647	8.647	0.000	9.654	9.654	0.000	13.438	13.438
Med. Machinery and Equipment	0.000	44.102	44.102	0.000	44.102	44.102	0.000	58.677	58.677	0.000	86.335	86.335
Electricity	0.000	13.284	13.284	0.000	13.284	13.284	0.000	13.884	13.884	0.000	27.284	27.284
IT & QMS & Surveillance	0.000	14.515	14.515	0.000	14.515	14.515	0.000	16.715	16.715	0.000	20.120	20.120
Furniture and Fixtures	0.000	13.504	13.504	0.000	13.504	13.504	0.000	13.504	13.504	0.000	18.788	18.788
Interior and Exterior decorations/ Signage	0.000	3.004	3.004	0.000	3.004	3.004	0.000	4.271	4.271	0.000	4.271	4.271
Day Care Center	0.000	1.600	1.600	0.000	1.600	1.600	0.000	1.600	1.600	0.000	1.600	1.600
Human resource (HR) plan	0.000	17.220	17.220	0.000	17.220	17.220	0.000	33.400	33.400	0.000	52.899	52.899
LC Deficit during procurement (currency							0.000	2.210	2.210	0.000	2.210	2.210
fluctuation)												
Total Revenue component	0.000	135.562	135.562	0.000	135.562	135.562	0.000	180.710	180.710	0.000	272.595	272.595
Outsourcing component												
Janitorial Services	0.000	10.027	10.027	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Security and Parking services	0.000	4.833	4.833	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Laundry Services	0.000	3.660	3.660	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Maintenance (Generator)	0.000	1.310	1.310	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
MEP	0.000	3.694	3.694	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Medical Gases	0.000	1.304	1.304	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Cafeteria	0.000	6.743	6.743	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Horticulture services	0.000	2.527	2.527	0.000	0.048	0.048	0.000	0.048	0.048	0.000	0.048	0.048
Total outsourcing cost	0.000	34.098	34.098	0.000	0.048	0.048	0.000	0.048	0.048	0.000	0.048	0.048
Total	0.000	185.254	185.254	0.000	151.204	151.204	14.995	180.758	195.754	43.240	272.643	315.883
Contingency (1%) only on Civil	0.000	0.156	0.156	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Component												
Third Party Monitoring (TPM) (1%)	0.000	1.853	1.853	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Third Party Validation (TPV) (1%)	0.000	1.853	1.853	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Grand Total	0.000	189.115	189.115	0.000	151.204	151.204	14.995	180.758	195.754	43.240	272.643	315.883

				En	nergen	cy Equ	uipment								
				Ori	ginal		R	Revised			Revis	ed	3rd Revised		
Sr. No.	Area	ITEM DESCRIPTION	Yard Stick	Required Quantity (T=5+S=0+E=5)	Actual Unit Price	Actual Total Cost(Rs)									
1		Table	0		99,750	-		99,750	-		99,750	-		99,750	-
2	Reception Area	Chairs	0		26,775	-		26,775	-		26,775	-		30,000	-
3	700	Computer Data Entry With Printer	1	1	141,750	141,750	1	141,750	141,750	1	141,750	141,750	1	195,000	195,000
4	3	Table (2.5 X 4)*(N)	0	0	101,850	-	0	101,850	-	0	101,850	-	0	101,850	-
5	5	Chairs *(N)	0	0	26,775	-	0	26,775	-	0	26,775	-	0	30,000	-
6		B.p apparatus wall type*(N)	3	5	15,750	78,750	5	15,750	78,750	5	30,000	150,000	5	30,000	150,000
7		Gurney WITH FOOT STEP)*(N)	3	5	420,000	2,100,000	5	420,000	2,100,000	5	460,000	2,300,000	5	800,000	4,000,000
8		Mercury B.P apparatus*(N)	2	4	33,600	134,400	4	33,600	134,400	4	36,000	144,000	4	36,000	144,000
9		Laryngoscope paeds &adult each*(N)	2	4	10,500	42,000	4	10,500	42,000	4	12,000	48,000	4	20,000	80,000
10		Diagnostic set*(N)	1	2	45,150	90,300	2	45,150	90,300	2	50,000	100,000	2	85,000	170,000
11		ECG Machine (with trolley) *(N)	1	2	169,785	339,570	2	169,785	339,570	2	180,000	360,000	2	300,000	600,000
12	Triage area	Central oxygen with accessories FOR each	0	0	420,000	-	0	420,000	-	0	-	-	0	-	-
13		NEBULIZER HD*(N)	2	4	125,265	501,060	4	125,265	501,060	4	215,000	860,000	4	300,000	1,200,000
14		SUCKER MACHINE*(N)	1	2	259,350	518,700	2	259,350	518,700	2	275,000	550,000	2	300,000	600,000
15		Resuscitation Trolley (fully equipped))*(N)	1	2	244,733	489,466	2	244,733	489,466	2	400,000	800,000	2	600,000	1,200,000
16		INSTRUMENT CABINET*N	1	2	69,300	138,600	2	69,300	138,600	2	69,300	138,600	2	69,300	138,600
17		MEDICINE TROLLY*N	1	2	60,900	121,800	2	60,900	121,800	2	60,900	121,800	2	60,900	121,800
18	9	O.T table WITH foot step	1	1	1,417,500	1,417,500	1	1,417,500	1,417,500	1	2,000,000	2,000,000	1	2,500,000	2,500,000
19		Anesthesia Machine	1	1	2,509,554	2,509,554	1	2,509,554	2,509,554	1	3,000,000	3,000,000	1	7,000,000	7,000,000
20		Sucker machine	1	1	259,350	259,350	1	259,350	259,350	1	275,000	275,000	1	300,000	300,000
21		Portable O.T Lights	1	1	304,220	304,220	1	304,220	304,220	1	500,000	500,000	1	900,000	900,000
22	Minor O.T	Ceiling o.t light	1	1	414,750	414,750	1	414,750	414,750	1	800,000	800,000	1	950,000	950,000
23	WIIIIOI O.1	Hot air oven	1	1	110,000	110,000	1	110,000	110,000	1	385,000	385,000	1	450,000	450,000
24		Autoclave	1	1	441,000	441,000	1	441,000	441,000	1	550,000	550,000	1	850,000	850,000
25		Instrument trolley*N	1	1	54,000	54,000	1	54,000	54,000	1	54,000	54,000	1	55,000	55,000
26		Defibrillator*N	1	1	310,000	310,000	1	310,000	310,000	1	650,000	650,000	1	800,000	800,000
27		Instrument cabinet	1	1	69,300	69,300	1	69,300	69,300	1	69,300	69,300	1	69,300	69,300
28		GURNEYS*N	4		420,000	-		420,000	-		460,000	-		850,000	-
29		Sucker machine *(N)	2		259,350	-		259,350	-		275,000	-		300,000	-
30		Nebulizer HD*(N)	2		125,265	-		125,265	-		215,000	-		300,000	-
31		Center Oxygen supply*N	1		420,000	-		420,000	-		-	-		-	-
32	Constant /	Resuscitation Trolley (fully equipped))*(N)	1		237,618	-		237,618	-		400,000	-		600,000	-
33	specialized	Defibrillator*N	1		302,605	-		302,605	-		650,000	-		800,000	-
34	care room	Pulse- oximeter*(N)	4		104,000	-		104,000	-		160,000	-		225,000	-
35		Bedside-monitor*(N)	4		301,665	-		301,665	-		550,000	-		1,200,000	-
36		ECG MACHINE)*(N)	1		169,785	-		169,785	-		169,785	-		300,000	-
37		BP APPARATUS*N	1		15,750	-		15,750	-		16,000	-		16,000	-
38		FOOT STEP)*(N)	1		3,150	-		3,150	-		4,000	-		5,500	-
39		ATTANDANT BENCH)*(N)	1		5,250	-		5,250	-		8,000	-		10,000	-
40		(MOTRIZED BEDS) with accessories (with foot steps*(N)	7	5	210,000	1,050,000	5	210,000	1,050,000	5	400,000	2,000,000	5	600,000	3,000,000
41	5	ECG machine(with trolley) *(N)	1	1	169,785	169,785	1	169,785	169,785	1	169,785	169,785	1	300,000	300,000
42		Pulse- oximeter *(N)	6	5	104,000	520,000	5	104,000	520,000	5	160,000	800,000	5	225,000	1,125,000
43		Bedside-monitor*(N)	3	3	301,665	904,995	3	301,665	904,995	3	550,000	1,650,000	3	1,200,000	3,600,000
44		B.P apparatus wall type *(N)	6	5	26,250	131,250	5	26,250	131,250	5	30,000	150,000	5	30,000	150,000

Emergency Equipment

					<u>.</u>	, <u> </u>	٠٠٠٠٠٠٠٠								
				Ori	ginal		R	evised	1	2nd	Revis	ed	3rd Revised		
Sr	Area	ITEM DESCRIPTION	Yard	Required Quantity	Actual Unit	Actual Total									
45		Nebulizer HD *(N)	2	2	125,265	250,530	2	125,265	250,530	2	215,000	430,000	2	300,000	600,000
46	ward	Resuscitation Trolley (fully equipped))*(N)	1	1	237,618	237,618	1	237,618	237,618	1	400,000	400,000	1	600,000	600,000
47		Defibrillator*N	1	1	299,153	299,153	1	299,153	299,153	1	650,000	650,000	1	800,000	800,000
48	1	Sucker machine *(N)	2	2	259,350	518,700	2	259,350	518,700	2	275,000	550,000	2	300,000	600,000
49		Wheal chairs *(N)	0	0	31,500	-	0	31,500	-	0	35,000	-	0	35,000	-
50		Stretcher *(N)	0	0	69,300	-	0	69,300	-	0	69,300	-	0	69,300	-
51		ambo bag paeds with Mask*N	5	5	15,750	78,750	5	15,750	78,750	5	19,000	95,000	5	19,000	95,000
52	Generalized	ambo bag adult with Mask* N	5	5	15,750	78,750	5	15,750	78,750	5	19,000	95,000	5	19,500	97,500
53		patient stool * N	2	2	4,085	8,169	2	4,085	8,169	2	4,500	9,000	2	5,000	10,000
54		Portable x-rays (300 M.A)	1	1	3,450,350	3,450,350	1	3,450,350	3,450,350	1	4,300,000	4,300,000	1	9,800,000	9,800,000
55		Portable ultra-sound	1	1	1,403,325	1,403,325	1	1,403,325	1,403,325	1	1,500,000	1,500,000	1	2,400,000	2,400,000
		Total				19,687,445			19,687,445			26,796,235			45,651,200
						19.687			19.687			26.796			45.651

MSDS

			Origin		10	4 David	204	210	d Davi	20d	2 =	d Davi	d
		'	Origina			t Revi	sea	Z N	d Revi	sea	3 10	d Revi	sea
Sr. No.	ITEM DESCRIPTION	Quantity Required	Actual Unit Price	Actual Total Cost(Rs)									
1	Histology slide boxes	3	3,100	9,299	3	3,100	9,299	3	4,500	13,500	3	4,500	13,500
2	Labeling Device connected with Computer	3	60,000	180,000	3	60,000	180,000	3	80,000	240,000	3	80,000	240,000
3	Safe Transportation Boxes	2	15,750	31,500	2	15,750	31,500	2	18,000	36,000	2	18,000	36,000
4	Portable Safety Exhaust Hood	1	160,000	160,000	1	160,000	160,000	1	250,000	250,000	1	450,000	450,000
5	Centrifuge Machine	0	149,336	-	0	149,336		0	250,000	-	0	325,000	-
6	Hot plates	2	26,250	52,500	2	26,250	52,500	2	45,000	90,000	2	55,000	110,000
7	Water bath	1	157,500	157,500	1	157,500	157,500	1	157,500	157,500	1	300,000	300,000
8	Complaint boxes	10	3,150	31,500	10	3,150	31,500	10	3,150	31,500	10	3,150	31,500
9	Spine boards with Neck holders	4	31,080	124,320	4	31,080	124,320	4	31,080	124,320	4	31,080	124,320
10	Sensitometer	1	137,325	137,325	1	137,325	137,325	1	137,325	137,325	1	137,325	137,325
11	Densitometer personal	2	191,391	382,782	2	191,391	382,782	2	191,391	382,782	2	191,391	382,782
12	Box of Films	2	26,250	52,500	2	26,250	52,500	2	30,000	60,000	2	30,000	60,000
13	Aluminium Step Wedge	1	26,250	26,250	1	26,250	26,250	1	26,250	26,250	1	26,250	26,250
14	Non-Mercury thermometer	10	305	3,045	10	305	3,045	10	350	3,500	10	750	7,500
15	Brass or copper mesh screen	2	5,250	10,500	2	5,250	10,500	2	5,250	10,500	2	5,250	10,500
16	Wheel Chairs	0	31,500	ı	0	31,500	-	0	35,000	•	0	35,000	-
17	Statures	0	67,830	-	0	67,830	-	0	75,000	-	0	75,000	-
18	Blood Warmer	3	246,750	740,250	3	246,750	740,250	3	275,000	825,000	3	275,000	825,000
19	Sequence Compression Device	2	210,000	420,000	2	210,000	420,000	2	230,000	460,000	2	600,000	1,200,000
20	Blood Bank Refrigerators with	0	682,500	-	0	682,500	-	0	700,000	-	0	1,469,900	-
21	Data Coder	1	84,000	84,000	1	84,000	84,000	1	100,000	100,000	1	-	-
22	Plasma Separator 1	0	4,200,000	-	0	4,200,000	-	0	4,500,000	-	0	4,500,000	-
23	Blood Storage Cabinet	1	682,500	682,500	1	682,500	682,500	1	700,000	700,000	1	1,469,900	1,469,900
24	Resuscitation Trolley	0	244,733	i	0	244,733	-	0	400,000	•	0	491,350	-
25	Ultra sound machine gyne	0	1,403,325	i	0	1,403,325	-	0	1,700,000	•	0	2,150,000	-
26	Delivery Table	0	47,250	-	0	47,250	-	0	47,250	-	0	48,500	-
27	Height and weight scale	4	8,400	33,600	4	8,400	33,600	4	10,000	40,000	4	31,500	126,000
28	Suction Electronic	0	259,350	-	0	259,350	-	0	275,000	-	0	275,000	-
29	Fetal Heart Rate Detector	1	144,375	144,375	1	144,375	144,375	1	175,000	175,000	1	275,000	275,000
30	Ambo bag	0	17,325	-	0	17,325	-	0	19,000	-	0	19,000	-
31	Neonatal size face mask	4	578	2,310	4	578	2,310	4	1,200	4,800	4	1,500	6,000
32	Exchange transfusion trays	2	10,000	20,000	2	10,000	20,000	2	10,000	20,000	2	12,000	24,000
33	Shoe racks SS	4	39,900	159,600	4	39,900	159,600	4	39,900	159,600	4	39,900	159,600
34	Sterilizer	0	2,940,000	-	0	2,940,000	-	0	3,500,000	-	0	7,800,000	-
35	Washer disinfector	0	-	-	0	-	-	0	-	-	0	-	-
36	Packing table	0	-	-	0	-	-	0	-	-	0	-	-
37	Digital Sealer Printer	1	420,000	420,000	1	420,000	420,000	1	480,000	480,000	1	520,000	520,000
38	Backup Auto Clave	0	441,000	-	0	441,000	-	0	550,000	-	0	789,625	-
39	Racks for Manual	10	21,000	210,000	10	21,000	210,000	10	37,500	375,000	10	56,160	561,600
40	Locked Racks for MSDS Data	2	21,000	42,000	2	21,000	42,000	2	37,500	75,000	2	56,160	112,320
41	Eye Wash Station with shower	3	300,000	900,000	3	300,000	900,000	3	350,000	1,050,000	3	350,000	1,050,000
42	Air Curtain	4	50,190	200,760	4	50,190	200,760	4	60,000	240,000	4	60,000	240,000
43	Fire Sand Buckets with stand	5	15,000	75,000	5	15,000	75,000	5	20,000	100,000	5	20,000	100,000
44	Smoke Detectors	10	7,350	73,500	10	7,350	73,500	10	8,500	85,000	10	8,500	85,000
45	Heat Detector	5	8,400	42,000	5	8,400	42,000	5	10,000	50,000	5	10,000	50,000
46	Gas Detector	5	6,300	31,500	5	6,300	31,500	5	7,500	37,500	5	7,500	37,500
47	Fire Blankets	10	2,783	27,825	10	2,783	27,825	10	3,200	32,000	10	3,200	32,000
48	Fire Alarms	10	5,250	52,500	10	5,250	52,500	10	6,500	65,000	10	6,500	65,000
49	Identification Bands	100	3	315	100	3	315	100	3	300	100	3	300

MSDS

			Origin	al	1s	t Revi	sed	2n	d Revi	sed	3rd	d Revi	sed
Sr. No.	ITEM DESCRIPTION	Quantity Required	Actual Unit Price	Actual Total Cost(Rs)									
50	Wet Flooring Signages	0	431	-	0	431	-	0	550	-	0	750	-
51	Key Box	6	8,190	49,140	6	8,190	49,140	6	10,000	60,000	6	10,000	60,000
52	Dehumidifier	0	58,800	-	0	58,800	-	0	70,000	-	0	100,000	-
53	Tourniquet	4	840	3,360	4	840	3,360	4	850	3,400	4	1,500	6,000
54	LAB SAFETY BOX	2	3,150	6,300	2	3,150	6,300	2	4,000	8,000	2	4,000	8,000
55	densitometer	0	210,000	-	0	210,000	-	0	210,000	-	0	210,000	-
56	vending machine	0	630,000	-	0	630,000	-	0	630,000	-	0	630,000	-
57	Automatic shoe cover machine	2	296,100	592,200	2	296,100	592,200	2	332,500	665,000	2	332,500	665,000
58	Vein Finder	2	630,000	1,260,000	2	630,000	1,260,000	2	630,000	1,260,000	2	630,000	1,260,000
59	Blood Sample Vials (BOXES)	3	13	38	3	13	38	3	15	45	3	15	45
60	Bassinets	5	21,000	105,000	5	21,000	105,000	5	22,000	110,000	5	22,000	110,000
61	Chemical Spill Cleanup kit	2	100,000	200,000	2	100,000	200,000	2	100,000	200,000	2	100,000	200,000
62	Digital Tempurature Humidity Guage	4	15,000	60,000	4	15,000	60,000	4	15,000	60,000	4	15,000	60,000
63	Bio Cleaning and Disinfection System	1	650,000	650,000	1	650,000	650,000	1	650,000	650,000	1	2,200,000	2,200,000
	Total			8,647,094			8,647,094			9,653,822			13,437,942
				8.647			8.647			9.654			13.438

					Origi	inal			1st R	evise	d		2nd F	Revise	d		3rd R	evise	d
	Area	Name of Equipment	Yard Stick	Available Quantity	Required Quantity	Cost per Unit	Total Cost	Available Quantity	Required Quantity	Cost per Unit	Total Cost	Available Quantity	Required Quantity	Cost per Unit	Total Cost	Available Quantity	Required Quantity	Cost per Unit	Total Cos
													·			·	-		
-		Semi Auto Clinical Chemistry Analyzer	1	1	0	449,295	-	1	0	449,295	-	1	0	550,000	-	1	0	550,000	-
1		Hematology Analyzer	1	1	0	427,350	427,350	0	0	427,350	427,350	1	0	550,000	550,000	1	0	750,000	550,0
+		Electrolyte Analyzer Blood Gas Analyzer	0	0	0	427,350 2,744,858	427,350	0	0	427,350 2,744,858	427,350	0	0	550,000 3,200,000	550,000	0	0	550,000 1,400,000	550,0
+		Clinical Microscope	1	2	0	132,825	-	2	0	132,825		2	0	180,000	-	2	0	250.000	
l ah	boratory	Water Bath	1	0	1	60,000	60,000	0	1	60.000	60,000	0	1	157,500	157,500	0	1	325,000	325.
Lar	bolatory	Hot air Oven	1	1	0	210,000	-	1	0	210,000	-	1	0	385,000	107,000	1	0	450,000	323,
t		Distilled water plant	1	0	1	52,500	52,500	0	1	52,500	52,500	0	1	75,000	75,000	0	1	125,000	125,
t		Auto pipettes	10	5	5	31,500	157,500	5	5	31,500	157,500	5	5	40,500	202,500	5	5	45,000	225
t		glass wares	0	2	0	105,000	-	2	0	105,000	-	2	0	105,000	-	2	0	105,000	
t		Centrifuge Machine	2	2	0	149,336	-	2	0	149.336	-	2	0	250,000	-	2	0	400,000	
		Static X-ray Machine	1	1	0	4,200,000	-	1	0	4,200,000	-	1	0	6,000,000	-	1	0	12,000,000	
t		Mobile X-Ray Machine	0	0	0	3,850,524	-	0	0	3,850,524	-	0	0	4,300,000	-	0	0	9,800,000	
t		Computerized Radiography System	0	0	0	4,018,245	-	0	0	4,018,245	-	0	0	4,500,000	-	0	0	4,500,000	
t		Dental X-Ray	0	1	0	282,975	-	1	0	282,975	-	1	0	350,000	-	1	0	525,000	
X-F	Rays	Lead apron and PPE	2	0	2	52,500	105,000	0	2	52,500	105,000	0	2	60,000	120,000	0	2	85,000	170
t		Density meter personal (Add)	0	0	0	210,000	-	0	0	210,000	-	0	0	210,000	-	0	0	250,000	
t		Lead glass /shield	0	0	0	105,000	-	0	0	105,000	-	0	0	105,000	-	0	0	150,000	
t		Lead Walls	0	0	0	525,000	-	0	0	525,000	-	0	0	525,000	-	0	0	525,000	1
		Portable/Mobile Ultrasound	0	2	0	1,371,331	-	2	0	1,371,331	-	2	0	1,500,000	-	2	0	2,400,000	1
Ultr	rasound	Color Doppler RADIOLOGY	1	1	0	3,698,310	-	1	0	3,698,310	-	1	0	4,500,000	-	1	0	5,500,000	1
		ICU MONITOR	2	0	2	301,665	603,330	0	2	301,665	603,330	0	2	900,000	1,800,000	0	2	1,250,000	2,500
t		Temporary pace maker	0	0	0	315,000		0	0	315,000		0	0	315,000	-	0	0	550,000	
t		Defibrillator	1	0	1	299,153	299,153	0	1	299,153	299,153	0	1	650,000	650,000	0	1	800,000	800
CC	U	ECG Machine Three Channel	2	0	2	169,785	339,570	0	2	169,785	339,570	0	2	169,785	339,570	0	2	300,000	600
t		ETT Machine	0	0	0	2,021,838	-	0	0	2,021,838	-	0	0	2,200,000	-	0	0	3,000,000	•
t		Color doplor CARDIOLOGY	0	0	0	4,681,790	-	0	0	4,681,790	-	0	0	4,800,000	-	0	0	6,000,000	
t		Suction Pump	2	0	2	259,350	518,700	0	2	259.350	518,700	0	2	275,000	550,000	0	2	300,000	600
		Blood Cabinet	1	2	0	690,539		2	0	690,539	-	2	0	700,000	-	2	0	1,500,000	
t		Centrifuge Machine	2	1	1	149,336	149,336	1	1	149,336	149,336	1	1	250,000	250,000	1	1	400,000	400
Blo	ood Bank	Slide viewer	1	2	0	42,000	-	2	0	42,000	-	2	0	55,000	-	2	0	55,000	1
t		Clinical Microscope	1	1	0	132,825		1	0	132,825		1	0	180,000	-	1	0	250,000	
Dia	alysis Unit	Computerized Hemo Dialysis Machine	5	0	5	1,050,000	5,250,000	0	5	1,050,000	5,250,000	0	5	1,600,000	8,000,000	0	5	3,200,000	16,000
(10) beds)																		
1		Baby Cot	10	2	8	14,669	117,348	2	8	14,669	117,348	2	8	16,000	128,000	2	8	16,000	128
1		Phototherapy Unit	2	2	0	130,200	-	2	0	130,200		2	0	655,000	-	2	0	850,000	
ł		Infant Warmer	2	1	1	335,638	335,638	1	1	335,638	335,638	1	1	985,000	985,000	1	1	1,050,000	1,050
Nur	rsery	Pulse Oximeter	6	0	6	104,500	627,000	0	6	104,500	627,000	0	6	160,000	960,000	0	6	225,000	1,350
1		Infant Incubator	2	1	1	858,932	858,932	1	1	858,932	858,932	1	1	900,000	900,000	1	1	1,750,000	1,750
1		Suction Pump	1		1	259,350 125,265	259,350 125,265	-	1	259,350 125,265	259,350 125,265		1	275,000	275,000 215,000	1	1	300,000	300
		Hospital Grade Nebulizer Heavy Duty	2	1	1	2,509,554	125,265	1		125,265 2,509,554	125,265	1		215,000 3,000,000	∠15,000	1		300,000 7,000,000	300
1		Anesthesia Machine with Ventilator			0	2,509,554	444.000		0	2,509,554 441,000	441.000		0	550,000	550,000		0		1,200
1		BED SIDE PATIENT MONITOR Defibrillator	2	0	1 2	308,713	441,000 617,425	0	2	308,713	441,000 617,425	0	2	650,000	1,300,000	0	2	1,200,000	1,200
1		Electrosurgical Unit	1	1	0	507,530	617,425	1	0	507,530	017,425	1	0	700,000	1,300,000	1	0	900,000	1,000
1		Operation Table	1	2	0	1,426,215		2	0	1,426,215	-	2	0	2,000,000	-	2	0	2,500,000	-
٠.	T (04)		1	3	0	413,013		3	0	413,013	-	3	0	800,000	-	3	0	950,000	-
0.1	1 (04)	Ceiling Operating Light STEAM STERILIZER	1		0	3,465,000	-	1	0	3,465,000	-	1	0		-		0	7.800.000	
+		Suction Pump	2	1	2	259,350	518,700	-	2	259,350	518,700	1	2	4,000,000 275,000	550,000	1	2	300,000	600
+		Resuscitation trolley With Crash Cart	2	1	1	259,350	244,733	-	1	259,350	244,733	4	1	400,000	400,000	-	1	600,000	600
+		·	4			21,000	84,000	1	· ·	21,000	84,000	0		23,000	92,000	0	-	23,000	92
ł		mayo table MOBILE OPERATING LIGHT	1	0	4 0	304,220	84,000	0	0	304,220	84,000	0	0	400,000	92,000	0	0	900.000	92
		Operation Table		0		1,426,215	-	0	0	1,426,215	-	0	0	2.000.000	-	0	0	5.000.000	-
+		-1	0		0	1,426,215	-	0	0	1,426,215	-	0	_	1,500,000	-	0		4,000,000	-
-	4 h a m a d' -	ORTHOPEDIC DRILL	1	0	0			-		1,108,740 276,250			0				0		1,500
ort	thopedic	Plaster Cutting Pneumatic Pneumatic Tourniquets	0	0	0	276,250 262,500	276,250	0	0	262,500	276,250	0	0	450,000 262,500	450,000	0	0	1,500,000	1,500

						Equipr	HEHL											
				Orig	inal			1st R	evise	d		2nd F	Revise	d		3rd R	Revise	d
r. Area	Name of Equipment	Yard Stick	Available Quantity	Required Quantity	Cost per Unit	Total Cost	Available Quantity	Required Quantity	Cost per Unit	Total Cost	Available Quantity	Required Quantity	Cost per Unit	Total Cost	Available Quantity	Required Quantity	Cost per Unit	Total Cost
6	Orthopedic Instruments	0	0	0	432,623	-	0	0	432,623	-	0	0	550,000	-	0	0	550,000	-
7	Portable/Mobile Ultrasound	1	2	0	1,418,958	-	2	0	1,418,958	-	2	0	1,500,000	-	2	0	2,400,000	-
8	Autoclave	1	1	0	441,000	-	1	0	441,000	-	1	0	550,000	-	1	0	850,000	-
9	Delivery Set	10	5	5	31,500	157,500	5	5	31,500	157,500	5	5	40,000	200,000	5	5	65,000	325,000
0	Delivery Table	2	3	0	47,250	-	3	0	47,250	-	3	0	47,250	-	3	0	55,000	-
1	BED SIDE PATIENT MONITOR	2	0	2	294,000	588,000	0	2	294,000	588,000	0	2	550,000	1,100,000	0	2	1,200,000	2,400,000
2 3 Gynea (20	D & C Set	2	3	0	34,650	-	3	0	34,650	-	3	0	40,000	-	3	0	60,000	-
beds)	Vaccume Extractor	1	1	0	259,350	-	1	0	259,350	-	1	0	300,000	-	1	0	350,000	-
5	CTG Machine	1	0	1	628,049	628,049	0	1	628,049	628,049	0	1	725,000	725,000	0	1	900,000	900,000
6	ECG Machine Three Channel	1	0	1	169,785	169,785	0	1	169,785	169,785	0	1	180,000	180,000	0	1	300,000	300,000
7	Portable O.T Light	2	1	1	304,220	304,220	1	1	304,220	304,220	1	1	400,000	400,000	1	1	900,000	900,000
8	Baby Cot	2	2	0	14,669	-	2	0	14,669	-	2	0	16,000	-	2	0	16,000	-
9	Delivery trolly	2	1	1	47,250	47,250	1	1	47,250	47,250	1	1	47,250	47,250	1	1	47,250	47,250
0	Desktop Fetal Heart Rate Detector	1	1	0	144,375	-	1	0	144,375	-	1	0	175,000	-	1	0	200,000	-
1	Steam Sterilizer	0	1	0	3,355,849	-	1	0	3,355,849	•	1	0	4,000,000	-	1	0	7,800,000	-
2 Surgical	Operation Table	0	0	0	1,426,215	-	0	0	1,426,215	-	0	0	2,000,000	-	0	0	2,500,000	-
Emergency (10	MOBILE OPERATING LIGHT	0	1	0	285,466 259.350		1	0	285,466 259.350		1	0	400,000		1	0	900,000	
beds)	Suction Pump	0	1	0	,	-	1	0	,	-	1	0	275,000	-	1	0	,	-
5	Laryngoscope	0	1	0	9,744		1	0	9,744		1	0	12,000		1	0	20,000	
6	Set of Surgical Instruments	0	1	0	141,750	- 477.750	1	0	141,750	- 477 750	1	0	160,000	-	1	0	220,000	-
7	Stretcher	10	3	7	68,250 31,500	477,750	3	7	68,250 31,500	477,750 220,500	3	7	69,300 35,000	485,100 245,000	3	7	69,300 35,000	485,100 245,000
8	wheel chair	10	3	7	4.200	220,500 16.800	3		4,200	16.800	3		4.500	18.000	3	-	5,148	20.592
9	foot support	6	2	4		-,	2	4		-,	2	4	,	-,	2	4		
0	Resuscitation trolly With Crash Cart	5	0	5	237,618	1,188,091	0	5	237,618	1,188,091	0	5	400,000	2,000,000	0	5	600,000	3,000,000
1 Others	BP Appratus	15 0	2	13	15,750 2,195,080	204,750	2	13	15,750	204,750	2	13	16,000	208,000	2	13	16,000	208,000
2 Others	Ventilator CPAP	1	0	0	1,098,510	1,098,510	0	0	2,195,080 1,098,510	1,098,510	0	0	3,500,000 2,100,000	2,100,000	0	0	5,500,000 2,800,000	2,800,000
3		1	0	1	858,440	858,440	0	1	858,440	858,440	0	1	925,000	925,000	0	1	1,200,000	1,200,000
4	X-RAY PROCESSOR Hand wash Scrub Double Bay	2	0	2	94,500	189,000	0	2	94,500	189,000	0	2	100,000	200,000	0	2	1,200,000	280,000
5	,	0		0	4,667,460	169,000	0	0	4,667,460	169,000	0		4,667,460	200,000	0	0	12,000,000	200,000
6	Image Inensifier Central Medical Gass Pipe Line System	7	0	7	850,000	5,950,000	0	7	850,000	5,950,000	0	7	4,007,400	-	0	7	12,000,000	-
7	Motorized Patient bed with bed side,Mattress,IV stand, Attendant Bench	4	0	4	210,000	840,000	0	4	210,000	840,000	0	4	400,000	1,600,000	0	4	600,000	2,400,000
8	Sphygmomanometer wall mtd	4	0	4	15,750	63,000	0	4	15,750	63,000	0	4	30,000	120,000	0	4	35,000	140,000
9	Resuscitation trolly With Crash Cart	2	0	2	244,733	489,466	0	2	244,733	489,466	0	2	400,000	800,000	0	2	600,000	1,200,000
0	Defibrilator	1	0	1	299,153	299,153	0	1	299,153	299,153	0	1	650,000	650,000	0	1	800,000	800,000
1	Defibrillator with Monitor	0	0	0	330,750	-	0	0	330,750		0	0	650,000	-	0	0	800,000	-
2	ECG Machine Three Channel	0	0	0	169,785	-	0	0	169,785	-	0	0	180,000	-	0	0	300,000	-
3	Syringe pump	1	0	1	108,780	108,780	0	1	108,780	108,780	0	1	125,000	125,000	0	1	200,000	200,000
4 ICU	Suction Pump	0	0	0	259,350		0	0	259,350	-	0	0	275,000		0	0	300,000	
5	ICU Monitor	0	0	0	298,200	-	0	0	298,200	-	0	0	900,000	-	0	0	1,250,000	-
6	Instrument Trolley	1	0	1	55,000	55,000	0	1	55,000	55,000	0	1	55,000	55,000	0	1	55,000	55,00
7	Ward instruments	0	0	0	-	-	0	0	-	-	0	0	-	-	0	0	-	-
8	Ventilator intensive care	2	0	2	1,600,000	3,200,000	0	2	1,600,000	3,200,000	0	2	3,500,000	7,000,000	0	2	5,500,000	11,000,00
9	CPAP with humidifier	0	0	0	1,098,510	-	0	0	1,098,510	-	0	0	2,100,000	-	0	0	2,800,000	-
00	DELIVERY TROLLY STAINLESS STEEL	1	0	1	23,835	23,835	0	1	23,835	23,835	0	1	47,250	47,250	0	1	47,250	47,25
)2	Ambu-Bag, adult	4	0	4	17,325	69,300	0	4	17,325	69,300 69,300	0	4	19,000	76,000	0	4	19,000	76,00
MORTUERY	Ambu-Bag, paeds TWO BODY REFRIGERATOR WITH CASTERS 220v 50Hz	1	0	1	17,325 2,470,546	69,300 2,470,546	0	1	17,325 2,470,546	2,470,546	0	1	19,000 3,000,000	76,000 3,000,000	0	1	19,000	76,00 3,500,00
04	Along with Atopsy Table & Lifter Trollev Dental Unit	2	0	2	2,190,000	4,380,000	0	2	2,190,000	4,380,000	0	2	2,820,000	5,640,000	0	2	2,820,000	5,640,00
05	Autoclave	1	0	1	441,000	441,000	0	1	441,000	441,000	0	1	550,000	550,000	0	1	850,000	850,00
06	Dental X-RAY Machine	1	0	1	282,975	282,975	0	1	282,975	282,975	0	1	350,000	350,000	0	1	525,000	525,00
07	Digital Intra Oral Camera	0	0	0	94,500	-	0	0	94,500	-	0	0	150,000	-	0	0	600,000	-
08	DENTAL CAUTERY	0	0	0	84,000	-	0	0	84,000	-	0	0	160,000	-	0	0	900,000	-
Dental Unit	Ultrasonic scaling	1	0	1	120,750	120,750	0	1	120,750	120,750	0	1	175,000	175,000	0	1	300,000	300,00

					Me	edical	Equipr	nent											
					Orig	inal			1st R	Revise	d		2nd F	Revise	d		3rd F	Revise	d
Sr. No.	Area	Name of Equipment	Yard Stick	Available Quantity	Required Quantity	Cost per Unit	Total Cost	Available Quantity	Required Quantity	Cost per Unit	Total Cost	Available Quantity	Required Quantity	Cost per Unit	Total Cost	Available Quantity	Required Quantity	Cost per Unit	Total Cost
110		Curing lights	1	0	1	52,500	52,500	0	1	52,500	52,500	0	1	95,000	95,000	0	1	150,000	150,000
111		Endo motor system	1	0	1	199,601	199,601	0	1	199,601	199,601	0	1	265,000	265,000	0	1	500,000	500,000
112		Dental cabinet	0	0	0	42,000	-	0	0	42,000	-	0	0	70,000	-	0	0	160,000	-
113		Dental examination/surgical instrument sets	4	0	4	157,500	630,000	0	4	157,500	630,000	0	4	175,000	700,000	0	4	175,000	700,000
114	Beds	Fowler beds with Mattress	82	0	82	70,000	5,740,000	0	82	70,000	5,740,000	0	82	110,000	9,020,000	0	82	150,000	12,300,000
		Total					44,101,932				44,101,932				58,677,170				86,335,192
							44.102				44.102				58.677				86.335

				Elec	tricity								
			Original		,	1st Revis	ed	2	2nd Revis	ed		3rd Revis	ed
Sr. No.	Item Name	Quantity	Per Unit Cost	Total Cost	Quantity	Per Unit Cost	Total Cost	Quantity	Per Unit Cost	Total Cost	Quantity	Per Unit Cost	Total Cost
1	Transformers (200 KVA)	1	600,000	600,000	1	600,000	600,000	1	1,200,000	1,200,000	1	1,200,000	1,200,000
2	Transformers (100 KVA)	0	450,000	-	0	450,000	-	0	450,000	1	0	450,000	-
3	Transformers (50 KVA)	0	300,000	-	0	300,000	-	0	300,000	1	0	300,000	-
4	Generator (200 KVA)	1	4,000,000	4,000,000	1	4,000,000	4,000,000	1	4,000,000	4,000,000	1	4,000,000	4,000,000
5	Generator (100 KVA)	0	2,300,000		0	2,300,000	-	0	2,300,000	-	1	3,400,000	3,400,000
6	2 Ton air conditioners (split)	15	55,500	832,500	15	55,500	832,500	15	55,500	832,500	15	55,500	832,500
7	2 Ton air conditioners (Cabinet)	27	78,000	2,106,000	27	78,000	2,106,000	27	78,000	2,106,000	27	78,000	2,106,000
8	4 Ton air conditioners (Cabinet)	0	120,000	-	0	120,000	-	0	120,000	-	0	120,000	-
9	Ceiling Fans 56"	100	3,090	309,000	100	3,090	309,000	100	3,090	309,000	100	3,090	309,000
10	Exhaust Fans	36	3,000	108,000	36	3,000	108,000	36	3,000	108,000	36	3,000	108,000
11	Bracket Fans 18"	100	3,280	328,000	100	3,280	328,000	100	3,280	328,000	100	3,280	328,000
12	Dual Connection of Electricity / Express Line	1	5,000,000	5,000,000	1	5,000,000	5,000,000	1	5,000,000	5,000,000	1	15,000,000	15,000,000
	Total			13,283,500			13,283,500			13,883,500			27,283,500
				13.284			13.284			13.884			27.284

IT & QMS & Surveillance

ı					_, _, _,								
			Origina	al	1s	t Revis	sed	2n	d Revi	sed	3r	d Revi	sed
Sr. No.	Item Name	Quantity	Per Unit Cost	Total Cost									
1	Desktop, UPS, LED	30	75,000	2,250,000	30	75,000	2,250,000	30	130,000	3,900,000	30	216,000	6,480,000
2	MS Windows License	30	20,000	600,000	30	20,000	600,000	30	20,000	600,000	30	20,000	600,000
3	Scanner Flatbed with ADF	3	90,000	270,000	3	90,000	270,000	3	150,000	450,000	3	150,000	450,000
4	Heavy duty Printer	7	40,000	280,000	7	40,000	280,000	7	50,000	350,000	7	110,000	770,000
5	Multimedia Projector with Screen	1	100,000	100,000	1	100,000	100,000	1	100,000	100,000	1	100,000	100,000
6	Tabs	4	50,000	200,000	4	50,000	200,000	4	50,000	200,000	4	50,000	200,000
7	Laptop	1	100,000	100,000	1	100,000	100,000	1	100,000	100,000	1	100,000	100,000
8	MS Windows License	1	20,000	20,000	1	20,000	20,000	1	20,000	20,000	1	20,000	20,000
9	QMS System	1	3,700,000	3,700,000	1	3,700,000	3,700,000	1	4,000,000	4,000,000	1	4,000,000	4,000,000
10	Networking	1	995,000	995,000	1	995,000	995,000	1	995,000	995,000	1	1,200,000	1,200,000
11	Monitoring & Surveillance (CCTV)	1	5,000,000	5,000,000	1	5,000,000	5,000,000	1	5,000,000	5,000,000	1	5,000,000	5,000,000
12	Public Address System	1	1,000,000	1,000,000	1	1,000,000	1,000,000	1	1,000,000	1,000,000	1	1,200,000	1,200,000
	Total			14,515,000			14,515,000			16,715,000			20,120,000
				14.515			14.515			16.715			20.120

Furniture and Fixtures

			Origin	al	19	st Rev	ised	2r	nd Rev	ised	3r	d Rev	ised
Sr. No.	Item Name	Quantity	Unit Price	Total									
1	Benches (internal)	60	30,000	1,800,000	60	30,000	1,800,000	60	30,000	1,800,000	60	40000	2,400,000
2	Benches (external)	10	10,000	100,000	10	10,000	100,000	10	10,000	100,000	10	40000	400,000
3	Electric Water Cooler	8	45,000	360,000	8	45,000	360,000	8	45,000	360,000	8	60000	480,000
4	Doctors rooms Furniture	30	70,000	2,100,000	30	70,000	2,100,000	30	70,000	2,100,000	30	125000	3,750,000
5	Examination couches	10	35,000	350,000	10	35,000	350,000	10	35,000	350,000	10	35000	350,000
6	Fire Blanket	5	2,500	12,500	5	2,500	12,500	5	2,500	12,500	5	3000	15,000
7	Fire Extinguisher (Water Based)	30	8,000	240,000	30	8,000	240,000	30	8,000	240,000	30	2500	75,000
8	Acrylic Board	150	2,200	330,000	150	2,200	330,000	150	2,200	330,000	150	2000	300,000
9	Rostrum	2	18,000	36,000	2	18,000	36,000	2	18,000	36,000	2	20000	40,000
10	Blinds for windows	6000	150	900,000	6000	150	900,000	6000	150	900,000	6000	200	1,200,000
11	Paintings	100	6,000	600,000	100	6,000	600,000	100	6,000	600,000	100	5000	500,000
12	Waste Bin Sets (3 bin)	40	6,000	240,000	40	6,000	240,000	40	6,000	240,000	40	9000	360,000
13	Printing			1,000,000			1,000,000			1,000,000			1,000,000
	Machinery and Equipment's												
14	Refrigerator(Domestic) front glass double door	2	160,000	320,000	2	160,000	320,000	2	160,000	320,000	2	150000	300,000
	Refrigerator glass single door	5	80,000	400,000	5	80,000	400,000	5	80,000	400,000	5	90000	450,000
16	Refrigerator 16 cft	5	36,000	180,000	5	36,000	180,000	5	36,000	180,000	5	50000	250,000
17	Air Curtain On Door	5	50,000	250,000	5	50,000	250,000	5	50,000	250,000	5	75000	375,000
18	Washing machines for pantries	3	13,000	39,000	3	13,000	39,000	3	13,000	39,000	3	11000	33,000
19	Gas Burner for pantries	10	4,800	48,000	10	4,800	48,000	10	4,800	48,000	10	80000	800,000
20	Fire Extinguishers DCP	30	4,800	144,000	30	4,800	144,000	30	4,800	144,000	30	6500	195,000
21	LED TV	15	55,000	825,000	15	55,000	825,000	15	55,000	825,000	15	140000	2,100,000
22	Industrial Exhaust	5	50,000	250,000	5	50,000	250,000	5	50,000	250,000	5	60000	300,000
23	Acrylic Display Board	4	20,000	80,000	4	20,000	80,000	4	20,000	80,000	4	20000	80,000
	Laundry & Washing												
24	Bed Sheets and pillow covers	300	1,250	375,000	300	1,250	375,000	300	1,250	375,000	300	2500	750,000
25	Pillows	150	400	60,000	150	400	60,000	150	400	60,000	150	500	75,000
26	Blankets with covers	100	5,000	500,000	100	5,000	500,000	100	5,000	500,000	100	4000	400,000
	Medicine Store												
27	Medicine (Iron Racks) 8x6x2 (Required)	20	50,000	1,000,000	20	50,000	1,000,000	20	50,000	1,000,000	20	60000	1,200,000
28	Moveable Iron Stairs (Required)	2	15,000	30,000	2	15,000	30,000	2	15,000	30,000	2	20000	40,000
29	Lifters (Required)	2	37,000	74,000	2	37,000	74,000	2	37,000	74,000	2	35000	70,000
30	Pallets 3x4 (Plastic) (Required)	20	12,000	240,000	20	12,000	240,000	20	12,000	240,000	20	10000	200,000
31	Dehumidifier (Required)	1	100.000	100,000	1	100.000	100,000	1	100.000	100,000	1	125000	125,000
32	Insect Killer (Required)	25	8.000	200,000	25	8.000	200,000	25	8.000	200,000	25	6500	162,500
33	Thermometer (Required)	20	16,000	320,000	20	16,000	320,000	20	16,000	320,000	20	600	12,000
- 55	Total	20	10,000	13,503,500	20	10,000	13,503,500	20	10,000	13,503,500	20	000	18.787.500
	I Olai			13,503,500			13,503,500			13,503,500			18.788

Signage and plaques

			0	rigin	al	1st	Revi	sed	2nc	l Rev	rised	3rd	Rev	ised
Sr No	Туре	Kinds of Sign Boards	Quantity	Rates	Cost									
		External Sign Boards												
1	A1	External Platform/Road Signage (Circular)	6	9,812	58,872	6	9,812	58,872	6	13,951	83,706	6	13,951	83,706
2	A2	External Platform/Road Signage (Triangular)	6	8,976	53,856	6	8,976	53,856	6	12,762	76,574	6	12,762	76,574
3	B1	Main Directional Board	1	109,087	109,087	1	109,087	109,087	1	155,107	155,107	1	155,107	155,107
4	C1	Directional Board (Single Sheet)	10	14,016	140,160	10	14,016	140,160	10	19,929	199,290	10	19,929	199,290
5	C2	Directional Board (Two Sheets)	1	21,813	21,813	1	21,813	21,813	1	31,016	31,016	1	31,016	31,016
6		Directional Board (Three Sheets)	1	29,244	29,244	1	29,244	29,244	1	41,581	41,581	1	41,581	41,581
7		Directional Board (Four Sheets)	1	36,114	36,114	1	36,114	36,114	1	51,351	51,351	1	51,351	51,351
8	C5	Directional Board (Five Sheets)	1	43,858	43,858	1	43,858	43,858	1	62,360	62,360	1	62,360	62,360
9		Directional Board (Six Sheets)	1	51,207	51,207	1	51,207	51,207	1	72,810	72,810	1	72,810	72,810
10		Additional Panel (For Fixation on existing Foundation & Posts)	3	7,703	23,109	3	7,703	23,109	3	10,952	32,857	3	10,952	32,857
11	D1	Departmental Signage on Building	6	45,776	274,656	6	45,776	274,656	6	65,087	390,524	6	65,087	390,524
12	E1	External Map Boards	2	39,939	79,878	2	39,939	79,878	2	56,788	113,576	2	56,788	113,576
		Internal Signage	0		-	0		-	0	-	-	0	-	-
1	F1	Internal Hanging Signage (Main Entrance)	5	88,119	440,595	5	88,119	440,595	5	125,294	626,472	5	125,294	626,472
2	F2	Internal Hanging Signage (Main Entrance 2)	5	67,092	335,460	5	67,092	335,460	5	95,396	476,980	5	95,396	476,980
3	F3	Internal Hanging Signage (Corridor)	4	49,689	198,756	4	49,689	198,756	4	70,651	282,604	4	70,651	282,604
4	F4	Internal Hanging Signage (Corridor 2)	4	50,265	201,060	4	50,265	201,060	4	71,470	285,880	4	71,470	285,880
5	G1	Internal Department Signage on wall	7	12,709	88,963	7	12,709	88,963	7	18,071	126,498	7	18,071	126,498
6	H1	Specialist Name Plaques fixed on wall	20	3,653	73,060	20	3,653	73,060	20	5,194	103,880	20	5,194	103,880
7		Room Name Plaques and Numbers fixed on wall	100	840	84,000	100	840	84,000	100	1,194	119,420	100	1,194	119,420
8	K1	Internal Wall Signage	100	1,380	138,000	100	1,380	138,000	100	1,961	196,140	100	1,961	196,140
9	L1	Room Numbers Fixed on Wall	50	3,501	175,050	50	3,501	175,050	50	4,978	248,920	50	4,978	248,920
10	M1	Advance Fire Exit Sign	10	1,782	17,820	10	1,782	17,820	10	2,534	25,340	10	2,534	25,340
11	M2	Fire Exit Sign Mounted Above the Door	10	1,233	12,330	10	1,233	12,330	10	1,753	17,528	10	1,753	17,528
12		Fire Safety/Equipment Signage	20	2,361	47,220	20	2,361	47,220	20	3,357	67,144	20	3,357	67,144
13	P1	Floor Map Board	5	20,449	102,245	5	20,449	102,245	5	29,075	145,376	5	29,075	145,376
14		Caution Signage	25	2,107	52,675	25	2,107	52,675	25	2,996	74,900	25	2,996	74,900
15	Q2	Caution Signage	5	634	3,170	5	634	3,170	5	902	4,508	5	902	4,508
16	Q3	Caution Signage	10	1,109	11,090	10	1,109	11,090	10	1,576	15,764	10	1,576	15,764
17		Caution Signage	15	861	12,915	15	861	12,915	15	1,225	18,375	15	1,225	18,375
		Total			2,916,263			2,916,263			4,146,482			4,146,482
		Designing and Site Supervision			87,488			87,488			124,394			124,394
		Grand Total			3,003,751			3,003,751			4,270,877			4,270,877
			i		3.004	i	İ	3.004			4.271	i		4.271

DAY CARE CENTER

		Yard St	ick as pe	er Womer	Dvelopmen	t Departi	ment						
			Original		1st	Revised		2nd	Revised		3rd	Revised	
Sr. No.	ITEMS	Yard Stick (DCC of 25 Kids)	Unit Cost	Total	Yard Stick (DCC of 25 Kids)	Unit Cost	Total	Yard Stick (DCC of 25 Kids)	Unit Cost	Total	Yard Stick (DCC of 25 Kids)	Unit Cost	Total
1	Cylinder Block	1	3,000	3,000	1	3,000	3,000	1	3,000	3,000	1	3,000	3,000
2	Geometrical Cabinet (36 pcs)	1	4,000	4,000	1	4,000	4,000	1	4,000	4,000	1	4,000	4,000
3	Geometrical Solids (10 pcs)	1	2,200	2,200	1	2,200	2,200	1	2,200	2,200	1	2,200	2,200
4	Base for Geometrical Solids (14 pcs)	1	2,000	2,000	1	2,000	2,000	1	2,000	2,000	1	2,000	2,000
5	Constructive Triangles (4 box)	1	400	400	1	400	400	1	400	400	1	400	400
6	Metal Insets (10 - shape)	1	1,000	1,000	1	1,000	1,000	1	1,000	1,000	1	1,000	1,000
7	Stand for metal insets	1	2,000	2,000	1	2,000	2,000	1	2,000	2,000	1	2,000	2,000
8	Paper Board for metal insets (10 Boards)	1	5,000	5,000	1	5,000	5,000	1	5,000	5,000	1	5,000	5,000
9	Sandpaper Alphabets (English)	3	2,000	6,000	3	2,000	6,000	3	2,000	6,000	3	2,000	6,000
10	Sandpaper Alphabets (Urdu)	3	3,500	10,500	3	3,500	10,500	3	3,500	10,500	3	3,500	10,500
11	Sandpaper Number	3	2,000	6,000	3	2,000	6,000	3	2,000	6,000	3	2,000	6,000
12	Hammer Case	2	1,000	2,000	2	1,000	2,000	2	1,000	2,000	2	1,000	2,000
13	Soft Reading Book	15	200	3,000	15	200	3,000	15	200	3,000	15	200	3,000
14	Shape Sorting Case	2	500	1,000	2	500	1,000	2	500	1,000	2	500	1,000
15	Transport Set (Model)	2	700	1,400	2	700	1,400	2	700	1,400	2	700	1,400
16	Model Puzzles (S)	7	300	2,100	7	300	2,100	7	300	2,100	7	300	2,100
17	Model Puzzles (B)	7	500	3,500	7	500	3,500	7	500	3,500	7	500	3,500
18	Storybook	20	100	2,000	20	100	2,000	20	100	2,000	20	100	2,000
19 20	Information Book (Large)	20	350	7,000	20 10	350	7,000 10,000	20 10	350 1,000	7,000	20 10	350	7,000
21	Basket (L) Basket (S)	10 10	1,000 600	10,000 6.000	10	1,000 600	6.000	10	1,000	10,000 6.000	10	1,000	10,000 6,000
22	Color table Box	2	1,000	2,000	2	1,000	2,000	2	1,000	2,000	2	1,000	2,000
23	ABC Block	4	500	2,000	4	500	2,000	4	500	2,000	4	500	2,000
24	Number Block	4	500	2,000	4	500	2,000	4	500	2,000	4	500	2,000
25	Color Pensils (Large)	5	450	2,250	5	450	2,250	5	450	2,250	5	450	2,250
26	Color Crayons (Large)	5	300	1,500	5	300	1,500	5	300	1,500	5	300	1,500
27	Marker Color (Board and Permanent)	15	395	5,925	15	395	5,925	15	395	5,925	15	395	5,925
28	Fruits Basket (Model Set)	2	1,000	2,000	2	1,000	2,000	2	1,000	2,000	2	1,000	2,000
29	Vegetables Basket (Model Set)	2	1,000	2,000	2	1,000	2,000	2	1,000	2,000	2	1,000	2,000
30	Animal Sets	2	600	1,200	2	600	1,200	2	600	1,200	2	600	1,200
31	Insects sets	2	400	800	2	400	800	2	400	800	2	400	800
32	Shape Sorting House	2	1,500	3,000	2	1,500	3,000	2	1,500	3,000	2	1,500	3,000
33	Flash card (Small)	10	120	1,200	10	120	1,200	10	120	1,200	10	120	1,200
34	Flash card (Big)	10	325	3,250	10	325	3,250	10	325	3,250	10	325	3,250
35	Sand Play	2	1,000	4,000	2	1,000	4,000	2	1,000	4,000	2	1,000	4,000
36	Gym Play	2	2,000	3,000	2	2,000	3,000	2	2,000	3,000	2	2,000	3,000
37	Straight Mats	20	1,500	40,000	20	1,500	40,000	20	1,500	40,000	20	1,500	40,000
38	Folding Mats Diaper Changing Mats	20	2,000	6,000	20 3	2,000 300	6,000	20 3	2,000 300	6,000	20 3	2,000 300	6,000 1,500
40	Cube Cushion	3 2	300 500	1,500 1,000	2	500	1,500 1,000	2	500	1,500 1,000	2	500	1,000
41	Square Cushion	2	500	600	2	500	600	2	500	600	2	500	600
42	Baby Mirror	3	300	2.400	3	300	2.400	3	300	2.400	3	300	2.400
43	Pink Tower With Stand	1	800	500	1	800	500	<u>3</u>	800	500	<u>3</u>	800	500
44	Dressing Frames	10	500	8,000	10	500	8,000	10	500	8,000	10	500	8,000
	Monkey Stuffed	2	800	2,400	2	800	2,400	2	800	2,400	2	800	2,400
46	Lion Stuffed	2	1,200	3,400	2	1,200	3,400	2	1,200	3,400	2	1,200	3,400
47	Cater Pillar Stuffed	2	1,700	3,000	2	1,700	3,000	2	1,700	3,000	2	1,700	3,000
48	Stuffed toys (Animal shaped i.e. Moneky, lion, caterpillar etc)	6	1,500	9,000	6	1,500	9,000	6	1,500	9,000	6	1,500	9,000

DAY CARE CENTER

Yard Stick as per Women Dvelopment Department

				r Womer	n Dvelopmen	t Departi	nent						
		0	riginal		1st	Revised		2nd	Revised		3rd	Revised	
Sr. No.	ITEMS	Yard Stick (DCC of 25 Kids)	Unit Cost	Total	Yard Stick (DCC of 25 Kids)	Unit Cost	Total	Yard Stick (DCC of 25 Kids)	Unit Cost	Total	Yard Stick (DCC of 25 Kids)	Unit Cost	Total
49	Long Roads with Stands	1	1,500	1,500	11	1,500	1,500	1	1,500	1,500	1	1,500	1,500
	Number Rods	1	500	500	11	500	500	1	500	500	1	500	500
51 52	Stand Number Rods Soft toys	2	800 700	800 1,400	2	800 700	800 1,400	2	800 700	800 1,400	<u>1</u>	800 700	800 1,400
53	Infants Manual Weight Machine	1	1,000	1,000	1	1,000	1,400	1	1,000	1,400	1	1,000	1,000
54	Toddlers Manual Weight Machine	1	1,000	1,000	1	1,000	1,000	<u></u>	1,000	1,000	<u></u>	1,000	1,000
55	Tri Cycles	4	3,500	14,000	4	3,500	14,000	4	3,500	14,000	4	3,500	14,000
56	Wooden Cots	10	10,000	100,000	10	10,000	100,000	10	10,000	100,000	10	10,000	100.000
57	Mattresses for Cots	10	1,200	12,000	10	1,200	12,000	10	1,200	12,000	10	1,200	12,000
58	Pillows	10	300	3,000	10	300	3,000	10	300	3,000	10	300	3,000
59	Bed Sheets and pillow covers	20	400	8,000	20	400	8,000	20	400	8,000	20	400	8,000
60	Nets	10	600	6,000	10	600	6,000	10	600	6,000	10	600	6,000
61	High Chairs for feeding	15	3,000	45,000	15	3,000	45,000	15	3,000	45,000	15	3,000	45,000
62	Rockers Cum Bouncer	8	2,500	20,000	8	2,500	20,000	8	2,500	20,000	8	2,500	20,000
63	Cot Mobile	10	1,500	15,000	10	1,500	15,000	10	1,500	15,000	10	1,500	15,000
64	Plastic Chairs (Round edges Animal Shapes)	7	600	4,200	7	600	4,200	7	600	4,200	7	600	4,200
65	Multi-Purpose Table	2	3,000	6,000	2	3,000	6,000	2	3,000	6,000	2	3,000	6,000
66	Writing Board	1	500	500	1	500	500	1	500	500	1	500	500
67	Electric Sterilizer	2	5,000	10,000	2	5,000	10,000	2	5,000	10,000	2	5,000	10,000
68	Electric Warmer	2	5,000	10,000	2	5,000	10,000	2	5,000	10,000	2	5,000	10,000
69	Table sets	2	4,000	8,000	2	4,000	8,000	2	4,000	8,000	2	4,000	8,000
70 71	Rocker	<u>6</u> 5	3,200	19,200	6 5	3,200	19,200 10.000	<u>6</u> 5	3,200	19,200 10.000	<u>6</u> 5	3,200	19,200
72	Activity Gym (Infants) Play Gym	5	2,000 2,700	10,000 13,500	5	2,000 2,700	13,500	<u> </u>	2,000 2,700	13,500	<u>5</u> 5	2,000 2,700	10,000 13,500
73	Activity Gym (Toddlers)	5	2,700	10,000	5	2,700	10,000	5	2,700	10,000	5	2,700	10,000
74	Toiler Training Seat	10	3,000	30,000	10	3,000	30,000	10	3,000	30,000	10	3,000	30,000
		30	4,000	120,000	30	4,000	120,000	30	4,000	120,000	30	4,000	120,000
76	Bath Toys	15	1,000	15,000	15	1,000	15,000	15	1,000	15,000	15	1,000	15,000
77	Fun Links Teether	15	300	4,500	15	300	4,500	15	300	4,500	15	300	4,500
78	Fun Pal Teether	15	500	7,500	15	500	7,500	15	500	7,500	15	500	7,500
79	Fun Rattle	15	400	6,000	15	400	6,000	15	400	6,000	15	400	6,000
	Mother feeding Chair	1	3,000	3,000	1	3,000	3,000	1	3,000	3,000	1	3,000	3,000
81	Soft Books (duplication)	20	500	10,000	20	500	10,000	20	500	10,000	20	500	10,000
	Bottle Brushes	3	300	900	3	300	900	3	300	900	3	300	900
LIST	of others Items i.e. Kitchen, Office,		14.000	14,000	1	14,000	14,000	1	14.000	14.000	1	14,000	14,000
2	Water Dispenser Microwave Oven	1	12,400	12,400	1	12,400	12,400	<u> </u>	12,400	12,400	<u> </u> 1	12,400	12,400
	Fridge	1	34.000	34,000	1	34.000	34,000	1	34.000	34,000	1	34.000	34,000
4	Kitchen Accessories / Cutleries etc.	24	200	4,800	24	200	4,800	24	200	4,800	24	200	4,800
5	Sofa Set	1	40.000	40,000	1	40.000	40,000	1	40.000	40.000	1	40.000	40,000
6	Office Table	1	5,000	5,000	1	5,000	5,000	1	5,000	5,000	<u>·</u>	5.000	5,000
7	Office Chairs	5	10,000	50,000	5	10,000	50,000	5	10,000	50,000	5	10,000	50,000
8	Air Conditioner	2	42,000	84,000	2	42,000	84,000	2	42,000	84,000	2	42,000	84,000
9	LCD	1	27,000	27,000	1	27,000	27,000	1	27,000	27,000	1	27,000	27,000
10	DVD player	1	5,000	5,000	1	5,000	5,000	1	5,000	5,000	1	5,000	5,000
11	CCTV Cameras	1	100,000	100,000	1	100,000	100,000	1	100,000	100,000	<u> </u>	100,000	100,000
12	Fire Alarms	3	5,000	15,000	3	5,000	15,000	3	5,000	15,000	3	5,000	15,000
13	UPS	1	10,000	10,000	1	10,000	10,000	1	10,000	10,000	1	10,000	10,000
14	Vacuum Cleaner	1	7,000	7,000	1	7,000	7,000	1	7,000	7,000	1	7,000	7,000
15	Fire Extinguishers (Large)	2	5,000	10,000	2	5,000	10,000	2	5,000	10,000	2	5,000	10,000

DAY CARE CENTER

Yard Stick as per Women Dvelopment Department

		rara ot	ick as pe	JI WOIIICII	Dvelopilieli	t Depart	110116						
		0	riginal		1st	Revised		2nd	Revised		3rd	Revised	ı
Sr. No.	ITEMS	Yard Stick (DCC of 25 Kids)	Unit Cost	Total	Yard Stick (DCC of 25 Kids)	Unit Cost	Total	Yard Stick (DCC of 25 Kids)	Unit Cost	Total	Yard Stick (DCC of 25 Kids)	Unit Cost	Total
16	Electric Insect Killer	2	7,800	15,600	2	7,800	15,600	2	7,800	15,600	2	7,800	15,600
17	Electric Hand Dryer	1	4,000	4,000	1	4,000	4,000	1	4,000	4,000	1	4,000	4,000
18	Electric Heater	2	5,000	10,000	2	5,000	10,000	2	5,000	10,000	2	5,000	10,000
19	Ceiling/bracket Fans	4	8,000	32,000	4	8,000	32,000	4	8,000	32,000	4	8,000	32,000
20	Curtains	2	45,000	90,000	2	45,000	90,000	2	45,000	90,000	2	45,000	90,000
21	Carpets	1	100,000	100,000	1	100,000	100,000	1	100,000	100,000	1	100,000	100,000
22	Other miscellaneous items	1	218,675	218,675	1	218,675	218,675	1	218,675	218,675	1	218,675	218,675
	TOTAL			1,600,000			1,600,000			1,600,000			1,600,000
				1.600	•		1.600			1.600			1.600

			Hur	man Re	source	e Model	of THO	Q Hosp	ital									
			Orig	jinal			1st Re	vised			2nd R	evised				3rd Re	vised	
Sr. No.		No. of Employees	Per Month Salary	Per Month Salary for Person	Salary for One Year	No. of Employees	Per Month Salary	Per Month Salary for Person	Salary for One Year	No. of Employees	Per Month Salary	Per Month Salary for Person	Salary for Two Years	No. of Emplyees	Project Pay Scale	Per Month Salary	Per Month Salary for all Person	Salary for Two Years
1	ADMIN OFFICER	1	60,000	60,000	720,000	1	60,000	60,000	720,000	1	80,000	80,000	1,920,000	1	6	105,000	105,000	3,255,000
2	HUMAN RESOURCE & LEGAL OFFICER	1	60,000	60,000	720,000	1	60,000	60,000	720,000	1	80,000	80,000	1,920,000	1	6	105,000	105,000	3,255,000
3	IT/STATISTICAL OFFICER	1	60,000	60,000	720,000	1	60,000	60,000	720,000	1	80,000	80,000	1,920,000	1	6	105,000	105,000	3,255,000
4	FINANCE, BUDGET & AUDIT OFFICER	1	60,000	60,000	720,000	1	60,000	60,000	720,000	1	80,000	80,000	1,920,000	1	6	105,000	105,000	3,255,000
5	PROCUREMENT OFFICER	1	60,000	60,000	720,000	1	60,000	60,000	720,000	1	80,000	80,000	1,920,000	1	6	105,000	105,000	3,255,000
6	QUALITY ASSURANCE OFFICER	1	60,000	60,000	720,000	1	60,000	60,000	720,000	1	80,000	80,000	1,920,000	1	6	105,000	105,000	3,255,000
7	LOGISTICS OFFICER	1	60,000	60,000	720,000	1	60,000	60,000	720,000	1	80,000	80,000	1,920,000	1	6	105,000	105,000	3,255,000
8	DATA ENTRY OPERAOTOR (DEO)	2	25,000	50,000	600,000	2	25,000	50,000	600,000	2	35,000	70,000	1,680,000	2	3	44,000	88,000	2,728,000
9	ASSISTANT ADMIN OFFICER	2	40,000	80,000	960,000	2	40,000	80,000	960,000	2	50,000	100,000	2,400,000	2	5	70,000	140,000	4,340,000
10	HR FOR QMS and MSDS and Day Care Center																	
11	QMS Supervisor / Information Desk Officer	2	25,000	50,000	600,000	2	25,000	50,000	600,000	2	25,000	50,000	600,000	2		25,000	50,000	600,000
	Computer Operator	8	20,000	160,000	1,920,000	8	20,000	160,000	1,920,000	8	20,000	160,000	1,920,000	8		20,000	160,000	1,920,000
	Consultants (MSDS) Implementation & Clinical Audit	1	100,000	100,000	1,200,000	1	100,000	100,000	1,200,000	1	100,000	100,000	1,200,000	1		100,000	100,000	1,200,000
	Training on MSDS Compliance for Staff of THQ Hospital	1000	4,000	4,000,000	4,000,000	1000	4,000	4,000,000	4,000,000	1000	4,000	4,000,000	4,000,000	1000		4,000	4,000,000	4,000,000
					500,000				500,000				500,000				0	500,000
	Manager Day Care Center	1	45,000	45,000	540,000	1	45,000	45,000	540,000	1	45,000	45,000	540,000	1	1	45,000	45,000	540,000
	Montessori Trained Teacher	1	35,000	35,000	420,000	1	35,000	35,000	420,000	1	35,000	35,000	420,000	1	1	35,000	35,000	420,000
18		4	25,000	100,000	1,200,000	4	25,000	100,000	1,200,000	4	25,000	100,000	1,200,000	4	1	25,000	100,000	1,200,000
19	Office Boy	1	20,000	20,000	240,000	1	20,000	20,000	240,000	1	20,000	20,000	240,000	1	1	20,000	20,000	240,000
	Sub Total of H	R Model		4,860,000	17,220,000			4,860,000	17,220,000			5,040,000	28,140,000		1		5,273,000	
					17.220				17.220				28.140		1			40.473
	Utilization of HR (1					5.260			ı	12.43]			
	Total of HR Component												33.40					52.899

,	Janit	torial	Service	ces				
		Origir	nal	From 1st Revised to onwards				
Assumptions Covered area excluding residential area Covered area assigned to one sweeper Number of sweepers required for covered area Road and ROW area Road and ROW assigned to one sweeper Number of sweepers required for road and ROW area Number of washroom blocks Number of washroom block assigned to one sweeper Number of sweepers required for total washroom blocks Total sweeper in morning shift Total number of sweepers in evening shift Total number of sweepers in night shift Total number of sweepers in all shifts Number of sweepers men required		sft sft Persons sft Sft Persons blocks Persons Persons Persons Persons Persons Persons Persons Persons Persons		In the light of decision made during the Progress Review Meeting of Revamping of DHQ/THQ Hospitals held on 01-01-2018 under the Chairmanship of Chairman, P&D Board; it was inter alia decided as under: "It would be made sure by the P&SH Department that the outsourcing would be shifted to the non-development side from 1st July 2018 next FY". In view of above, Outsourcing cost has been excluded from this PC-I.				
Salary component Type of worker	No of workers	Salary per	Salary for One Year					
Sweepers / Janitors Sewer men	13	22,000	3,498,880 792,000					
Supervisors Cost of Supply per Month	3	26,000 400,000	936,000 4,800,000					
Sub Total (Salary component)	•	, , , , , ,	10,026,880 10.027					

	1		urity a	iliu Fa	
		Ori	ginal		From 1st Revised to
Assumptions	•				In the light of decision made during the Progress Review Meeting of
Covered area excluding residences	17,200				Revamping of DHQ/THQ Hospitals held on 01-01-2018 under the
Covered Area per guard	15,000				Chairmanship of Chairman, P&D Board; it was inter alia decided as under
Number of guards	1				"It would be made sure by the P&SH Department that the outsourcing
Open area excluding parking area	21,191				would be shifted to the non-development side from 1st July 2018 next FY".
Area covered per guard per shift for open area excluding parking	15,000				In view of above, Outsourcing cost has been excluded from this PC-I.
Number of guards for total area excluding parking area	1				
Number of gates	3				
Number of guards at gates	6				
Total No of Guard	9				
Total number of all guards for second					
shift	4				
Lady Searcher	2				
Number of parking areas	1				
Number of guards for parking lot per	2				
shift (Morning+ Evening)	2				
Total no. of Supervisors	2				
Type of worker	No of workers	Salary per month	Salary per Month for all Person	Salary for One year	
Supervisors	2	24,675	49,350	592,200	
Ex-Army	5	21,525	107,625	1,291,500	
Civilian	8	21,000	168,000	2,016,000	
Lady Searcher	2	21,525	43,050	516,600	
Parking	2	21,525	43,050	516,600	
Sub total				4,932,900	
Equipment cost]		
Lump sum Provision (Walk Through Gate=1, Metal Detector=4, Walkies Talkies=8, Base Set=1)				400,000	
Sub total	1			400,000	
Subtracting Parking Fees				500,000	1
Total Security and Parking Services	1			4,832,900]
, ,				4.833	1

		Laun	ary Se	ervices
				From 1st Revised to
	(Origin	al	onwards
Number of beds	82			In the light of decision made during the Progress Review Meeting of
Type of Item	No of Beds	Per bed cost per year	Total Cost	Revamping of DHQ/THQ Hospitals held on 01-01-2018 under the Chairmanship of Chairman, P&D Board; it was inter alia decided as under: "It would be made sure by the P&SH Department that the outsourcing
No of Bed	82	30,000	2,460,000	would be shifted to the non-development side from 1st July 2018 next
Transport Charges			1,200,000	FY". In view of above, Outsourcing cost has been excluded from this PC-I.
Total for laundry items			3,660,000	in view of above, Outsourcing cost has been excluded from this FC-1.
Total			3.660	

Number of Generators (200 KVA) -		C	rigin	al	From 1st Revised to onwards			
Number of Generators (200 KVA) -	Item Name	Quantity	-	Total Cost	Revamping of DHQ/THQ Hospitals held on 01-01-2018 under the			
Number of Generators (100 KVA) - 305,000 - 305,0	Periodical Maintenance Cost							
Number of Generators (50 KVA) 1 175,000	Number of Generators (200 KVA)	-	500,000	-	,			
Number of Generators (50 KVA) 1 175,000 175,000 Repairs Cost 1 175,000 175,000 HR Cost 1 40,000 240,000 Generator Operator 2 30,000 720,000 Technical Staff/Mechanic - 30,000 - Total 1,310,000	Number of Generators (100 KVA)	-	325,000	-				
Total T/5,000 T/5,00	Number of Generators (50 KVA)	1	175,000	175,000	•			
Supervisor 1 40,000 240,000 Generator Operator 2 30,000 720,000 Technical Staff/Mechanic - 30,000 - Total 1,310,000	Repairs Cost	1	175,000	175,000	in view of above, Outsourcing cost has been excluded from this PC-1.			
Generator Operator 2 30,000 720,000 Technical Staff/Mechanic - 30,000 - Total 1,310,000	HR Cost							
Technical Staff/Mechanic - 30,000 Total 1,310,000	Supervisor	1	40,000	240,000				
Total 1,310,000	Generator Operator	2	30,000	720,000				
	Technical Staff/Mechanic	-	30,000	-				
1.310	Total			1,310,000				
				1.310				

				MEP				
		Ori	ginal		From 1st Revised to onwards			
Type of worker / Component	I I Month tor I		Salary for One Year	In the light of decision made during the Progress Review Meeting of Revamping of DHQ/THQ Hospitals held on 01-01-2018 under the Chairmanship of Chairman, P&D Board; it was inter alia decided as under "It would be made sure by the P&SH Department that the outsourcin				
Supervisors	1	56,420	56,420	677,040	would be shifted to the non-development side from 1st July 2018 next FY''.			
Plumber	1	32,550	32,550	390,600	In view of above, Outsourcing cost has been excluded from this PC-I.			
AC/ Technician	1	34,720	34,720	416,640				
Electrician	2	31,465	62,930	755,160				
Car painter	1	30,380	30,380	364,560				
Fotal (Salary compone	nt)		217,000	2,604,000				
	No.	Per Unit Cost per Year	Cost per Year for all Items	Cost for One Year				
A/C	68	6,665	453,220	453,220				
Fridge	4	4,000	16,000	16,000				
UPS	12	8,000	96,000	96,000				
Water Cooler	15	4,000	60,000	60,000				
Exhaust	7	3,000	21,000	21,000				
Geyser	15	4,000	60,000	60,000				
Water Pump	3	3,000	9,000	9,000				
Carpentry Work		-	180,000	180,000				
Electrical Work		-	120,000	120,000				
Plumbing Work		-	75,000	75,000				
Sub Total				1,090,220				
General Total				3,694,220				
				3.694				

		Me	dical G	ases	5	
						From 1st
			Origir	nal		Revised to
						onwards
	Scope of Work	Monthly Consumption per THQ Hospital	Annual Consumption per THQ Hospital	Rate per Cylinder	Total Annual Cost per THQs	In the light of decision made during the Progress Review Meeting of Revamping of DHQ/THQ Hospitals held on 01-01-2018 under the
	Medical Oxygen Gas in 240 CFTCylinder (MM)	12	144	1850	266,400	Chairmanship of Chairman, P&D Board; it was inter alia decided as
Oxygen	Medical Oxygen Gas in 48 CFTCylinder (MF)	30	360	1,000	360,000	under: "It would be made sure by the P&SH Department that the
	Medical Oxygen Gas in 24 CFTCylinder (ME)	40	480	800	384,000	outsourcing would be shifted to the non-development side from 1st July
Nitrous	Nitrous Oxide in 1,620 Liter (XE)	2	24	5,000	120,000	2018 next FY". In view of above, Outsourcing cost
Oxide	Nitrous Oxide in 16,200 Liter (XM)	1	12	12,500	150,000	has been excluded from this PC-I.
Nitrogen Gas	Nitrogen Gas	1	12	2,000	24,000	
		Total			1,304,400	
					1.304	

Cafeteria

Pre-Fabrication Cateen (Procurement)

	FIE-I abilication	<u> </u>	ree!	101	<u>cui e</u> illei	11. <i>j</i>
			,	Driain	al	From 1st
			•	Origin	aı	Revised to
0				D-11-	A	onwards In the light of decision made during the
Sr. No.	Description of work	Unit	Qty	Rate (Rs)	Amount (Rs)	Progress Review Meeting of Revamping of DHQ/THQ Hospitals held on 01-01- 2018 under the Chairmanship of
1	Excavation in foundation of building, bridges and other structures, including dagbelling, dressing, refilling around structure with excavated earth, watering and ramming lead upto one chain (30 m) and lift upto 5 ft. (1.5 m) for ordinary soil	Cft	2545	6.13	15,602	Chairman, P&D Board; it was inter alia decided as under: "It would be made sure by the P&SH Department that the outsourcing would be shifted to the non-development side
2	Spraying anti-termite liquid mixed with water in the ratio of 1:40.	Sft	4305	2.21	9,514	from 1st July 2018 next FY".
3	Supplying and filling sand of approved quality from outside sources under floors etc complete in all respects.	Cft	2268	15.62	35,426	In view of above, Outsourcing cost has been excluded from this PC-I.
4	Providing, laying, watering and ramming brick ballast 1½" to 2"(40 mm to 50 mm) gauge mixed with 25% sand, for floor and foundation, complete in all respects.	Cft	998	39.15	39,069	
5	Providing and laying damp proof course (1½" thick (40 mm)) of cement concrete 1:2:4, with one coat bitumen and one coat polythene sheet 500gauge	Sft	318	43.34	13,789	
6	Brick work with cement, sand mortar ratio 1:5	Cft	1792	180.25	323,071	
7	Cement concrete plain Ratio 1: 4: 8 including placing, compacting, finishing and curing complete (including screening and washing of stone aggregate)	Cft	427	170.72	72,893	
8	Cement concrete plain Ratio 1: 2: 4 including placing, compacting, finishing and curing complete (including screening and washing of stone aggregate)	Cft	1043	190.48	198,746	
9	Placing Granite tiles (24"x24"x0.5") using white cement over a bed of ¾" (20 mm) thick cement mortar 1:6.	Sft	2160	200.00	432,000	
10	Providing and laying Tuff pavers, having 7000 PSI, crushing strength of approved manufacturer, over 2" to 3" sand cushion i/c grouting with sand in joints i/c finishing to require slope. complete in all respect.	Sft	720	118.00	84,960	
Pre-	Total Amount of Platform Construction Fabrication of Canteen Structure				1,225,070	
	Providing and fixing aluminium frame window with double glazzed glass 6mm+6mm thick complete in all respect as approved by engineer	Sft	48	1100.00	52,800	
12	Providing and fixing aluminium frame door with single glazzed glass 6mm thick complete in all respect as approved by engineer	Sft	56	700.00	39,200	
13	Fixing of frameless Glass wall of approved quality and design as approved by engineer	Sft	550	1500.00	825,000	
14	Providing Granite skirting or dado 4/8"(13 mm) thick including rounding of corner and straight ening of top edge and finishing to smooth surface afterplastering	Sft	491	212.00	104,177	
15	Placing & erection of pre-painted Box section tube Columns of M.S sheet 4mm thick of size 4" x4" complete in all respect.	Kg	693	150.00	103,950	
16	Placing & erection of pre-painted Box section tube Rafters of M.S sheet 4mm thick of size 3" x3" with all fittings, complete in all respect.	Kg	1040	150.00	155,925	
17	Placing & erection of pre-painted Box section tube Purlins of M.S sheet 1.6 mm thick (16 Gauge) of size 2" x2", with all fittings, complete in all respect.	Rft	676	120.00	81,144	
18	Placing & erection of pre-painted, Galvanized Sandwitched board of 0.5 mm thick M.S sheet with 50mm PU insulation with all fittings, complete in all respect.	Sft	2640	400.00	1,055,800	
19	Placing & fixing glass wool complete in all respect. Placing & fixing Gypsum False Ceiling, complete in all	Sft	3024	50.00	151,200	
20	respect. Providing & Fixing corrugated galvanized iron sheets	Sft	3024	70.00	211,680	
21	22 gauge with EPDM screw fittings, complete in all respect.	Sft	3629	145.00	526,176	
1	Total Cost of Pre-Fabrication of Canteen Structure				3,307,052	

Cafeteria

Pre-Fabrication Cateen (Procurement)

	i ic i abilication		carcincin	-7
		Origin	al	From 1st Revised to onwards
	Total Amount (Rs)		4,532,121	
22	Electrification		998,735	
23	Plumbing and Sanitory		410,000	
24	Kitching Fixtures		802,000	
	Grand Total Amount (Rs)		6,742,856	
	,			

LANDSCAPE DEVELOPMENT WORKS **COST ESTIMATE** From 1st Original Revised to onwards In the light of decision made during the Progress Review Meeting of Revamping of DHQ/THQ Hospitals held on 01-01-2018 under the Chairmanship of Chairman, P&D Unit Rate Description Unit Quantity No. Rs. Rs SOFT LANDSCAPE TOP SOIL Providing, spreading and leveling of topsoil (sweet soil Board; it was inter alia decided as under: "It would be made sure by the P&SH Department that the outsourcing would be shifted to the non-development side from 1st July 2018 next FY". ncluding manure and fertilizers) as required complete n all respects as per Drawings, Specifications and as Cft 5 645 20 112,900 approved by the Engineer. STONE / PEBBLES view of above, Outsourcing cost has been excluded from this PC-I whereas 1.2 Supply and laying a layer of pebbles/stone at specified locations with Landscape base as in Landscape Rs. 0.048 million has been charged in this scheme against Design Consultancy from development side before the above said 34,375 Design approved by the Engineer. GRASSING 1.3 decision, hence it is reflected in this PC-I GRASSING (EXISTING NON MAINTANE LAWNS) Providing and dibbing of Fine Dacca grass where required, including mud filling/leveling and contour shape preparation confirming to the criteria outlined in 7,741 54,187 the Specifications, complete in all respects as per Drawings , Specifications and as approved by the Engineer. GRASSING (NEW LAWNS) b Providing and dibbing of Fine Dacca grass, including mud filling/leveling and contour shape preparation confirming to the criteria outlined in the Specifications, 9,677 11.25 108,866 complete in all respects as per Drawings, Specifications and as approved by the Engineer 1.4 TREE / SHRUBS (SPREADING) Providing and planting tree / shrub as listed and as arrangement and type shown in the Drawings, in pits of size 305mm x 305mm x 305mm. Dug in improved soil 610mm. deep filled by adding 10% cow dung manure and confirming to the criteria outlined in the Specifications, complete in all respects and to the satisfaction of Engineer Trees 18" pot 6'-7' - Terminally, Cassia Fistula Bauhinia Variegated, Alstonia Choirs, Ficus Yellow, Ficus Black, Jacaranda, Pilken, Mangifera etc. No's 39 1.500 58.500 Trees 12" pot 3'-4' - Polyalthia Long folia, Terminally, Cassia Fistula, Bauhinia Variegated, Latonia Choirs, Delonix Regia, Ficus Yellow, Focus Black, fichus Starlight, Melaluca, Mimuspps, Pine, Ficus Amestal, 9 270 2,430 Pilken, Palms etc. Plantation of Fruit Plants in the vacant area 12" pot 3' 4' - Am rood, Jaman, Berri, Mango, Citrus. Including 10 600 6,000 site preparation, plantation, watering and maintenance for six months. Shrubs and Ornamental Plants 10" pot Pittosporum Variegated, Murray Small, Ixora Coccinea, Juniper Varigated, Hibiscus Varigated, Carronda Dwarf Spp, valnated, riibicass valigated, califora Zwan Spp, Jasmine Sambac(Mottya), Leucophyllum Frutescens(Silvery), Rose, Nerium, Lantana, Canna, Asparagrass, Conocarpus, Acalypha, Callistemon No's 3,519 69 242.811 Dwarf, Cestrum, Thabernaemontara Variegated etc Shrubs and Ornamental Plants 12" pot Pittosporur Varigated, Ixora Cochineal, Juniper Variegated, Carronade Dwarf, Jasmine Thai, Plumier Robar, 553 No's 195 107,835 Cassia Malacca, Largest mea, Euphorbia, Jestropha Thai etc 1.6 GROUND COVERS Providing and planting ground covers as listed and as arrangement and type shown in the Drawings, in pits of size 150mm x 150mm x 150mm. Dug in improved soil 610mm deep filled by adding 10% cow dung manure and confirming to the criteria outlined in the Specifications, complete in all respects and to the satisfaction of Engineer . Ground Cover Plastic Bag Plants Alternant Hera, Dianella, Iresine (Red), Hemercollis(Daylily), Duranta No's 3,758 12 45.096 PALMS Providing and planting palms as per Drawings specifications and to the satisfaction of Engineer a Palm 18" pot - Queen Palm, Wodyetia Bifurcate Washingtonian Palm, Biskarkia etc. b Palm 18" pot - Phoenix Palm, Cyrus Palm 5 18,375 10.800 No's 6 1.800 CREEPERS Providing and planting Creepers as listed and as 1.8 arrangement and type shown in the Drawings, in pits of size 305mm x 305mm x 305mm. Dug in improved soil 610mm, deep filled by adding 10% cow dung manure and confirming to the criteria outlined in the Specifications, complete in all respects and to the Specifications, complete in an respects and to the satisfaction of Engineer. Creepers 12" Pot - Bougainvillea, Bonsai, Qusqualus, Bombay Creeper etc. 19 195 3,705

LANDSCAPE DEVELOPMENT WORKS **COST ESTIMATE** From 1st Original Revised to onwards 2 HARD LANDSCAPE 2.1 WALK WAYS Excavation of walkways and edging including brick ballast under 12"X14" curb stones fixing with1:2:4 PCC, supply of 7000PSI tuff tiles 60mmas per approved design fixing on 4" brick ballast compacted and grouting with sand. WALK WAYS Sft 774 150 116,100 BENCHES 2.2 Concrete Bench 5' wide complete in all respects and to the satisfaction of Engineer as per approved design. 58,792 14,698 No's DUSTBINS Complete in all respects and to the satisfaction of Engineer as per approved design. PLAYING EQUIPMENTS Complete in all respects and to the satisfaction of Engineer as per approved design. No's 2 27,700 55,400 2.4 544,939 544,939 PLANTERS Concrete planters 2' X 2-1/2' complete in all respects and to the satisfaction of Engineer as per approved 3 3,850 11,550 No's 2.6 WATER POINTS (Injector Pump 1HP) No's 45,000 45,000 SOFT LANDSCAPE MAINTENANCE (Including maintenance and up keeping of site for 6 months) after development as per specifications and 19,353 7.50 145,148 to the satisfaction of Engineer. CONSTRUCTION OF PLANTERS Large Size with keystones fixed with cement with top concrete 4.1 75 550 41.250 No's slab as per design and to the satisfaction of Engineer. Medium Size with keystones fixed with cement with top concrete 10 550 5,500 slab as per design and to the satisfaction of Engineer. Small Size Small Size with keystones fixed with cement with top concrete slab as per design and to the satisfaction of Engineer. GAZEEBO Construction of Gazebo 12' X 12' with top fiberglass 3 layer canopy as per approved design and to the satisfaction of Engineer. 4.3 No's 18 550 9,900 200,000 No's 200,000 Total Amount of - Landscaping 2,039,459 326,313 PRA(16%) Design Consultancy TPV (3%) 100,000 Grand Total 2,526,956

PUNJAB.

DISTAR

BUILDINGS DIVISION NO I RAWALPINDI.

Sar A Sa A CR

RAWALPINDI.

NOISINGARS

BULDING SUB DIVISION MURREE.

NAME OF WORK;

AMENDED ROUGH COST ESTIMATE FOR THE WORK "PROGRAMME FOR REVANDING OF ALL THO HOSPITALS IN PUNIAB ONE AT THO HOSPITAL MURREE".

ADP NO. 658 FOR THE YEAR 2022-23.

MAJOR HEAD.

MINOR FIRAD.

RS. 43.240(M)

DIVISION NO:1 RAWALPIND! FOR EXPENSES OF THE WORK "PROGRAM FOR AMENDED ROUGH COST ESTIMATE FRAMED BY THE EXECUTIVE ENGINEER BUILDING ALL THO HOSPITAL IN PUNIAB ONE AT THO HOSPITAL MURREE" ADP NO. 658 FOR THE YEAR 2022-2023 Q. REVAMPING

HISTORY

estimate has been prepared with the latest specifications circulated by the Communication and Works Department OF ALL THO Vo. 658. In THIS Context Mr. Farhan Sb Director Project Management Unit Lahore along with his team The Scheme titled "PROGRAM FOR REVAMPING visited the THQ Hospital Murree and finalized the scope of work at site. The HOSPITAL IN PUNJAB"has been reflected in the ADP 2022-2023 at serial 43.26 Lahore.

A has been prepared and submitted for arrangements of its Administrative Approval and funds please. Accordingly, the rough cost estimate worth Rs.

SCOPE OF WORK

The following provision have been made in this estimate;

and Razor wire Construction of Boundary wall

180 RA.

Repair and Improvement of IPD Block.

Internal E.I Work IPD Block

Provision of Electric cable for X-Ray machine, Dialysis Machine, etc

Parking Area

Internal Public Health Portion,

External Development.

Repair of R.O Plant

Provision of Fire Alaram System

Boring Up To 400 Rft Depth for Water Purpose 10.

Under Ground Tank

Construction of Tubewell Chamber.

SPECIFICATION

þe Will Punjab Building Department specification of The Standard followed for the execution of work.

CARRYING OF WORK.

got carried out through the approved Contractor of Punjab Building Department after calling the competitive tenders through publicity. work shall be

RATES.

Rates 2nd BI Annual 2022 Notified Vide the Chief Engineer Punjab Building Department Lahore (NZ) No. CEBNZ/1188-92/D, dated:- 07/07/2022 for the period from 1st July 2022 to 31st Dec 2022 for Murree.

TIME LIMIT

It will take about (06 Months) for the execution of the work from the date St. Sta of its Commencement and availability of full funds.

COST.

237 Total Cost of Work/ estimate come to Rs.

 $\widehat{\mathbb{E}}$

Buildings Sub Division Sub Divisional Officer Murree,

Buildings Division No.1 Executive Engineer Rawalpindi

Ph: 051-9334587 Fax: 051-9334542

SUPERINTENDING ENGINEER BUILDINGS CIRCLE NO. 1 RAWALPINDI

e.mail: sepbcrwp@gmail.com

The Chief Executive Officer, District Health Authority, Rawalpindi.

25/08 dated. 5 8027 No. Subject:

/2022

"PROGRAMME ONE ALL THO HOSPITALS IN PUNJAB WORK THE FOR ESTIMATE (A.D.P NO. 658, FOR 2022-23) HOSPITAL MURREE. Q. ROUGH COST **REVAMP9ING AMENDED**

Medical Superintendent THQ Hospital Murree letter No. 1808/THQ dt 15-07-22. Reference:

prepared by Executive Engineer Buildings Division No. 1 Rawalpindi based on plinth area rates CEBNZ/1188-92/D dated 07-07-2022 & MRS 2nd Bi Annual 2022 for the period (1st July 2022 is submitted herewith for arranging Rough cost estimate amounting to Rs.43-40 M for the work cited notified vide Chief Engineer Punjab Buildings Department (North Zone) Lahore District Rawalpindi, administrative approval / funds please. for

The scheme cited as subject has been reflected in the ADP for the year 2022-23 at G.S No. 658 with indicated cost of Rs. 22060.239 M (Block) & allocation of Rs. 1300.000 M

DA/Rough cost estimate

Suberfintending Engineer Rawalpindi Building Circle S 17 Dated.

Žo.

/2022

Š Division , for pursuance. Bulldings Rawalpindi with reference to his letter No. 2635/DB, dated: 11-08-202 forwarded s. Copy

DA/Nil

eer. Superintending Engin Building Circle No. (B) was

FACD Branch/Letter/Letter/RCE letter Client 2021-22

Page 83



OFFICE OF THE MEDICAL SUPERINTENDENT Primary & Secondary Healthcare Department THO HOSPITAL MURREE DISTRICT RAWALPINDI Ph & Fax: 051-9269076 Email: thgmurree2018@gmail.com

<u>T</u>0,

Executive Engineer Building Division 1, Rawalpindi.

Subject: REVAMPING OF THO HOSPITAL MURREE

Zir.

As discussed, in the revamping plan of THQ Hospital Murree, following work is required:

- Construction of Boundary wall on back side of Hospital premises
 - Repairing of R/O Plant
- Electrification of IPD Block
- Concealing of open wires
- · External repair work (Tiles and stone)
 - * PCC Flooring of ramp of IPD Block
 - * Tiles in Parking Area
- * Ceiling construction of IPD wards
- * *Repair of ceiling in main IPD Block
- Sanitary appliances and construction work in IPD ground floor
 - 1000 feet water bore near MS residence
- Underground piping for water transport from MS residence
 - Change of plastic water pipe going towards AC residence
 - Sewerage line of IPD Block.
- Ceiling lights required: 300 (18Watt) and 100 (2x2 feet)

1808 /THO

Dated Murree the (2)

MEDICAL SUPERINTENDENT

ATHA HOSPITAL MURREE

Scanned with CamScanner



THQ HOSPITAL MURREE DISTRICT RAWALPINDI Primary & Secondary Healthcare Department OFFICE OF THE MEDICAL SUPERINTENDENT

> Executive Engineer, Building Division 1 Rawalpindi.

Revamping of THQ Hospital Murree

Sir,

Subject

uation of letter no 1808/The dated 15/07/2022, following work is also required:

- 4 Core Wire 37/72 OPD to IPD
 - 4 Core Wire37/72 X-Ray
 - 4 Core Wire 19/52
 - PVC Pipe 2"
- Change over 400 Amp
 - D.B Main
- Earthing of building
 - 7/36 cable
- Stair Marble steps
- Railing for Ramp IPD block

MEDICAL SUPERINTENDENT THQ HOSPITAL MURREE

Dated Murree the

CHECK LIST FOR IDENTIFICATION OF SCOPE FOR REVAMPING OF HEALTH FACILITY THQ MURREE 05-07-22 $\|\ell J\|_3$

_				F 1 3
	Sr No		OPD Block	Remarks
	ν -	Porcelain Floor Tile replacement	Not required.	Tiles specifications, brand,
				size and Installation will be
				as per specified C&W
	2	Porcelain Wall Tile replacement	Not required	Standards.
	l		ivot reduiled.	liles specifications, brand,
			\	as per specified C&W
				standards.
	χ)	Wooden Doors flush or Solid/ Main	Not required.	Specifications, wood/type of
				door, polish, door locks and
1				handles will be as per
L	4		Not required.	Specifications will be as per
		area)/ MS Windows on Façade		C&W standards.
`5.	Ŋ	Existing Internal Windows	Not required.	Specifications, Aluminum
				and glass color will be as per specified C&W Standards
,	ا و		Not required.	
:	_	Internal Electric fiitings	SMDs need to be installed.	Model Specifications/
				Brands, should be as per
				specified C&W Standards.
	ထ	Internal Lighting Fixtures	Not required	Model Constitution
				Model Specifications/ Brands
				and distance should be as
				per specified C&W
	တ	Revamping of Public Toilets	All washrooms need to be	risoch da
			xing	closets, bath room
)	accessories, tile size and
			floor and full body porcelain	color will be as per specified
			tiles on wall up to a minimum	C&W standards.
			height of 7 ft. All existing	All Washroom doors should
			fixtures should be replaced	be replaced with UPVC
			with new fixtures along with	doors having specified C&W
			new water supply and	Standards.
			sewerage connections.	
	6	Wall Paint	Not required.	Plaster Cement Ratio, wall
~				putty brand specifications,
				paint specifications, brand
				and color will be as per C&W
				stall dall dis.


D:\scope of work

~	
bes	

			The state of the s	Sky.
	Sr No	Item	OPD Block	Remarks
	-	Koot Ireatment	Roof treament is reuired at	
	5	Misself Control	few points.	
	2 5	Nursing Counter (Ward)	Not required.	
व		Stairs - Marble and Railing	Stair marble is damaged at	Marble/Granite type and
			various points & needs to be	installation technique will be
ج _{يد} اً			replaced.	as per C&W Standards.
	14	Ramps - Tile and Railing	Not required.	
	72	Façade Uplifting	Minor Façade treatment with	
1			weather shield combinations	
			and patterns should be	
	, ,		executed on front elevation. (OPD Main Entrance Wall)	
•				
	16		Not required.	
	17	Anitmicrobial Treatment (OTs)	Anti- microbial treatment is	
(3	External Weather Shield	External weathershield is only	
المنابعة			required at those surfaces	-
			where stone cladding/tile work	
			is not done.	
	<u></u>	Edge Protection	SS Edge Protection needs to	
ز			be fixed on all corners up to	
			height of 5 ft. till the height of	٠
,			Wall/Dado tiles.	
	20		Not required.	
	21		Required.	
	22	Plumbing Works	Damaged Water supply &	
i		-	sewerage pipes causing	
			seepage to be repaired &	
J	25		rectified.	
C	3	expansion joint of Building	Treat expansion joint of	
(building properly & cover it	
J.	24	Any Other item	With 55 patti	
			Fix joints of ceiling with silicon	,
			at OPD entrance.	
į	-		Contact Quaid-e-Azam	
out 1			university for study of	
	30		borehole.	
	27	Electrification	All external main cables of hospital which are hanging in Air	ital which are hanging in Air
			should be concealed in all respects. Similarly, few existing	cts.Similarly, few existing
			DB's need to replace as per site condition along with proper	condition along with proper
			earthing of complete hospital.	

D:\scope of work

Sr No	Description	Condition	Additional Information
	Water Supply System		Existing is in good condition.
=	Sewerage System		Existing Sewerage System is in good condition.
	External Pathways		Repair PCC road from entrance to medicine store.
	Boundary Wall	7	Construct boudary wall of hospital where missing to avoid trespassing.
	Main Gate		Repair the main gate which got damaged in an accident.
	Sources of Electircal Supply		Demand Notice to be paid for Dual Supply or Express Line.
	Transformer		Requirement of transformer will be assessed after visit of Wapda & DN to be paid accordingly as per site requirement.
	ATS Panel for Generators Electrical Panel Room		As per site requirement. Available. Minor repair works need to be done.
	External Wires		All external wires/cables should be replaced after detail electrical analysis & design. Moreover these main wires should be concealed in all respects.
	Water Filtration Plant		Construct a water filtration plant room beside water tank. Repair of filtration plant is required.



HEAD QUARTER HOSPITAL MURREE, TEHSIL MURREE, DISTRICT RAWALPINDI FOR THE YEAR 2021-22. AMENDED ROUGH COST ESTIMATE FOR THE WC X PROGRAMME FOR THE REVAMPING ALL THO HOSPITAL IN PUNJAB ONE IS TEHSIL

COMPARATIVE STATEMENT

		0020771	0050771	0050771	dot.9			***************************************			
cp\		8994897	8994897		S7					·····	Boring upto 400 Rft depth for water purpose.
-09-		441000	000144	000144	dol.9						Provision of fire alarm system.
		1085441	1082441	1082441	dol. q	<u> </u>					External Development
		3841538	3841538	883148E	dol.9	,, ,, ,					Internal Public health portion.
001		00316741	00916741	00916741	dot.9	L	Salara de la companya de la company		····	~~/\ W III +	Provision of electric cable for x-ray machine, dialysis machine, etc.
							4				Repair and improvement of IPD Block
THE RESERVE THE PERSON NAMED OF THE PERSON NAM	929076 736000		1862231	1862231	dol	L L	1536000	1536000	dol	L	Provision of Reverse Osmosis Drinking water trearment filtration plant with blending UF membrane.
cp	253543	18. Called to 19. Called to 19		1000001	1 401	ļ <u>k</u>	9051672	2791306	qor	Į.	Provision of Reverse Osmosis Didnistra
	1086230	1	Þ00 1 99	b00p99	dol	l l	1760234 EASESS	253243 253243	dol	<u> </u>	Construction of Burial Pit Shed.
sp·	243800							1760234	dol		Construction of Parking Shed.
zije zoobe oj mouk s	H-PHRINALIS					<u> </u>	248800	248800	dol	<u>. </u>	Construction of Gate & Gate Piller.
Remarks Je per site visit Jisted 05-7-22 Jisted 05-7-22 Jisted 05-7-22 Jong with his slong with his team the THQ Hospital Murres and finalize the		*	3 Junom4 0027.87		JinU dol.S		0000069	4182	∄A.q	0591	Construction of Boundary wall consists upon foundation of C.R masonry 1:6 mortor, fixing of G.1 pipe 6'-5" high 2-1/2" dia fixed at 8' center to center i/c having 2" dia fixed at fopn and bottom i/c G.1 wire fixing center to center dignaly i/c razor wire 1.5' to 2' dia fixed with angle iron trame in Y shape of 1-1/2"x1-1/2"x3/16" angle iron complete as per drawing and analysis.
Remarke	ə	Differnc	ejemi	ded R/C Est			_		1inU	,	
		-x4440444444444			· · · · · · · · · · · · · · · · · · ·	***************************************	Natate avi	LOVEd R/C		sĄ	# Description

Engineer Incharge.

					*		,	•			manufacturer its cost of making connection for inlet toutlet pipe, float valve its all cost of specials & labour complete in all respect as approved and directed by the
op` (124000	ober 1914 in der er e)				154000	. 85	nlə,q		Providing and holsting vertical / horizontal type storage tank of required capacity made of rationally molded from (HDPE), double ply polyethelene of approved manufacturer its cost of spaking connection for inlet to
реліпреЯ ЈоИ	S40000					1901-1911 (Marca al association de la constitución de la constitución de la constitución de la constitución de	240000	54000	Each		S/E RCC Fort bench 5' long of 1:1-1/2:3 cennent concrete 16" wide seat and 16" wide bach with foots wooden texture i/c carriage from Lahore to site of work and base concrete cost of nuts and bolts complete as and base concrete cost of nuts and bolts complete as and base concrete cost of nuts and bolts complete as approved and directed by the Engineer Incharge.
·		6698111	6698111	lstoT							amati lanoiribbA
31st Dec 2022) to				1-4-34							
sund is Snd SAM school SSOS for July SOSS to 151 July Sos		6 Þ 0908	309046	10202	ЛЯ.9	30					
dated 07-07-2022 CEBNZ/1188-92/D		09496	05296	S + 9	JJS.9	120		***************************************			Add for C.R masnory wall 10' height.
Zone) Punjab Buliding Deparme		00vbb	00545	596	1)2,9 30.9	120					Oifference between C.G.I sheet roofing and RCC Toofing.
Plinth area rates notfled vide Chiel Engineer (North	,	00pt78	004179	9244	112,9	120	**************************************				Difference of between foundation, and deeper foundation.
		28878298	32534885	mai	71121	, and the same of					Construction of Tubewell chamber 10x15=150 P.Sft
-op*		0016581	0046981	lstoT	or -		-				Pump Chamber
231111123	Bulves	Excess	JanomA 2000381	936A 0046381	JinU dot.9	/10	TUDALIC				
Remarks	931	Differn		uqeq B\C E	and the second second		эвино	PateA	tinU	Qty	Under ground water lank.
TEHEIF	NO HOU	WILD IN			— ()	***************************************	atemits:	oved R/C E	Per appi	sĄ	Description

D://kw deta 1012/17/2 http://de

				xeculive Ep	3					•	feding lenoisivia dus
	·	28.244	43,240	noilliM ni			966.41	noilliM nl			
C		58544823	43240000	γs2			745369AT	Λes			
<u> </u>		43240148	43240148	IstoT		7			***************************************	<u></u>	
- The state of the		000000s	0000009	vapda, water s connection	anal for y nd sui ga	enbbjà si Vqq Exic			\A\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\		
		S3S44801	38240148				14599347	4.00	<u> </u>		
		1106895	6960781				7	letol			
		39419183	88161498	IsloT			714064	TS9 %9 b	bΑ	*************	
		1000520	1000620	leiiəlem	blo lo li	benJ i	***************************************	, , , , , , , , , , , , , , , , , , ,	*	***************************************	
	***************************************	23138426	37419709				**********			***********************	
		786203	1066228	861/- Baucek ou	Scoulin	RE DOM	14281283	IntoT	The state of the s		Security of the security of th
		\$\$32553	18463696	1		SECURIO (CONTRACTOR OF THE PARTY OF T	S800S2	идеисеу	Jw Cant	ppy	
- L-COMMON A PRINCIPAL					T	THE STREET OF STREET	14001268	laloT	- Anna Carlotte Control of the Control	0000 Jahren 1000 (1000 1000 1000 1000 1000 1000 10	The state of the s
	•										The state of the s
40 www.midSchlimmmer											Complete in all respect as approved and directed by the Engineer Incharge, 400 mm x 400 mm
0p	g/er/t										complete in all recent due Joints i/c culting are cost of
Remarks	gnive2	Excess	InnomA	Bate	JiuU		57.6771	515	US'd		Tur one of the opposite the seaso puod
<u> </u>	ຸ້ອວບຸ	Diffe	១៤៣៤ខ	ouged R/C E	1	γiρ	JanotaA	Rate Frovod R/C	มเนก	(13)	the Providing and laying superb quality Potential glazed along of MASTER brainty Potential glazed assume the proposed design Colors brains of specified along the proposed design colors are provided assume the proposed design colors and provided assume the provided assume the proposed design colors are provided assume the provided assuments and the provided assume the provided assuments and the provided assuments and the provided assuments and the provided assuments and the provided assuments as the provided as th

ROUGH COST ESTIMATE FOR THE WORK "PROGRAM FOR REVAMPING OF ALL THQ HOSPITAL IN PUNJAB ONE AT THQ HOSPITAL IN PUNJAB ONE AT THQ S.2.2.23

TSOO FO TOARTERA

							:			ì
policon (policia)	899 1 897			; ;			s'7	1.00	Provision of Fire Alaram System	6
Detailed Atteched	8997897								Just Of R.O. Plant	Q
betrailed Atteched	000009						s"i	00.1	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
bertəətiA beligisəQ	000lpb						dol	00,1	Sxtemai Development	<u>i</u>
Detailed Atteched	1082441						dol	00.1	notho9 health Portion	9
berhed Atteched							dot	00.1	sarking Area	S
Detailed Atteched	3841536						dol	1,00	Provision of Electric Cable for X-Ray machine, Dialysis Machine Etc	Ż
Detailed Atteched	1852231						dol	00.1	Internal E.! Work IPD Block	ξ
Detailed Atteched							dol	00.1	Repair and Improvement of IPD Block	Z
	100916271	08528L		i		0 Q SLSL 0 91311	dol.9		Construction of Boundary wall (boundary wall consists upon Construction of C.R masonry 1:6 mortor, fixing of G.I. Pipe 6'-5" high 2 1/2" dia fixed at 8' center to center to center itc Mesh 2"x2" of 8 Nos G.I. wire fixing center to center dignaly itc Razor wire 1.5' to 2' dia fixed with angle iron frame in Y shape of 1-1/2"x1-1/2"x3/16" angle iron complete as per drawing and analysis	
Petailed Atteched	JnnomA 	lsioT	ΕΊ	H.q	dht2 noitsbnuo3	g.8	tinU	Plinth / Area Qty	Description	.oN .8

•	1						,			
-/	60661 HLE									
	6957688	-:lstoT								
	18229901 1899811	(+)					- [9 9889878	Add 3% Contigency on Rs	
	1875555	-:lstoT	'ē							
	6698111	Total				· ·				
	30906	70201				10202	∄Я. Ч	90	ADD for C.R masnory wall 10' height	Vi
·	09/96	942				979	∄S.q	120	gnitoor OOA bris griftoor feed? I.O.O neewted eonereftiQ	III .
	00ppp	967				Þ×Þ∠	∄8 q	091	Difference of between foundation and deceper foundation	!!
Notified Vide the Chief Engineer Punjab Building Department Lahore (NZ) No. CEBNZ/1188-92/D, dated:- 07/07/2022 for the period from 1st July 2022 to 3/1st Dec 2022 for Murree						0010	310.	00.001	Construction of Tubewell Chamber 10 x15 = 150 P.Sft	
Plinth Area Rates 2nd BI Annual 2022	001129	9277	122		<u>₽</u> 29	0878	∄8.'∃	00.031	Рump Сhamber 	
	18845155	lstoT								
Detailed Atteched	- 10046581						dol	00 1	Under Ground Tank	
Detailed Atteched							dol	۱,00	Boring Up To 400 Rft Depth for Water Purpose	٥١
Remarks	JunomA	IstoT	1.3	H.q	ght2 noitsbruo3	٩.8	Unit	Plinth /	Description	.oN .2

				<u> </u>					
nollliM	-120.31	.еЯ қь2		<u> </u>					
	89109254 -61811091	-:lstoT							
	2000000	-							Add external for WAPDA, Water Supply & Sui gas connection.
	84104-C8E	-:ls3oT							
	765601 BI								TS9 %2 bbA
	1 681 61 498 95212168	-:lstoT •							•
	100500'01 ELEGIZ	(-)		. 4					Credit of old material
Remarks	ìnuomA	IsioT	1.3	Нd	qht2 noitsbnuo-i	q.8	tinU	Plinth / Area Qty	S. No.

Sub Divisional Officer Buildings Sub Division Murree

Technical Asserting Superintending Frances Buildings Circle Measurabinding Circle Measurabind Circ


Buildings Division No. T

Executive Engineer

ROUGH COST ESTIMATE FOR THE WORK "PROGRAM FOR REVAMPING OF ALL THQ HOSPITAL IN PUNJAB ONE AT THQ ROUGH COST ESTIMATE FOR THE WORK "PROGRAM FOR REVAMPING OF ALL THQ HOSPITAL IN PUNJAB ONE AT THQ

ISOD FO TOARTERA

											
	Detailed Atteched	8997897						87	00.1	metere Alaram System	d 6
			<u> </u>	1	1						<u> </u>
	Detailed Atteched	000003						S'7	00.1	Repair of R.O Plant	8
-	Detailed Atteched	000144		ŀ				dot	00.1	zternal Development	, a
 		000777		 			ļ		00 7	, seemed learning	-4 <u>-</u>
	bertheth belisted	1082441						dol	00.1	noihoq dilah Polion	1 9
	Detailed Atteched	J 1 00199						dol	1.00	sarking Area	9
	Detailed Atteched	8831488						dol	1.00	Provision of Electric cable for X-Ray machine, Dialysis Machine, etc	
	Detailed Affeched	1862231			:			dol	00.1	internal E.1 Work IPD Block	(1)
	Detailed Atteched	201/801/21						dol	00.1	Repair and Improvement of IPD Block	z
	Detailed Atteched	184916Lh1	28628L 091977				085252 09+311	dot.9		Construction of Boundary wall (boundary wall consists upon foundation of G.R masonry 1:6 mortor, fixing of G.I. Pipe 6'-5" high 2 1/2" dis fixed at 8' center to center lic having 2" dis G.I pipe to be fixed at top and bottom lic G.I. wire Mesh 2"x2" of 8 Nos G.I. wire fixing center to center dignaly i/c Razor wire 1.5' to 2' dia fixed with angle iron frame in Y shape of 1-1/2"x1-1/2"x3/16" angle iron complete as per drawing and analysis	
	Beeniged Attention Remarks	innomA	listoT	E'l	Нa	Strip Roundation	q.8	3inU	Vinth / Area Qty	Description	.oN .2



	·					<u>.</u>			[w]	
									160661428	
			4	·				-:istoT	_69975868	
	Add 3% Contigency on Rs	EPay22					1		10119901	
	Relay on vonepitrio 3% S bbA	_8968 88						(+)	18169901 1-1909811	
							1.9	-:tato	18422588 81600768	
								IstoT	6658111	
	DD for C.R masnory wall 10' height	30	ਜ਼ੈਸ਼.੧	10202		ŀ		10202	6 1 090€	Defailed Atteched
A vi	11. 1,071									
۔ ا	Oifference between C.G.I Sheet roofing and RCC roofing	190	#S.9	979				9+9	09296	Detailed Atteched
-										
7 11	noitsbruot requeed bris noitsbruot reswied to earereffic	120	∦s.a	ρχρŢ				967	00tbb	
1 "										Dec 2022 for Murree
	·			1.						CEBNZ/1188-92/D, dated:- 07/07/202 for the period from 1st July 2022 to 31s
						٠.	1.		·	Building Department Lahore (NX) N
	#8.9 081 = 8tx.01	120.00	∄2.Ч 	0878	7/9	14 12	122	9447	00/129	Plinth Area Rates 2nd Bl Annual 202 Notified Vide the Chief Engineer Punja
. ! '	Construction of Tubewell Chamber	450.00	73.0	0020	, , , , , , , , , , , , , , , , , , , ,					
12	Pump Chamber						ļ!	ļ		
								 	37582518 35254883	- J
						<u> </u>	 	IstoT	37585318	
			,			1			1829409 P	Detailed Atteched
11	Under Ground Tank	00.1	dol						-1852000	bedsett belieted
_ 01	Boring Up To 400 Rit Depth for Water Purpose	00.1	dot					Times	0090771	Detailed Atteched
S. No.) Afriiq Area Qty		9,8	gint8 noitsbnuo-i	H'd'	13	Total	JnuomA	и Ветатка

Remarks	зпиотА	lstoT	1.3	H.9	diti2 notisbriuo i	d.8	JinU	Vilnith / Area Qty	Descubtion	.oN .2
To the second	1905 00'01	(-)	I to a second						Credit of old material)
	768/6/198	-:lstoT		Transaction of the state of the						
	76560181				, , ,				TS9 %8 bb/	
	2 /84/64 182 010401V	:lstoT		The second secon						
	0000009								dd external for WAPDA, Water Supply & Sui gas connection.	
	841042 E.h .61211097	-:lstoT								
	noillim 170:34	Say Rs.								
		- N	Englin e Englin	SEACHTHAN SEACHT			CA	offic landsiv	ia dus priblina	
, the			ibniqie	egalbling veA	1			Миптее		
	· · ·			L	عادات و المحمد و الم	YELV VET	ئىلىگىگە 15.6% ئار چەربىيارىسۇنېنىلىرەت	pide aglio Americany in Commence		

Surde Mean Surdings Chest to the lings Chest to the lings of the lines
ont. En l

F 7 Sb/2nd bi 2022-23 Estimate/Revamping THQ Murree 2nd bi annual 2022/Final RCE THQ Hospital - change rates 2022/RCE Of boundary wall Girls College Pagwart.

			An	alysis o	Analysis of Boundry Wall	ry Wall	Marketon de la companya de la compan			
ئ ل				-	Meurements	(luts				
'n		Detail of Work	Š.		B.	H H	Qţ	Unit	Rafe	Amount
_	Excavat trenches belling, I around s	Excavation in foundation of building trenchesand other structure i/c dog belling, levelleng, dressing and refilling around structure lead upto 1 chain and lift upto 5'in hard soil.			·					-
.			-	110	2	2	440			
				•			440	%0Cft	11,988.50	5275
7	P/L of constoners bare bare 1:6:12	P/L of cement concrete using brick or stone baliast 1-1/2" 2" gauge in F&P 1:6:12		. /		·				
			1	110	3	0.5	165	%C#	22,577.60	37253
ო	P/L of C hammer	P/L of C.R. masonary 1:6 c/s mortar hammer dressed in F/P								
			-	110	2	2	440			
				110	1.5 Total	-	165 605	₩//%	2ARAB BE	440476
4	P/Lplain surfac	P/Lplain cement concrete 1:2:4 i/c surfac finishing and curring complete					7		20.00	07164
			-9e a	-	1	2.67	25,386			
_1			-	110	1.5	19:01	4015	3		30000
					Total	55.0	192	%C#	37,764.95	
r0	Raised	Raised Cement pointing 1:3 c/s mortor	c							
	All stolle work	C WOLL	7	2	0.83		183	%C L	4,767.10	8705
ဖ	Carriage	Carriage of Stone by vehicle on by the contractor upto 40 KM	605					%C#	2809.25	16996
,	-									
<u> </u>	Providing Galva: ze of 2"x2"m guage, wi	Providing and fixing hot dipped Galvar zed Iron chainlink mesh/fence of 2"x2"mesh made of wire of specified guage, with the help of 1"x1/8" GI patti, Glorans and screen in the help of 1"x1/8" GI patti,	 - 				,			
	nos 8 (through	SWG GI tie wires penetrated mesh at top middle and			v					
	bottom, diamete	~ Q								
	erected PCC(1:	erected @ 8 ft C/C duly embeded in PCC(1.2.4) etc. complete in all respect							-	
	as app Enginee	as approved and directed by the Engineer Incharge 8.SW/G		60,000	1		\			
ဆ	Providin securit	Providing and fixing anti climb high		8	0		1080	P. stt	369.25	398790
	having pointed barbs)	double sharp four U-sh 0.5 mm thick (22mmx15 spaced @ 33 mm c/c cla			· .					
	making diamete	making coil fencing of specified diameter @ 4" c/c fixed on 2-3" high							· .	
	M/S 11%"x11	angle iron post								
· · · · · · · · · · · · · · · · · · ·	PCC (1	PCC (1:2:4) (4"x4"x9") @ 4' apart i/c the cost of 2 No hars 3/8" dia maldada								
	horizantally hinding wire	ally with angle iron posts ,								
	complet	complete in all respects as pproved and								
	oli ecte	by the Engineer incharge18 "	-	180			180	P. Rft	504.20	90756
							A		Total	775160
						\\\	(F)			7374911
4	/	Sub Divisional Officer		,		Exec	Executive Efficient	newf		73750
#	H	Builetings-Sub Division				Bulldin	as Divisio	N C		ੱ ਬ -

Page 98

Sub Divisional Officer Buildings-Sub Division Murree

Executive Engine Buildings Division P Rayusipindi

ı

Sr. No. 1 P/L mort	CC				
	Repair and Improvement of IPD Block	int of IPD	Block		
	Detail of	Qty.	Unit	Rate	Amount
-	P/L hatural stone cladding 12"x6"x1/2" laid over c/s mortar 1:2 i/c filling joints with pigments complete in all respect as approved by the Engineer Incharge.	650	Each	395	18.18.
	Dry rammed brick or stone ballast, 11/2" to 2"(40 mm to 50mm) gauge.	178	%Cft	9,563.40	17041.979
	ing of congressions congression	540	%Sft	7,783.15	42029.01
	Providing and fixing marble strip of any shade for dividing the mosaic flooring into panels s Size 11/2" x 3 /8" (40 x 10 mm)	324	P.Rff	19.80	6415.2
- 1	ping and stacking C.I. sheet roof.	3048	%Sft	1,183.80	36079.858
o rem	removing of celling.	3475	P.Sft	8.00	27796
		5375	%Kg	1,812.40	97417
A Plair position wook	Plain wood work sawn wrought plained and fixed in position including cost of nails and screws etc (kail wood) complete in all respect & as approved by the Engineer Incharge.	474	P.Cff	5,365.00	2543558.5
	thick elephant brand or approved equivelent i/c g.i. channel frame 3 x 2 1" x 1" G.i. angle for hanging rawal board fisher with complete hanging system requirement at site i/c finishing and making POP gola complete in all respect as approved by the Engineer Incharge	3917	P.Sff	290.00	1135933
<u> </u>	ה ה	4248	%Sft	2,065.65	87745
	at still surface and painting with emulsion paint.	3571	%Sft	2,962.10	105762
13 Prov	alluling glazed or encaustic tiles, etc.	1447	%Sft	2,391.85	34601
	tiles flooring of MASTER brand of specified size in approved design, Color and Shade with adhesive/bond over 3/4"thick (1:3) cement plaster i/c the cost of sealer for finishing the joints i/c cutting grinding complete in all-respect as approved and directed by the Engineer Incharge. (Non-Skid Chequred Tiles) 300mmx300mm	214	P.Sff	213.90	45753
Marbl Marbl Cills adhes mort respe Incha	Marble slab for Vanities / Shelves / Treads/Window Cills having Uniform texture (Spotless) with adhesive bond over 3/4" thick (1:2) cement sand mortur i/c the cost of matching sealer complete in all respects as approved and directed by the Engineer Incharge China verona	386	P.Sff	414.45	159874
	skirting/risers having uniform texture (spot less) of size 24"x6" of approved quality and shade with adhesive bond over 3/4" thick (1:2) cement sand mortor complete in all respect i/c the cost of matching sealer to finish the joints as approved and directed by the Engineer Incharge China verona	63	P.Sft	. 206.75	13101

			1	1		7			
344011	13200	20400	4646	2107	5406	39242	99284	59211	952041
2,586.55	550.00	850.00	115.20	37,764.95	242.30	295.05	295.05	2,368.45	516.00
g. ∰.	Each	Each	P.Sft	%Cft	P.sft	P.Sff	P.S∰	P.R#	P.Sff
133	24	24	40	9	22	133	337	25	1845
aluminium windowsof anodize / powder coated partly fixed and party sliding using deluxe section of 100mm x 40mm x2 mm using frame (70501) at bottom, (70502) at Top & Side made of Pakistan Cables/Alcop having Leaf Frame size 31mm x 60mm x2 mm (70505) at Top & Bottom, 35mm x 60mm x2 mm (70505) at center and 35mm x 60mm x2 mm (70503) at sides , fixing 5 mm thick imported tinted double glass and air tight using double tape, chemical strips, Silicon using approved latches, wheels for channel, stopper, brush channel angle joint and hardware etc. (excluding the cost of Fly Proofing). Complete in all respect as approved and directed by the Engineer Incharge	P/F of a in all res	P/F of alun coplete in al Incharge.			Providing and laying superb quality Ceramic tile floors of Master brand of specified size, Glossy/Matt/Texture of approved Color and Shade as per approved design with adhesive bond, over 3/4" thick (1;2) cement sand plaster i/c the cost of sealer for finishing the joints i/c cutting grinding complete in all respects and as approved and directed by the Engineer Incharge12"x18"/12"x24"/10"x24" /8"x24"/12"x36"	Providing and laying superb quality Ceramic tile floors of Master brand of specified size, Glossy/Matt/Texture of approved Color and Shade as per approved design with adhesive bond, over 3/4" thick (1;2) cement sand plaster i/c the cost of sealer for finishing the joints i/c c:tting grinding complete in all respects and as approved and directed by the Engineer Incharge12"x18"/12"x24"/10"x24" /8"x24"/12"x36" Dado	Providing and laying superb quality Porcelain glazed tiles of Master brand, skirting/dado of specified size, Color and Shade with adhesive/bond over 1/2"thick (1:2) cement plaster i/c the cost of and sealer for finishing the joints, cutting grinding complete in all respect as approved and directed by the Engineer Incharge.400 mmX400 mm	of non magnetic (304) Stain less steel 2" dia pipe railing of 18 SWG welded with vertical posts of 2" dia stainless steel round/ Squar pipe/ Tong (chimta) @ 2-ft c/c fixed on alternate steps with 3" long steel screws and brass rawal plugs, 3-Nos diagonal stainless steel pipes of 1/2" dia passes through goties fixed on vertical post, i/c stainless steel welding, Supply, and laving Antistatic Viryal Chimal Processing	mesh j labour oved ar
	17	18	9 6	3 ;	27	77	23		

				· · · · · · · · · · · · · · · · · · ·	<u> </u>	<u></u>
8126639	320 0021	11735	24922	28249	195627	12/08/76
1,788.00	640.00	234.70	4,531.20	764.30	5,292.95	Total
P.Sff	P.Rff	P.Rff	%.Sft	%.Sft	%.Sft	
4545	200	50	550	3696	3696	
back stature G.I from 18 Gauge 12mm thick Gypsem board will be fixed on brick wall to apply 2mm thick antiMcrobial wall oven 14 to 16mm thickness joints will be heat welded in same colour (as specified in the guotation) and as approved and directed by the Englinher Incharge.	27 P/L Stainless steel Corner Beeding angle 2'x2'x1/16" with double tape fixed with stainless steel nails i/c cutiing fixing complete in all respect As Approved By The Engineer Incharge	Providing and fixing 6 in(150 mm), wide curved sheet of required shape fixed on face of the construction joint with G.I. screw,1.5 in (40 mm) long to cover construction joints vertically:-G.I. sheet, 18 SWG	29 Cement plaster 1:4 upto 20' (6.00 m) height:- %" (20 mm/thick	30 Scraping Ordinary distemper, oil bound distemper or paint of wall.	Providing and applying weather shield paint of approved quality on external surface of building including preparation of surface, application of primer complete in all respect new surface: 2 coat	
Q 7	27	28	29	တ္က	34	

Executive En Buildings Divisi

Page 101

ROUGH COST ESTIMATE FOR THE WORK "PROGRAM FOR REVAMPING OF ALL THO HOSPITAL IN PUNJAB ONE AT THO HOSPITAL MURREE" ADP NO. 658 FOR THE YEAR 2022-23

OF A

Repair and Improvement of IPD Block

Pic natural stone cladding 12*x6*/x1/2" Pic natural stone complete in all respect as apprioved by the Engineer Incharge. 2 Dry rammed brick or stone ballast, 1/2" to Ramp Pic natural stone compared to compute the passing 3/4" (13mm) Pic natural stone consisting of one part of cement concrete 1:3:6, including surface finishing and dividing in panels: -1/2" (40 mm) thick Pic natural stone control in the stone control in the stone control in the panels: -1/2" (40 mm) thick Pic natural stone control in the stone control	Poly Instituted briefled Work 12" (A) matural stone cladeding 12" (X6"X1/12" laid over of mortar 1.2 for filling joints approved by the Engineer Incharge. 2	,		Market Market	We	Weasurements	S.			_
Internation State of State 1	1	<u>۲</u>	D/I notice to	No.		B.		Qty.	Unit	
1 15 10 10 200	10 15 16 16 16 16 16 16 16	-	natural stone cladding over c/s mortar 1:2 i/c pigments complete in all oved by the Engineer Inc					-		
1 15 10 150	2 Dry rammed brick or stone ballast, 172" to Ramp 3 Providing and laying conglomerate 12 (40 mm to 50mm) gauge. 13 Providing and laying conglomerate 13 (13 mm) 14 (15 mm) 15 (15 mm) 16 (15 mm) 17 (15 mm) 18 (2	10		10			
1 30 10 300	2 Dry rammed brick or stone ballast, 132" to Ramp Ramp Ramp Ramp Ramp Ramp Ramp Ramp			1	15		10			
Providing and faving congionnerate 160.00 9 0.33 178	Providing and laying conglomerate fillowing (two coat work) with top layer of strange and 2 parts of stone chips passing and 2 parts of stone chips passing 3/16"(6 mm) steve, over bottom layer of finishing and 2 parts of stone chips passing 3/16"(6 mm) steve, over bottom layer of finishing and correcte 1:36, including surface dividing in panels: 172"(40 mm) thick and 2 parts of stone chips passing 3/16"(6 mm) steve, over bottom layer of finishing and fixing marble strip of any panels s Size 1½" x 3 and fixing and fixing marble strip of any panels s Size 1½" x 3 and fixing and fixing marble strip of any panels s Size 1½" x 3 and fixing and stacking C.I. sheet roof. Providing and fixing marble strip of any panels s Size 1½" x 3 and fixing and fixing marble strip of any panels s Size 1½" x 3 and fixing and stacking C.I. sheet roof. Stripping and stacking C.I. sheet roof. 1 69.82 68 14 14.00 8 14 14.00 8 14 14.00 8 14 14.00 8 14 14.00 8 14 14.00 8 14 14.00 8 14 14.00 8 14 14.00 14 14.00 14 14.00			-	30		10			
Providing and laying conglomerate from the page of the page of the page of cement and 2 parts of some chips passing 2 parts	Ramp	101	brick or stone ballast, 11/2"					650		
Providing and laying conglomerate 1782 1783 1784 1782 1784 1785 1784 1785 1784 1785	3 Providing and laying conglomerate flooting (two coat work) with top layer of 1/2 (1904) give coat work) with top layer of 2/2 (1904) surfaceconsisting of one part of cement and 2 parts of stone ; chips passing 3/16"(6 mm) sieve, over bottom layer of cement concrete 1:3.6, including surface finishing and common correct 1:3.6, including surface dividing in panels:-1/2"(40 mm) thick dividing in panels:-1/2"(40 mm) thick flooting into panels s Size 1/2" x 3 1			-	00 08					
Provincing and laying conglomerate	Providing and laying conglomerate 1 1 1 1 1 1 1 1 1			-	00.00			1	#J%	
Stripping and stacking C.I. sheet roof Stripping c.I. s	Wearing surfaceonsisting of one part of wearing surfaceonsisting of one part of exement and 2 parts of stone, chips passing 3/16"(6 mm) sieve, over bottom layer of cement concrete 1:3:6, including surface finishing and dividing in panels: -1/2"(40 mm) thick 60.00	က	and laying		ن د د د د د د د د د د د د د د د د د د د			7.071	2	
surfaceconsisting of one part of cement and 2 parts of stone, chips passing 3/4°(6 mm) steve, over bottom layer of cement concrete 1:36, including surface finishing and concrete 1:36, including surface dividing in panels:-1/2°(40 mm) thick 10 pane	surfaceconsisting of one part of creams and 2 parts of stone, chips passing 3/16"(6 mm) sieve, over bottom layer of cement concrete 1:3.6, including surface finishing and dividing in panels:-1%"(40 mm) thick a Providing and fixing marble strip of any panels of dividing the mosaic flooring into panels of size 114" x 3 Providing and fixing marble strip of any panels so Size 114" x 3 Removing of celling. 18.50 1 18.50 1 18.50 1 1 18.00 1 18.50 1 1 18.00 1 1 18.00 1 1 18.00 1 1 18.00 1 1 18.00 1 1 18.00 1 1 18.00 1 1 18.00 1 1 18.00 1 1 18.00		wo coat work) with top) thick	,						
and 2 parts of stone , chips passing cement correct 1:36, including surface finishing and correct 1:36, including surface ditviding in panets: 112(40 mm) thick 1 60 00 9 640 7 70 1 1 60 00 9 640 7 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	and 2 parts of stone , chips passing 3/16" (6 mm) stave, over bottom layer of finishing in panels: -1/2" (40 mm) thick 4 Providing and fixing marble strip of any shade for dividing the mosaic flooring into panels s Size 1/2" x 3 6" (40 x 10 mm) 540 0.60 5 Stripping and stacking C.I. sheet roof. 1 69.82 6- Take 50% Qty 7 Removing of celling. 4 Beded ward 1 18.50 1 16.00 Wash Room 1 16.00 Wash Room Tretment room 1 16.00 Wash Room Tretment room Doctor room Tretment room Dostor room Tretment store Mursing Station Dismantiling wooden trusses 1 69.82 64 1 18.00 Dismantiling wooden trusses 1 1 80.00 Dismantiling wooden trusses		Surfaceconsisting of one part of cement						<u>.</u>	
Stripping and stacking C.l. sheet roof. 1 60.00 9 540	310°(6 mm) sieve, over bottom layer of final sieve, over bottom layer of finishing and concrete 1:36, including surface dividing in panels1½°(40 mm) thick 1 60.00 Providing and fixing marble strip of any shade for dividing the mosaic flooring into panels s Size 1½° × 3 6° (40 × 10 mm) 540 0.60 Stripping and stacking C.I. sheet roof. 1 69.82 64 Take 50% Qty 1 18.50 A Beded ward 1 18.50 A Beded ward 1 18.50 I avoid the company of celling. 1 18.50 Wash Room 1 18.50 I avoid the company of celling. 1 18.50 I avoid the company of the company						·		·	
Providing and fixing marble strip of any shade for dividing in panels1½'(40 mm) thick and fixing marble strip of any shade for dividing the mosaic flooring into panels s Size 1½''x 3 Foundation of the mosaic flooring into panels s Size 1½''x 3 Foundation of the mosaic flooring into panels s Size 1½''x 3 Foundation of the mosaic flooring into panels s Size 1½''x 3 Foundation of the mosaic flooring into panels s Size 1½''x 3 Foundation of the mosaic flooring into panels s Size 1½''x 3 Foundation of the mosaic flooring into panels s Size 1½''x 3 Foundation of the mosaic flooring into panels s Size 1½''x 3 Foundation of the mosaic flooring into panels s Size 1½'' and the mosaic flooring into panels s Size 1½'' and the mosaic flooring into panels s Size 1½'' and the mosaic flooring into panels s Size 1½'' and the mosaic flooring into panels s Size 1½'' and the mosaic flooring into panels s Size 1½'' and the mosaic flooring into panels s Size 1½'' and the mosaic flooring into panels s Size 1½'' and the mosaic flooring into panels s Size 1½'' and the mosaic flooring into panels s Size 1½'' and the mosaic flooring into panels s Size 1½'' and the size 1½''' and the size 1½''' and the size 1½''' and the size 1½'''' and the size 1½''''' and the size 1½''''''''''''''''''''''''''''''''''''	Founding and finishing and dividing in panels:-1½"(40 mm) thick 1 60.00		3/16"(6 mm) sieve, over bottom layer of	•						
Providing and fixing marble strip of any shade for dividing the mosaic flooring into panels s Size 1/2" x 3 540 560 7 7 540 540 9 540 540 9 540 540 9 9 9 9 9 9 9 9 9	A Providing in panels1/2"(40 mm) thick 1 60.00		concrete					_		
Providing and fixing marble strip of any panishs so State for dividing the mosaic flooring into panishs so State 1/2" x 3 Stripping and stacking C.I. sheet roof. 1 69 82 64.67 1.35 6096 1.34 6096 1.34 6096 1.34 6096 1.34 6096 1.34 6096 1.34 6096 1.34 6096 1.34 6096 1.35 609	Providing and fixing marble strip of any shade for dividing the mosaic flooring into panishs s Size 1½" x 3 8" (40 x 10 mm) 540 0.60	•	dividing in panels:-11/2"(40 mm) thick							
Providing and fixing marble strip of any panels to dividing the mosaic flooring into panels to dividing the mosaic flooring into panels to Size 1½" x 3 540 0.66 Total 3.24	Providing and fixing marble strip of any shade for dividing the mosaic flooring into panishs s Size 1½" x 3 8" (40 x 10 mm) 540 0 660			-	00 08			9		
Providing and fixing marble strip of any shade for dividing the mosaic flooring into panels s Size 112" x 3 540 0.60 10tal 324 240 x 10 mm) 254 10tal 324 254 255 255 255 254 255	Providing and fixing marble strip of any shade for dividing the mosaic flooring into panéls s Size 112" x 3 8" (40 x 10 mm) 540 0.60			-	00.00		_			
shade for dividing the mosaic flooring into panels s Size 1½" x 3 540 0.60 124 Stripping and stacking C.I. sheet roof. 1 69.82 64.67 1.35 6096 Take 50% City 1 69.82 64.67 1.35 6096 A Beded ward 1 18.50 18.5 1410 A Beded ward 1 18.50 191 191 Ward 1 18.50 14.25 853 I Lav 1 18.60 19 304 Wash Room 1 18.20 19 304 Wash Room 1 14.05 8.63 17 Innen Store 1 6.25 8.82 13 Nursing Station 1 14.00 8.16 14 Mursing Station 1 1.00 9 185 Gallary 1 1.00 9 185 Gallary 1 1.00 9 185 Olsmantiling wooden trusses 1 1.00 <t< td=""><td>shade for dividing the mosaic flooring into panéls s Size 1½" x 3 540 0.60 Panéls s Size 1½" x 3 69.82 6 Stripping and stacking C.I. sheet roof. 1 69.82 6 Take 50% Qiy 1 18.50 1 Removing of celling. 1 19.67 20 A Beded ward 1 1.6.00 Ward 2 29.92 14 Ward 1 4.00 1 Tretment room 1 4.00 8 Doctor room 1 14.00 8 Nursing Station 1 14.00 8 Gallary 1 1.8.00 Dismantiling wooden trusses 1 1.8.00 Take 50% 1 1.8.00</td><td>4</td><td>and fixing marble strin of</td><td></td><td></td><td></td><td>Total</td><td>\neg</td><td>%Sft</td><td></td></t<>	shade for dividing the mosaic flooring into panéls s Size 1½" x 3 540 0.60 Panéls s Size 1½" x 3 69.82 6 Stripping and stacking C.I. sheet roof. 1 69.82 6 Take 50% Qiy 1 18.50 1 Removing of celling. 1 19.67 20 A Beded ward 1 1.6.00 Ward 2 29.92 14 Ward 1 4.00 1 Tretment room 1 4.00 8 Doctor room 1 14.00 8 Nursing Station 1 14.00 8 Gallary 1 1.8.00 Dismantiling wooden trusses 1 1.8.00 Take 50% 1 1.8.00	4	and fixing marble strin of				Total	\neg	%Sft	
Panels s Size 1½" x 3 Panels froof. Potential stacking C.I. sheet rcof. 1 69 82 64.67 1.35 6096 Take 50% Qty	Panisis s Size 11½" x 3 Panisis and stacking C.I. sheet roof. 1 69.82 64 Pace 6		dividing the mosaic flooring							
Stripping and stacking C.I. sheet roof. 540 0.60 Total 324 Take 50% Qty 1 69.82 64.67 1.35 6096 Removing of celling. 1 18.50 1.85 342 4 Beded ward 1 18.50 1.85 342 3 Beyled Ward 1 1.850 1.85 1.91 Wash Room 1 1.60 1.9 2.85 Wash Room 1 1.60 1.9 1.25 Wash Room 1 1.00 1.9 1.2 Wash Room 1 1.00 1.2 2.9 Wash Room 1 1.00 1.2 2.9 1.2 Wash Room 1 4.00 7 2.8 1.2 Nursing Station 1 1.05 1.05 1.6 Aurence 1 4.00 8.16 1.6 Callary 1 4.00 8.16 1.6 Dismantiling wooden trusses 1 1.00	Stripping and stacking C.I. sheet roof. Take 50% Qty Removing of celling. A Beded ward A Beded w		<u>8</u> ×							
Stripping and stacking C.I. sheet roof. 1 69.82 64.67 1.35 6096 Take 50% City 1 18.50 18.5 13.5 6096 Removing of celling. 1 19.67 1.35 6096 Removing of celling. 1 19.67 1.35 6096 Removing of celling. 1 19.67 1.36 6096 Removing of celling. 1 19.67 1.37 Removing of celling. 1.38 Removing of celling. 1.39 Removing of celling.	Stripping and stacking C.I. sheet roof. 1 69.82 64 Take 50% Qty 1 18.50 A Beded ward 1 18.50 A Beded ward 1 18.50 Lav 1 16.00 Wash Room 1 18.82 14 Tretment room 1 18.75 10 Linen Store 1 14.00 8 Nursing Station 1 18.00 Dismantling wooden trusses 1 69.82 64 Take 50% 474 x 25 x 0.454= 5375 Kg 1	-		540	080			700		
Stripping and stacking C.I. sheet roof. 1 69.82 64.67 1.35 6096 Take 50% Qty	Take 50% Qty 1	1			3		Total		200	
Take 50% Qty 1 69.82 64.67 1.35 6096 Removing of celling. 1 18.50 18.5 18.5 3048 4 Bedsd ward 1 18.50 18.5 410 Lav 1 18.50 8.5 191 Ward 2 29.92 14.25 853 Wash Room 1 4.00 7 28 Doctor room 1 17.55 10.5 853 Irrement room 1 17.75 10.5 90 Doctor room 1 17.55 10.5 88 Nursing Station 1 8.75 10.5 90 Allary 1 40.00 8.16 123 Callary 1 14.00 8.16 155 Olsmantiling wooden trusses 1 18.00 20 162 Take 50% 1 169.82 64.67 0.21 948 Total 474 174 174 174 174	Take 50% Qty Removing of celling. 4 Beded ward 4 Beded ward 1 18.50 1 19.67 2 25.50 1 16.00 Ward Wash Room Tretment room Doctor room Mursing Station Dismantling wooden trusses Take 50% Take 50%	n	and stacking C.I.				500		12.	
Take 50% Qty Take 50% Qty Total 6096 4 Beded ward 1 18.50 18.5 3048 4 Beded ward 1 19.67 20.82 410 Lav 1 16.00 19 304 Ward 2 29.92 14.25 853 Wash Room 1 40.00 7 28 131 Tretment room 1 18.82 14.82 131 Linen Store 1 40.00 8.16 144 Nursing Station 1 40.00 8.16 144 Callary 1 40.00 8.16 162 Dismantiling wooden trusses 1 8.00 20 162 Take 50% 1 69.82 64.67 0.21 948 Take 50% 474 474 474	Take 50% Qty 8 Removing of celling. 1 18.50 4 Beded ward 1 19.67 2 September of the state			-	69.82	64.67	1.35	9609		
8 Removing of celling. 1 18.50 18.5 342 4 Bedsed ward 1 18.50 18.5 342 3 Bested Ward 1 18.50 8.5 410 Lav 1 16.00 19 304 Ward 2 29.92 14.25 853 Wash Room 1 4.00 7 28 304 Wash Room 1 8.82 133 143 Internal room 1 8.82 14.82 131 Linen Store 1 8.75 10.25 90 Aurising Station 1 8.75 10.25 90 Gallary 1 140.00 8.16 114 Dismantling wooden trusses 1 8.00 20 160 Take 50% 1 69.82 64.67 0.21 948 Take 50% 474 x 25 x 0.454= 5375 Kg 6375 Fg	Removing of celling. 1 18.50 1 18.50 1 19.67 20 20 20 20 20 20 20 2	1					Total	9609		
4 Beded ward 1 18.50 18.5 342 3 Be ded Ward 1 19.67 20.82 410 Lav 1 22.50 8.5 191 Ward 2 29.92 14.25 853 Wash Room 1 4.00 7 28 Tretment room 1 8.82 14.25 853 Doctor room 1 17.5 10.5 123 Nursing Station 1 8.75 10.25 90 Callary 1 40.00 8.16 162 Callary 1 14.00 8.16 162 Dismantiling wooden trusses 1 8.00 20 160 Take 50% 1 69.82 64.67 0.21 948 Total 9474 474 x 25 x 0.454= 5375 kg 6.375 kg 6.477 6.474 4744	4 Beded ward 1 18.50 1 3 Be led Ward 1 16.00 Lav 1 16.00 Ward 2 29.92 14 Wash Room 1 4.00 8 Tretment room 1 4.00 8 Doctor room 1 17.00 8 Linen Store 1 40.00 8 Nursing Station 1 40.00 8 Gallary 1 8.00 1 Dismantiling wooden trusses 1 69.82 64 Take 50% 474 x 25 x 0.454= 5375 Kg 64		Removing of celling						%Sft	
3 Bg/bed Ward 1 19.67 20.82 410 Lav 1 22.50 8.5 410 Lav 1 16.00 19 304 Ward 2 28.92 14.25 853 Wash Room 1 4.00 7 28 28 Tretment room 1 882 14.82 131 Doctor room 1 11.75 10.5 123 Nursing Station 1 8.75 10.5 90 Callary 1 14.00 8.16 1485 Callary 1 18.00 8.16 162 Dismantling wooden trusses 1 8.00 20 160 Take 50% 1 69.82 64.67 0.21 948 474 x 25 x 0.454= 5375 Kg 6375	18.50 1 19.67 20 22.50 20 20 20 20 20 20 20		4 Beded ward	7	0,0					
3 Be bed Ward 1 22.50 8.5 410 Lav 1 16.00 19 304 Ward 2 29.92 14.25 853 Wash Room 1 4.00 7 28 Tretment room 1 8.82 14.82 131 Linen Store 1 11.75 10.5 123 Nursing Station 1 8.75 10.25 90 Gallary 1 14.00 8.16 144 Gallary 1 1 40.00 8.16 162 Dismantling wooden trusses 1 8.00 20 160 Take 50% 1 69.82 64.67 0.21 948 Take 50% 474 x 25 x 0.454= 5375 Kg 775 775 775	3 Big-ded Ward Lav Ward Wash Room Tretment room Doctor room Nursing Station Gallary Dismantiling wooden trusses Take 50% Lav 1 16.00 2 29.92 14 4.00 1 17.5 11 8.82 14 1 17.5 11 8.75 10 8 82 64 1 14.00 8 1 18.00 1 18.00 Take 50%	·			10.50	18.5		342		
Lav Lav 1 6.00 19 191 Ward 2 29.92 14.25 853 Wash Room 1 4.00 7 28 Tretment room 1 8.82 14.82 131 Linen store 1 6.25 8.82 55 Nursing Station 1 8.75 10.25 90 Gallary 1 14.00 8.16 144 Gallary 1 40.00 8.16 185 Dismantling wooden trusses 1 8.00 20 160 Take 50% 1 69.82 64.67 0.21 948 474 x 25 x 0.454= 5375 Kg 1 1 1 1 1 1	Lav 1 16.00 Ward 2 29.92 14 Wash Room 1 4.00 14.00 17.75 1 17.75 1 17.75 1 10.25 1 10.00 8 1 10.00 8 1 10.00 8 1 10.00 8 1 10.00 8 1 10.00 8 1 10.00 8 1 10.00 8 1 10.00 8 1 10.00 8 1 10.00 8 1 10.00 8 1 10.00 8 1 10.00 8 1 10.00 1 10.00 1 10.00 1 10.00 1 10.00 1 10.00 1 10.00 10.00 1 10.00 1 10.00	- 1	3 Beded Ward	1	22 50	20.82 0 E		410		
Wand Z 29.92 14.25 853 Wash Room 1 4.00 7 28 Tretment room 1 4.00 7 28 Doctor room 1 11.75 10.5 123 Nursing Station 1 6.25 8.82 55 Gallary 1 40.00 8.16 144 Gallary 1 40.00 8.16 145 Dismantling wooden trusses 1 8.00 20 160 Take 50% 1 69.82 64.67 0.21 948 474 x 25 x 0.454= 5375 Kg 1 69.82 64.67 0.21 948	Wash Room 1 4.00 Tretment room 1 8.82 Doctor room 1 1.75 Linen Store 1 6.25 Nursing Station 1 40.00 Gallary 1 40.00 Dismantling wooden trusses 1 8.00 Take 50% 1 69.82 474 x 25 x 0.454= 5375 Kg 1		Lav	- 7	16.00	0.0		191		
Wash Koom 1 4.00 7 28 Tretment room 1 8.82 14.82 131 Doctor room 1 11.75 10.5 123 Linen Store 1 6.25 8.82 55 Nursing Station 1 8.75 10.25 90 Gallary 1 40.00 8.16 114 Dismantling wooden trusses 1 1 20.58 9 160 Take 50% 1 69.82 64.67 0.21 948 474 x 25 x 0.454= 5375 Kg 1 69.82 64.67 0.21 948	Wash Koom 1 4.00 Tretment room 1 8.82 Doctor room 1 11.75 Linen Store 1 8.75 Aursing Station 1 40.00 Callary 1 40.00 Dismantling wooden trusses 1 8.00 Take 50% 1 69.82 474 x 25 x 0.454= 5375 Kg 1 69.82	-	Ward	2	29.92	14 25		304 853		
Doctor room 1 8.82 14.82 131 Linen Store 1 1.75 10.5 123 Nursing Station 1 6.25 8.82 55 Gallary 1 8.75 10.25 90 Gallary 1 40.00 8.16 114 1 20.58 9 165 Dismantling wooden trusses 1 8.00 20 160 Take 50% 1 69.82 64.67 0.21 948 474 x 25 x 0.454= 5375 Kg 1 69.82 64.67 0.21 948	Doctor room		wash Koom	1	4.00	7		2,86		
Linen Store 1 11.75 10.5 123 Nursing Station 1 6.25 8.82 55 Gallary 1 14.00 8.16 90 1 1 40.00 8.16 114 1 20.58 9 185 1 1 18.00 9 162 1 1 8.00 20 160 1 1 8.00 20 160 1 1 8.00 20 160 1 1 69.82 64.67 0.21 948 1 474 x 25 x 0.454= 5375 Kg 10.21 948 474	Linen Store Nursing Station Gallary Gallary Dismantling wooden trusses Take 50% Take 50% Take 50% 474 x 25 x 0.454= 5375 kg	1	Doctor room	-	8.82	14.82		131		
Nursing Station 1 6.25 8.82 55 Gallary 1 8.75 10.25 90 1 14.00 8.16 11.4 1 40.00 8.16 11.4 1 20.58 9 185 1 18.00 9 162 1 8.00 20 160 1 8.00 20 160 1 8.00 20 160 1 69.82 64.67 0.21 948 474 x 25 x 0.454= 5375 kg 174 474	Nursing Station 1 6.25 Gallary 1 14.00 1 40.00 1 1 20.58 1 1 1 1 1 1 8.00 Dismantling wooden trusses 1 69.82 6 Take 50% 1 69.82 6 474 x 25 x 0.454= 5375 Kg 1 69.82 6		Linen Store	-	11.75	10.5		123	ı.	
Gallary 1 8.75 10.25 90 1 14.00 8.16 174 1 14.00 8.16 174 1 20.58 9 185 1 18.00 9 162 1 18.00 20 160 1 8.00 20 160 1 8.00 20 160 1 69.82 64.67 0.21 948 474 x 25 x 0.454= 5375 Kg 174 5375	Gallary 1 8.75 1 40.00 1 40.00 1 1 1 1 20.58 1 1 8.00 Dismantling wooden trusses 1 Take 50% 1 474 x 25 x 0.454= 5375 Kg 1	Γ	Nursing Station	-	6.25	8.82		55		
1 14.00 8.16 114.00 1 40.00 8.16 326 1 40.00 8.16 326 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1 14.00 1 40.00 1 20.58 1 18.00 Dismantling wooden trusses Take 50% 474 x 25 x 0.454= 5375 kg	•	Gallary		8.75	10.25		96		
1 40.00 8.16 326 1 20.58 9 185 1 1 18.00 9 162 1 1 1 1 1 1 1 Dismantling wooden trusses 1 8.00 20 160 <th< td=""><td>Dismantling wooden trusses Take 50% 40.00 1 20.58 1 8.00 1 8.00 1 69.82 6 474 x 25 x 0.454= 5375 kg</td><td></td><td></td><td></td><td>14.00</td><td>8.16</td><td></td><td>114</td><td></td><td></td></th<>	Dismantling wooden trusses Take 50% 40.00 1 20.58 1 8.00 1 8.00 1 69.82 6 474 x 25 x 0.454= 5375 kg				14.00	8.16		114		
1 20.58 9 185 1 18.00 9 162 1 18.00 20 162 1 1 10 10 10 1 1 1 10 10 10 1 1 1 10	Dismantiling wooden trusses Take 50% Take 50% 474 x 25 x 0.454= 5375 kg				40.00	8.16	,	326		
Dismantling wooden trusses Take 50% Total 948 474 x 25 x 0.454= 5375 Kg	Dismantling wooden trusses Take 50% 474 x 25 x 0.454= 5375 kg			- -	20.58	6		185		
Dismantling wooden trusses Take 50% Take 50% Take 50% Take 50% Take 50% Total 948 Total 948 Total 948	Dismantling wooden trusses 1 69.82 64. Take 50% 474 x 25 x 0.454= 5375 kg 64.	寸			0.00	6		162		
Dismantling wooden trusses 1 otal 3475 Take 50% 1 69.82 64.67 0.21 948 474 x 25 x 0.454= 5375 Kg 474	Dismantling wooden trusses 1 69.82 Take 50% 474 x 25 x 0.454= 5375 Kg			- -	0.00		,	T		
0.454= 5375 Kg 1 69.82 64.67 0.21 948 774 848	0.454= 5375 Kg		Dismantling wooden trusses				otal		S.S.f.	
0.454= 5375 Kg 5375	0.454= 5375 Kg	1		-	69.82	64.67	0.21	970		
0.454= 5375 Kg 474	0.454=	+	OLA E00/				Total	948		
0.434= 3375 Kg	0.434	-	727					474		
		7	U.454=	;				T	KK.	

			-				
Comparison of the comparison	it piain 3 cost						
1	omp by	,			·		
1988 1978	ngineer incharge	7	0000				ļ
Year Conceated Cypsum board for the Conceated Cypsum board fisher with complete harging the Conceated Cypsum board fisher with complete harging the Cypsum board fisher with cypsum board fish			28.83	64.67	0.21	948	
Accordance Cypsum board for red equivelent for gail, the first fine dephant brand or red equivelent for gail, the first fine deliverent brands of a complete for hanging asking POP gole complete in all reduction fisher with complete handing with the Engineer as a paper of the Engineer					o c	474	D C#
1	conceated Gypsum board					r	5
3 x 2 f x 1 f G L angle for hanging board faher with complete hanging award the state of thishing a sapproved by the Engineer of the state of the st	1/2" thick elephant brand						
board fisher with complete hanging a taking propert at site iof finishing at as approved by the Engineer ge. I requirement at site iof finishing at as approved by the Engineer ge. I take good by t	1" x 1" G.L andle				-		
Troom of a site life finishing as a partnershear at site life finishing ges. approved by the Engineer 1 18.50 18.5 1410 and Ward 1 12.5 16.5 12.5 12.5 12.5 12.5 12.5 12.5 12.5 12	fisher with comp						
tracking Port gold complete in all generators are approved by the Engineer generators and ward the Engineer generators and the Engineer genera	requirement at site i/c finishi						
96 address of the control of the	PUP gota complete in						
od ward 1 18.50 18.5 342 ed Ward 1 18.50 18.5 191 ed Ward 1 22.50 18.5 191 Pool 1 16.00 19 304 Room 1 22.50 14.82 13.2 Inform 1 1.75 10.5 12.3 Station 1 1.75 10.5 12.3 Station 1 1.400 8.16 11.4 Ing surface and painting with 2 1.850 3.5 1.30 Ward 2 1.850 3.5 1.30 1.450 3.5 1.40 Ward 2 1.850 3.5 1.40 3.5 1.40 3.5 1.40 Ward 2 1.850 3.5 1.40 3.5 1.40 3.5 1.40 Abom 2 2.00 3.5 3.5 1.40 3.5 1.40 Abom 3<	om for possible a						
ad Ward 1 18.50 18.5 342 ad Ward 1 1.967 2.082 4.10 ad Ward 1 1.6.00 1.9 1.01 Brown 1 1.6.00 1.9 1.04 Brown 1 4.00 7 2.8 Store 1 1.175 10.5 1.23 Store 1 1.175 10.5 1.14 Store 2 1.18.50 3.5 1.15							
deword 1 19,67 20,82 410 deword 1 12,256 8.5 191 Roun 1 12,00 8.5 191 Introom 1 4.00 7 2 Store 1 4.00 8.6 123 Store 1 1.175 102 8.0 Jackston 1 1.175 102 8.0 Jackston 1 1.175 1.25 9.0 Jackston 1 1.00 8.16 1.14 Jackston 1 1.00 8.16 1.14 Jackston 1 1.00 8.16 1.14 Jackston 2 1.00 1.00 1.00	Beded ward	1	18.50	18.5		342	
Name 1 22.50 8.5 191 Room 1 16.00 1.9 2.0 1.0 1.0 3.04 Room 1 1.0 1.0 7 2.8 1.0 1.0 2.0 1.0 2.0 1.0 2.0 1.0 2.0 1.0 2.0 1.0 2.0 1.0 2.0 1.0 2.0 1.0 2.0 1.0 2.0 1.0 2.0 1.0 2.0 1.0 2.0 1.0 2.0 1.0 2.0 1.0 2.0 1.0 2.0 1.0 3.0 1.0 3.0 1.0 3.0 1.0 3.0 1.0 3.0 3.0 1.0 3.0 1.0 3.0 1.0 3.0 3.0 1.0 3.0 3.0 1.0 3.0 1.0 3.0 3.0 1.0 3.0 1.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0 3.0	Dodod Mand	~	19.67	20.82		410	
1 16,00	200		22.50	8.5		191	
Room 1 8.99 14.25 863 and room 1 8.00 1.25 863 Store 1 6.26 8.82 1.63 1.23 Store 1 6.26 8.82 6.5 1.23 1.23 Store 1 6.26 8.82 6.5 9.0 1.44 1.43 1.44 1	dord	7	16.00	19		304	
4,00 7 28	John Doors	2	29.92	14.25		853	
1	dell Room	_	4.00	7		28	
1	Jeunen room	7	8.82	14.82		131	
Surface 1 6.26 8.82 56 g Station 1 4.70 8.16 14.40 14.60 8.16 14.40 14.40 8.16 14.40 14.40 8.16 14.40 14.60 8.16 14.40 14.60 8.60 16.25 9.00 14.25	Octor room	-	11.75	10.5		123	,
1 14.00		7	6.25	8.82		55	
1 14,00 8.16 114 14,00 8.16 114 14,00 8.16 114 18,00 8.16 185 18	uising station	-	8.75	10.25		8	
1 40 00 8.16 326 3	allaly	~	14.00	8.16		114	
to paint; 2 coat to painting with any paint; 2 coat to painting with any paint; 2 coat to painting with any paint; 2 coat to paint; 3 coat to		-	40.00	8.16		326	
In 18.00 9 162 1 8.00 19.26 256 2.0 19.00 19.27 247 100 paint:- 2 coat 2 18.50 3.5 130 2 18.50 3.5 130 2 18.50 3.5 130 2 18.50 3.5 130 3 130		€	20.58	6		185	
Ing surface and painting with an paint 2 coat and painting with an paint 2 coat and painting with an paint 2 coat and painting with a painting		- ,	18.00	ဂ		162	
ing surface and painting with an paint:- 2 coat and painting with a coat and painting and pai	000	- (8.00	32		256	,
ing surface and painting with on paint:- 2 coat and painting with on paint:- 2 coat and painting with a coat and ward an		7	8.00	19.25		347	
on paint:- 2 coat of ward of	surface and painting				0.00	391/	P.Sft
rod ward 2 18.50 3.5 2 18.50 3.5 2 18.50 3.5 3 2 20.82 3.5 2 2.250 3.5 3 3.5 3.5 4 29.92 3.5 3 4 29.92 3.5 4 29.92 3.5 5 14.25 3.5 1 14.25 3.5 1 14.82 3.5 1 14.82 3.5 1 14.82 3.5 1 14.82 3.5 1 14.82 3.5 1 14.82 3.5 1 14.82 3.5 1 14.82 3.5 1 14.82 3.5 1 14.82 3.5 1 14.82 3.5 1 14.82 3.5 1 14.82 3.5 1 14.82 3.5 1 14.82 3.5 1 14.62 3.5 1 14.00 3.5 1 14.00 3.5 1 14.00 3.5 <td< td=""><td>aint:- 2 coat</td><td></td><td></td><td></td><td></td><td></td><td></td></td<>	aint:- 2 coat						
Comm 2 16.00 3.5 Ad Ward 2 18.50 3.5 2 19.67 3.5 3.5 2 19.07 3.5 3.5 2 16.00 3.5 3.5 3 com 2 14.25 3.5 3 com 2 14.82 3.5 4 29.92 3.5 3.5 4 2 14.82 3.5 4 2 14.82 3.5 4 com 2 10.50 3.5 5 com 2 8.75 3.5 5 com 2 10.50 3.5 5 com 2 14.00 3.5 5 com 2 40.00 3.5 6 com 2 40.00 3.5 7 com 2 40	Beded ward	C	18 50		C II	Š	
4 2 19.67 3.5 3.5 3.5 3.5 2 20.82 3.5 3.5 3.5 3.5 2 2.0.82 3.5 3.5 3.5 3.5 3.6 3.5 3.5 3.6 3.5 3.5 3.6 3.5 3.5 4 29.92 3.5 3.5 3.5 3.5 1 troom 2 4.00 3.5 1 toom 2 11.75 3.5 1 tore 2 10.50 3.5 1 tore 2 10.50 3.5 1 Station 2 8.75 3.5 2 14.00 3.5 2 40.00 3.5 2 40.00 3.5 2 40.00 3.5 2 40.00 3.5 2 40.00 3.5 2 40.00 3.5 3 3.5 3.5 4 20.58 3.5 5 2 2 40.00 6 3.5 3.5 7 40.00 3.5 8 3.5 3.5 <tr< td=""><td></td><td>10</td><td>18 50</td><td></td><td>ς Ε Ε</td><td>25</td><td></td></tr<>		10	18 50		ς Ε Ε	25	
d Ward 2 20.82 3.5 2 22.50 3.5 3.5 3.5 2 16.00 3.5 3.5 4 29.92 3.5 3.5 2 14.25 3.5 3.5 2 14.25 3.5 3.5 2 14.82 3.5 1 toom 2 14.82 3.5 1 tore 2 10.50 3.5 1 corr 2 10.50 3.5 1 Station 2 6.25 3.5 2 10.25 3.5 2 14.00 3.5 2 14.00 3.5 2 14.00 3.5 2 14.00 3.5 2 14.00 3.5 2 14.00 3.5 2 40.00 3.5 2 2 40.00 3.5 2 2 40.00 3.5 2 2 40.00 3.5 2 2 40.00 3.5 3 3.5 3.5 4 3.5 3.5 5 3.5 3.5 6 3.5 3.5		2	19 67		0.0	130	
d Ward 2 22.50 3.5 2 8.50 3.5 2 16.00 3.5 2 19.00 3.5 3.5 2 14.25 3.5 3.5 2 4.00 3.5 3.5 2 7.00 3.5 5 14.25 3.5 5 14.25 3.5 5 14.25 3.5 6.00m 2 14.82 3.5 10re 2 10.50 3.5 10re 2 6.25 3.5 10re 2 8.75 3.5 2 10.25 3.5 2 10.25 3.5 2 40.00 3.5 2 40.00 3.5 2 8.16 3.5 2 8.16 3.5 2 8.16 3.5 2 8.16 3.5 3 3.5		2	20.82		у. У. А	146	
2 8.50 3.5 2 16.00 3.5 2 16.00 3.5 3.5 4 29.92 3.5 3.00m 2 4.00 3.5 1 troom 2 7.00 3.5 1 troom 2 14.82 3.5 1 troom 2 14.82 3.5 1 troom 2 14.82 3.5 1 troom 2 10.50 3.5 1 troom 2 8.82 3.5 1 troom 2 8.75 3.5 1 troom 2 8.75 3.5 2 10.50 3.5 2 14.00 3.5 2 40.00 3.5 2 40.00 3.5 2 8.16 3.5 2 8.16 3.5 2 40.00 3.5 2 2 8.16 3.5 3 3.5 3.5 4 3.5 3.5 5 2 20.58 3.5 6 2 20.58 3.5	Beded Ward	2	22.50		3 0	158	
2 16.00 3.5 3.5 4 29.92 3.5 3.0 3.5 3.5 3.0 3.5 3.5 1 14.25 3.5 1 14.25 3.5 1 14.25 3.5 1 14.25 3.5 1 14.82 3.5 1 14.82 3.5 1 14.82 3.5 1 14.82 3.5 1 14.82 3.5 1 14.82 3.5 1 14.82 3.5 1 14.82 3.5 1 14.82 3.5 1 14.82 3.5 1 14.82 3.5 1 14.82 3.5 1 14.82 3.5 1 14.82 3.5 1 14.82 3.5 1 14.82 3.5 1 14.82 3.5 1 14.82 3.5 1 14.00 3.5 2 14.00 3.5 2 20.58 3.5 3 20.58 3.5 3 3.5 3.5 3 3.5 3.5 3 3.5 3.5 3 40.00 3.5 3 3.5 3.5 3 3.5 3.5 3 3.5 3.5 3 3.5		. 2	8.50		3.5	8	
2 19.00 3.5 3.5 4 29.92 3.5 3.5 4.00 3.5 nt room 2 4.00 3.5 room 2 14.82 3.5 room 2 14.82 3.5 tore 2 14.75 3.5 tore 2 6.25 3.5 tore 2 8.82 3.5 Station 2 8.75 3.5 2 10.25 3.5 2 10.25 3.5 2 40.00 3.5 2 40.00 3.5 2 40.00 3.5 2 8.16 3.5 2 8.16 3.5 2 8.16 3.5 2 8.16 3.5 2 2 40.00 3.5 2 2 40.00 3.5 2 2 40.00 3.5 3 3.5 3.5 3 3.5 3.5 4 3.5 3.5 5 8.16 3.5 6 3.5 3.5 7 3.5 3.5 8 <td>14</td> <td>2</td> <td>16.00</td> <td></td> <td>3.5</td> <td>112</td> <td></td>	14	2	16.00		3.5	112	
Augusta August 3.5 Acoom 2 14.25 3.5 Introom 2 4.00 3.5 Introom 2 14.82 3.5 Introom 2 14.82 3.5 Introom 2 14.82 3.5 Introom 2 10.50 3.5 Introom 2 8.82 3.5 Introom 2 8.82 3.5 Introom 3 3.5 </td <td>, and the second /td> <td>2</td> <td>19.00</td> <td></td> <td>3.5</td> <td>133</td> <td></td>	, and the second	2	19.00		3.5	133	
Soom 2 14.25 3.5 Int room 2 4.00 3.5 Int room 2 7.00 3.5 Int room 2 14.82 3.5 Int room 2 14.82 3.5 Interest 2 10.50 3.5 Interest 2 8.82 3.5 Interest 3 3.5 3.5 Interest 3 3.5 <td>alu</td> <td>4</td> <td>29.92</td> <td></td> <td>3.5</td> <td>419</td> <td></td>	alu	4	29.92		3.5	419	
tore	ash Boom	2	14.25		3.5	100	
nt room 2 7.00 3.5 room 2 14.82 3.5 room 2 14.82 3.5 tore 2 10.50 3.5 tore 2 6.25 3.5 Station 2 8.75 3.5 Station 2 14.00 3.5 2 14.00 3.5 2 40.00 3.5 2 40.00 3.5 2 40.00 3.5 2 40.00 3.5 2 40.00 3.5 2 20.58 3.5		2	4.00		3.5	28	
tore 2 8.82 3.5 5.5 5.5 5.5 5.5 5.5 5.5 5.5 5.5 5.5	ofmant room	7	7.00		3.5	49	
tore 2 14.82 3.5 3.5 1.00m 2 11.75 3.5 3.5 1.00m 2 10.50 3.5 1.00m 2 10.25 3.5 1.00m 2 14.00 3.5 1.00m 2 14.00 3.5 1.00m 2 14.00 3.5 1.00m 2 14.00 3.5 1.00m 2		2 0	8.85		3.5	62	
tore 2 10.50 3.5 3.5 10.60	octor room	7 (14.82		3.5	104	
10.50 3.5 10.50 3.5 10.50 3.5 10.50 3.5 10.25 3.5 10.05 3.5 10.00 3.5 10.00 3.5 10.00 3.5 10.00 3.5 10.00 3.5 10.00 3.5 10.00 3.5 10.00 3.5 10.00 3.5 10.00 3.5 10.00 3.5 10.00 3.5 10.00 3.5 10.00 3.5 10.00 3.5 10.00 3.5		7 (11.75		3.5	82	
Station 2 8.82 3.5 3.5 3.5 3.5 3.5 3.5 3.5 3.5 3.5 3.5	len Store	7	10.50		3.5	74	
Station 2 8.82 3.5 3.5 3.5 3.5 3.5 3.5 3.5 3.5 3.5 3.5		7 (6.25		3.5	44	
2 10.25 3.5 2 10.25 3.5 2 14.00 3.5 2 8.16 3.5 2 40.00 3.5 2 8.16 3.5 2 2 8.16 3.5 2 2 3.5 2 2 3.5 3 3.5 3.5	Irsing Station	7 0	Ø.82		3.5	62	
2 10.25 3.5 2 14.00 3.5 2 8.16 3.5 2 40.00 3.5 2 8.16 3.5 2 8.16 3.5 2 2 3.5 2 2 3.5 3 3.5		7 0	a. (5		3.5	61	
2 14.00 3.5 2 8.16 3.5 2 40.00 3.5 2 8.16 3.5 2 8.16 3.5 2 20.58 3.5	ıllary	7 0	10.25		3.5	72	
8.16 8.16 20.58 3.5		76	14.00		3.5	98	
8.16 3.5 20.58 3.5		2 6	ά. 10 10 10 10 10 10 10 10 10 10 10 10 10 1		3.5	57	
20.58 3.5		10	40.00		C.5	780	
3.5		10	20 50		3.5	57	
		7	20.08		3.5	144	
	_		!				

342 342 410 410 304 853 853 853 853 131 140 424 424 424 424 424 424 424 4	Total Total	342 342 410 410 304 853 853 853 131 131 140 424 256 105 63 63 63 43 416 416	342 342 410 410 191 304 853 853 853 131 123 123 140 416 140 416 140 416 140
Total Total	Total 7	Total C	Total 1
Total	Total Total	Total Total	Total 7
Total	Total 7	Total 7	Total
191 304 853 28 28 123 123 140 140 140 140 140 140 105 63 63 63 416 147 416 416 416 416 416 416 416 416	191 304 853 853 28 28 123 123 162 90 90 114 140 416 140 416 416	191 304 853 853 28 28 123 123 162 90 90 140 416 147 416 416	191 304 853 853 28 28 123 123 140 140 140 140 140 416 416 416 416 416 416 416
853 28 131 123 155 162 326 162 326 140 140 140 140 140 141 105 63 43 416 416	853 28 131 123 155 55 71 140 416 140 416 140 416 416	853 28 131 123 155 55 77 162 326 140 416 140 416 416 416	853 28 131 123 123 55 90 90 90 140 140 1447 1447 1447 1447 1447 1447
28 123 123 126 90 90 114 140 424 424 424 424 424 424 424 424 424 4	28 123 123 165 90 114 162 256 185 140 424 424 424 424 424 424 424 43 140 447 43 43 43 43 43 43 43 43 43 447	28 123 123 165 90 1146 146 140 140 140 140 140 140 140 140 140 140	28 123 123 165 90 90 162 162 162 162 140 140 147 147 147 147 147 140 140 140
131 123 55 90 114 123 326 185 185 140 424 424 424 43 105 63 63 43 43 416	131 123 55 90 326 185 140 424 424 424 424 424 424 424 424 424 4	131 123 123 90 90 144 146 140 147 105 63 63 63 63 43 43 447 416 416	131 123 123 90 90 146 146 140 424 416 147 147 140 416 140 424
123 90 90 114 326 162 162 140 424 424 424 424 424 424 424 424 424 4	123 90 90 114 326 162 162 256 140 140 147 105 63 43 43 43 43 446 147	123 143 140 140 105 105 105 105 105 105 105 10	123 55 90 114 125 185 185 140 140 1416 1417 1416 1416 1416 1416 1416 1416 1416 1416 1416 1416 1416 1416 1416 1416 1416 1416 1416 1416 1416 1417 1416 1416 1417 1416 1416 1417 1417 1417 1418
90 114 125 326 162 256 Total 3571 140 424 424 424 424 424 424 424 424 424 4	90 114 326 185 162 256 Total 3571 140 424 43 147 105 63 63 63 43 43 43 43 43 447	90 114 326 162 256 105 140 416 140 416 416 416	90 114 326 162 256 Total 3571 424 424 424 43 105 63 63 446 416 416 416 416 416
114 326 185 162 256 Total 3571 140 424 424 424 424 424 424 424 424 43 43 43 446	114 16 326 9 185 9 162 32 256 140 8 416 8 416 8 416 8 416 8 416	16 114 16 326 9 185 9 162 1704ai 3571 1 105 1 140 8 256 1 140 8 416 8 416 8 416 8 416 8 416	114 16 326 9 185 9 162 32 256 140 8 424 8 424 8 416 8 416 8 416 8 416 8 416 8 416 8 424
326 185 162 256 Total 3571 424 424 424 43 105 63 63 43 43 43 447	105 326 9 185 9 162 32 256 105 105 105 107 107 107 107 107 107 107 107	105 326 326 326 326 326 326 326 326 326 326	10 326 9 185 9 162 32 256 1 40 8 416 8 416 8 416 8 416 8 416 8 416 8 424 8 424
162 162 162 256 771 424 424 424 424 424 424 424 424 424 42	162 162	162 162	162 162
Total 3571 416 424 424 424 424 43 Total 447 416	256	256 Total 3571	256 Total 3571
Total 3571 416 424 424 424 43 Total 4447 416	Total 3571 Potal 3571 B 416 B 424 B 256 Total 447 B 416 C C C C C C C C	Total 3571 8 416 8 424 8 424 1 105 5 140 1 105 5 43 43 43 7 447 8 416 8 416 8 424	Total 3571 8 416 8 424 8 424 9 43 1 105 9 43 1 447 8 416 8 416 8 424 8 424 8 424 8 424 8 424 8 424 8 256
416 140 424 256 105 63 43 Total 447	8 416 8 256 1 105 1 105 1 Total 1447 Total 1447 8 416 8 416	416 8 424 8 256 1 105 5 140 8 416 8 416 8 416	8 416 140 105 140 105 140
416 140 424 256 105 63 43 Total 1447	140 140 140 140 160 160 170 170 170 170 170 170 180 140 140 140	140 140 140 140 140 140 140 140	8 416 8 256 1 140 8 256 1 105 9 43 1 105 9 43 1 447 8 416 8 416 8 424 8 424
140 424 256 105 63 43 Total 447	140 140	140 8 256 1 105 1 105 9 43 9 43 1 447 1 447 8 416 8 416	140 140
424 105 105 63 63 70tal 1447 416	8 424 8 256 1 105 58 63 9 43 9 447 1 447 8 416 5 140	8 424 8 256 1 105 38 63 9 43 1 447 1 447 8 416 8 416	8 424 8 256 1 105 58 63 9 43 Total 1447 8 416 8 416 8 424 8 256
256 105 63 70tal 1447 1447	256 1 105 38 63 9 43 1 447 1 1447 8 416 5 140	256 1 105 105 3 63 9 43 7 447 7 447 8 416 8 416 8 424	256 1 105 105 105 105 105 105 105 105 105 105
105 63 Total 1447 416	105 58 63 9 43 1047 1447 8 416 5	105 105 105 105 105 105 105 105	105 105 105 105 105 105 105 105
Total 1447	Total 1447 Total 1447 Total 1447 S 416	Total 1447 Total 1447 8 416 8 424	101al 1447 Total 1447 Total 1447 8 416 8 424 8 256
Total 1447	Total 1447 Total 1447 8 416 5 140	Total 1447 S 416 S 140 8 424	Total 1447 S 416 S 140 B 424 B 256
416	8 416	8 416 8 424	8 416 5 140 8 424 8 256
	8 4	ထ ဟ ထ	ထ က ထ ထ
	2 8	ထ က ထ	ထ က ထ ထ
	2 8	တ ဟ တ	8 2 8 8
	2 8	တ ဟ တ	8 2 5 8 8
	25 83	8 17 8	8 8 2 8
	2 8	ထ ဟု ထ	8 8 9 9
	2	8 2	8 8 2

	105	43	122	117	-			63	63		5 40			133 P.Sft	24	24 Each	24	24 Each		1	14		_
	,	6		2.25			·	0.58	Total			9		Total		Total		Total					_
1	22 4.75			2 26.00				23 4.75				1 2.00	9 6.00								3.33		
Providing and laving 214" this & 11	Stair Steps		Grages	*		Providing and laying 3/8" thick Prepolished Marble skirting/risers having uniform texture (spot. less) of size 24"x6" of approved quality and shade with adhesive bond over 3/4" thick (1:2) cereant sand mortor complete in all	finish the joints as approved and directed by the Engineer Incharge China verona	2	-	glazed aluminium windowsof anodize / powder coated partly fixed and party sliding using deluxe section of 100mm x 40mm x2 mm using frame (70501) at bottom, (70502) at Top & Side made of Pakistan Cables/Alcop having Leaf Frame size 31mm x 60mm x2 mm (70506) at Top & Bottom, 35mm x 60mm x2 mm x2 mm (70505) at center and 35mm x 60mm x2 mm(70503) at sides, fixing 5 mm thick imported tinted double glass and air tight using double tape, chemical		Rang		P/F of aluminium windows Lock best Quality coplete in all respect as approved by the Engineer Incharge.	24	P/F of aluminium windows Handle best Quality coplete in all respect as approved by the Engineer Incharae	24	Glazing with panes (16 oz. to 18 oz.,)	Doors 2			6	

		%Cft				· <u>-</u> -					P.sft												P.Sft											
	9	-								22	22								•		74	09	133	-						සි	5	88	9 3	3
	0.25	Total									Total										7	7	Total									ro i	S L	7
	4.25									4.25				_										· · ·				<u> </u>		4	4			-
	5.25								;	5.25					-	:		·			5.25	4.25		:	· · · · · · · · · · · · · · · · · · ·		÷			9.75	10.00	6.75	10.00)
	1				-			-		1			•			(*************					2	2								_	- 0	7 6	2	
Cement concrete plain including placing, compacting, finishing and curingcomplete (including screening 1:2:4	Wash Room		Providing and laying superb quality Ceramic tile floors of Master brand of	lossy/Matt/Texture of a	Shade as per approved design with adhesive bond over 3/4" thick	(1,2) cement sand plaster i/c the cost of	sealer for finishing the joints I/c cutting grinding complete in all		12"x18"/12"x2 2"x36" Floor			Providing and laying superb quality Ceramic tile floors of Master	Of ////att/Texture	>	Shade as per approved design with adhesive bond over 3/4" thick	(1;2) cement sand plaster i/c the cost of	nishing the joints	re cutting grinding complete in all respects and as approved and	directed by the Engineer	//////////////////////////////////////			Providing and Javing Street	⊈ of @	= ().	bond over 1/2"thick (1.2) cement plaster i/c the cost of and sealer for	finishing the joints, cutting grinding	all respect as nd directed by the I	Incharge, 400 mmX400 mm Store					

		P.Rft									P.Sft								P.S#				D 124		P.R#
	25	25		354	139	139	250	371	308	285	1		753	490	490	643	720,	720	_		2 607	-er ou			20 02
		Total									Total	-	10	10	10	10	9	9 6	Total			Cheft The Control of Persons Service (1994)	Total		Total
				18.82	8.875	8.875	18.875	19	14	19			18.82	3.875	3.875	8.875	+19	<u>4</u> 0				The state of the s			
	25.00		÷	18.82	15.62	15.62	13.25	19.50	22.00	15.00			18.82+18.82	15.62+8.875	15.62+8.875	13.25+18.875	19.50+19	15+19		· V	22	300.00			20.00
	7			~-	-	-	—	-		-		\ \ \	1x2	1,22	7x5	1x2	× 5	1 2		Se	4×480	+			-
Providing and fixing 2' 0" bigh officer				1.0	Scrub	Delicer	Delivery Koom		Daling: D	Delivery Koom	\$ 27 27 27 37 37 37 37 37 37 37 37 37 37 37 37 37			Stalizer	Delivery Room	O.T	Clean lobby	Delivery Room	D/ Stainland of the Committee of the Com	2/x2/x1/16" with double tape fixed with stainless steel nails i/c cutiing fixing complete in all respect As Approved By The Engineer Incharge	Decre Corner		Droviding and fi	curved sheet of required shape fixed on face of the construction joint with G.I. screw, 1.5 in (40 mm) long to cover construction joints vertically:-G.I. sheet, 18 SWG	
24		30	Q	$oldsymbol{\perp}$		\perp				\perp	g	0							27	i		T	28		

Cement	29 Cement plaster 1.4 unto 201 (6.00 m)					<u> </u>	
height:-	height:- ¾" (20 mm) thick						
IPD Back Side	ck Side	18	5 00	ſζ		ARO	
		10	2.00) 14		200	
			ì		109	2 6	30
Scrapin	30 Scraping Ordinary distember oil hound				200	∂CC	₩.8H
distemp	distemper or paint of wall.					-	
PD Bac	IPD Back Side	-	59.00		22	1298	
		7	30.00		22	099	
		1	79.00		22	1738	
	The state of the s			1	Total	3696	#S. %
rovidin	31 Providing and applying weather shield						5
oaint o	paint of approved quality on external						
of surfa	of surface, application of primer complete		 .				
n all res	in all respect new surface: 2 coat		VI. N 1				
PD Bac	IPD Back Side	V	20 00		6	300	
			00.60		77	1298	
		-	30.00	•	22	999	
		₹-	79.00	-	22	1738	
				To	Total	3696	%.Sff
						1	

Executive Enginee Buildings Division No Rawalpindi

Sub Divisional Officer
Buildings Sub Division
Murree

ROUGH COST ESTIMATE FOR THE WORK "PROGRAM FOR REVAMPING OF ALL THO HOSPITAL MURREE" ADP NO. 658 FOR THE YEAR 2022-23

Internal E.I Work IPD Block

Hillowellia Street	THE PROPERTY OF THE PROPERTY O			•	
S. So	Description	ģ	Rate	Čař.	Amount
~	Supply and erection of PVC pipe for wiring recessed in walls, including inspection boxes, pull boxes, hooks, cutting jharries and repairing surface, etc., complete with all specials.20 mm i/d	520	83.8	P.Rff	43576
2	S/E PVC wire single core copper conductor 3/.029"	360	85.55	P.Mfr	30798
رن ح	Ditto 7/.029"	360	138.80	P.Mtr	49968
-	Winter (40E-40E	270	180.20	P.Mtr	48654
4	approved quality and make complete in all respect as approved by Engineer Incharge.	300	1800	Each	540000
rð.	P/F 2X2 pannel light imported of approved quality and make complete in all respect as approved by Engineer Incharge.	100	0600		
9	P/F circuit breaker 15-20amp T.P phase as	3	2000	רמכו	000006
,	approve by the Engineer Incharge.	15	3705	Each	55575
A.	with specified switch holes i/c the	•			
7	cost of switches / sockets / dimmer made of Hi-Life / Bush / Schenider, screws				
	complete as approved and directed by the Engineer Incharge 06 Gange	5	1166	Пасh	17487
Σ	4 Gange	10	806	Each	8058
တ		25	613.80	Each	15345
10	Amp	25	757.80	Each	18945
	P/F wall mounted DB (Distribution Board) made with 16SWG Sheet (Recessded/Surface	2	41912.65	Each	83825
	mounted Type), Powder coated Paint, i/c the cost of Lock, Indication lights, Thimble, Copper				
	Comb, Wiring, Netural & Earth Bar, Door Earthing Digital Voltmeter Digital				
-	Ammeter, Volt Selector Switch, Ammeter				
	selector switch, Current Transformers and			:	
	Controles Complete in all respect as approved and directed by the Engineer Incharge (Breakers			. ,	
=	will be Paid Separately) (i) 20~60A (18"x24"x6").				
					- 1
			4	Total	1862231

Buildings-80b Division Sub Divisional Officer

Murree.

Executive Engineer Buildings Division No. 1 Rawalpinid.

ROUGH COST ESTIMATE FOR THE WORK "PROGRAM FOR REVAMPING OF ALL THQ HOSPITAL IN PUNJAB ONE AT THQ HOSPITAL MURREE" ADP NO. 658 FOR THE YEAR 2022. 23

INTERNAL E.I WORK

No. Sul				日本 日	_	-
	Detail of Work	No.		weasurements B.	TS H	Š
1	Supply and erection of PVC pipe for wiring recessed in walls, including inspection boxes, pull boxes, hooks, cutting jharries and repairing surface, etc., complete with all specials.20 mm i/d					
1			520			520
2 3/.C	\$\text{\$\infty} \text{FVC wire single core copper conductor} 3/.029"			·	Total	520
		4	90			360
3 Ditto	to 7/.029"				Total	360
	Ti	4	90			360
4 Ditt	Ditto 7/.036"				Total	360
		3	06			270
P/F	LED 18 Watts (125x125mm) of				Total	270
4 app	quality and make complete in approved by Engineer Incharge					
		7-	300			300
P/F	P/F 2X2 pannel light imported of approved				Total	300
app	quality and make complete in all respect as approved by Engineer Incharge.					
_		-	100			100
P/F app	P/F circuit breaker 15-20amp T.P phase as approve by the Engineer Incharge.				Total	100
		4-	15			7.7
7/0	D//D				Total	15
with spe cost of s Hi-Life / complet	with specified switch holes i/c the cost of switches / sockets / dimmer made of Hi-Life / Bush / Schenider, screws complete as approved and directed by the Engineer Incharge 06 Gange					2
-			15			15
	-do 4 Gange				Total	15
1.		_	10			10
Amp	-do Three pin Light Plug 10/13				Total	10
			25			25
Amp	-do Three Pin Power Plug 15-32				Total	25
		-	25			25
					Total	25

L		AND DESCRIPTION OF THE PERSON		CONTRACTOR		1	
				Measurements	ts.		
₹/F v	?/F wall mounted DB (Distribution Board)	<u> </u>		Control of the contro			
made	made with 16SWG Sheet (Recessded/Surface						
mon	mounted Type), Powder coated Paint, i/c the						
cost	cost of Lock, Indication lights, Thimble, Copper						
Com	Comb, Wiring, Netural & Earth Bar, Door			-		<u>.</u>	
Eartl	Earthing, Digital Voltmeter, Digital						
Ann	Ammeter, Volt Selector Switch, Ammeter						
selec	selector switch, Current Transformers and						
Con	Controles Complete in all respect as approved						
and	and directed by the Engineer Incharge (Breakers						· · ·
will	will be Paid Separately) (i) 20~60A						
181	(18"x24"x6").						
			2			2	T
		<u>`</u>			Total	2	Τ
							٦

Sub Divisional Officer Buildings-Sub Division Murree.

Executive Engineer Buildings Division No. 1 Rawalpinid.

ROUGH COST ESTIMATE FOR THE WORK "PROGRAM FOR REVAMPING OF ALL THO HOSPITAL IN PUNJAB ONE AT THO HOSPITAL MURREE" ADP NO. 658 FOR THE YEAR 2022-2023

36.69.848 3658.248 2550340 200 **Amount** 241488 27748 36000 295200 350000 Provision of Electric cable for X-Ray machine, Dialysis Machine, etc Total %0 Cft %0 No % Cft P.Rft Uni≓ P.Rft Each Each Each 16875.00 4,624.60 3750.50 1341.60 14536.1 Rate 147600 87500 70000 7500 2133 009 Q Ç 680 180 N Providing And Fixing M.S. Iron Box For Housing Main Switches, Ditto Made Of 1.5 Min (1/16") Thick M.S. Sheet, With Locking Painting And i/c.25% contractor profit and And 600/1000 volt Screwes, Necessary Wire Complete Tripple /Siemen (Miniature Circuit /Siemen Japan/ Abb Switzerland In Prelaid Dbs And Panels I/C The Cost Of (Miniature Circuit Screwes, Necessary Wire Complete In All Respect As Approved And Directed By The Engineer Tripple Pole 15-100 Amp (25 Ka) and ramming lead upto one chain (30 m) and lift upto 5 ft. (1.5 m) in hard soil or soft i/c. Rehandling of earthwork: Lead upto a Made Of Japan/ Abb Switzerland In Prelaid Dbs And Panels I/C The Cost Of ig With 8 Swg Copper Wire I/C r Srip 50x3 Mm And G.I Pipe 3/4" 100 Ft. Long Complete With Socket 105ft Below From Ground Level I/Cmaking Bore Hole And Filling With Salt And Respect As Approved And Directed By The i/c cost of 16SWG sheet Box and four Nos links handle i/c cost of fixing and carriae charges. Complete In All Respect As P/F manual change Over Switch 400amp I/c cost of 16SWG sheet Box and four Nos charges Complete In All Respect As Approved And Directed By The Engineer Rating Made Supplying and filling sand under floor; or structure with excavated earth, watering single throw of Kassi, phaorah or shove 5 <u>=</u> U.S.A U.S.A bridges and other structures, including Digital Ammeter (0-9999 Amp) 01 No dagbelling, dressing, refilling around Complete Excavation in foundation of building Suppling, Installation Digital Voltmeter (0-600 Volt) 01 No. χ Ø Suppling,Installation Of Mcb (Miniatur 105x52.5x22.5 Cm (42"X21"X9") Rating S/E PVC sheathed 4 Core, Including Ģ Ge Amp(36 armoured cable 37/0.072" Comissioning Of Mcb Breaker) Of Specified Specified Efc. Fixing France/ France/ Schneidergermany Schneidergermany Mixture Engineer Incharge. German/Terasaki German/Terasaki plugging in wells P/L Dry Bricks I/c 300-630 Providing And abour charges With C. missioning Arrangement, Ditto 19/.052" ŏ Description Inbut: Charcoal Earthing Breaker) Legrand Legrand Output: Incharge Copper ص آ آ Pole Ŋ α ന 4 ŝ တ Š / ∞

Sub Divisional Officer
Buildings Sub Division

Executive Engineer Buildings Division-No. Rawalpinid.

ROUGH COST-ESTIMATE FOR THE WORK "PROGRAM FOR REVAMPING OF ALL THQ HOSPITAL IN Provision of Electric cable for X-Ray machine, Dialysis Machine, etc

2500 2133 009 680 **680** 180 180 Ö \sim Α 2 4 4 Total Total Total Total Total Total 0.75 Total Total Executive Erig...
Buildings Division No. 1
Rawalpinid. Measurements B. 800 800 8 2133.333 680 Š ig M.S. Iron Box For Housing tto Made Of 1.5 Mm (1/16") With Locking Arrangement, ng 105x52.5x22.5 Cm Vo H P/L Dry Bricks i/c 25% contractor profit and labour Input: Suppling,Installation And Comissioning Of Japan/ Abb Switzerland In Prelaid Dbs And Panels I/C The Cost Of Screwes, Necessary Wire Complete Tripple Pole 300-630 Amp(36 Ka) 01 No German/Terasaki Output: Suppling,Installation And Comissioning Of German/Terasaki Japan/ Abb Switzerland In Prelaid Dbs And Panels 15-100 watering and ramming lead upto one chain (30 m) and lift upto 5 ft. (1.5 m) in hard soil or soft it. Rehandling of earthwork:Lead upto a single throw of Kassi, phaorah or shove Supplying and filling sand under floor, or plugging in wells Earthing With 8 Swg Copper Wire I/C Copper Srip 50x3 Mm And G.I. Pipe 3/4" Dia & 100 Ft. Long Cumplete With Socket 105ft Below From Ground Level I/Cmaking Bore Hole And Filling With Salt And Charcoal Mixture Etc. Complete In All Respect As Approved And Directed By The Engineer P/F manual change Over Switch 400amp i/c cost of 16SW/G sheet Box and four Nos links handle i/c Engineer Rating Made Of Legrand France/ Ge U.S.A Schneidergermany /Siemen German/Terasal cost of fixing and carriae charges Complete In All Respect As Approved And Directed By The Excavation in foundation of building, bridges and other structures, including dagbelling, dressing, refilling around structure with excavated earth, 600/1000 As Approved Sub Divisional Officer Buildings Sub Division Screwes, Necessary The Cost Of Screwes,Necessan plete in All Respect As Approve ted By The Engineer Tripple Pole Rating Made Of Legrand France/ Ge Schneidergermany /Siemen German/ ö ŏ Murree. Digital Voltmeter (0-600 Volt) 01 No. Digital Ammeter (0-9999 Amp) 01 No. Led Phase Indicator 03 No. Circuit Breaker) Circuit Breaker) Core, Detail of Work /Siemen /Siemen Fixing M.S. S. Ditto Made S/E PVC sheathed 4 armoured cable:37/0.072" charges 1x800/0.375 = 2133Nos Painting M.S. Sheet, Providing And Fix Main Switches, [Cost angineer Incharge (Miniature (Miniature (25 Ditto 19/.052" (42"X21"X9") Directed By The Complete Including Incharge. Mcb Mib Ω. Sr. No. $^{\circ}$ ŝ 4 7 ထ

ROUGH COST ESTIMATE FOR THE WORK "PROGRAM FOR REVAMPING OF ALL THO HOSPITAL IN PUNJAB ONE AT THO HOSPITAL MURREE" ADP NO. 658 FOR THE YEAR 2022-2023 Provision of Electric cable for X-Ray machine, Dialysis Machine, etc

ာ် ×ိ	Description	Ş	Rate	Unit	Amount
<u>-</u>	Supply and erection PVC pipe-for recessed wiring (main and & sub-main) purpose, including bepds, specials, etc. in floor, wall or trenches:- 100 mm i/d	000	293.9	P.Rff	264510
2	S/E PVC sheathed 4 Core, 600/1000 volt armoured cable:37/0.072"	089	3750.50	P.Rft	2550340
က	Ditto 19/.052"	180	1341.60	P.Rft	241488
	Providing And Fixing M.S. Iron Box For				
	Mm (1/16") Thick M.S. Sheet, With Locking				
	Arrangement, Including Painting		-		
	Input: Suppling,Installation And				
	<u>5</u>		-		-
) T				
<u> </u>					
1	German/Terasaki Japan/ Abb Switzerland In Prelaid Dbs And Panels I/C The Cost Of				
	Screwes, Necessary Wire Complete Tripple				
4	Pole 300-630 Amp(36 Ka) 01 No				
	U)				
·	re Circ				
	Legrand France/ Ge U.S.A /				
	German/Terasaki Japan/ Abb Switzerland				
	Screwes Necessary Wire Complete in All	·			
	Respect As Approved And Directed By The				
	Engineer Tripple Pole 15-100 Amp (25 Ka)				· \
	(NO))	
	Digital Voltmeter (0-600 Volt) 01 No.	ç	A 1.	L	1
	Earthing With 8 Swg Copper Wire I/C	7	14/000	Each	007567
	Copper Srip 50x3 Mm And G.I Pipe 3/4"				
1	Joint a 100 Ft. Long Complete With Socket	-			
ი	Bore Hole And Filling With Salt And				
	Etc. Comple		1		1
	ed And Directed By 1		and the same of th		
	Engineer Incharge.	4	87500	Each	350000
	i/c cost of 16SWG sheet Box and four Nos				
ဖ	links handle i/c cost of fixing and carriae	.•			
	Approved And Directed By The Engineer		Ì		
	elli (d poinoire alli	2	70000	Each	140000
	(Total	3841538
			(,,,,)

Sub Divisional Officer Buildings, Sub Division

Executive Engineer
Buildings Division-No. 1
Rawafpinid.

ROUGH COST ESTIMATE FOR THE WORK "PROGRAM FOR REVAMPING OF ALL THQ HOSPITAL MURREE" ADP NO. 658 FOR THQ HOSPITAL MURREE" ADP NO. 658 FOR THE YEAR 2022-2023 Provision of Electric cable for X-Ray machine, Dialysis Machine, etc

Supply and erection PVC pipe for recoseed wiring (main and & sub-main) processed or transchess - 100 mm id and authores. Froughting benefits specials, etc. in floor, wall or transchess - 100 mm id and a sub-main) processed or transchess - 100 mm id and sub-main) processed or transches - 100 mm id and a sub-main sub-	Supply and erec wiring (main and including bends or trenches:- 10 2 S/E PVC sheat armoured cable. 3 Ditto 19/.052"	ction PVC pipe for recessed		i	i	Ċ	ŏ
Sie PvC shearhed 4 Cove, 600/1000 volt		d & sub-main) purpose, , specials, etc. in floor, wall 10 mm i/d					
Ditic 191,052" 2 90 Total			900				6
2 90 Total 2 4 Total Total Total		e e	-			Total	6
2 90 Total 2 4 Total Total	1 1 1		089				989
2 90 Total Total Total 2						Total	88
Total Total Total			6	Ç6			
Total Total 7				3		1000	
2 Total Total	Froviding And Housing Main S	Fixing M.S. Iron Box For				OCIA	<u> </u>
2 Z Total Total 2 Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z	Arrangement,	ik M.S. Sheet, With Locking Including Painting			•		
Total Total 2	105x52.5x22.5 (
Total Total 2	Comissioning	Of Mich (Miniature Circuit					
Z Total	Breaker) Of S	pecified Rating Made Of					
Total Total 2	Schneidergerma	e Ge U.					·
Z Total	German/Terasak	i Japan/ Abb Switzerland					
Total Total 2	In Prelaid Dbs A	and Panels I/C The Cost Of	-		 -	: :	·
2 2 4 4 Total	Pole 300-630	any Wire Complete Tripple		•			· .
Total Total) 	na) 0.1 allation					
Total Total 2	م يَعَ						
Total Total	L	e/ Ge U.S.A					
Total Total	Scnneldergermal German/Terasak	ny /Siemen			·		
Total Total 2	In Prelaid Dbs A	nd Panels I/C The Cost Of		i			
Total Total	Screwes, Necessa	ary Wire Complete In All					
Total Total Total	Engineer Tripple	Oved And Directed By The Pole 15-100 Ams (25 Kg)					
Total Total Total	u i	2					
Total Total Total	Digital Voltmeter						· ·
Total Total 2			2				·
4 Total 2	Earthing With 8	Swin Copper With the				Total	7 72
Total	Copper Srip 50x	3 Mm And G.I Pipe 3/4"	-			-	
Total Total	105ft Below From	ng Complete With Socket	•				
Total Total	Bore Hole And	Filling With Salt And					
As Approved And Directed By The Incharge. Incharge. ual change Over Switch 400amp f 16SWG sheet Box and four Nos dle i/c cost of fixing and carriae Complete. In All Respect As And Directed By The Engineer.	Charcoal Mixture	Etc. Complete In All					
ual change Over Switch 400amp f 16SVVG sheet Box and four Nos dle i/c cost of fixing and carriae Complete In All Respect As And Directed By The Engineer	Respect As Appro	wed And Directed By The	·				
ual change Over Switch 400amp f 16SWG sheet Box and four Nos dle i/c cost of fixing and carriae Complete. In All Respect As And Directed By The Engineer.	Lugineer incharge	a.					
ual change Over Switch 400amp f 16SVVG sheet Box and four Nos dle i/c cost of fixing and carriae Complete In All Respect As And Directed By The Engineer			4				
f 16SWG sheet Box and four Nos dle i/c cost of fixing and carriae Complete In All Respect As And Directed By The Engineer	P/E manical all					1000	4 4
dle i/c cost of fixing and carriae Complete In All Respect As And Directed By The Engineer	I/s cost of 16SWG	ge Over Switch 400ampl sheet Box and four Noc				500	4
And Directed By The Engineer	links handle i/c co	ost of fixing and carriae					
	Approved And Dis	e in All Respect As rected By The Engineer		·			
	Incharge.				<u> </u>		
			2				0

Executive Engineer Bulldings Division No. 1,

Sub Divisional Officer Buildings Sub Division

	PARKING AREA	3 AREA		, in the control of t	
\$,#	Detail of Work	Qfy	ting.	Rate	Amount
F-	Cement concrete plain including placing, compacting, finishing and curing complete Ratio 1: 2: 4				
		879	%Cft	37,764.95	250684
N	Providing and laying Tuff pavers, having 7000 PSI, crushing strength of approved manufacturer, over 2" to 3" sand cushion i/c grouting with sand in joints i/c finishing to require slope. complete in all respect. 60-mm				-
	# IICK	2664	P.Sft	155.15	413320
				j	1
				iotai	664004

Executive Buildings-Br

	en e		PARKI	PARKING AREA	A			
\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\			Me	Meurements	Ş			
		o N		α		QtA	Uniţ	
₩	1 Cement concrete plain including placing, compacting, finishing and		i	i				
	curing complete Ratio 1: 2: 4							·
	Parking	-	79	30	0.33	782		
-		_	21	14	0.33	97		
					Total	879	%C#	
~	2 Providing and laying Tuff pavers, having 7000 PSI, crushing strength of approved manufacturer, over 2" to 3" sand cushion i/c grouting with sand in joints i/c finishing to require slope. complete in all respect. 60-mm thick							
		,	79	30		2370		-
T		1	21	14		294		
T					Total	2664	P.Sft	

Executive Engineer Bulldings Division No.

Sub Divisional Officer
Buildings-8ub Division
Murree

ROUGH COST ESTIMATE FOR THE WORK "PROGRAM FOR REVAMPING OF ALL THO HOSPITAL IN PUNJAB ONE AT THO HOSPITAL MURREE" ADP NO. 658 FOR THE YEAR 2022-23

PUBLIC HEALTH PORTION

and the second second					
ž Ž	Description	Q ty	Rate	Ē	Amount
	Providing and fitting glazed earthen ware water closet European type Vip 303/HD348, (Porta made) i/c Seat Cover, flushing cistern complete in all respect as approved by the Engineer Incharge	, ro	55800	Each	279000
7	Providing and fitting glazed earthen ware water closet, squatter type (Orisa pattern), combined with foot rest.white	4	2236.3	Each	8945
က	Providing and fitting glazed earthen ware low down flushing cistern 13.63 litres (3 gallons) capacity, including bracket set, copper connection, etc. white	12	7		
4	Providing and fixing chromium plated tee stop cock15mm (1/2").	24	4000.00	Lach	48606
2		24	1739	Fach	22973
9 1	cock:-	18	1017.2	Each	18310
- 0	P/F) ever Twe Book Missien	12	2219	Each	26628
∞	President of the pasin initeture complete	72	6539	Fach	78468
ರಾ	r roviding and fixing CP bath Room Set made of Sonex/Master/Faisal comprising of 3-No Tee stop cocks, lever type Basin Mixer, double Bib Cock, open wall shower, Muslim	. 0			
	snower, waste coupling and bottle trap etc. complete in all respect as approved and directed by the Engineer incharge		33053		
	Providing and fixing Bathroom Accessories (7-piece set) Master brand - One Cosmetic Shelf, One Towel rod with bracket, One soap dish, One			Ling of the second seco	212
2	tollet paper holder & looking brush holder, tollet paper holder & looking glass i/c the cost of hardwares etc complete in all respect as approved and directed by the respect as approved and	· · ·		·	
	and any use Engineer incharge.		7700.00	Each	46200

en managan eta izan yanna ana managan ini ana m				
Description	ĝ	Rate	5	Amount
Providing, laying, testing and commissioning of POLYPROPYLENE RANDOM COPOLYMER (PPRC) water supply pipe (Dadex /Popular/ Beta or equivalent) with specified pressure rating PN (PRESSURE NOMINÂL)and conforming to DIN 8077-8078 code i/c cost of solvent, specials,making jharries complete in all respect as approved and directed by Engineer Incharge.(Internal/External Diameters mentioned).) 32 mm	1000			
10 = 00 = 1		107.05	P.Rff	107050
December 2000	500	107.05	P.R#	53525
disinfecting PVC/ uPVC pipe line with 'B' Class working pipe, in trenches, complete in all respects:- pressure 4" i/d (100 mm)	200	440.95	P.Rff	88190
do 3" Dia	200	278.35	Each	55670
Froviding and installing P.V.C. bends, of B.S.S.Class 'B' working pressure:- 4" dia	10	546.3	Each	5463
do 3" Dia	10	335.95	Each	3360
THE PROPERTY PRICE AS PROPERTY PROPERTY OF THE PROPERTY P			ofa	1087444

12

~

'nĝ

13

4 5

9

Sub Divisional Officer Buildings Sub Division Murree.

Executive Engineer
Buildings Tivision No. 1,
Rawalpinid.

ROUGH COST ESTIMATE FOR THE WORK "PROGRAM FOR REVAMPING OF ALL THQ HOSPITAL IN PUNJAB ONE AT THQ HOSPITAL MURREE" ADP NO. 658 FOR THE YEAR 2022-23

PUBLIC HEALTH PORTION

	Qfy.		5	ស		4	4	12	12	24	24		24	17	18	8	0,7	7 6	71	15	12		ď	9	
8	H.			Total			Total		Total		Total		i i	8		Total		Total	3		Total			Total	
Measurements	'n				,																				
			5			4		12		24	-	24	4-7		18		12			12			9		
	No		τ-					-	·	-		-	-		ν-		7		-	-			1		
	Detail of Work	Providing and fitting glazed earthen ware water closet European type Vip 303/HD348, (Porta made) I/c Seat Cover, flushing cistern complete in all respect as approved by the Engineer Incharge		Providing and fitting at a second	water closet, squatter type (Orisa pattern), combined with foot rest.white		Providing and fitting glazed earthen ware low down flushing cistern 13.63 litres (3 gallons) capacity, including bracket set, copper connection, etc. white		Providing and fixing chromium plated teelstop cock15mm (1/2").		P/F Double Bib Cock 2 cm /3/"	במס ממה		Providing and fixing chromium plated bib cock:-	+	P/F Muslim shower Master Complete		D (1-1)	7/r) Lever Type Basin Mixeture complete		Providing and fixing CB Latter	made of Sonex/Master/Faisal comprising of 3-No Tee stop cocks, lever type Basin Mixer, double Bib Cock, open wall shower, Muslim shower, waste coupling and bottle trap etc. complete in all respect as approved and directed by the Engineer		Providing and fixing B. II.	(7-piece set) Master brand - One Cosmetic Shelf, One Towel rod with bracket, One soap dish, One double hook, One towel ring, brush holder, tollet paper holder & looking glass i/c the cost of hardwares etc complete in all respect as approved and
Ø :	No.	-			2		е П		7		5			9		7			ω			. o	1		10002000

	The state of the s			Measurements	n%e	
		~	9		S) = 1	<u> </u>
	1					٥
Providing, laying, testing and commissioning of POI VDBODY!						٥
RANDOM COPOLYMER (PPRC) water supply pipe (Dadex /Pon.ilar/						
Beta or equivalent) with specified pressure rating PN (PRESSURE						
NOMINAL) and conforming to DIN 8077-						·
Specials, making inarries complete in all						
respect as approved and directed						
Diameters mentioned).) 32 mm						
		_	1000			1000
" OD " OD "	ļ				Total	1000
16						
		_	200			500
Providing laving audia					Total	200
disinfecting PVC/ uPVC pipe line with 'B'						
		7-	200			200
d0 3" Dia		+			Total	200
	. 1	1				
	- 1		200			200
Providing and installing D W C Land	- 1	1			Total	200
B.S.S. Class 'B' working pressure: 4" dia					i i	
			10			10
					Total	0,0
do3"Dia	1 1				2 2 2	2
	٠, ا	~	10			40
	- 1	-			Total	10

Executive Engineer
Buildings Division No. 1
Rawalpinid.

Sub Divisional Officer Buildings Sub Division Υ. . .

ROUGH COST ESTIMATE FOR THE WORK "PROGRAM FOR REVAMPING OF ALL THQ HOSPITAL IN PUNJAB ONE AT THQ HOSPITAL MURREE" ADP NO. 658 FOR THE YEAR 2022-2023

GENERAL ABSTRACT OF COST

r		T -					-, -
	AMOUNT		216077		224717	440794	441000
	DESCRIPTION OF ITEM		Sewerage, Line.	Main Hole 2x2.		G.Total:-	Say Rs:-
	S.NO	7	<u>-</u>	2-		 - -	

Executive Engineer
Bujdings Division No.1
Rawa apindi

Sub Britistonal Officer, Buildings Sub Division

ANALYSIS OF SEWERAGE LINE.

Description No L B H Qty Amount		1	<u> </u>	T	····	· . · · · · · · · · · · · · · · · · · ·		T	T -	T	 	T	
No L B H 1 350 1.5 2 1 350 1.685.70 %0.Cft	Amount		11220				185465		7		19392		216077
No L B 1 350 1.5	Qty	1050				320				40			Total Rs:-
1 350 L 350 L 360	工	2	%0.Cft				P.Rff				P.Rft		
No L 1 350 1 350	മ	7.5	10685.70				529.90				484.8		
		350	©			350	8			40	(9)		
Excavation in open cutting for main hole sewer line septic tank etc upto 7' depth. P/L Non RCC pipe, moulded with cement concrete 1:1-1/2:3 with spigot socket or coller joint etc i.c cost of reinforcement, i.c carriage of pipe from factory to site work, lowering in trenches to correct allignment and grade, jointing, cutting, pipe where necessary, finishing and testing etc complete 9" dia. P/L PVC Blind pipe 4" dia complete.	Š	_				-				-			
	Description	ation ewer l		P/L Non RCC pipe, moulded with cement concrete 1:1-1/2:3 with spigot socket or coller joint etc i.c cost of reinforcement, i.c carriage of pipe	frenches to correct allignment and	grade, jointing, cutting, pipe where necessary, finishing and testing etc complete 9" dia.	·		P/I_ PVC Blind pipe 4" dia complete.				
8. No	S.No								.				

Sub-Divisional Britishing Sub div

Executive Angles Evilyance Proposition Rotal Revenue Revenue Rotal
CONSTRUCTION OF MAIN HOLE (SIZE 2'X2')

S.No	Oescription	N _o	الم	В	I	Qfy	Amount
4	Excavation in open cutting for main hole sewer line septic tank etc upto 7 depth.	<i></i>	4	4	က	48	
			(3)	10685.70	%0.Cft		513
2-	Cement concrete Plain (1:6:12) ratio.	-	4	4.00	0.33	5.28	
			(0)	22577.60	%.Cft		1192
က်	Pacca brick work in 1.4 in cement						
)		2	3.5	0.75	က	16	
		2	2	0.75	က	თ	
					Total:-	25	
			a	36780.85	%.Cft		9103
4	- Cement Plaster 1:4 in cement sand mortar 1/2" thick.						
_(in side	4	2	3.75		30	
	Out side	4	3.5	-		14	
						44	
			(9)	3351.10	%.Sft		1474
2	P.C.C 1:2:4 i.c placing compacting curring complete.	, –	2	2.00	0.25	.	
			0	37764.95	%.Cft		378
.	R.C.C in roof slab beam lintel column girder & other structure member comp 1:2.4 complete.						
	•	1	3.5	3.50	0.33	4	
_ '	\neg		0	543.05	P.Cft		2195
·]	 Fabrication of M.S reinforcement i.c cutting bending binding & laying in position D.Steel. 				·		
		4	6.75	0.454		12	
Ц	777.7.1		@	31577.35	%.Kg		3871
لــر						Total Rs:-	18726
1	Cost of 12 Nos.	12	(9)	18726	Each,	Rs;	224717
					-		

Sab Birisional Officer. Building Sub division, Murree

> Executive Angmeer Buildings Division No. T Bawatandi

Ref. MS/Q-003-4815-lsb

Date: 04-08-2022

QUOTATION

Attn: Mr. Azam THQHOSPITAL

NTN NO. **GST NO**

07-02-8424-010-19 1762110-7

MURREE

2	The second of th	משומו מ	Tests Oyacom	S IOIOW	2
S.No	Description	Unit	Unit Price	Qfy	Total Price
-	FIRE ALARM CONTROL PANEL With Batter Backup Type : Conventional Make : C.Tech/Contect Plus UK Capacity : 16-Zone	Nos	250000.00	2	900000.00
. 2	FIRE ALARM CONTROL. PANEL With Batter Backup Type : Conventional Make : C.Tech/Contect Plus UK Capacity : 04-Zone	Nos	48000.00	-	48000.00
ო	Smoke Director	Nos	4200.00	650	2730000.00
4	Sounder Flasher	Nos	5500.00	26	143000,00
	Call Point Break Glass Type	Nos	3500,00	36	91000.00
60	Installation Charges for the above Installation & wiring of Fire Alarm System, wired with 1.5 mm PVC Insulated cables in 20mm (D/A) PVC Channel, complete with all Accessories including, Testing Training & commissioning	Nos	3200.00	736	2355200.00
_	TESTING & COMMISSIONING FIRE ALARM SYSTEM	SOL	50000.00		50000.00
			Tot	Total Amount	5917200.00
				GST 17%	1005924,00
			Ō	Grand Total	6923124.00
-					

TERMS AND CONDITIONS

Validity

: 10 - Days : 50% Advance Payment

7684668

Grand Total

761544

Add 11% contractor Profit

40% Equpiment Delivery 10% After Testing Commissioning 12-Months

Warranty

FOR MINHAS SAFETY CONCERNS

ABDUL MUNIM

General Manager Voice: +92 51 2104157

Fax: +92 51 2104235 Cell: +92 321 5555102

Email: isb@minhasfiresafe.com Web: www.rrinhasfiresafe.com

Sub Divisional Officer Buildings Sub Division Murree

Executive Engineer Building Division No.1 Rawalpindi

DETAILED ESTIMATE FOR THE WORK "BORING FOR THE WATER PURPOSE UPTO \$00 DEPTH TELMINAL MURREE"

びこれたいい	CENTRON TO HATTACK
	-

No.	Description of Items	O. C.	Unit	Rate	Amount
_	Electric resistivity survey complete in all respect.	2	P. Job	55000.00	110000
	Trail bore / Original boring				
2	Boring of tube well boring in all types of soil except shingle gravel and rock from 0-100' depth i/c sinking and casting of pipe complete in all respect 8" dia.	100	P.Rft	1194.35	119435
q	Boring of tube well boring in all types of soil except shingle gravel and rock from 101-200' depth i/c sinking and casting of pipe complete in all respect 8" dia.	100	P.Rff	1621.20	16212011
ပ	Boring of tube well boring in all types of soil except shingle gravel and rock from 201-300' depth i/c sinking and casting of pipe complete in all respect 8" dia.	100	P.Rft	2046.60	204660
o	Boring for tubewell in all types of soil except shingle, gravel & rock, from a depth of 300.1 ft. to 400 ft. (90 to 120 m) below ground level, including sinking and withdrawing of casing pipe, complete:	100	P.Rft	2473.45	247345
ო	P/F of PVC bail plug in tube bore hole 6" dia.	~	Each	244.25	244
4	P/F PVC blind pipe BSS chain "B" class in tube well bore hole i/c sockets, solvents and jointing complete.6" dia.	350	P.Rft	919.10	321685
2	P/F of PVC strainer BSS class "B" in tubewell bore hole i/c socket 6" dia.	50	P.Rft	433.10	21655
ပ	Shrounding with graded pea gravel 3/8" to 1/8" around tube well in bore hole.	09	P.Cft	147.50	8850
^	S/E of PVC cable copper conductor 4-core 7/0.064" dia 4 Core	20	P.Mtr	2679.70	133985
ω (S/E of copper conductor cable for service connection in prelaid pipe G.I wire / trenches etc PVC insluated PVC sheeted twin core 250/440 volts 7/0.064" dia	50	P.Mtr	1006.70	50335
თ		_	Each	271500.00	271500
10		400	P.Rff	164.00	02900
٩	Providing and fixing Dadex, Beta, BBJ or approved equivalent PPRC pipes including necessary fittings and specials such as tees, sockets, elbows, bends, unions, reducers etc., required for the job and anchoring or clamping the pipes to the walls, where required and embedding the same in the walls, complete in all respects including provision of proper protection of pipe with ashests mander continuous.	400	P.Rff	132.75	53100
	sheet over bitumen coating where required complete in all respects as per drawings and as directed by the Engineer 32mm				
	Total: -				1770514
	Say Total: -				1770500

Sub Division Buildings-Sub Division Murree

Executive Engineer
Buildings Division No.1
Rawalapindi

UNDER GROUND WATER TANK 5000 GALLON CAPACITY

Amount			Sec. 51	16021				16365					113469	83925						-	185723/	17920t				-			1818184	Company
Unit			Cff	%oCft			9	CIL %C#	 	 			Cft 6	نبر				-			\$0 ~~	P.Cft 7		· · · · · · · · · · · · · · · · · · ·						
Qty		\$ t	3 YISTS	\mathcal{L}		67	70	3			T.	200	251,687	443.9				SALACT.	75013	72	33035	543.05					Sep.	1010	£	t
)		do de				0 33	T.0401		-		The same of the sa		Total	@Rs:	- 4 + -4	<u></u>		8	8	0.5	Total	@Rs:	<u> </u>			******		(40)	Total	
æ		13.75				13.75	17:/2					19.53						0.75	0.75	12							0.4536	0.4536		
		13.75				13.75	1001			 		北京					£	7.7	19:00 19:00	12.00							6.750	6.750	1	
Nos		,				4	¥					p==4							2 (8	-						Ì	1887	2.330		
Detail of work	Excavation in foundation of buildings, bridge san other structures, i/c dag belling dressing, refilling around structure with excavated earth, watering and ramming lead upto one chain (30 M) and lift upto 5-ft (1.5 M) in ordinary soil			Cement concrete Palin i/c alacing	g finishing curir ung and washin	aggregate) ratio (1:4:8)			Reinforced cement concrete in slab of	other structural members other than	form work horizental shuttering) 1:2:4	Base			slab, beams, extra. columns lintels,	girders and other structural members laid in situ or precast laid in position	or prestressed members cast complete in all respects:-(1:2:4)	Wall		Kool with Shade			ment for cer cutting, bend	position, making joints and fastenings, including cost of binding	wire and labour charges for binding of	emoval of rust from bars):- G.40	tem No.3	Take Oty Item No.4	111111111111111111111111111111111111111	
S.No				2					m					-								V			, ,					-

765,606/2

4.4

S.No	Detail of work	Nos		æ		Qt2	Unit	Amount
Mosaic dado of cement a ratio of 3:1 chips, laid cement plas and polishin using grey c	Mosaic dado or skirting with one part of cement and marble powder in the ratio of 3:1 and two parts of marble chips, laid over ½"(13 mm) thick cement plaster 1:3, including rubbing and polishing, complete with finishing using grey cement ½"(13 mm) thick	H			C	6		
Wali		2			3	001		
Floor	1	-	10.5	10.5		196/16	63	
					Tofal	A SOAC		
					@Rs:	21500.80	%Sft	25000
Provid cover	Providing and fixing of M/S Sheet cover 2'x2' L-Iron frame							45836
1.5"x	3/16" complete in						<u></u>	
respect a Incharge.	respect as approved by the Engineer Incharge.		-					
				-		-		
					10.40			*
					A Viel	T O O O	7.00	0000
7/F of 3HP (A 2900 RI Setting	KSB Centrifuga Aodel ETN 65- PM head 45 ft fl)			
Cent Siem Pipe	gal Pump Coupled s on base frame +MS Co							
Benc	Bends + Sluice Valve + Non return							
devices)	devices) Transportation and Installation Charges							
respe	763 1							
		-						
				4.	Total			
P/F	of G.I Pipe 15" dia enacial				@Rs:	426000	Each	426000
Medit	Ouality					-:		
		1200				1200		
					Total	1200		
			1	× -	@Rs:	469.95	P.Rft	563940
						 	1 1	1852140
						6	NA C	18:50 440
			:	,		F.	4	00465R1

Sub Divisional Officer Building Sub Division Murree.

Executive Engineer
Buildings Division No.1
Rawalpindi

																		_								,	_		-
		Amount						11989				56444				873766				12085	:			52438			13444	1020165	10202
	·							50				09					÷	_		95	-			10			8	_	ř
ing wall		Rate						11,988.5D				22,577.60	•			26885.				37764.95				4,767.10			7,170.05		77.0
Retain		unit						%0Cft		-		%C#				%Cft				₩C#				%Sft			%C#		
10' High Retaining wall		Qty					1000	1000			250.0	250.0			3250	3250			32	32			1100	1100		1875	1875		
		Ŧ.					2				0.5				10				0.16				11			3.75			
ST WALL	Measurements	8.					5				2	-			(4.5+2)/2				2							5			
-/BREA	Meas	-					100				100				100				100				100			100			
WAL		No			-		 -				-				1				1				1			1			
CONSTRUCTION OF RETAINING WALL / BREAST WALL		Description of item	Excavation in foundation of building	trenchesand other structure i/c dag belling,	levelleng,dressing and refilling around		Retaining Wall		P/L of cement concrete using brick or stone	ballast 1-1/2" 2" gauge in F&P 1:6:12.		,	P/L of C.R. masonary 1:6 c/s mortar hammer	dressed in F/P. I/c 30 km carriage			P/Lplain cement concrete 1:2:4 l/c surface	finishing and curring complete			Raised Cement pointing 1:3 c/s morter on	stone work			Providing and laying stone pitching/filling, dry hand packed, as filling behind retaining walls or in pitching and aprons I/c 30 km carriage				
	Г	# S	1			_			2				က				2				ဖ		ļ	ļ	~				

Executive Engineer Buildings Division No. Rawarpindi

	ing the later of the later		T	Τ.		7	7	Т		T		-	Т		Т-	Т-	Т	<u> </u>	1
	AMOUNT.				(San 10 C	1001431	+0+1-0×				710 86.8	-592628				1850	3225	-716373	10,56526 ngineer ston No.1 indi
	QTY.		RNOR	8008	V. Venax	OF CO	.01.2	948		[Rs.		4 237				Rs.	Executive Engineer Buildings Division No.1
	۵	Andreas and the second second	1.35	Total	×	11	S. S.	0.21	Total	200	587	P.Cft		200	Total	38	40.Kg	-	Build
FRIAL	В	A SALAN SALA	64.67		00	138	4	64.67				2500		0.5		426	300	TOTAL	
OF OLD MATERIAL		A CONTRACTOR OF THE PROPERTY O	69.82	1		@		69.82	-			<u>@</u>		×			(3)		
CREDIT	2	Andrew (States States and States	-	0	}			7						589.474 ×					Illyision
	BESCRIPTION	C.G.I. sheet roof.		6096 X1.275 W. WEZ	Take 50% Oty	108-	Wood		gg.	lake,୭୯%	Usable 50% wood		Fire Wood 50%		N. C. C.	€37X4UXU,4536			Sub Divisional Officer Buildings Sub Division Murree
San San Jan Jan Jan	S.O.						7					c	77						

Ing and fitting glazed earthen ware water closet European type Vip 303/ HD348, (Porta macrower, flushing cistern complete in all respect as approved by the Engineer Incharge Unit=Each Unit=Each Unit=Each Unit=Each Unit=Each Guantity Rate Unit Back 42000 Each L.S Carriage from market to site. Sub Divisional Officer Buildings Sub Division Murree Buildings Sub Division Murree Buildings Sub Division Murree Buildings Sub Division	RS. Rs.		Analy	Analysis of rate				
Unit=Each Material. glazed earthen ware water closet European type Vip 303/ HD348, (Porta made) Fixing Charges Carriage from market to site. Sub Divisional Officer Buildings Sub Division Murree Unit=Each 42000 Each L.S Total Add 20% contractor profit Sub Division Buildings Sub Division Murree Buildings Sub Division Murree Buildings Sub Division Murree Buildings Sub Division Murree	Unit=Each Waterial. Material. Guantity Rate Unit Unit Waterial. glazed earthen were water closet European type Vip 303/ HD348, (Porta made) Fixing Charges Carriage from market to site. Sub Divisional Officer Buildings Sub Division Murree Buildings Sub Division Murree Buildings Division No.1 Rewalpindi	ovi	ling and fitting glazed earthen ware water cl	loset Europe ct as approve	an type V ed by the	ip 303/ HD3 Engineer li	48, (Porta ıcharge	made) i/c
Murree Material. Material. Guantity Guantity Guantity I Rate Unit Each 42000 Each L.S Carriage from market to site. Sub Divisional Officer Buildings Sub Division Murree Mu	Material. Material. glazed earthen ware water closet European type Vip 303/ HD348, (Porta made) Fixing Charges Carriage from market to site. Sub Divisional Officer Buildings Sub Division Murree Buildings Sub Division Murree Buildings Sub Division Murree Buildings Sub Division Murree Buildings Sub Division Buildings Division Buil		10	nit=Each				
Material. glazed earthen were water closet European type Vip 303/ HD348, (Porta made) Fixing Charges Carriage from market to site. Carriage from market to site. Sub Divisional Officer Buildings Sub Division Murree Buildings Sub Division Reawalpindi	Material. glazed earthen ware water closet European type Vip 303/ HD348, (Porta made) Fixing Charges Carriage from market to site. Sub Divisional Officer Buildfings Sub Division Murree Buildfings Sub Division Murree Building Division Murree	ž		Quantity		Rate	Unit	Amount
glazed earthen ware water closet European type Vip 303/ HD348, (Porta made) 1 Each 42000 Each Fixing Charges Carriage from market to site. Carriage from market to site. Sub Divisional Officer Buildings Sub Division Murree Buildings Sub Division Rewraipindi	Sub Division Buildings Sub Division Murree Sub Division Buildings Sub Division Murree Sub Division Buildings Sub Division Buildings Division Bui		Material.	-				
Carriage from market to site. Carriage from market to site. Total Add 20% contractor profit G Total Sub Divisional Officer Buildings Sub Division Murree Building Division No.1 Rawalpindi	Carriage from market to site. Carriage from market to site. Total Add 20% contractor profit G Total Say Rs. Buildings Sub Division Murree Buildings Sub Division Building Division No. 1 Rewalpindi	₹	glazed earthen ware water closet European type Vip 303/ HD348, (Porta made)	, -	Each	42000	Each	42000
Carriage from market to site. Total Add 20% contractor profit G Total Sub Divisional Officer Buildings Sub Division Murree Buildings Sub Division Rewalpindi Rewalpindi	Carriage from market to site. Total Add 20% contractor profit G Total Sub Divisional Officer Buildings Sub Division Murree Building Division Total Rewalpindi	2	Fixing Charges				Š	2500
Sub Division Buildings Sub Division Murree Building Division Building Division Total Building Division Total Building Division Total	Sub Divisional Original Division Buildings Sub Division Murree Building Division Rewalpindi	ှက	Carriage from market to site.				L.S	2000
Sub Division Buildings Sub Division Murreé Murreé Building Division Building Division Building Division No.1 Rawalpindi	Sub Divisional Officer Buildings Sub Division Murree Murree Sub Division Building Division No. 1 Rewalpindi						Tota	The second secon
Sub Divisional Officer Buildings Sub Division Murree Murree Rawalpindi	Sub Division Buildings Sub Division Murree Rawalpindi G Total Say Rs. Executive Engineer Building Division No.1 Rawalpindi				∢	dd 20% cor	itractor prof	
Sub Divisional Officer Buildings Sub Division Murree	Sub Divisional Officer Buildings Sub Division Murree				L. C.		G Tota Say Ra	
					Burge	cutive En	gineer orr No.1	

ш
TOTAL S
-
€
Y
Ц.,
\cap
-
(C)
G)
CF.
97
>
_ I
< .
-3"
4
S

	P/L Stainless steel Corner Beeding angle 2'x2'x1/16" with double tape fixed with stainless steel nails i/c cutiing fixing complete in all respect. As Approved By The Engineer Incharge	6" with dor By The En	ible tape f gineer Incl	ixed with si	tainless s	teel nails i/c
	THE RESERVED TO SERVED THE RESERVED THE RESE					
	and the state of t			Unit Rate Each	ch	
S.No.	Description	Quantity	ntity	Rate per	Rate per unit (Rs)	Amount
	Waterial.					
-	Cost of Stainless steel Corner Beeding angle 2'x2'x1/16" with double tape i.c cost of nails	-	No.	200	P.Rff	500
	screws etc					•
7	Carriage Charges					20
က်	Fixing Charges					15
			k L			
	Total					535
	20% contractor's					107
	Total			Tota	Total Rs	642
				Say	Say Rs	640

Executive Engineer Bujding Division-No.1 Rawalpindi

Sub Divisional Officer
Buildings Sub Division
Murree.

ANALYSIS OF RATE

3/E of	S/E of PVC Antibacterial wall cladding (BloCode UK) back stature G.I from 18 Gauge 12mm thick Gynsem board will be fixed on brick wall to apply 2mm thick antiMcrobial wall oven 14 to 16mm	UK) back	c stature	3.1 from 11	3 Gauge 1	2mm thick
thickn directe	thickness joints will be heat welded in same colour (as specified in the quotation) and as approved and directed by the Enginner Incharge.	r (as speci	red in the	quotation)	and as ap	proved and
	AND					
		Kreistink (1808) 788 (1865) 186 (1865)	n	Unit Rate Each	ch	
S.No.	Description	Quantity	ntifty	Rate per	Rate per unit (Rs)	Amount
	Material					
-	Cost of PVC Antibacterial wall cladding (BloCode UK) back stature G.I from 18	-	No.	1490	Each	1490
	Gauge 12mm thick Gypsem board will be fixed on brick wall to apply 2mm thick					
	antiMcrobial wall oven 14 to 16mm thickness	-				
	joints will be heat welded in same colour (as					
-	specified in the quotation					
	Total :					1490
	20% contractor's					298
	Total			Tot	Total Rs	1788
-				Sa	Say Rs	1788

Sub Divisional Officer
Buildings Sub Division
Murree.

Executive Engineer
Building Division No.1
Rawalpindi

THE SOLUTION TO YOUR SPACES



Attn: Ibrar Qaiser

Project: THQ Hospital Rawalpindi

Date: 2-07-2022

***************************************	Company of the Compan			
unuu (7)	1	· · · · · · · · · · · · · · · · · · ·		
alline E	1	₹		A
	1490	850	430	
ing of the state o	sqft	sqft	sqft	ını
Ploducation of the state of the	Marflex Pyc Antibacterial Wall Cladding Approved by (BIOCODE UK) Back stature GI Frame 18G 12 mm dypsum board will be fixed on brick wall to apply 2 mm thick anti microbial wall Overall 14 to 16 mm thickness. Joint will be heat welded in same color. wall sheet	Lead Sheet Paneling In theater Size:8x4 Thickness:1.5mm With labcar	Marflex Antibacterial Antistatic flooring with copper mash jointless welding Same colour Thickness :2mm With Labour	Total Amount
7		· · ·	ς.	

Sulfame Sale Civision


Bullings Briston No. 1 Executive England

Page 134.

Terms & Conditions

- Applicable Taxes will be extra,
- Work will resume after advance payment.
- Payments terms will be 70% advance, 20% on material delivery and 10% on sitecomplete. 323
 - Goods once ordered cannot be changed. 4
 - Material delivery 5-7 days.
- Transportation and labor accommodation will be on customer end.
 - 5% wastage will be on customer end.
 - Floor even Requires 3 6 7 8 6
- This quotation is only valid for 15 days.

Director Sales & Marketing 03214431189 Shoaib Malik



For any enquiry, reach out via email at projects@themarflexgroup.com or call on +92 3214431189

人会。

billings trussen 40.4 Manaiomed.

Ereliand England

ANALYSIS OF RATE

Supply and layingAntistatic Vinyl Flooring with copper mesh jointless welding in same colour 2mm thick i/c labour etc (as specified in the quotation) and as approved and directed by the Engineer	copper me	sh jointles approve	ss welding d and dire	in same	colour 2mm
and because the second of the				•	
			Unit Rate Each	ch	
Material Description	Quantity		Rate per	Rate per unit (Rs)	Amount
mesh jointless welding in same colour 2mm	-	No.	430	Each	430
thick I/c labour etc (as specified in the					
Total				·	
					430
20% contractor's					
					86
Total					
			Tota	Total Rs	516
			•		
			Say Rs	S.	516
	•	•			

Sub Divisional Officer
Buildings Sub Division
Murree.

Executive Engineer Building Division No.1 Rawalpindi

single phase Italy made I/c wire plastic made 3/4" dia cost of automatic main switch with 110/76 water proof cable lowering in bore hole making 3 hp electric motor connection complete in all respect as approved and directed by engineer ANAYLISIS OF RATES FOR P/F Submersible pump incharge

1 Cost of sub mersible pump 3.H.P Italy made

170000 /-	24000 /-	16250 /-	-/ 0009	7000 /-
1 Nos	= 400 Rft R\$	= 650 Rft Rs	= 1 Nos	Nos Nos R R
	P.Rff	P.Rff	Each	Each
.@ Rs 170000.00 Each 2 Water proof cable.	.@ Rs 60.00 3 String wire 5/116" dia plastic wire.	.@ Rs 25.00 4 Automatic main switch.	.@ Rs 5000,00 5 Fixing charges with all arrangement.	.@ Rs 7000.00 6 Carrige charges.

Executive Enginee Buildings Division No Rawalpindi

226250 /-

TOTAL:-

Add 20% contractor profit.

271500 /-

മ്

TOTAL: -

45250

271500 /-

8

Say.

ersiDeli\Desktop\Revamping \$HQ MurreelSubmersible pump 8 Hp.x

ANALYSIS OF RATE

Pipe for suction 3" + foot Valve + Top Bends + Sluice Valve + Non return Installation Charges complete in all respect as approved by the Engineer P/F of KSB Centrifugal pump with 3HP (Model ETN 65-40-200 G1) 2900 Centrifugal Pump Coupled with Siemens on base frame +MS Column valve + Motor Control (with all safety devices) Transportation and RPM head 45 ft flow 100 GPH setting 15 ft scope of supply KSB

-/ O	-/ 0	2000 /-	7-10	-/ 0	· -/ 0
350000 /-	3000 /-	200	355000 /	71000 /-	Rs 426000 ^{/-}
Rs	Rs	Rs	Rs	Rs	Rs
			Total:		Total:
Cost of Centrifugal Pump	Fixing Charges	Carriage Charges		Add 20% contractor profit	
/-	8	က			

Outonortision

Executive Engineer
Buildings Division No

426000 /-

α W

C:\Users\Del\\Desktop\\Revamping THQ Murree\Centritugal Pump.xis

ANALYSIS OF RATES

Analusis rate of P/F of natural Stone cladding size 12"x4" or 12"x6" and 3/4" to 1" thick over 3/4" thick cement plaster 1:2 Ratio i/c Filling of Joint with white cement and matching pigment i/c nerated with steel nail 2" Long complete in all respect as approved by the Engineer Incharge.

Area: 10x10= 100 Sft Unit: P.Sft

V.		7	77	1	3		1st July 2022 to 31th Dec 2022	to 3.1tr	Dec 2022	
Ž,	_	SON	Length	breadin	Depth	Cīy	Kate		Amount	
۷	Material									
	Natural Stone clad 12"x4" or 12"x6" and 3/4" to 1" thick i/c 5%, wasteds								0 P	يند محتد
						70.5	2/2	5	2000	
C	White Coment (Item No 00 000					201	De1	5	nc/er	
7	vinite cement (item No. 00.009					0.10	1550	P.Bag	155	
က	Grey Cement (Item No. 06.008					2.16	1021/	P.Bag	2205.36	
4	Sand (Item No. 06.006					5.20	73	P.Cft	379.6	
က	Steel Nail					40.00	9	Each	240	
	Total								18730 KS 39 /	60
	Contractor Profit 20%								3746 7116	19115
	Total "A"								22476 , 8 435	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
മ	Labour									
\ \ \	Mason (Item No. L.B 040					2.50	1300	P.Day	3250	
7	Coolies (Item No. L.B 015					5.00	962	P.Day	4810	
3	Bahishti (Item No. L.B 017					0.50	696	P.Day	485	
	Total								8545	
	Add 10% Sunderises								854	
	Total								9399	
	Add 20% contractor profit								1880	
	Total 'B"		1869	- 11					11279	
	Total A+B		22476	÷	11279	H			33755	でいる。
_	Total Rs.						499.74		33755	.
	Hence Rate P.Sft	3.3	33755	-	100	H	337.5469	Say	Say 335 P.Sft	
						1	C		2.9.5	grav.

Sub Divisional Objections Sub Division Murree

ANALYSIS OF RATE

the Engineer P/F 8' x 4' conceated Gypsum board for ceiling 1/2" thick elephant brand or equivalent i/c g.i. channel frame 3 x 2 1" x 1" G.I. angle for hanging rawal board fisher with complete hanging system requirement at site i/c finishing gola complete in all respect as approved by and making POP approved Incharge..

Sub Ilivistonal Officer Buildings Sub Division

Executive Engineer
Building Division No-T
Rawalpindi

Supply and erection (Citra Slim) or Equapproved/	Supply and erection of fancy LED Pannell light 2'x2' i/c LED Light & Driver 36 (W) (Philips / Alpha LED Ultra Slim) or Equivalent i/c fixing in false ceiling and electric connection complete in all respect as approved/directed by the Engineer Incharge	κ2' i/c LE g and ele	D Light & lectric conn	Jriver 36 (W) ection comp	(Philips / lete in all	Alpha LED respect as
			1st.	1st JANUARY-2021 to 30th JUNE -2021	21 to 30th	JUNE -2021
S.No.	Description	Quantify		Rate	Unit	Amount
Material. 1 Cost of LE driver 36 (V	Material. 1 Cost of LED Panell Light 2'x2' i/c light and driver 36 (W) (Philips / Alpha LED ultra Slim)					
or Equivale	int		S S	7500 Each	Each	7500
2 Fixing charges	Seb	~~	dol	300	300 P. Job	300
3 Carriage Charges	harges					200
					Total	8000
			Add	Add 20 % contractors profit.	tors profit.	1600
					G.Total. Say Rs.	9600

Sub Divisional Orbital Buildings Sub Division Murree

Executive Engineer,
Bujldings Division No.1
Rawalpindi.

RATE ANALYSIS FOR P/F LED/SMD ceiling light 18 W best quality as approved by the engineer Incharge.

						One = Fach	=
S.No.	Description	Qty	Rate	Unit	it	Amount	
							٦
	Cost of LED/SMD ceiling light 18 W	~	1350	Each	R S	1350 /-	
							Т
(<u>i</u>	Fixing Charges				Rs	200 /-	1_!
			Total:	<u></u>	Rs	1550 /-	
		Add 20 % contractor profit	ontractor		Rs.	310 /-	L
			Total:		S.	1860	1-
			Sav:-		SS	1800 /-	برا

Executive Engineer
Buildings Division No 1
Rawalpindi.

Sub Divisional Of Buildings Sub Div

general services neckova. Palitidak 2022 Alic III alitidak 2022(punjab nouse and donga

RATE ANALYSIS FOR P/F of aluminium windows Lock best Quality coplete in all respect as approved by the Engineer Incharge.


L						Unit = Each	Eac
	Description	Qty	Rate	Unit	it	Amount	unt
ő	Cost of aluminium windows Lock	τ-	370	Each	Rs		370 /-
							-
剖	Fixing Charges .				Rs		00
			Total:	<u></u>	Rs	4	4707
		Add 20 % contractor profit	ontractor	profit	Rs.		94 /-
			Total:		Rs.	2	564 /-
							-
			Say:-		Rs.	ĬĠ.	550 /-
	Sub Darkonal Streer Buildings Sub Division Murree	Exec Buildis	Executive Engineer Buildings Division No 1	n No 1	, \	,	
			:	,	-		


Buildings Division No 1
Rawalbindi.

RATE ANALYSIS FOR P/F of aluminium windows Handle best Quality coplete in all respect as approved by the Engineer Incharge.


Executive Engineer Buildings Division-No 1 Rawalpindi.

Sub Divisional Office Buildings (Sub Division Murree






Sub Divisional Officer Building Seb Division Taures Essentive Anguses Fullidings Unicion 40.1 Ionidiswan



Page 148



The Table of the Samuel of the

Pub Divisional Office.

Meher Machinery Corporation KSB Authrize Dealer

SERVEN

Quotation

Kacheri Kahuta	MMC 21007-192 0 July 4, 2021 hamza.laved@mehercorp.com
Project:	Quote Ref: Revision: Dated; Email:
Provincial Building Rawalpindi	Executive Engineer
Customer: Address:	Phone/Fax: Attention: Email:

Total	350,000		350,000	
Unit Price	350,000		Grand Total PKR	
, cho	Η	_ 	Ū	
Description	ISB Centrifueal pump coupled with Siemens Motor on Base. Frame Head = 43 ft Flow = 100 GpM Setting=1.5 Model:ETIN 65-40-200 G.1+3 HP (2900 rpm) SEQUE of Supply: KSB Centrifugal Pump coupled with Siemens Motor on base frame+MS Column Pipe for Suction 3*+ Foot Valve+Top Bends+Sluice Valve & Non Return Valve+Motor Control(with all safety devices). Transportation & Installation is included.			
S	₹ -1			

Terms & Conditions:

Delivery Terms: Customer Site.

Delivery Time: 1 weeks after all technical & commercial clarifications.

Payment Terms: 100% advance before delivery & Commissioning.

Validity of Offer: 30 Days from the date of offer


Warranty: 12 Months from the date of supply.


Additional Notes (if any):


Technical Details as per enclosed datashects.
 Above price is inclusive of GST.


Sub Divishmal Officer Ruthma and Ovision Murree

5:06 pm04/07/2021









8. ANNUAL OPERATING COST (POST COMPLETION)

Financial Components: Capital Grant Number: Government Buildings - (PC12042)

Cost Center:OTHERS- (OTHERS)

LO NO:LO22010030

Fund Center (Controlling):LE4203 A/C To be Credited:Account-I

PKR Million

Sr#	Object Code	2025	2025-2026 2026-2027		2027-2028		2028-2029		2029-2030		
		Local	Foreign	Local	Foreign	Local	Foreign	Local	Foreign	Local	Foreign
1	A05270-To Others	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
2	A12403-Other Buildings	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	Total	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

Financial Components: Capital Grant Number: Government Buildings - (PC12042)

Cost Center:OTHERS- (OTHERS)

LO NO:LO22010030

Fund Center (Controlling):LE4203 A/C To be Credited:Account-I

PKR Million

S	r#	Object Code	2025-	-2026	2026	-2027	2027	-2028	2028	-2029	2029	-2030
			Local	Foreign								
	1	A05270-To Others	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	2	A12403-Other Buildings	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
		Total	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

8. Annual Operating and Maintenance Cost after Completion of the Project

The Annual operating and maintenance cost after completion of the project will be borne by the concerned District Health Authority (DHA) as well as Primary and secondary healthcare Department, Lahore.

8. Annual Operating and Maintenance Cost after Completion of the Project

The Annual operating and maintenance cost after completion of the project will be borne by the concerned District Health Authority (DHA) as well as Primary and secondary healthcare Department, Lahore.

9. DEMAND AND SUPPLY ANALYSIS

Semi modern health facilities and scientific diagnostics are presently available in this Hospital. This initiative of revamping Hospital will cover all departments and components of healthcare including Medical, Surgical, psychiatric, Cardiac, ENT, Ophthalmic and Pediatrician components. Moreover, women health components i.e. Gynecology and obstetric will also be emphasized upon. In emergency, calamities and natural disasters, valuable lives will be saved through revamping of Emergency Units.

10. FINANCIAL PLAN AND MODE OF FINANCING

10.1 FINANCIAL PLAN EQUITY INFORMATION

10.2 FINANCIAL PLAN DEBT INFORMATION

undefined

10.3 FINANCIAL PLAN GRANT INFORMATION

Attached

8. Financial Plan and Mode of Financing

The project will be executed / financed through Annual Development Program under the sector Primary and Secondary Healthcare Department, the Government of Punjab. Year wise financial utilization is as under:

Revenue Side

(Rs.in Million)

Year	2017-18	2018-19	2019-20	2020-21	2021-22	2022-23	Total
Funds Released	37.000	17.651	2.319	2.349	4.595	7.848	71.762
Utilization	12.038	17.580	2.263	2.161	4.501	1.093	39.636

Capital Side:

Year	2017-18	2018-19	2019-20	2020-21	2021-22	2022-23	Total
Funds	0.000	0.000	0.000	0.000	0.000	14.006	14.006
Released	0.000	0.000	0.000	0.000	0.000	14.996	14.996
Utilization	0.000	0.000	0.000	0.000	0.000	0.000	0.000

Balance funds may be provided for completion of the project in subsequent years through ADP

10.4 WEIGHT COST OF CAPITAL INFORMATION

undefined

11. PROJECT BENEFITS AND ANALYSIS

11.1 PROJECT BENEFIT ANALYSIS INFORMATION

11.3 Social Benefits with Indicators

Social economic burden will be decreased due to availability of better medical services in the district. Time and money of community will be saved which were expended in other cities like Lahore Islamabad etc. on treatment of patients and for boarding and logging of attendants. The social status of community will rise.

11.3.1 Social Impact:

A number of patients lose their lives or suffer serious disabilities for want of timely access to the health facilities. The project will ensure that no one is left to reach the health facilities. The most important beneficiaries will be mothers having complicated delivery conditions. The number of patients transferred to the health facilities for treatment and lifesaving will serve as indicators for performance evaluation. In long term the project will help in improving socio-economic indicators of IMR and MMR.

11.2 ENVIRONMENTAL IMPACT ANALYSIS

It will have no hazardous effect on the environment. On the other hand, addition of horticulture and landscaping will provide healthy environment to the general public. All the more, the program is environment friendly having no adverse environmental effects. Simultaneously, this shall further improve environment by creating sense of responsibility among employed and beneficiaries of the service

11.3 PACT ANALYSIS

undefined

11.4 ECONOMIC ANALYSIS

11.4 Employment Generation (Director and Indirect)

Revamping of this Hospital will lead to generation of employment for highly skilled /professional staff and unskilled staff leading to reduction of unemployment. Huge employments opportunity will be created from the establishment of the project. The Medical doctors and paramedics who are trained in this discipline or intended to specialize in this field can make maximum use of training. A large number of gazette and non-gazette posts will be available for employment directly or indirectly.

11.6 Impact of Delays on Project Cost and Viability

Delay in the implementation of the project will lead to increase in cost and increase financial burden on the Government and general population of Punjab. Since the project is one of the major needs and a long awaited desire of the community, therefore, Government of the Punjab contemplated plan for early execution of Revamping of Emergency Units. The delay will not only deprive the patients of the state of the art facility but also distort the public image of the Government.

11.5 FINANCIAL ANALYSIS

11 Project Benefits and Analysis

Financial Benefits & Analysis

Tremendous public benefits will be accrued from revamping of Emergency Units:

The Targets of Sustainable Development Goals (SDGs) will be achieved

The Human Development Index of Pakistan (HDI) will improve

Infant Mortality Rate will decrease

Mother Mortality rate will be decreased

The international commitments of Pakistan will be accomplished

Health standard of public will

Better Health Facilities to mother and

Prompt and scientific facility for operation

Rehabilitation of disables and injured

Blindness in this area will be decreased and controlled

Better social and mental health to addict

Provision of better health facilities at doorsteps

Awareness and control for communicable

Survival of heart failure

Social indicators of Pakistan will improve

This will decrease load of patients on teaching hospitals and specialized institutions by promoting physical and mental health. By adopting preventive and Hygienic principles, the number of patients and diseases will decrease. Resultantly budget load of Government for treatment will decrease and saving will be utilized for development programs.

11.1.1 Financial Impact:

In the beginning, It is extremely difficult to put a money value on each life saved by taking/shifting a critically ill patient to the appropriate health facility for treatment. However, the exact amount spent shall be calculated against each patient shifted by analyzing data collected during operations.

11.2 Revenue Generation

Revenue will be generated from:

Indoor fee

Laboratory fees

Diagnostic facility fees

Dental fee

ECG fee

Private room charges

From other fees prescribed by Government

12. IMPLEMENTATION SCHEDULE

12.1 IMPLEMENTATION SCHEDULE/GANTT CHART

From September, 2017 to June, 2025

12.2 RESULT BASED MONITORING (RBM) INDICATORS

undefined

12.3 IMPLEMENTATION PLAN

Original Gestation period (From September, 2017 to June, 2019)

Extension in Gestation period for one year with no change in cost & Scope till June 2020.

1st Revised gestation period till June, 2021

2nd Revised gestation period till June, 2023.

3rd Revised gestation period till June, 2025

12.4 M&E PLAN

The Operation team will monitor the progress of the project and will hold regular weekly meeting to review the progress under the supervision of Project Director.

12.5 RISK MITIGATION PLAN

Attached

RISK REGISTER

Programme for Revamping of all THQ Hospitals in Punjab

			litigation / C		MITIGATION		
Risk Item No	No Risk Description/Event Cause Effect / Consequences		Effect / Consequences	Likelihood (1 to 3)	Impact (1 to 3)	Risk Score (1 to 9)	Mitigation / Actions
1	Due date for the completion of some hospital sites may be extended due to increase in scope from the Client	Direct instructions from the Medical Superintendents / Hospital Administration to revamp the remaining areas	Significant scope increase requested by the Hospital administration will result in: 1. Project delays 2. Contractor claims 3. Increase in project cost along with variations	3	3	9	Hospital administration is requested to finalize the scope during joint field visits of C&W and PMU
2	Various unexpected structural issues are being encountered	Unforeseen structural issues are expected to face during execution in hospital buildings approaching end of life	Stoppage of work Performance of the Contractor has affected Delays in the project	3	3	9	Various items which are unforeseen and expected to be used during execution may be taken in estimates so that those can be executed to address these issues
3	Change in management of the Client	Management change	Re-briefing is to be carried out	2	2	4	Acceleration of understanding for smooth and expeditious transition, without affecting the project
4	Financial Issues	Funds for these schemes should be provided as per the targets	Delay in tendering Effect on quality as the Consultant supervision will not take place Inconvenience to the patients	3	3	9	Approval of PCIs and early release of funds is requested
5	Nationwide spread of pandemic i.e. COVID-19 in 2nd and 3rd quarter of this year	Work delays during nationwide lockdown.	Delays in completion of works Claim requests received by Contractor and Consultant	3	3	9	Contractor will be asked to depute fully vaccinated labor

12.6 PROCUREMENT PLAN

undefined

13. MANAGEMENT STRUCTURE AND MANPOWER REQUIREMENTS

The Organogram of new Health Management Structure is available in PC-I

14. ADDITIONAL PROJECTS / DECISIONS REQUIRED

NA

15. CERTIFICATE

Focal Person Name:Mr. KHIZAR HAYAT Designation:Project Director, PMU P&SHD

Email: Tel. No.:042-99231206

Fax No:

Address:31/E1, Shahrah-e-imam Hussain? Road? Block E 1 Gulberg III, Lahore, Punjab

15. It is certified that the project titled "Revamping of THQ Hospital _____ Murfee (3rd Revised)" has been prepared on the basis of instruction provided by the Planning Commission for the preparation of PC-I for Social Sector projects.

Prepared By:

(HISSAN ANEES)

DIRECTOR PLANNING & HR. PMU, PRIMARY & SECONDARY HEALTHCARE DEPARTMENT, LAHORE (042-99231206) (Oct-2022)

PROCUREMENT SPECIALIST, (PMU). PRIMARY & SECONDARY HEALTHCARE DEPARTMENT, LAHORE (042-99231206) (Oct-2022)

(HAMZA NASEEM)

PROJECT MANAGER CIVIL, PMU,

PRIMARY & SECONDARY HEALTHCARE DEPARTMENT, LAHORE (042-99231206)

(Oct-2022)

Checked By:

(Dr. AYESHA PARVEZ)

DEPPUTY PROJECT DIRECTOR (PMU), PRIMARY & SECONDARY HEALTHCARE

DEPARTMENT, LAHORE (042-99231206)

(Oct-2022)

Approved By:

(KHIZAR HAYAT)

PROJECT DIRECTOR (PMU). PRIMARY & SECONDARY HEALTHCARE

DEPARTMENT, LAHORE (042-99231206)

(Oct-2022)

(DR. IRSHAD AHMAD)

SECRETARY,

GOVERNMENT OF THE PUNJAB

PRIMARY & SECONDARY HEALTHCARE DEPARTMENT, LAHORE

(042-99204567)

(Oct-2022)

17. RELATION WITH OTHER PROJECTS