

PC-1 Revamping of THQ Hospital, Rojhan District Rajanpur

ORIGINAL APPROVED COST	PKR Million. 307.766/-
ORIGINAL APPROVED GESTATION	72 Months Till June 2025
APPROVAL FORUM	DDSC (DDSC)

1. NAME OF THE PROJECT

Revamping of THQ Hospital, Rojhan District Rajanpur

2. LOCATION OF THE PROJECT

- 2.1. DISTRICT(S)
 - I. RAJANPUR
- 2.2. TEHSIL(S)
 - I. ROJHAN

3. AUTHORITIES RESPONSIBLE FOR

- 3.1. SPONSORING AGENCY
 - PRIMARY AND SECONDARY HEALTH CARE
- 3.2. EXECUTION AGENCY
 - PRIMARY AND SECONDARY HEALTH CARE
- 3.3. OPERATIONS AND MAINTENANCE AGENCY
 - PRIMARY AND SECONDARY HEALTH CARE
- 3.4. CONCERNED FEDRAL MINISTRY
 - NATIONAL HEALTH SERVICES, REGULATIONS AND COORDINATION

4. PLAN PROVISION

Sr#	Description
1	Source of Funding: Scheme Listed in ADP CFY
2	Proposed Allocation: 0.000
3	GS No:5229
4	Total Allocation: 0.000
5	Funds Diverted:0.000
6	Balance Funds:0.000
7	Comments: Funded out of block provision reflected at G.S No.658 with an allocation of Rs. 1,800 million (Capital = Rs. 1.300 Million & Revenue = Rs. 500 Million).

5. PROJECT OBJECTIVES

attached

5. Project objectives and its relationship with Sectorial Objectives and Components

The Government of Punjab is making strenuous efforts for a better and effective Health Care system. The Defining step in this direction was to recognize the importance of Health Care at Primary & Secondary Levels. As a first step towards better health care at primary and secondary level, the department under the guidance of Government of the Punjab has decided to launch massive revamping of 40 THQ & DHQ Hospitals in the financial year 2016-17 along with revamping of emergencies of 15 selected THQs and emergencies of all Hospitals. In addition to that, Government has assigned the task of revamping of all remaining 85 THQ Hospitals of Punjab during 2017-18. The Project Management Unit, Revamping Program, Primary and Secondary Healthcare Department has started the 2nd Phase of the said revamping program in September, 2017.

5.1 Background of Primary & Secondary Healthcare Department

Effective primary and secondary healthcare is particularly important in resource-poor countries. Effective delivery of vaccinations, maternal and child care (MCH) and treatment of common pathologies (such as malaria, gastroenteritis, respiratory tract infections and other vector borne diseases) is essential for the achievement of Sustainable Development Goals (SDGs). Effective diagnostic triage, an organized system of prescription and queue management, an effective and stringent sterilization regime, quality nursing and consultant care, implementation of minimum service delivery standards (MSDS) and delivery of care for chronic pathologies lie at the center for the provision of universal health care at a cost that the community can afford as envisaged in domains established by the 1978 Alma-Ata Declaration of WHO. Primary care serves as the cornerstone for building a strong healthcare system that ensures positive health outcomes and health equity. The deficiencies in quality of care represent neither the failure of professional compassion nor necessarily a lack of resources rather, they result from gaps in knowledge, inappropriate applications of available technology and unstructured planning. Local health care systems in our setup have practically not been able to implement department's objectives. Result is continuous lack of quality improvement to lower health outcomes.

Quality health care is actually provision of health care by timely, skillful application of medical technology in a culturally sensitive manner within the available resource constraints. Eliminating poor quality involves not only giving better care but also eliminating under provision of essential clinical services (system wide microscopy for diagnosing tuberculosis, for example); stopping overuse of some care (prenatal ultrasonography or unnecessary injections, for example); and ending misuse of unneeded services (such as unnecessary hysterectomies or antibiotics for viral infections). A sadly unique feature of quality is that poor quality can obviate all the implied benefits of good access and effective treatment. At its best, poor quality is wasteful and at its worst, it causes actual harm.

Keeping in view this basic essence of primary and secondary health care, The Government of Punjab is dedicated in making strenuous efforts for ensuring a better and effective Health Care system .The Defining step in this direction was to recognize the importance of Health Care at Primary & Secondary Levels. As a first step towards better health care at primary and secondary level, a separate department was created by bifurcating the Health department into two departments Specialized Health Care & Medical Education Department and Primary & Secondary Health Care (P&SH) Department. The principle reason for bifurcation has been to improve governance and service delivery in the spheres of health care across the province. Primary and Secondary Health Care Department has been entrusted the responsibility of primary and secondary level health facilities including preventive health services and Vertical Programs. P&SH Department accordingly has its functional responsibility in respect of 26 District Headquarter Hospitals (DHQs), 129 Tehsil Headquarter Hospitals (THQs), 322 Rural Health Centers (RHCs) and 2,504 Basic Health Units (BHUs). Moreover, specialized programs like Expanded Program for Immunization (EPI), TB Control (DOTS), Hepatitis Control Programs as well as special campaigns such as Dengue Campaign, Polio Eradication Campaigns also fall in purview of the department. The establishments like Director General Health Services (DGHS), Drug Testing Labs (DTLs) and Biomedical Engineering Workshops also assist the department in discharge of its functions efficiently. Establishment of Internal delivery Unit at Primary and Secondary Health Care Department has been aimed for institutional strengthening and capacity building of Primary and Secondary Health Care Department. Monitoring and follow up remains one of key ingredients for good governance and is at heart of all management models. Therefore, an Internal Delivery Unit, comprising well qualified and experienced persons, is being established within P&SH Department. Internal Delivery Unit shall be manned with qualified and experienced consultants. Internal Delivery Unit shall be responsible for every such task needed to strengthen the PSHD which may range from operational matters to monitoring e.g. tracking pace of all initiatives of the Department through the process such as tracking procurement of medicines by districts, procurement of vaccine by Director EPI, pace of various development schemes and performance of Drug Testing & Bio-mechanical Labs etc.

The basic mandate of Primary & Secondary Health Department is to focus on preventive health care in primary sector along with basic diagnostics and treatment facilities at secondary level. The context is to primarily lessen the load on tertiary care health establishments and to reduce treatment costs. The major challenge for Primary & Secondary Health Department is to boost the confidence of masses and raise the level of trust in the primary health care system. The reality is that most of the health care establishments at secondary level are not currently providing health care services up to the optimal level, owing to a myriad of reasons including heavy patient load, scarcity of resources, human resource constraints and dysfunctional biomedical and allied equipment.

Due to lack of structured planning and monitoring, previous efforts did not materialize into an integrated health care regime, rather these have resulted in haphazard construction, poor repair and maintenance, lack of basic amenities, absence of waiting areas, substandard diagnostics and therapeutics, shabby outlook and suboptimal level of patient care over all. Such state of affairs has severely jolted level of trust in health care system by common man and hence the patients prefer to visit tertiary level hospitals or even private health facilities for treatment of even very common pathologies. This subsequently has a cascade effect on socioeconomics of common man who has to spend more in shape of travelling from villages to district headquarters and then bearing costs of private treatment, secondly, this has also increased disease load on our tertiary health care establishments.

Keeping in view this importance of primary and secondary health care, the department decided to launch massive revamping program for all DHQs and THQs all over the Punjab.

5.2 Project Management Unit (PMU), Primary & Secondary Healthcare Department

In order to successfully complete the program objectives in the given timeframe, it is imperative to establish a dedicated Program Management Unit (PMU) having technical and administrative expertise and autonomy, as the regular machinery of the department is too busy with the routine work and cannot successfully steer the program. The PMU is responsible for the successful implementation of the Revamping Program through completion of all related projects. After the implementation of all these projects, the Primary & Secondary Healthcare network will be improved. The PMU shall ensure that the DHQ & THQ hospitals have a well-constructed physical infrastructure with vibrant management model for efficient service delivery and improved processes to focus on patient distress in prompt manner. It adheres to Minimum Service Delivery Standards (MSDS) to address the patients' needs in the most efficient and systematic manner.

In this regard, a dedicated team of Project Management Unit (PMU) has been established to execute the project. PMU's office is located at 31-E/1, Shahrah-e-Imam Hussain, Gulberg-III, near Qaddaffi stadium, Lahore. It is headed by a Project Director with a committed team comprising of Deputy Project Director, Finance and Administration, ICT), Project Managers, Project Officers, Engineers, supporting administrative and technical staff, experienced and qualified Health consultants., Directors (Operations, Human Resource & Planning and infrastructure, Outsourcing) as well as Procurement Specialist.

5.3 Infrastructural Interventions

The construction of various new blocks of hospital complex is constructed without any proper planning and necessary connection to existing blocks. On the whole, the complete infrastructure of hospital is quite complex and scattered, access to various blocks of hospital is quite inadequate and there is no proper connection or link between different blocks of hospital. In the revamping program of

DHQ and THQ Hospitals, the placement of various facilities of hospitals are replanned keeping in view the layout of existing blocks for facilitation of patients and some modifications/alterations were proposed in the blocks for necessary link or connection between the blocks.

Major infrastructural interventions can be divided in the following four categories

- **5.3.1 External Development**
- **5.3.2 Internal Development**
- **5.3.3 Medical Infrastructure Development**
- **5.3.4 Emergencies Development**

5.3.1 External Development

5.3.1.1 External Platforms

In order to improve the communication between blocks, necessary interventions are taken to improve the existing internal metaled road network. Moreover, new internal metaled road network is also designed and proposed to access the blocks of hospital accordingly. Despite the improvement in metaled road network, external platforms except metaled road is also designed and proposed for patients to access the blocks by simply walking among the blocks.

5.3.1.2 Façade Improvement

In order to improve the aesthetics of hospital, façade uplift with aluminum composite panels with aluminum cladding, false steel structures, façade aluminum windows and aluminum doors are designed in order to give the feel of modern architectural era.

5.3.1.3 Sewerage System

The most important entity of a hospital lies in its cleanliness. Infrastructural interventions to keep the hospital clean were taken in the form of improvement of sewerage system of the hospital. These interventions include the re designing of sewerage system, construction of new manholes, laying of new sewer lines and connection between trunk sewer and hospital sewer.

5.3.1.4 Landscaping (Horticulture)

Landscaping in hospital adds aesthetic & beauty to the built environment as well as improves in reducing the pollution. Soft & hard landscape reduces dust particles moment in air, hence contributes in a clean environment. The hours spent

in a hospital can be stressful for patients, staff and visitors. According to research easy access to a natural environment can contribute to stress management and potentially improve health outcomes: physiological studies indicate that 3-5 minutes spent in such Hospital Outdoor Landscape Design environments reduces anger, anxiety and pain and induces relaxation. Research also shows that "positive distractions" can reduce stress and their visual forms include gardens, scenic views and artwork, which play a critical role in modern hospital design: gardens, fountains, and water features provide patients, staff and visitors with restorative experiences of nature. In this regard complete lawns development, placement of benches, dust bins, playing equipment, fruit trees, flower plants, fruit trees and gazebos are proposed in all hospitals under revamping program

5.3.1.5 Water Filtration Plant

In the modern era, the access to clean water for everyone is becoming rare day by day. Especially in hospitals, the supply of water free from any harmful impurity is one of the most basic needs. To cope up with this problem water filtration system according to the existing nature of water is designed and water filtration plant is proposed accordingly. For ease of patients, drinking water supply network was designed to provide filtered water in wards and in various drinking stations within the hospital building

5.3.1.6 External Electrification

One of the major hindrances in functionality and ineffectiveness of electro medical equipment and other facilitating electrical appliances is either interrupted power supply or power supply with lesser voltage than required. This problem was solved by providing express line or dual electrical supply in all hospitals under revamping. Despite these two facilities based, on the current and proposed electrical load of hospital new transformers were proposed to step down the voltage to desired level and complete generator backup system was designed and generators along with automatic transfer switches were proposed accordingly. Moreover, to fully lighten up the hospital for proper utilization of all facilities of hospital during the low/no-light hours of the day, external pole lights to lighten up the pathways and garden lights to lighten up the lawns were designed and proposed.

5.3.1.7 Parking and Waiting area

Non-clinical facilitation of patients and attendants were specially considered in the revamping program. One such facilitation step is designing the parking and waiting areas on basis of daily influx of vehicles and patients/attendants during the

peak hours. <u>Parking and waiting areas</u> on several places of hospital were then proposed according to the design.

5.3.1.8 External Signage

<u>Eexternal signage system</u> is designed including various signage types for complete guidance of patient attendants and to search concerned facility promptly.

5.3.2 Internal development

5.3.2.1 Aesthetic improvement

In order to improve the aesthetics of hospital wards, corridors, rooms and toilet blocks, flooring and dado design of suitable material in these areas is proposed. Despite of aesthetics, the material of flooring and dado design were chosen to provide ease in cleaning process. For further improvement in aesthetics, paint on exterior and interior part of the hospital, poly-vinyl chloride paneling to conceal the dampness damaged areas and steel cladding of columns are proposed.

5.3.2.2 Ramp and Stretcher improvement

For hospitals having more than one floor, there is a huge problem of patient transfer with stretcher. This problem is solved by proposing new ramps/stretcher ways where needed. Moreover, in order to further improve the communication between various floors of hospitals improvement of stair cases with hand rail or guard rails is proposed.

5.3.2.3 Seamless flooring and Lead Lining

To keep high risk areas like Operation theaters, I.C.U, C.C.U, and Gynecology Operation Theater bacteria free is one of the basic medical practices. In the revamping program of hospitals low epoxy paint is proposed in these areas to provide seamless flooring so that the bacterial growth within the groves can be prevented. Moreover, to make the X-Ray rooms radio-resistant and to keep the patients away from the harm of rays, interventions are taken in X-ray rooms regarding provision of lead lining in walls, ceiling and floor.

Interventions were taken regarding hazardous radiation emitting areas to make them radio-resistant in order to keep patients/attendants away from harmful radiations. These interventions were in the form of provision of lead lining in ceiling, walls and roofs of X-Ray rooms.

5.3.2.4 Aluminum doors and windows

In order to make sound and heat proof the doors and windows of wards, corridors and major health facilities are proposed as aluminum doors and windows. Which despite of above benefits are also aesthetically pleasing. Corridor wire mesh windows and rolling blinds for windows are proposed in order to invite or stop the day light within the wards according to the requirement. Moreover, existing wooden doors having shabby and dirty look are proposed to be re-polished and washroom doors are proposed to be replaced with PVC doors to make them resistant against water.

5.3.2.5 Improvement of washroom blocks

The area of hospital which can be dirty at most is its washroom or toilet blocks. To improve the cleanliness of hospital the special interventions were taken regarding the renovation of toilet block of hospital. This renovation includes the re tiling of existing damaged flooring and skirting and addition of water closets etc.

5.3.2.6 Facilitation of attendants and patients

The facilitation of attendants is also one of the most basic things to be provided in the hospital. The facilitation of attendants contributes towards the facilitation of patients. In order to facilitate the attendants, pantries are designed at that location of hospital where attendants can be effectively facilitated. These pantries include stoves and washing machines. Moreover, it is also very important to educate the patients and attendants regarding the seasonal and general diseases along with its cure and prevention. Installation of LED televisions in various locations of hospitals especially in wards and waiting areas is also proposed in the design in this regard.

5.3.2.7 Furniture and Fixtures

One more step towards the facilitation of attendants or patients is placement of benches in waiting areas. The most rush positions of hospital are chosen in this regard and placement of benches is designed according to the patient number and flow. In order to improve the efficiency of consultants or doctors, interventions regarding the renovations of doctor or consultant office are designed in this regard. The doctor room furniture is designed for this purpose keeping in view the existing area of room and necessary required equipment. To carry and dispose of the medical and general waste material of hospital, waste bin sets are designed to place at various positions of the hospital. These positions are marked by keeping in view the general circulation of the public and sensitivity of the area.

5.3.2.8 Air Conditioners, Refrigerators and LEDs

According to the different standards, there is a separate requirement of temperature to control the environment of particular place with respect to the nature of facility. In this regard, air conditioners are proposed according to the required tonnage of the specific area. For better efficiency and performance delivery, cabinet air conditioners are proposed in the wards and other facilities having larger areas. The maintenance and repair services of these air conditioners are outsourced so that uninterrupted performance can be delivered. For further facilitation of patients and attendants, placement of refrigerator is proposed on each nursing counter. These refrigerators are proposed for items requiring specific temperature for storage purposes. LEDs will also be placed at various points to facilitate the patients and attendants.

5.3.2.9 Internal Signage and Paintings

As described earlier, the information regarding the positions of major health facility especially emergency and labor room etc. is very much essential for any person entering inside the covered area of hospital. For these purposes, different types of signage are proposed including corridor hanging signage, floor map boards, room numbers and room names plaques. For general information duty rooster boards, janitorial station signage, waste bin set signage, emergency exit signage.

Different kinds of paintings are designed according to the nature of area where it is desired to be fixed. These paintings are beneficial in a sense that it improves the aesthetics of hospital and moreover, such painting patterns are designed so that it give the relaxation and soothing feelings to aid in the healing of patients. Moreover, in order to create a healthy, positive, entertaining and friendly environment for interest of children, paintings on children wards is proposed.

5.3.3 Medical Infrastructure Development

To cope with the emergency condition of clinically serious patient, oxygen supply system is designed by proposing an individual oxygen supply system for each major health facility. This oxygen supply network comprises on copper pipe line, flow meter with bed head units, cylinders and setup and individual central oxygen supply system. The contract of filling of oxygen gas in cylinders is outsourced for uninterrupted oxygen gas supply to the patients.

For patient receiving, information, guidance, appointment or for any other task, separate reception counters are proposed in various blocks so that, all necessary information regarding the block is available on the counter round the clock. In this way, utilization of clinical facilities will be optimized. For indoor patient department, complete facilitation and care of patients admitted in wards is ensured

by proposal of nursing counter in each ward. This nursing counter will be placed or constructed in such a placement that each bed can be monitored by the nurse available.

The design regarding architectural planning of above mentioned facilities are designed according to the patient facilities and architectural planning standards. These designed facilities are then designed in the existing building structure according to the patient flow and sensitivity of facility.

5.3.3.1 Emergency Department:

All THQS and DHQs are already providing emergency services to critical ill patients. As far as the existing sources including human resources & equipment are not sufficient to fulfill the requirement. Primary and secondary healthcare department is going to take the initiative to improve emergencies of hospitals by providing new equipment and human resource in form of recruitment of doctors, nurses and paramedical staff along with Infrastructure of Causality Department. Ultimate goal of revamping of emergencies is to enhance the quality of medical services to critical ill patient in golden hour to decrease the mortality and morbidity rate in causality department of each hospital.

5.3.3.1.1 General Overview of Emergency Department

In any hospital, the most important and critical area is its emergency block. Specially, if hospital is situated on a highway where there is a huge flux of rapidly moving traffic which can be a major source of causalities, if patient treatment is not proper. Besides road trauma cases, cardiac cases and burn cases etc. are also more likely to be initially treated in emergency. Proper first aid to patient reduces morbidity and mortality. The emergency department of hospital is a block where in time service delivery is so much essential that delay in proper treatment can cause lot of lives to suffer from serious diseases for rest of their life. In a nutshell, the efficiency and in time service delivery of emergency block depicts the overall efficiency of the hospital.

In order to improve the emergency department and to ensure in time service delivery of the same, special initiatives are being taken in this regard. Infrastructure of emergency department depends a lot on its service delivery and efficiency. An emergency department with all necessary medical and general equipment and equipped with all essential medical facilities but without ineffective and poorly planned infrastructure will never fulfill its need. Conclusively, such infrastructural interventions are planned in this program so that the efficiency of emergency department can be optimized. Some of the following major interventions are listed below:

5.3.3.1.2 Position of Emergency Department

It is planned that new construction of building should be avoided at most because already existing blocks with no proper utilization are existing in all of the hospitals. The emergency block should be on such a location that the distance between that department and main entrance gate should be minimum with respect to other locations or positions of complex. To fulfill this purpose, that portion of this building block is selected for re planning of emergency department which is most near to the entrance gate. The far positioning of emergency department will result the lost in time for patient during its travelling which can be crucial.

5.3.3.1.3 Access towards the Emergency Department

The route leading towards the emergency department is important in this aspect that a smooth track and a widened path will be feasible for the movement of vehicle or stretcher. Initiatives are taken in this program for construction of new pathways or renovation of existing ones leading towards the emergency department. Such material of the external platform is selected so that a smooth movement should be observed over it rather than jerks bumps. Moreover, the width of the passage from entrance gate up to emergency department is designed by keeping in view the flux of the vehicles rushing towards the emergency block.

5.3.3.1.4 Medical Infrastructure Emergency:

The existing emergency department or other block of the hospital according to its access from entrance gate, is designed and re planned according to the above described emergency facilities. The changings or amendments in the existing covered area of the hospital are proposed according space availability. Due to the rush of patients and increased number of minor surgeries performed in the emergency department make it one of the dirtiest department of the hospital. Hence, in this regards it is very much essential to keep the floors of certain area of emergency department bacteria free. Seamless flooring is proposed in this regard to avoid the groves so that the cleaning process can be made easy. Low epoxy paint is designed and proposed in this regard on Minor OT, Gurney area and specialized healthcare unit.

Provision of medical gasses is essential to facilitate the patients suffering from breathing issue due to some disease and ailment. The filling process of oxygen in the cylinders is outsourced to ensure the continuous supply of the oxygen among the beds. The oxygen system comprises on copper pipe, central oxygen supply system for pressure maintenance, oxygen cylinders and flow meter with bed head units.

5.3.3.1.5 General Building Interventions:

In order to improve the over building condition of emergency blocks following major interventions are taken:

- 1. Provision of flooring and skirting
- 2. Painting on interior and exterior side of department

- 3. Provision of false ceiling
- 4. Replacement of damaged and renovation of existing wooden doors
- 5. Provision of aluminum doors and windows
- 6. Public health work regarding supply of water and gas along with improvement of sewerage system
- 7. Provision of LED panel lights, ceiling fans, exhaust and wall bracket fans
- 8. Improvement of existing wiring and distribution including replacement of damaged equipment and proposal of new equipment

5.3.3.2 Monitoring and Quality Assurance (Process Interventions)

During construction phase, "Construction Supervision" will be carried out by the Procuring Agency (Director Infrastructure) along with Punjab Buildings department (C&W D) who will certify construction activity.

5.3.3.2.1 MSDS (Minimum Service Delivery Standards)

MSDS are minimum level of services, which the patients and service users have a right to expect. MSDS include minimum package of services, standards of care (level specific) and mandatory requirements/systems for delivery of effective health care services. The World Health Assembly in Alma-Atta in 1978 expressed the need of action to protect and promote the health for all the people of the world. Essential health is to be made universally accessible to individuals and families through their full participation and at a cost that the community and country can afford. MSDS is now being deemed to be of vital importance at Secondary HealthCare level. The THQ hospital provides promotive, preventive, curative, diagnostics, in patients, referral services and also specialist care.

THQ hospitals are supposed to provide basic and comprehensive EmONC. THQ hospital provides referral care to the patients including those referred by the Rural Health Centers, Basic Health Units, Lady Health Workers and other primary care facilities. The District Head Quarters Hospital is located at District headquarters level and serves a population of 1 to 3 million, depending upon the category of the hospital. The THQ hospital provides promotive, preventive, curative, advance diagnostics, inpatient services, advance specialist and referral services. Services package and standards of care at SHC level are also not well defined. Deficient areas include: weak arrangements to deal with non-communicable diseases, mental, geriatric problems and specialized surgical care especially at THQ. There is disproportionate emphasis on maternal and child health services at SHC facilities. Services-package being provided at PHC and SHC are also deficient in terms of Health care providers' obligations, patients' rights and obligations.

MSDS umbrella is very vast and it requires a very extensive and planned approach towards, gap analysis, planning, development, implementation,

monitoring and evaluation. MSDS comprises of 10 thematic area, 30 standards and 162 indicators. Government of Punjab has taken an initiative to standardize all hospitals of Punjab in accordance with Punjab Health Care Commission Minimum service delivery standards. PMU team segregated MSDS indicators into various targets and sub-targets to make these targets achievable. Manuals for both clinical and non-clinical specialties are being prepared comprising of departmental organizational plan, criteria for essential human resource, essential equipment, general and specialized SOPs, departmental safety guidelines etc. Standardized Medical Protocols (SMPs) are standard steps to be taken by a health facility during medical or surgical management of a patient. Standard Operating Procedure (SOPs) are detailed description of steps required in performing a task including specifications that must be complied with and are vital to ensure the delivery of these services .It requires literature review, departmental view, facility visits, consultative visits and development of action plan for implementation of MSDS. Effective MSDS implementation requires essential documentation. Documentation is a key for record keeping, monitoring and auditing. For this purpose, registers, forms, displays have to be designed with coding for effective tracking. In addition to this it also requires analysis from field from utilization point of view.

Displays constituting of public serving messages, health related information and general facility related guidelines. In order to monitor effective implementation, compliance monitoring is required to be carried out by field experts which is followed up by further planning to ensure continuous delivery of effective, accessible, continuous and quality services to masses in uninterruptable manner.

MSDS implementation is a complex procedure. Because it requires

- 1. Capacity building for understanding, development and continuous implementation of MSDS.
- 2. Ecosystem for establishing its implementation by full cooperation, collaboration, commitment of
- 3. Continuous monitoring
- 4. Continuous audit
- 5. Continuous training, refresher courses with purpose of reinforcement
- 6. Continuous quality improvement
- 7. Continuous Strengths, Weaknesses, Opportunities, and Threats (SWOT) analysis and gap identification
- 8. Continuous strategy making and implementation with backup plan for secondary options.
- 9. Responsibility designation for clinical and non-clinical procedures and activities.
- 10. Effective utilization, calibration and maintenance of equipment with record maintenance and their audit
- 11. Establishment of plans, implementation, analysis of gaps with alternate planning regarding fire evacuation plan, hospital inflectional control plan, hospital operational and

strategic plans, disaster plan both internal (partial / complete) and external.

The PDSA cycle

- 1. Developing a plan to test the change (Plan),
- 2. Carrying out the test (Do),
- 3. Observing and learning from the consequences (Study), and
- 4. Determining what modifications should be made to the test (Act).
- 5. Monitoring effective load sharing of Human resource and equipment within hospitals.
- Addition of new HR/ rationalization on requirement of MSDS indicator compliance for effective departmental organization and their planned trainings by MPDD, UHS ETC
- 7. Standard optimization of Standard operating procedures and methods for their effective adoption by hospital human resource.
- 8. We have also extended our MSDS implementation in 20 more departments such as dentistry, ICU, CCU, Dialysis, mortuary, burn unit, physiotherapy, orthopedics, medicine, nursing, paeds, ophthalmology, derma, TB, urology, patient transfer system, store and purchase, audit and accounts, procurement, planning etc. We are also in process of preparing manuals, SOPS, plans, universal forms, and universal registers with universal tracking system of record.
- 9. We have developed an application for continuous monitoring of MSDS compliance.

Health managers are considered essential at both the strategic and operational levels of health systems. To gain an initial understanding of the management workforce for service deliver. Every health system desires managers who are competent and have the knowledge, skills and demeanor to be effective. The performance of health services managers will depend in part on how certain standard support systems function. Even good managers will have problems if procedures for running finances, staff, etc., are not working well. Functional systems should have clear rules and regulations, good guides and forms, effective monitoring and supervision and appropriate support staff, e.g. account staff, supplies and information staff and secretarial support A health manager is supposed to be competent in planning, budgeting, financial management systems personnel management systems, including performance management, procurement and distribution systems for drugs and other commodities, information management and monitoring systems, systems for managing assets and other logistics, infrastructure and transport. Support systems help to ensure uniformity in management practices and ensure that management and administrative systems function and get results.

5.3.3.3 Laboratory

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the Laboratory in THQ hospitals. Majority of patients are suffering problems some time life threatening phases due to delay in diagnosis and treatment according to diagnosis in case of lack of laboratory in vicinity.

5.3.3.4 X-Ray

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the Radiology unit in THQ hospitals. Majority of patients are suffering problems some time life threatening phases due to delay in diagnosis and treatment according to diagnosis in case of lack of Radiology unit in vicinity. A healthy human being enables not only nutrition of the physical body but also enhances social interaction and promotes self-esteem and feelings of self-esteem and feelings of wellbeing. The radiology equipment serves as a "window "to the patient treatment regarding the body.

5.3.3.5 CCU

Understanding these ground realities Primary and Secondary Healthcare Department, Government of the Punjab has decided to establish coronary care units (CCU) in THQ hospitals as a part of its Revamping Program. This will improve the quality of healthcare and timely provision of life saving treatment will be possible to large number of patients. A coronary care unit (CCU) is a special department of a hospital or health care facility that provide coronary care to patients. Coronary care units cater to patients with severe and life-threatening cardiac illnesses and which require constant, close monitoring and support from specialized equipment and medications in order to ensure normal bodily functions.

Coronary care units are staffed by highly trained doctors and nurses who specialize in caring for cardiac patients. They are also distinguished from normal hospital wards by a higher staff-to-patient ratio and access to advanced medical resources and equipment that are not routinely available elsewhere. Common conditions that are treated within CCUs including angina, myocardial infection, cardiac arrhythmia, cardiac shock etc. Patients may be transferred directly to coronary care unit from an emergency department or from a ward if they rapidly deteriorate, and immediately require cardiac care treatment.

5.3.3.6 Dialysis Unit

Chronic kidney disease is now a significant public health problem worldwide. Chronic kidney disease globally affects almost 10 % of general population with Incidence in prevalence of disease are still rising especially in

developing countries .The rise in chronic kidney disease is by aging of the populations and growing problems of obesity, diabetes, high blood pressure and cardiovascular diseases.

Tehsil head Quarter Hospital (THQ) serve large catchment populations of the district and provide a range of specialist care in addition to basic outpatient and inpatient services. Patient who are in need of dialysis, are referred to tertiary care hospital due to non-availability or insufficient number of dialysis machines. Patient's condition not only deteriorate but also compromise the effectiveness of life saving intervention due to approaching to other cites or to costly private setups of dialysis. Primary and Secondary Healthcare Department has decided to establish & strengthening already existing 5 bedded dialysis unit at THQ hospitals. This will improve the quality of healthcare and timely provision of life saving treatment will be possible to large number of patients.

Dialysis unit is a special department of a hospital or health care facility that provides a lifesaving support to patients with chronic renal disease along with pre-existing diseases like diabetes, hypertension, ischemic heart disease to ensure normal bodily functions. Dialysis units are staffed by highly trained doctors, dialysis technicians and dialysis nurses who have done specialized training in caring for such patients. Patients are usually admitted from out door and often from emergency and registered for their timing and schedule of dialysis because these patients are given regular appointments twice or thrice a week as per defined by nephrologist/physician.

5.3.3.7 Labor Rooms/Nurseries

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the Labor Rooms/Nursery unit in THQ hospitals.

5.3.3.8 Operation Theater

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the Operation Theater in THQ hospitals. Majority of patients are suffering problems some time life threatening phases due to delay in treatment according to diagnosis in case of lack of Operation Theater in vicinity.

5.3.3.9 Orthopedic unit

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the orthopedic unit in THQ

hospitals. Majority of patients are suffering problems some time life threatening phases due to delay in diagnosis and treatment according to diagnosis in case of lack of orthopedic unit in vicinity.

5.3.3.10 Gynecology Department

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the gynecology unit in THQ hospitals. Majority of patients are suffering problems some time life threatening phases due to delay in diagnosis and treatment according to diagnosis in case of lack of gynecology unit in vicinity.

5.3.3.11 Surgical Unit

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the surgical unit in THQ hospitals. Majority of patients are suffering problems some time life threatening phases due to delay in diagnosis and treatment according to diagnosis in case of lack of surgical unit in vicinity.

5.3.3.12 Intensive Care Unit (ICU)

Tehsil Headquarter Hospitals (THQ) serve catchment populations of the whole Tehsil (0.5-1 million) and provide a range of specialist care in addition to basic outpatient and inpatient services. They typically have about 80 to 150 beds and a broad range of specialized services including surgery, medicine, paediatrics, obstetrics, gynaecology, ENT, ophthalmology, orthopaedics, urology, neurosurgery etc. Patient who are in need of intensive care are usually referred to tertiary care hospital but due to long distance they had to travel and time consumed on road due to heavy traffic and other unavoidable circumstance ,patient's condition not only deteriorate but also compromise the effectiveness of life saving intervention. Understanding these ground realities Primary and Secondary Healthcare Department, Government of the Punjab has decided to establish intensive care units (ICU) in THQ hospitals as a part of its Annual Development Plan. This will improve the quality of healthcare and timely provision of life saving treatment will be possible to large number of patients.

Primary and Secondary Healthcare Revamping programme (PSHRP) is the initiative by the Chief Minister of Punjab to strengthen the healthcare delivery system in the province Acquisition of licenses for all THQ Hospital by developing and implementing uniform set of standard Operating procedures (SOPs) & standard medical protocol (SMP) for compliance to MSDS of PHC is planned as a part of PSHRP.

An **intensive care unit (ICU)** is a special department of a hospital or health care facility that provides <u>intensive treatment medicine</u>. Intensive care units cater to patients with <u>severe and life-threatening</u> illnesses and injuries, which require constant, close monitoring and support from specialized equipment and medications in order to ensure <u>normal bodily functions</u>. Intensive care units are staffed by highly trained <u>doctors</u> and <u>nurses</u> who specialize in caring for critically ill patients. They are also distinguished from normal hospital wards by a higher staff-to-patient ratio and access to advanced medical resources and equipment that are not routinely available elsewhere. Common conditions that are treated within ICUs include <u>ARDS</u>, <u>trauma</u>, <u>multiple organ failure</u> and <u>sepsis</u>. Patients may be transferred directly to an intensive care unit from an <u>emergency department</u> if required, or from a ward if they rapidly deteriorate, or immediately after surgery if the surgery is very invasive and the patient is at high risk of complications.

5.3.3.13 Mortuary Unit

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the mortuary unit in THQ hospitals. Postmortem or autopsy is a part of medico legal investigation into a death which is conducted by a judicial medical officer. Realizing the problems countered medico legal process focusing on following important areas;

- 1. Improving quality and motivation levels of human resource conducting medico legal Examination.
- 2. Improve methods to collect and preserve samples so that so that these may best be available for further forensic analysis.
- Improving physical infrastructure at tehsil level to provide enabling environment for better conduct of medico legal cases including improvement in state of mortuaries at tehsil level.
- 4. Improvement in legal framework including improved forms.

5.3.3.14 Dental Unit

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the dental unit in THQ hospitals. Majority of patients are suffering problems some time life threatening phases due to delay in diagnosis and treatment according to diagnosis in case of lack of dental unit in vicinity.

5.3.3.15 Physiotherapy Unit (33 THQ Hospitals)

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the physiotherapy unit in all THQ hospitals. Majority of patients are suffering problems some time life threatening phases due to delay in diagnosis and treatment according to diagnosis in case of lack of physiotherapy unit in vicinity.

- 1. Physiotherapy is a "science of healing and art of caring". It pertains to the clinical examination, evaluation, assessment, diagnosis and treatment of musculoskeletal, Neurological, Cardio-Vascular and Respiratory systems 'functional disorders including symptoms of pain, edema, and physiological, structural and psychosomatic ailments. It deals with methods of treatment based on movement, manual therapy, physical agents, and therapeutics modalities to relieve the pain and other complications. Hence, Physical therapy covers basic parameters of healing sciences i.e. preventive, promotive, diagnostic, rehabilitative, and curative.
- Physiotherapy practice has a very long history and a modern clinical practice is heavily reliant on research and evidence based practice. The Primary and Secondary Healthcare Department Government of Punjab attests to this commitment by adopting and promoting the Standards of Practice for Physiotherapy.

Importance of Physiotherapy and Rehabilitation department

- Physiotherapy provides services to individuals and populations to develop maintain and restore maximum movement and functional ability throughout the lifespan. This includes providing services in circumstances where movement and function are threatened by aging, injury, disease or environmental factors. Functional movement is central to what it means to be healthy.
- 2. Physiotherapy is concerned with identifying and maximizing quality of life and movement potential within the spheres of promotion, prevention, treatment/intervention, habilitation and rehabilitation. This encompasses physical, psychological, emotional, and social wellbeing. Physiotherapy involves the interaction between physical therapist, patients/clients, other health professionals, families, care givers, and communities in a process where movement potential is assessed and goals are agreed upon, using knowledge and skills unique to physical therapists.
- 3. The proposed project entails setting up a Physiotherapy and Rehabilitation Department. Being one of the major players in human service sector, rehabilitation Departments provide a wide range of services relating to physical impairments and disabilities of all age groups. These services range from assessment, evaluation, diagnosis, treatment and plan of care of individuals, from newborns to the very oldest, who have medical problems or other health-related conditions that limit their abilities to move and perform functional activities in their daily lives. These services will be provided by qualified Physiotherapists Consultants. Our consultants

examine each individual and develop a plan using treatment techniques to promote the ability to move, reduce pain, restore function, and prevent disability. In addition, our doctor work with individuals to prevent the loss of mobility before it occurs by developing fitness- and wellness-oriented programs for healthier and more active lifestyles. The proposed Physiotherapy and Rehabilitation Department will provide all these services under one roof.

Opportunity Rationale

Due to vast media exposure over past few years, women, as well as men, have become more conscious about their health especially youngsters. In Pakistan, Rehabilitation Clinics and Fitness Centers have grown over the years. It is easy to open GP clinic as space and skill requirement is very basic. But a Rehabilitation clinic provides more professional services with qualified staff including Physiotherapy doctors and experienced support staff and therefore, requires more planning and arrangement. Quite a few Physiotherapy and Rehabilitation Departments have opened in Lahore, Islamabad, Karachi and other relatively larger cities of Pakistan, which are catering to the demand of the people, but still there is a lot of unfulfilled demand as can be judged from excessive rush at the existing Physiotherapy Departments. The patient's ratio and problems with musculoskeletal disorders and neurological disorders are same in the tehsils and districts levels of Punjab. The business is service-oriented and carries large potential for serving poor people due to its unique nature and uncontrolled spreading of joints and muscles, and neurological problems, especially in the areas where our THQ Hospitals are located. There is lot of potential in this domain, especially for those who are committed to providing quality service.

5.3.3.16 Queue Management System (QMS)

OPD in THQ has enormous patient load, due to the only big public sector serving hospital in Tehsils. At the moment the ticket system is prevailing but there is no mechanism to handle that ticket and assign number to the ticket and its being issued in manual format. This will also create dependency on the person issuing the ticket. After getting the tickets, patient will be provided with no guidance on where to go and when his term will come to meet the doctor and get the required service. This will create confusion and delayed service delivery. On the other hand it will waste lots of time on the end of doctor and patient as patient and doctor has no direct liaison with each other. Moreover, patient will again have to be dependent on some person to check that either doctor is free or any patient sitting in his facility. Here again, human intervention and dependency will come into play.

This project basically aims to remove all the human related dependency till the patient reach the doctors. Moreover, it also includes, recording basic information

for a patient and guiding him to the doctors room from registration count to triage without any dependency on hospital staff. This will improve the transparency as per the vision of good governance and serve the patient in an efficient and transparent manner. This will also help the patient in estimating that time estimate till his term which will give him relief and more belief on the fair system. On the other hand doctor will always have an idea that how many patients will be in queue and give him direct liaison with the patient sitting outside.

The need of queue management system is evident in hospital from the fact of lack of proper mechanism of patient queue management at OPD's, human resource deficiency and non-functional equipment. The Implementation of Queue Management System will provide and streamline Patient Queue Management at OPD with Ticket Generation and Display of Numbers on the counters. This will help in maintaining the queue on First IN First OUT (FIFO) basis. The system will also provide the information counter to the general public to educate them in the use of queue management system and short description of the process. After implementation of this system, the incoming patient will be guided in a manner to get the service on his turn without any dependency or interference of an external resource. All will be handled in an automated way with patient are being served at their turn.

The system manages the patients load, organizes the patient's queues in an adequate manner and gives them the ease in waiting area; and they will be examined gracefully by doctors at their turn. Basic information of the patient is also linked with its ticket, being taken at the first counter. This will help established a unique ID against each patient. This will also lead to the establishment of Electronic Medical Record. The Process flow of Queue Management System at THQ is given as follows:

There are 25 counters at THQ level including basic registration counter, triage counter, consultant office and hospital pharmacy. There is one ticketing machine with a bifurcation of male, female and old age person. The ticket will be issued to the relevant category accordingly. After receiving the ticket the said number will be blinked on male, female and old age counter. The person will move to that counter where he will be asked about his basic details which will be entered in the basic registration form software linked with QMS and that specific token / ticket number. He will also be asked about the disease and accordingly the relevant consultant / specialty area e.g. pediatrics, ophthalmology etc. after registering, he will take the printout and give the slip to patient / attendant along with its token number.

The basic fee of OPD will be received at the registration counter and accounted for in the basic registration software linked with QMS. The same token number will be displayed on the triage counter where his vitals will be taken and written on the same registration slip available with the patient. Now, keeping in view the specialty area the token number will be displayed on the relevant consultant office and he will be checked by relevant consultant. The consultant than diagnosed the medicine or either to admit it after his examination. In case of medicine he will be sent to hospital pharmacy where again the same ticket number will be displayed. There have to be an option available with the doctor to either redirect him to the hospital pharmacy or other (medical tests, referred to IPD). On displaying the same token number at pharmacy counter the patient will move to pharmacy counter along with his token number and registration slip and take prescribed medicine. Patient will be disposed from that window and process of QMS will be completed. There will be no entry in the basic registration software on the counters of triage, doctor at the moment. Detail of equipment is attached.

The process described above for THQ will be implemented. The important constraints for the systems are:

- Same token number will be used at all the counters and patient will be getting the ticket from ticketing machine only once at the time of entry.
- 2. QMS will cater for missed, skipped or delayed patient at any counter.
- 3. There will be two LED displayed at different location in the waiting area to guide patients about the process details and to display token number along with announcement in URDU.
- 4. The gap between each display panel from ticketing machine to pharmacy can be customized according to requirement e.g. 5, 10, 30, 60 seconds etc.

5.3.3.17 Electronic Medical Record (EMR)

Establishment of network infrastructure, establishing a central data center, connectivity of different building through fiber, are also the major components of the revamping project in terms of ICT. This will including provision of networking point at all nursing stations and important areas where entries regarding patients' needs to be made e.g. Radiology/Pathology, Indoor, outdoor etc. This will serve as backbone to implement the Electronic Medical Record System in the Hospital which has the key feature of generating Unique Medical Record Number for each patient.

This MR number will serve as an identity for patients during their treatment, retrieval of records and for decision making.

EMR will also be able to log the patient for treatment being provided to him in different areas of hospital i.e. OPD, Pathology, Radiology, Surgery, Indoor, etc. and their integration. This will be achieved by entering the relevant information at each department against specific MR number of a patient in the Customized / Purpose build software (EMR) for these public healthcare facilities.

This entry of MR number against each patient in hospital will build a large database for patient and relevant diseases. This will help in analysis disease / epidemic prevention and better patient care through retrieval of patient history and proper diagnoses at physician end. Implementation of patient registration, Record keeping, physical queue management, E-prescription, supporting IT interventions for EMR and medicine dispensation. Detail of equipment is attached.

5.3.3.18 <u>Video Surveillance through CCTVs</u>

Installation of network based CCTV cameras is an important module in the ICT part of revamping project. Scope of this component is to install 60 to 80 cameras in each hospitals at important location i.e. entry, exit, OPD, waiting areas, Parking for surveillance and security purposes. This will also serve as major input to the security services by Outsourced Security Company in the hospitals. Moreover, there will be small scale central control room at each hospital to monitor the allocated locations where the cameras have been installed. This system will also have the facility to record the video for 15 days for all the cameras so that recording of specific duration can be produced on demand. This will also have the facility of central control room which has the capacity to access the camera of THQ hospitals and to view and monitor the area of specific camera within specific hospital at any given time. Therefore, it will establish a centralized surveillance and security mechanism for these 85 public sector healthcare facilities. Detail of equipment is attached.

5.3.3.19 Medicine Store

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the medicine store in THQ hospitals.

5.3.3.20 Day Care Center

On-site (or near-site) child care would lead to improve workplace satisfaction by allowing employers more frequent contact with their children,

reducing stress and anxiety over scheduling, and potentially providing financial benefit to the hospital. Therefore, P&SH Department has decided to establish the Day Care Center at every THQ Hospital. The Medical Superintendent of the concerned hospital will be the overall in-charge of the Day Care Center.

5.4 Out Sourcing of Non Clinical Services

It was planned to provide Outsourcing of following Non-clinical services through development Budget later on decided to shift to non-development Budget as per the decision of progress review meeting chaired by the Chairman P&D Board dated 01-01-2018 w.e.f. 30-06-2018:-

- 1. Janitorial services
- 2. Laundry services (On hold)
- 3. MEPG Services
- 4. CT scan
- 5. Security

5.4.1 <u>Janitorial services</u>

These services include cleaning of hospitals and its roads and ROW areas. Internal cleaning comprises of complete cleaning along with washrooms cleanliness and material for these services such as hand wash/sanitizer. The Outsourcing is hereby designed keeping in view the sizes of areas assigned to each sanitary worker along with condition and nature of service. Human resources are planned after measuring the total area of hospital, built up area excluding the areas of horticultural land and residential buildings. The workers shall work in three shifts in a day. Half of the total strength of sanitary workers shall work in morning shift due to patients load in OPD. The concerned sanitary work company is bound to provide cleaning services materials and their refilling as and when required.

The companies providing janitorial services will be required to provide quality janitorial services, complete their personnel strength on daily basis which will be ensured through biometric attendance. Also, the companies will be subject to pecuniary penalties by hospital authorities if services provided are not according to the contracts.

5.4.2 Laundry Services

Different models were being applied by the hospital administrations individually which were not properly catering the basic requirement of washing and disinfection of different items used for hospitals. This model includes the initial procurement of different daily use items such as three different colors bed sheets and pillow covers and are to be changed thrice a day. Moreover, the concerned company must provide washing and cleaning services of bed sheets, pillow covers, blankets along with covers, apparels/OT clothes.

5.4.3 MEPG Services

The service of the hospitals is suffering badly due to improper functionality of the existing electrical and mechanical equipment which arises due to lack of maintenance. This model satisfies the need of proper maintenance plan which comprises of regular visits of technicians for looking after of electrical and mechanical equipment and accessories. Outsourcing company will be responsible for immediate response and above mentioned services.

5.4.4 CT Scan Services

CT Scan Services in selected Hospitals of Punjab are also being undertaken as a component of Government's decision to revamp all Secondary Healthcare. The objective of this initiative is to provide high quality CT Scan Services to widely scattered population of low socio-economic groups at their door steps. It will ensure provision of satisfactory diagnose infections, muscle disorders, and bone fractures. The imaging technique of CT Scan can help doctor to study the blood vessels and other internal structures and assess the extent of internal injuries and internal bleeding.


5.4.5 Security

The outsourcing model is designed due to non-provision of security arrangements and improper parking in different areas of premises of hospital. This model consists of guards who shall work in two shifts to provide security and surveillance for complete premises of hospital excluding residential areas. The devices required for this service to operate are arms, walkie talkie, Base set per unit and torch etc.


5.6 HR & Management Interventions Structure

HR Interventions can be broadly classified into introduction of New Management Structure (NMS) staff.

New Organogram of Hospital







5.6.1 <u>Non Clinical HR Interventions (Human Resource (HR) Plan</u> <u>Management Structure)</u>

Institution will run under the administrative control of Medical Superintendent, who will control this with the collaboration and cooperation of 3 Additional Medical Superintendents including AMS (Admin), AMS (HR & Budget) and AMS (clinical), 3 Deputy Medical Superintendents (morning, evening and night) will be reporting to AMS Clinical. Each clinical facility will be further controlled by head of concerned department and 6 administrative posts of HR & Legal Officer, IT/Static Officer, Budget & Account Officer, Admin Officer, Procurement Officer and Audit Officer will be provided as supporting hands for AMS Admin and AMS HR & Budget for smooth execution of hospital tasks.

Responsibilities / Job Descriptions, Eligibility & Financial Implications for Management Structure of Hospital

5.6.2.1 Medical Superintendent

Shall be overall responsible for all the affairs of the Hospital

5.6.2.2 AMS Admin.

Shall be responsible for following functions in addition to his own duties:

- 1. General administration
- 2. IT/Data analysis/statistics keeping (biometric machines, etc.).
- In case of outsourced interventions like QMS/EMR he shall be responsible for enforcement of contract and in case of violation shall ensure action has been taken as envisaged in the contract.
- 4. He shall be responsible for entry of data on Citizen Feedback Model.
- 5. He shall be responsible for ensuring collection of report of actions taken on CFM reports and entry of that on CFM.
- 6. He shall be responsible for implementation of any IT related initiative in the hospital.
- 7. He shall be responsible for better record keeping of hospital
- 8. He shall devise and implement systems for better record keeping of hospital

9. He shall ensure generation of all types of reports/information required of hospital by District Government/P&SHD/any other authorized Public agency

New Management Structure (NMS)

In place of the clerical positions, the P&SH Department has introduced a New Management Structure (NMS), in all District and Tehsil Headquarters Hospitals. The officers recruited as a part of the NMS have a minimum of 16 years of education. Their minimum qualification is MBA / B.Sc. Engineering / M.Com / Pharm-D / M.Cs / LLB / MPA / CA Inter / ACCA / ACMA / Master Degree or equivalent in relevant field etc. Their recruitments were undertaken through a competitive process by a third party testing service.

5.6.2.3 Admin Officer

Shall be responsible for general administrative affairs of hospital along with following functions:

- 1. Security
- 2. Transport
- 3. Parking
- 4. Janitorial
- 5. External housekeeping
- 6. Electrical works
- 7. Internal housekeeping
- 8. Laundry
- 9. Stores & supplies

In case these functions have been outsourced, he shall be responsible for enforcement of these contracts and shall ensure that penalties are imposed in case of violation of contract. In case he fails to enforce contract and the outsourced function is not performed at par as per contract and penalties have not been imposed he shall be liable for non-action. Moreover, only reporting of violation of contract shall not suffice but he has to ensure follow up till the penalty has been imposed and action as envisaged in contract in case of violation has been taken.

Eligibility Criteria

 Minimum qualification Masters' degree in Economics/ Public Administration/ Finance/ MBA Finance/Administration or equivalent from HEC recognized University 2. Minimum 2 years post degree experience of administration (Additional credit may be given for hospital administration/ Public sector administration of similar nature)

5.6.2.4 <u>Human Resource Officer</u>

Shall be responsible for following:

- Issuance of monthly Duty rosters & special duty rosters of Eid,
 Muhurram etc. of all clinical & non-clinical staff in hospital
- 2. Issuance of Transfer/postings orders within hospital
- 3. Taking of joining from new incumbents and charge relieving orders of relinquishing officials
- 4. File maintenance of all employees of hospital
- 5. Record of all enquires of employees of hospital
- 6. Leave record of employees
- 7. Adjustment of officials on duty during leave of concerned employee
- 8. Litigation/ legal issues of hospital (shall ensure all court cases are well attended and all legal matters of hospital are well taken care of)
- 9. Any other HR related function assigned by MS/AMS

Eigibility Criteria

- Minimum qualification Masters' degree in Economics/ Public Administration/ Finance/ MBA HR/Management/ Finance/Administration or equivalent from HEC recognized University
- 2. Minimum 1 year post degree experience of administration (Additional credit may be given for hospital administration/Public sector experience of similar nature)

5.6.2.5 IT/Statistical Officer

He shall be responsible for IT support for all IT interventions in the hospital.

He shall be in liaison with HISDU, P&SHD for proper reflection of hospital record on HISDU dashboard. In case there is any discrepancy or error he shall resolve the issue. Moreover, he shall be responsible for functionality of all IT equipment.

Eligibility Criteria

- Minimum qualification Masters' degree in Computer Science or equivalent from HEC recognized University
- 2. 2 years post degree experience of IT/Data analysis(Additional credit may be given for similar assignment experience)

5.6.2.6 Finance & Budget Officer

Shall be responsible for following:

- 1. Handling of all financial matters of hospital
- 2. Petty cash handling
- 3. Preparation of budget
- 4. Budget review
- 5. Maintenance of accounts and record
- Any other function assigned by AMR HR & Finance/MS/P&SHD

Eigibility Criteria

- Minimum qualification Masters' degree in Finance/ MBA Finance or equivalent from HEC recognized University (Additional credit may be given to Charter accountant/ACCA)
- Minimum 2 years post degree experience of Finance, Accounts
 Budget (Additional credit may be given for Public sector experience of similar nature)

5.6.2.7 Procurement Officer

Shall be responsible for following functions:

- 1. Procurement of all kinds for hospital
- Shall be in liaison with P&SHD for procurements being conducted
- 3. Any other function assigned by AMS HR & Finance /MS/P&SHD

Eigibility Criteria

- Minimum qualification Masters' degree in Finance/ MBA Finance or equivalent from HEC recognized University
- 2. 2 years post degree experience of procurement (Additional credit may be given for public sector experience of procurement)

5.6.2.8 **Quality Assurance Officer**

He shall be responsible for quality of all things in the hospital.

Eligible Criteria

 Masters in Total Quality Management / Masters in Public Health/ Masters in Health Administration/ Masters in Hospital Management / Masters in Biochemistry / Biotechnology / Molecular Biology / Microbiology from an HEC recognized University or equivalent.

OR

16 years education along with Post graduate diploma in Total Quality Management/ Post graduate diploma in Health Safety and Environmental Management System / Post graduate diploma in Healthcare and Hospital Management / Quality Assurance or equivalent.

2. Minimum 1 Year post degree relevant experience.

5.6.2.9 Logistics Officer

He shall be responsible for Supply Chain, logistics, fleet, warehousing and inventory management, clearing and forwarding in the hospital.

Eligible Criteria

- 1. M.Sc. Supply Chain Management/ MBA or Equivalent.
- 2. One year experience in Supply Chain, logistics, fleet, warehousing and inventory management, clearing and forwarding.

5.6.2.10 Data Entry Operators (DEO)

Four Data entry operators shall help IT officer in dispensation of his responsibilities.

Eligible Criteria

 Minimum qualification BA / B.Sc / B.COM / BCS or equivalent from HEC recognized University. In case of BA/B.COM candidate must have six months computer course / Diploma.

- 2. Proficient in MS Word/ MS Excel/ MS Power point (additional credit may be given for additional relevant certified computer courses)
- 3. 1 years post degree relevant experience

5.6.2.11 Assistant Admin Officer

Shall be responsible for general administrative affairs of hospital and assist the admin officer.

Eligibility Criteria

- Minimum qualification Masters' degree in Social Sciences/Economics/ Public Administration/ Finance/ MBA Finance/Administration or equivalent from HEC recognized University
- 2. Minimum 2 years post degree experience of administration (Additional credit may be given for hospital administration/Public sector administration of similar nature).

5.7 HR for QMS and MSDS and Day Care Center.

5.7.1.1 QMS Supervisor / Information Desk Officer

Shall be responsible whole QMS networking

Eligible Criteria

- M.Sc. (Comp. Engineering, Electronics, Electrical Engineering, IT, Telecommunication, Com. Science, Software Engineering, MCS), BCS (Comp. Engineering, Electronics, Electrical Engineering, IT, Telecommunication, Com. Science, Software Engineering, MBA, BBA, MPA, IT related 16 years Education.
- 2. Experience in the field of Software/Hardware/Network/DATA Quality Assurance, IT projects, IT enabled organizations, CCTV Control Room monitoring, Call Centre, Networking, Software Development will be considered as an added advantage during interview process.
- 3. Excellent communication Skill (Urdu, English) and IQ level
- 4. Age Limit of 21-28 years for Male & 21-30 years for Female
- 5. Typing Speed: 30WPM.

5.7.1.2 Computer Operators

Eight Computer operators shall help QMS Supervisor in dispensation of his responsibilities.

Eligible Criteria

- Minimum qualification 14 year or Masters' degree from HEC recognized University
- 2. Proficient in MS Word/ MS Excel/ MS Power point (additional credit may be given for additional relevant certified computer courses)
- 3. 35 Word per Minute. Excellent communication in English and Urdu.

5.7.2 Consultants (MSDS) Implementation & Clinical Audit

Eligible Criteria

- 1. MBBS & Masters in Public Health, or equivalent qualification.
- 2. The consultant must have 10 years of hands on experience of third party validation, clinical audit of hospitals, Minimum Service Delivery Standards (MSDSs) implementation / hand holding; Report Writing; working knowledge of international best practices in hospital management will be preferred. Proficiency in MS Office is must. Must have strong communication skills.

5.7.2.1 <u>Terms of Reference (TORs) for Consultants Minimum Service</u> <u>Delivery Standards (MSDS) Implementation & Clinical Audit</u>

Government of the Punjab, Primary and Secondary Healthcare Department (P&SHD) is implementing multiple initiatives to improve the quality of healthcare at DHQ/THQ level across the province. One of the initiatives is Primary and Secondary Healthcare Revamping program which is being implemented by the Project Management Unit (PMU). Currently PMU is also involved in the standardization of quality of care at facility level through uniform set of Standard Operating Procedures (SOPs) & Standard Medical Protocols (SMPs) for compliance. The department intends to make all DHQs and THQ hospitals of Punjab as MSDS compliant which have been devised by Punjab Healthcare Commission.

Punjab Healthcare Commission was established under the PHC Act 2010 as an autonomous regulatory body for health sector; with the purpose of improving the quality, safety and efficiency of healthcare service delivery for all Public and Private Healthcare Establishments (including Allopaths, Homeopaths and Tibbs) in the province of Punjab. The Punjab Healthcare Commission has developed

Minimum Service Delivery Standards (MSDS) for all hospitals to improve the quality of healthcare services all over the Punjab. All Healthcare Establishments are required to implement MSDS to acquire a License to deliver healthcare services in Punjab.

This standardization effort will not only ensure availability of minimum services delivery standards (MSDS), SOPs, SMPs at all levels, but also the other essential inputs for functioning of systems and processes to ensure the smooth and safe delivery of quality healthcare services. These will also create conducive working environment for healthcare providers.

5.7.2.2 Objectives

The objective of this assignment is to implement & check all SOPs, SMPs, Minimum Service Delivery Standards (MSDS) & conduct clinical audit for 125 DHQ/THQ hospitals. Furthermore, the consultant will also monitor ongoing multiple trainings at DHQ/THQ hospitals.

5.7.2.3 Scope of Work

- 1. Develop policy & strategy for clinical audit of 125 hospitals.
- 2. Develop detailed clinical audit plan, with expected deliverables from hospitals. 360 degrees clinical audit.
- Visit DHQ/THQ hospitals, to assess MSDS implementation and detailed report generation with short coming & highlight areas of improvement.
- 4. Review SOPs, SMPs & ISO Standards in hospitals to identify non-compliance.
- Visit DHQ/THQ hospitals to implement clinical audit as per devised strategy, as well as monitoring and implementing MSDS standards.
- 6. Prepare detailed visit reports of clinical short comings; and suggest, and implement improvement plan.
- 7. Monitoring & auditing of patient referral system, detailed report on error and recommendations on rectification of errors.
- Visit DHQ/THQ hospitals to implement clinical audit as per devised strategy, as well as monitoring and implementing MSDS standards.
- 9. Prepare detailed visit reports of clinical short comings; and suggest, and implement improvement plan.
- 10. Monitoring & auditing of patient referral system, detailed report on error and recommendations on rectification of errors.
- 11. Monitoring and evaluation of multiple trainings imparted at DHQ/THQ hospitals.
- 12. Any other relevant task assigned by Project Director/Director Quality Assurance / Project Manager.

5.7.2.4 Reporting Arrangements

 The Consultant (MSDS & Clinical Audit) will report to the Project Director/Director Quality Assurance/Senior Project Manager, P&SHD

5.7.2.5 <u>Duration of Assignment</u>

 The duration of assignment will initially be for THREE MONTHS / 120 DAYS which will be extendable subject to satisfactory performance.

5.7.2.6 Outputs / Key Deliverables

- Study/desk review the relevant Minimum Service Delivery Standards (MSDS) prescribed by PHC & ISO Standards, train the hospital staff/monitor/facilitate their implementation.
- Study/desk review the existing Standard Operating Procedures (SOPs), train the hospital staff/monitor/facilitate their implementation and suggest improvements where necessary.
- Study/desk review the existing SMPs, train the hospital staff/monitor/facilitate their implementation and suggest improvements where necessary.
- Conduct hospital visits of 125 DHQ/THQ hospitals (each DHQ hospital to be visited monthly & each THQ hospital every three months).
- Conduct formal hospital survey for confirming the implementation of MSDS on the relevant Scoring Matrix.
- Submit detailed report of each hospital visit on a standard format prescribed for the purpose.
- Conduct a system, process analysis with special emphasis on clinical audit and submission of detailed report accordingly.

5.7.2.7 Remunerations

- The consultant will be paid amount of Rs. **4500-6500/- per day** with no other benefits.
- All logistics will be arranged/reimbursed by PMU for field visits (accommodation, refreshments etc).

5.7.2.8 Terms of Payment

 Consultant will be paid on monthly basis throughout the contract period.

5.7.3 HR for Day Care Center

5.7.3.1 Manager Day Care Center (DCC)

Shall be responsible for general administrative affairs of DCC.

Eligibility Criteria

- Minimum qualification Masters' degree in Economics/ Public Administration/ Finance/ MBA Finance/Administration or equivalent from HEC recognized University
- 2. Minimum 2 years post degree experience of administration (Additional credit may be given for hospital administration/ Public sector administration of similar nature)

5.7.3.2 Montessori Trained Teacher

Shall be responsible for basic education of children.

Eligibility Criteria


- 1. Minimum qualification BA/BSC or equivalent from HEC recognized University along with B.Ed.
- Minimum 1 years post degree experience of teaching (Additional credit may be given for Public sector teaching of similar nature)

5.7.3.3 Attendant / Care Giver

Shall be responsible for special care of the children.

Eligibility Criteria

Minimum qualification Matric or equivalent alongwith diploma in relevant field



The Planning & Development Board vide letter No.12(24)PO(COORD-II)P&D/2022 dated 14-07-2022 has informed that revised standard pay package were discussed and approved by the 83rd PDWP meeting held on 28-06-2022 under the chairmanship of Chairman P&D Board for all ADP funded Project posts of Department /Organizations working in Government of the Punjab:

Project Pay Scale (PPS)	Revised Project Pay Scales (Permissible Range) (PKR)	Annual Increment Up to % age
PPS-1	28,000 44,800	10
PPS-2	35,00056,000	10
PPS-3	43,750 70,000	10
PPS-4	52,500 84,000	10
PPS-5	70,000112000	10
PPS-6	105,000 172,200	8
PPS-7	157,500258,300	8
PPS-8	218,750358,750	8
PPS-9	306,250502,250	8

PPS-10	437,500700,000	5
PPS-11	612,500 980,000	5
PPS-12	875,0001,400,000	5

In view of the above the Pay package of NMS staff has been revised. Financial Implications of New Management Structure Model based on revised Standard Pay Package (PPS) approved by the 83rd PDWP meeting held on 28-06-2022:

	No. of	Original Pa	ay package	Revised Pa	ay package
Name of Post	Employees	Per Month Salary	Salary for One Year	Per Month Salary	Salary for One Year
Admin Officer	1	80,000	960,000	105,000	1,260,000
Human Resource Officer	1	80,000	960,000	105,000	1,260,000
IT/Statistical Officer	1	80,000	960,000	105,000	1,260,000
Finance & Budget Officer	1	80,000	960,000	105,000	1,260,000
Procurement Officer	1	80,000	960,000	105,000	1,260,000
Quality Assurance Officer	1	80,000	960,000	105,000	1,260,000
Logistics Officer	1	80,000	960,000	105,000	1,260,000
Data Entry Operator (DEO)	2	35,000	840,000	44,000	1,056,000
Assistant admin Officer	2	50,000	1,200,000	70,000	1,680,000
Total	11		8,760,000	849,000	11,556,000

5.8 Other Initiatives:

There are many other initiatives which government plans to undertake in order to improve healthcare services in the province. These include:

- Rehabilitation of Emergency Ward
- Fixture of Benches
- Addition of Bracket Fans/Water Coolers/LCDs with signage
- Supply of Laboratory/ Equipment/USG/ECG etc.
- CCU Improvement
- Installation of Water filtration plants
- Replacement of Bed sheets/Pillows/Matrasses
- Installation of Transformers/Dual Connection
- Improvement of Labor rooms/Nurseries

- Maintenance and replacement of Air-conditioners through Outsourcing
- Blood Bank improvement
- Installation of CCTV Cameras
- Installation of Basic Fire-fighting Equipment
- Up gradation of Pharmacy and medicine Store
- Improvement of Internal Roads and laying of Tough pavers
- External Development
- Rehabilitation of Hepatitis/T.B Control

The PMU is essential to deliver the project end-item within budget and time limitations, in accordance with technical specifications, and, when specified, in fulfillment of project objectives.

5.9 Patient Management Protocol

5.9.1 Emergency:

- 1. Initial reception and computerization of data, issuance of medical record number and preparation of record file.
- 2. Patients seen by C.M.O. initial assessment (brief history and physical examination) is entered on the emergency slip/file initial treatment is started.
- 3. C.M.O calls the medical officer / house officer of the relevant department who takes on of the following action:-
 - Discharges the patient from emergency department after the patient is stabilized (himself or after consultation).
 - ii. Returns the patient in emergency department and inform the consultant or call such patient is either discharged after some time i.e. 2 hours of admitted later on
 - iii. Patient is straight way admitted by the medical officer himself or in consultation with the consultant
- A separate record is maintained by each department. Each patient discusses at the morning meeting and any pitfalls are any pitfalls are corrected.
- 5. The patient who is admitted is again entered into the computer in the ward, complete history and physical examination is carried out and relevant lab & radiological investigations are ordered. (If not already done in the emergency department).

- 6. The definitive management is either started by the medical officer himself or in consultation with the consultant. (Telephone or physically). The patient is prepared for surgery if required.
- 7. At the evening round of the ward, the patients admitted throughout the day (Through OPD or emergency) are seen by the specialist. Appropriate changes in the management are carried out.
- 8. During the night, medical officer & house officer will be on duty and they will remain in contact with consultant.
- 9. In the morning round all the new admissions and old patients are thoroughly discussed management / treatment changed, surgery ordered or discharge ordered.
- 10. The discharge certificate is either prepared by the house officer or medical officer. If prepared by the house officer, it is countersigned by the medical officer

Appropriate changes are made in the computer record after discharge. The file is sent to the central record.

5.9.2 O.P.D:

- 1. After the initial registration and issuance of computerized number patient is sent to the relevant medical officer with the OPD slip/file.
- 2. The medical officer / house officer of the relevant department performs the initial assessment. The medical officer himself advises the treatment / investigation or refers the patients to the specialist or admits the patient.
- 3. After admission. The same routine is followed which has been mentioned in the case of admission through emergency.

5.9.3 Death or End of Life Management.

- 1. The decision regarding resuscitation is made at the initial stages by the medical officer / house officer or specialist in consultation with the patient himself and / attendants.
- 2. The DNR (Do not resuscitate) patients are only seen by the medical officer/ hose officer at the time of death.
- 3. For the patients to be resuscitated, a special code (blue code) is declared when patient go onto cardiac or the terminal events.
- The policy for very sick / terminal and dying patients is formulated at the hospital administration level and appropriate modifications are decided in the relevant department for each patient.

Every death is discussed weekly at the mortality committee at the department and at the hospital level cleared by the Medical Superintendent.

5.9.4 Inventory Control System

The stock keeping and issuance of such items shall also be controlled and monitored through closer supervision and checks and balance system built in the software. The stock and expense of durable and consumable items will be kept in the system and also as hard copies. The main stores computers will be linked with the sub stores computers through networking. The areas like emergency. Outpatient department, Indoor registration desks, Laboratory and Radiology Department, ICUs, etc., will have linkages with the main and sub stores to know about:-

- 1. Stock in hand of various items
- 2. New receipt of these items
- 3. The items which have been issued to other departments
- 4. The Items which are not available
- 5. The expenditure incurred on the purchase.

The budget and details of account shall be linked with the financial control system.

5.9.5 Project Monitoring Committee

A Project Monitoring Committee is proposed hereby as under to monitor the project regarding Revamping of THQ Hospital:

1.	Deputy Commissioner	(Chairman)
2.	District Monitoring Officer	(Member)
3.	Executive Engineer Buildings	(Member)
4.	Assistant Commissioner Concerned	l (Member)
5.	MS THQ Hospital (S	Secretary/Member)

The committee will monitor the progress of the project and will hold regular weekly meeting to review the progress.

5.10 Relationship with Sectoral Objectives

The Government of the Punjab, Primary & Secondary Healthcare Department is in the process of undertaking number of initiatives to improve health care delivery system in the province. The Government of the Punjab is firmly committed to provide health care services at the doorstep of the community through integrated approach. A number of projects to improve emergency health care service particularly targeting on the promptness and quality have been

initiated. Although major focus is on disease prevention and health promotion strategies by providing specialist health care services to victims of various diseases in the patients is one of the top most priority. The instant project will be a major wing to health department with line departments.

Mainly the linkage with social welfare and human empowerment, labour and manpower, Education Department, Special Education, Home of the project will be in a vibrant environment in the holistic manner. The scope of the project itself aims to establish horizontal linkage with all the stakeholders through multisectorial approach. The health care facilities and ongoing services provided in the hospital will seek strength and viability from its linkage and public ownership.

6. DESCRIPTION AND JUSTIFICATION OF PROJECT

6.1 JUSTIFICATION OF PROJECT

attached

1. <u>Description</u>, <u>Justification and Technical Parameters</u>

The scheme has been estimated on face of the factual basic requirements and if needed, alterations and has been quoted in this PC-I. The Population of Tehsil Rojhan District Rajanpur is more than 0.498 million. The area of the THQ Hospital Rojhan District Rajanpur is 148,643 SFT land.

6.1 Description and Justification

The Project Management Unit, Revamping Program, Primary and Secondary Healthcare Department planned to start the 2nd Phase of the said revamping program. The instant PC-I is also meant for provision of requisite biomedical and non-biomedical equipment, Electricity, Furniture & Fixture, Signage, HR and outsourcing of services for THQ Rojhan District Rajanpur.

Revamping of THQ Rojhan District Rajanpur constitutes of value addition in all major domains of the hospital including improvement of Civil infrastructure, addition of water filtration plant facility, value addition in Emergency ward and making the health facility more equipped with modern bio-medical equipment. State of the art furniture and fixtures complemented by interior and exterior decors are also part of this revamping project backed by the thought of dedicated express line of electricity to ensure smooth operations of hospitals will bring the modern health facilities in healthy and comfortable environment at the door step of masses. Introduction of new model of outsourcing of laundry services to ensure provision of neat and clean bed sheets, pillow covers, blankets etc. round the clock is also a part of this project. Fool proof security and adequate cleanliness measures of whole health facility are also proposed in this PC-I.

Civil work component will be carried out through C&W Department instead of District Health Authority for this hospital. Value addition in Emergency block is proposed in four domains i.e. Triage, Minor O.T, Specialized care room and emergency ward. Addition of Water Filtration Plant facility where it is not available as unclean or polluted water is devastating for human health. A key consideration was made while selecting furniture and its compatibility with hospital grade cleaners, detergents and disinfectants. Signage is an effective interface between the user and intended facility. Effective signage promotes the healthcare facility in a patient friendly manner. Access is an important part of quality of care. A crucial aspect for patient satisfaction is their comfort levels with the facility itself i.e. a person's ease in navigating a facility, and the timeliness in receiving care. Clear and proper signage at strategic points helps patients in reaching their destination without losing much of their valuable time and saves lot of their efforts in unnecessary enquiring from persons. In this regard, the Equipment of Emergency, Bio-Medical, Non-Bio-Medical, Electricity, Signage, Janitorial, Security, Laundry, Maintenance of Generator and Horticulture have been added as per actual

requirement of the Hospital. The Equipment of MSDS, IT, Furniture Fixture, Day Care Center, HR, Medical Gases, Cafeteria are fixed in all hospitals as per yardstick established by P& SH Department. Prior to initiation of this exercise standardization of required facilities was done by committee of experts in P & SH Department and on the basis of it, gaps were identified which would be covered under this PC-I.

Justification for 3rd Revision of PC-I

- 1. Originally the Civil work component of the scheme was planned to be executed by the Health Council of the concerned District Health Authority based on cost estimates prepared by the Infrastructure Wing of PMU and approved by the DDSC. Accordingly, funds of Rs.3, Rs.5 and Rs.10 million were provided during FY 2017-18 for the execution of work as per parameters provided to these THQ Hospitals. However, no reasonable revamping civil work was carried out and hence did not fulfil the requirement and the objectives of the Revamping Program. Now P&SHD has decided to carry out further revamping of Civil work through Communication and Works Department Punjab to accomplish the uniformity of THQ Hospitals with already revamped hospitals of Phase-I. Hence the Rough Cost Estimates of the Punjab Buildings Department has been included in the civil work cost of this scheme.
- 2. Primary & Secondary Healthcare Department (P&SHD) made a decision to shift all the clerical posts in DHQ / THQ hospitals of Punjab to District Health Authorities as per notification dated 24th October, 2017. This administrative decision was taken due to a multiplicity of reasons which were adversely affecting healthcare service delivery in the hospitals. Primarily, these clerical posts were not specialized in any particular field, and therefore, the HR hired against these posts were generalized to the extent that they were not able to perform functions of Hospitals and Health Specific tasks that any medical administration should ideally perform. Additionally, public complaints against the clerical staff on issues such as behavior, performance created an environment of malfeasance in all hospitals. In place of the clerical positions, the Department introduced a New Management Structure (NMS), in all District and Tehsil Headquarters Hospitals. The officers/officials recruited as a part of the NMS have a minimum of 16 years of education. Introduction of New Management Structures (NMS) across all secondary hospitals in the Punjab, has allowed for the overall efficiency of District and Tehsil Headquarters Hospitals. In each Tehsil Headquarter Hospital HR under MNS has been provided for smooth running of the health services. Pay Package for NMS Staff was never been revised since 2017-18, therefore it was decided to approach the P&D Department for revision of Pay package. The PDWP approved revised pay page in its meeting held on 08-02-2022 based on PPS approved in 60th PDWP meeting as under: -

	60 th PDWP Me	eting	
Name of Posts	PPS Assigned	Permissible Range (PKR) & Annual increment	Approved Pay Package
HR & Legal Officer, IT & Statistical Officer, Admin Officer, Procurement Officer, Finance & Budget Officer, Logistics Officer, Quality Assurance Officer, Audit Officer and Biomedical Engineer	PPS-6	75,000-105,000 (8% annual incr.)	75,000
Assistant Admin Officer	PPS-5	50,000-75000 (10% annual incr.)	50,000
Data Entry Operator	PPS-3	35,000-55,000 (10% annual incr.)	35,000

Now the Planning & Development Board vide letter No.12(24)PO(COORD-II)P&D/2022 dated 14-07-2022 has informed that revised standard pay package were discussed and approved by the 83rd PDWP meeting held on 28-06-2022 under the chairmanship of Chairman P&D Board for all ADP funded Project posts of Department /Organizations working in Government of the Punjab. Therefore, the revised Pay Package has been incorporated in the revised PC-I.

- 3. As the gestation period of the PC-I till 30.06.2023, therefore, the cost of NMS has been revised for smooth running of the Tehsil Headquarter Hospitals and hence PC-I has been proposed till 30- 06-2025.
- 4. Infrastructure team has conducted the Joint visits with the team of C&W Department. During the field visits, few alterations were recommended by the technical teams which have been incorporated in the Revised Rough Cost Estimates of the subject scheme and have been attached with the PC-I along with comparative statement. Therefore, Civil works component cost has been decreased from Rs. 14.049 million to Rs. 13.978 million due to few changes in the scope and MRS rates (2nd Bi-annual 2022).


85 THQ Hospitals covered under the Program:

The location map of the 85 THQ hospitals that will be taken up for rehabilitation in this program is given below:

PROJECT MANAGEMENT UNIT PRIMARY & SECONDARY HEALTHCARE DEPARTMENT



LOCATION OF DHQ AND THQ HOSPITALS IN PUNJAB



6.2 SECTORAL SPECIFIC INFORMATION

Social Sectors, Health Department

7. CAPITAL COST ESTIMATES

Financial Components: Revenue Grant Number: Development - (PC22036)

Cost Center:OTHERS- (OTHERS) LO NO:LO17010553

Fund Center (Controlling): N/A

A/C To be Credited: Assan Assignment

PKR Million

S r #	Object Code	2019	-2020	2020-2021		2021-2022		2022-2023		2023-2024		2024-2025	
		Local Foreign		Local	Foreign	Local	Foreign	Local	Local Foreign		Foreign	Local	Foreign
	A05270 -To Others	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	A12403-Other Buildings	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	Total	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

Financial Components: Capital Grant Number: Government Buildings - (PC12042)

Cost Center:OTHERS- (OTHERS)

LO NO:LO22010033

Fund Center (Controlling):LE4203 A/C To be Credited:Account-I

PKR Million

S r #	Object Code	2019	2019-2020 2020-2021		2021	2021-2022		-2023	2023	-2024	2024-2025		
		Local	Foreign	Local	Foreign	Local	Foreign	Local	Foreign	Local	Foreign	Local	Foreign
1	A12403-Other Buildings	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
2	A05270-To Others	0.000 0.000		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

Total	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
1 Utai	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

			Ab	strac	ct of C	ost						
Name of THQ Hospital					Revampir	ng of TH	Q Hospi	tal Rojhar	1			
Scope of work					•		million					
		Original			1st Revise			2nd Revise	d		3rd Revise	d
	Capital	Revenue	Total	Capital	Revenue	Total	Capital		Total	Capital	Revenue	Total
Capital component	Jupitui	Revenue	Total	Jupitui	Revenue	Total	Capital	Revenue	Total	Jupitui	Revenue	Total
Internal Development	0.000	8.574	8.574	0.000	8.574	8.574	12.771	3.000	15.771	6.790	3.000	9.790
External Development	0.000	1.314	1.314	0.000	1.314	1.314	1.277	0.000	1.277	7.188	0.000	7.188
Water filtration plant	0.000	5.600	5.600	0.000	5.600	5.600	0.000	0.000	0.000	0.000	0.000	0.000
Total Capital Component	0.000	15.488	15.488	0.000	15.488	15.488	14.049	3.000	17.049	13.978	3.000	16.978
Emergency	0.000	20.463	20.463	0.000	20.463	20.463	0.000	27.876	27.876	0.000	47.336	47.336
MSDS	0.000	8.647	8.647	0.000	8.647	8.647	0.000	9.654	9.654	0.000	13.438	13.438
Med. Machinery and Equipment	0.000	49.195	49.195	0.000	49.195	49.195	0.000	66.187	66.187	0.000	103.952	103.952
Electricity	0.000	13.251	13.251	0.000	13.251	13.251	0.000	22.092	22.092	0.000	31.092	31.092
IT & QMS & Surveillance	0.000	14.515	14.515	0.000	14.515	14.515	0.000	16.715	16.715	0.000	20.120	20.120
Furniture and Fixtures	0.000	13.504	13.504	0.000	13.504	13.504	0.000	13.504	13.504	0.000	18.788	18.788
Interior and Exterior decorations/ Signage	0.000	3.124	3.124	0.000	3.124	3.124	0.000	4.271	4.271	0.000	4.271	4.271
Day Care Center	0.000	1.600	1.600	0.000	1.600	1.600	0.000	1.600	1.600	0.000	1.600	1.600
Human resource (HR) plan	0.000	17.220	17.220	0.000	17.220	17.220	0.000	33.370	33.370	0.000	47.917	47.917
LC Deficit during procurement (currency							0.000	2.274	2.274	0.000	2.274	2.274
fluctuation)												
Total Revenue component	0.000	141.519	141.519	0.000	141.519	141.519	0.000	197.543	197.543	0.000	290.788	290.788
Outsourcing component												
Janitorial Services	0.000	13.625	13.625	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Security and Parking services	0.000	6.106	6.106	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Laundry Services	0.000	3.000	3.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Maintenance (Generator)	0.000	2.670	2.670	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
MEP	0.000	4.031	4.031	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Medical Gases	0.000	1.304	1.304	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Cafeteria	0.000	6.743	6.743	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Horticulture services	0.000	8.735	8.735	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Total outsourcing cost	0.000	46.214	46.214	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Total	0.000	203.221	203.221	0.000	157.007	157.007	14.049	200.543	214.591	13.978	293.788	307.766
Contingency (1%) only on Civil	0.000	0.155	0.155	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Component												
Third Party Monitoring (TPM) (1%)	0.000	2.032	2.032	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Third Party Validation (TPV) (1%)	0.000	2.032	2.032	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Grand Total	0.000	207.440	207.440	0.000	157.007	157.007	14.049	200.543	214.591	13.978	293.788	307.766

				O-:	iainal		1.4	Revis	~d	254	Revis	-0d	2=4	Revis	- A
Sr. No.	Area	ITEM DESCRIPTION	Yard Stick	Required Quantity	Actual Unit Price	Actual Total Cost(Rs)									
1		Table		(T=6+S=0+E=6)		()	(T=6+S=0+E=6)		()	(T=6+S=0+E=6)		()	(T=6+S=0+E=6)		
2	Reception	Chairs	0		99,750	-		99,750	-		99,750	-		99,750	-
3	Area	Computer Data Entry With Printer	0		26,775	- 111 750	1	26,775		1	26,775	_	1	30,000	405.000
4	_	Table (2.5 X 4)*(N)	1	1	141,750	141,750	· ·	141,750	141,750	·	141,750	141,750		195,000	195,000
5	3	Chairs *(N)	0	0	101,850	-	0	101,850	-	0	101,850	-	0	101,850	-
6	6	B.p apparatus wall type*(N)	0	6	26,775 15,750	94,500	6	26,775 15,750	94,500	6	26,775 30,000	180,000	6	30,000	180,000
7		Gurney WITH FOOT STEP)*(N)	3	6	420.000	2.520.000	6	420.000	2.520.000	6	460.000	2.760.000	6	800.000	4.800.000
8		Mercury B.P apparatus*(N)	2	4	-,	,,	4	-,	,, ,,,,,	4	,	,,	4	,	,,
9		Laryngoscope paeds &adult		4	33,600	134,400	4	33,600	134,400	4	36,000	144,000	4	36,000	144,000
3		each*(N)	2	4	10,500	42,000	4	10,500	42,000	4	12,000	48,000	4	20,000	80,000
10		Diagnostic set*(N)	1	2	45,150	90,300	2	45,150	90,300	2	50,000	100,000	2	85,000	170,000
11		ECG Machine (with trolley) *(N)	1	2	169,785	339,570	2	169,785	339,570	2	180,000	360,000	2	300,000	600,000
12	Triage area	Central oxygen with accessories FOR each	0	0	420,000	-	0	420,000	-	0	-	-	0	-	-
13		NEBULIZER HD*(N)	2	4	125,265	501,060	4	125,265	501,060	4	215,000	860,000	4	300,000	1,200,000
14		SUCKER MACHINE*(N)	1	2	259,350	518,700	2	259,350	518,700	2	275,000	550,000	2	300,000	600,000
15		Resuscitation Trolley (fully equipped))*(N)	1	2	244,733	489,466	2	244,733	489,466	2	400,000	800,000	2	600,000	1,200,000
16		INSTRUMENT CABINET*N	1	2	69,300	138,600	2	69,300	138,600	2	69,300	138,600	2	69,300	138,600
17		MEDICINE TROLLY*N	1	2	60,900	121,800	2	60,900	121,800	2	60,900	121,800	2	60,900	121,800
18		O.T table WITH foot step	1	1	1,417,500	1,417,500	1	1,417,500	1,417,500	1	2,000,000	2,000,000	1	2,500,000	2,500,000
19		Anesthesia Machine	1	1	2,509,554	2,509,554	1	2,509,554	2,509,554	1	3,000,000	3,000,000	1	7,000,000	7,000,000
20		Sucker machine	1	1	259,350	259,350	1	259,350	259,350	1	275,000	275,000	1	300,000	300,000
21		Portable O.T Lights	1	1	304,220	304,220	1	304,220	304,220	1	500,000	500,000	1	900,000	900,000
22	Minor O.T	Ceiling o.t light	1	1	414,750	414,750	1	414,750	414,750	1	800,000	800,000	1	950,000	950,000
23	Willion C.1	Hot air oven	1	1	110,000	110,000	1	110,000	110,000	1	385,000	385,000	1	450,000	450,000
24		Autoclave	1	1	441,000	441,000	1	441,000	441,000	1	550,000	550,000	1	850,000	850,000
25		Instrument trolley*N	1	1	54,000	54,000	1	54,000	54,000	1	54,000	54,000	1	55,000	55,000
26		Defibrillator*N	1	1	310,000	310,000	1	310,000	310,000	1	650,000	650,000	1	800,000	800,000
27		Instrument cabinet	1	1	69,300	69,300	1	69,300	69,300	1	69,300	69,300	1	69,300	69,300
28		GURNEYS*N	4		420,000	-		420,000	-		460,000	-		850,000	-
29		Sucker machine *(N)	2		259,350	1		259,350	-		275,000	-		300,000	-
30		Nebulizer HD*(N)	2		125,265			125,265	-		215,000			300,000	-
31		Center Oxygen supply*N	1		420,000	1		420,000	-		-	-		-	-
32	Constant /	Resuscitation Trolley (fully equipped))*(N)	1		237,618	-		237,618	-		400,000	-		600,000	-
33	specialized	Defibrillator*N	1		302,605	-		302,605	-		650,000	-		800,000	-
34	care room	Pulse- oximeter*(N)	4		104,000	-		104,000	-		160,000	-		225,000	-
35		Bedside-monitor*(N)	4		301,665	-		301,665	-		550,000	-		1,200,000	-
36		ECG MACHINE)*(N)	1		169,785	-		169,785	-		169,785	-		300,000	-
37		BP APPARATUS*N	1		15,750	-		15,750	-		16,000	-		16,000	-
38		FOOT STEP)*(N)	1		3,150	-		3,150	-		4,000	-		5,500	-
39		ATTANDANT BENCH)*(N)	1		5,250	-		5,250	-		8,000	-		10,000	-
40	7	(MOTRIZED BEDS) with accessories (with foot steps*(N)	7	6	210,000	1,260,000	6	210,000	1,260,000	6	400,000	2,400,000	6	600,000	3,600,000
41	6	ECG machine(with trolley) *(N)	1	1	169,785	169,785	1	169,785	169,785	1	169,785	169,785	1	300,000	300,000
42		Pulse- oximeter *(N)	6	6	104,000	624,000	6	104,000	624,000	6	160,000	960,000	6	225,000	1,350,000
43	I	Bedside-monitor*(N)	3	3	301,665	904,995	3	301,665	904,995	3	550,000	1,650,000	3	1,200,000	3,600,00

Emergency Equipment

					<u> </u>										
				Or	iginal		1st	Revis	ed	2nc	l Revis	ed	3rd Revised		
Sr.	Area	ITEM DESCRIPTION	Yard	Required Quantity	Actual Unit	Actual Total									
44		B.P apparatus wall type *(N)	6	6	26,250	157,500	6	26,250	157,500	6	30,000	180,000	6	30,000	180,000
45		Nebulizer HD *(N)	2	2	125,265	250,530	2	125,265	250,530	2	215,000	430,000	2	300,000	600,000
46	ward	Resuscitation Trolley (fully equipped))*(N)	1	1	237,618	237,618	1	237,618	237,618	1	400,000	400,000	1	600,000	600,000
47		Defibrillator*N	1	1	299,153	299,153	1	299,153	299,153	1	650,000	650,000	1	800,000	800,000
48		Sucker machine *(N)	2	2	259,350	518,700	2	259,350	518,700	2	275,000	550,000	2	300,000	600,000
49		Wheal chairs *(N)	0	0	31,500	-	0	31,500	-	0	35,000	-	0	35,000	-
50		Stretcher *(N)	0	0	69,300	-	0	69,300	-	0	69,300	-	0	69,300	-
51		ambo bag paeds with Mask*N	5	5	15,750	78,750	5	15,750	78,750	5	19,000	95,000	5	19,000	95,000
52	Generalized	ambo bag adult with Mask* N	5	5	15,750	78,750	5	15,750	78,750	5	19,000	95,000	5	19,500	97,500
53		patient stool * N	2	2	4,085	8,169	2	4,085	8,169	2	4,500	9,000	2	5,000	10,000
54		Portable x-rays (300 M.A)	1	1	3,450,350	3,450,350	1	3,450,350	3,450,350	1	4,300,000	4,300,000	1	9,800,000	9,800,000
55		Portable ultra-sound	1	1	1,403,325	1,403,325	1	1,403,325	1,403,325	1	1,500,000	1,500,000	1	2,400,000	2,400,000
		Total				20,463,445			20,463,445			27,876,235			47,336,200
						20.463			20.463			27.876			47.336

MSDS

			Origina	al	1s	t Revi	sed	2n	d Revi	sed	3r	d Revi	sed
Sr. No.	ITEM DESCRIPTION	Quantity Required	Actual Unit Price	Actual Total Cost(Rs)									
1	Histology slide boxes	3	3,100	9,299	3	3,100	9,299	3	4,500	13,500	3	4,500	13,500
2	Labeling Device connected with Computer	3	60,000	180,000	3	60,000	180,000	3	80,000	240,000	3	80,000	240,000
3	Safe Transportation Boxes	2	15,750	31,500	2	15,750	31,500	2	18,000	36,000	2	18,000	36,000
4	Portable Safety Exhaust Hood	1	160,000	160,000	1	160,000	160,000	1	250,000	250,000	1	450,000	450,000
5	Centrifuge Machine	0	149,336	-	0	149,336	-	0	250,000	-	0	325,000	-
6	Hot plates	2	26,250	52,500	2	26,250	52,500	2	45,000	90,000	2	55,000	110,000
7	Water bath	1	157,500	157,500	1	157,500	157,500	1	157,500	157,500	1	300,000	300,000
8	Complaint boxes	10	3,150	31,500	10	3,150	31,500	10	3,150	31,500	10	3,150	31,500
9	Spine boards with Neck holders	4	31,080	124,320	4	31,080	124,320	4	31,080	124,320	4	31,080	124,320
10	Sensitometer	1	137,325	137,325	1	137,325	137,325	1	137,325	137,325	1	137,325	137,325
11	Densitometer personal	2	191,391	382,782	2	191,391	382,782	2	191,391	382,782	2	191,391	382,782
12	Box of Films	2	26,250	52,500	2	26,250	52,500	2	30,000	60,000	2	30,000	60,000
13	Aluminium Step Wedge	1	26,250	26,250	1	26,250	26,250	1	26,250	26,250	1	26,250	26,250
14	Non-Mercury thermometer	10	305	3,045	10	305	3,045	10	350	3,500	10	750	7,500
15	Brass or copper mesh screen	2	5,250	10,500	2	5,250	10,500	2	5,250	10,500	2	5,250	10,500
16	Wheel Chairs	0	31,500	-	0	31,500	-	0	35,000	-	0	35,000	-
17	Statures	0	67,830	-	0	67,830	-	0	75,000	-	0	75,000	-
18	Blood Warmer	3	246,750	740.250	3	246,750	740.250	3	275,000	825,000	3	275,000	825,000
19	Sequence Compression Device	2	210,000	420,000	2	210,000	420,000	2	230,000	460,000	2	600,000	1,200,000
20	Blood Bank Refrigerators with	0	682,500	.20,000	0	682,500	-	0	700,000	-	0	1,469,900	-
21	Data Coder	1	84,000	84,000	1	84,000	84,000	1	100,000	100,000	1	1,469,900	-
22	Plasma Separator 1	0	4,200,000	-	0	4,200,000		0	4,500,000	-	0	4,500,000	
23	Blood Storage Cabinet	1	682,500	682,500	1	682,500	682,500	1	700,000	700,000	1	1,469,900	1,469,900
24	Resuscitation Trolley	0	244.733	-	0	244.733	-	0	400,000	-	0	491,350	-
25	Ultra sound machine gyne	0	1,403,325	_	0	1,403,325	_	0	1.700.000	_	0	2,150,000	
26	Delivery Table	0	47,250	_	0	47.250	-	0	47,250	-	0	48,500	_
27	Height and weight scale	4	8,400	33,600	4	8,400	33,600	4	10,000	40,000	4	31,500	126,000
28	Suction Electronic	0	259,350	-	0	259,350	-	0	275,000		0	275,000	-
29	Fetal Heart Rate Detector	1	144,375	144,375	1	144,375	144,375	1	175,000	175,000	1	275,000	275,000
30	Ambo baq	0	17,325	-	0	17,325	-	0	19,000	-	0	19,000	-
31	Neonatal size face mask	4	578	2,310	4	578	2,310	4	1,200	4,800	4	1,500	6,000
32	Exchange transfusion trays	2	10,000	20,000	2	10.000	20,000	2	10,000	20,000	2	12,000	24,000
33	Shoe racks SS	4	39,900	159,600	4	39,900	159,600	4	39,900	159,600	4	39,900	159,600
34	Sterilizer	0	2,940,000	-	0	2,940,000	-	0	3,500,000	-	0	7,800,000	-
35	Washer disinfector	0	2,040,000	-	0	-	-	0	-	-	0	7,800,000	-
36	Packing table	0	_	_	0	_	-	0	_	-	0	_	_
37	Digital Sealer Printer	1	420,000	420,000	1	420,000	420,000	1	480,000	480,000	1	520,000	520,000
38	Backup Auto Clave	0	441,000		0	441,000		0	550,000		0	789,625	-
39	Racks for Manual	10	21,000	210,000	10	21,000	210,000	10	37,500	375,000	10	56,160	561,600
40	Locked Racks for MSDS Data	2	21,000	42,000	2	21,000	42,000	2	37,500	75,000	2	56,160	112,320
41	Eye Wash Station with shower	3	300,000	900,000	3	300,000	900,000	3	350,000	1,050,000	3	350,000	1,050,000
42	Air Curtain	4	50,190	200,760	4	50,190	200,760	4	60,000	240.000	4	60.000	240.000
43	Fire Sand Buckets with stand	5	15,000	75,000	5	15,000	75,000	5	20,000	100.000	5	20,000	100,000
44	Smoke Detectors	10	7,350	73,500	10	7,350	73,500	10	8,500	85,000	10	8,500	85,000
45	Heat Detector	5	8,400	42,000	5	8,400	42,000	5	10,000	50,000	5	10,000	50,000
46	Gas Detector	5	6,300	31,500	5	6,300	31,500	5	7,500	37,500	5	7,500	37,500
47	Fire Blankets	10	2,783	27,825	10	2,783	27,825	10	3,200	32,000	10	3,200	32,000
48	Fire Alarms	10	5,250	52,500	10	5,250	52,500	10	6,500	65,000	10	6,500	65,000
49	Identification Bands	100	3,230	315	100	3,230	315	100	3	300	100	3	300
50	Wet Flooring Signages	0	431		0	431		0	550	-	0	750	-
51	Key Box	6	8,190	49,140	6	8,190	49,140	6	10,000	60,000	6	10,000	60,000
	,		0,190	43,140	,	0,150	43,140		10,000	00,000		10,000	00,000

MSDS

		(Origina	al	1s	t Revi	sed	2n	d Revi	sed	3rd	d Revi	sed
Sr. No.	ITEM DESCRIPTION	Quantity Required	Actual Unit Price	Actual Total Cost(Rs)									
53	Tourniquet	4	840	3,360	4	840	3,360	4	850	3,400	4	1,500	6,000
54	LAB SAFETY BOX	2	3,150	6,300	2	3,150	6,300	2	4,000	8,000	2	4,000	8,000
55	densitometer	0	210,000	-	0	210,000	-	0	210,000	-	0	210,000	-
56	vending machine	0	630,000	-	0	630,000	-	0	630,000	-	0	630,000	-
57	Automatic shoe cover machine	2	296,100	592,200	2	296,100	592,200	2	332,500	665,000	2	332,500	665,000
58	Vein Finder	2	630,000	1,260,000	2	630,000	1,260,000	2	630,000	1,260,000	2	630,000	1,260,000
59	Blood Sample Vials (BOXES)	3	13	38	3	13	38	3	15	45	3	15	45
60	Bassinets	5	21,000	105,000	5	21,000	105,000	5	22,000	110,000	5	22,000	110,000
61	Chemical Spill Cleanup kit	2	100,000	200,000	2	100,000	200,000	2	100,000	200,000	2	100,000	200,000
62	Digital Tempurature Humidity Guage	4	15,000	60,000	4	15,000	60,000	4	15,000	60,000	4	15,000	60,000
63	Bio Cleaning and Disinfection System	1	650,000	650,000	1	650,000	650,000	1	650,000	650,000	1	2,200,000	2,200,000
	Total			8,647,094			8,647,094			9,653,822			13,437,942
				8 647			8 647			9 654			13 438

					М	edical	Equip	ment											
					Orig					Revise	d			Revise	ed			Revise	d
Sr. No.	Area	Name of Equipment	Yard Stick	Available Quantity	Required Quantity	Cost per Unit	Total Cost	Available Quantity	Required Quantity	Cost per Unit	Total Cost	Available Quantity		Cost per Unit	Total Cost	Available Quantity	Required Quantity	Cost per Unit	Total Cost
1		Semi Auto Clinical Chemistry Analyzer	1	1	0	449,295	-	1	0	449,295	-	1	0	550,000	-	1	0	550,000	-
2		Hematology Analyzer	1	1	0	427,350	-	1	0	427,350	-	1	0	550,000	-	1	0	750,000	-
3		Electrolyte Analyzer	1	0	1	427,350	427,350	0	1	427,350	427,350	0	1	550,000	550,000	0	1	550,000	550,000
4		Blood Gas Analyzer	0	0	0	2,744,858	-	0	0	2,744,858	-	0	0	3,200,000	-	0	0	1,400,000	-
5		Clinical Microscope	1	1	0	132,825	-	1	0	132,825	-	1	0	180,000	-	1	0	250,000	-
6	Laboratory	Water Bath	1	1	0	60,000	-	1	0	60,000	-	1	0	157,500	-	1	0	325,000	-
7		Hot air Oven	1	1	0	210,000	-	1	0	210,000	-	1	0	385,000	-	1	0	450,000	-
8		Distilled water plant	1	1	0	52,500	-	1	0	52,500	-	1	0	75,000	-	1	0	125,000	-
9		Auto pipettes	10	1	9	31,500	283,500	1	9	31,500	283,500	1	9	40,500	364,500	1	9	45,000	405,000
10		glass wares	0	0	0	105,000	-	0	0	105,000	-	0	0	105,000	-	0	0	105,000	-
11		Centrifuge Machine	2	1	1	149,336	149,336	1	1	149,336	149,336	1	1	250,000	250,000	1	1	400,000	400,000
12		Static X-ray Machine	1	1	0	4,200,000	-	1	0	4,200,000	-	1	0	6,000,000	-	1	0	12,000,000	-
13		Mobile X-Ray Machine	0	0	0	3,850,524	-	0	0	3,850,524	-	0	0	4,300,000	-	0	0	9,800,000	-
14		Computerized Radiography System	0	0	0	4,018,245	-	0	0	4,018,245	-	0	0	4,500,000	-	0	0	4,500,000	-
15	X-Rays	Dental X-Ray	0	1	0	282,975	-	1	0	282,975	-	1	0	350,000	-	1	0	525,000	-
16	<u> </u>	Lead apron and PPE	2	1	1	52,500	52,500	1	1	52,500	52,500	1	1	60,000	60,000	1	1	85,000	85,000
17		Density meter personal (Add)	0	0	0	210,000	-	0	0	210,000	-	0	0	210,000	-	0	0	250,000	-
18		Lead glass /shield	0	0	0	105,000	-	0	0	105,000	-	0	0	105,000	-	0	0	150,000	-
19 20		Lead Walls	0	1	0	525,000	-	1	0	525,000	-	1	0	525,000	-	1	0	525,000	-
21	Ultrasound	Portable/Mobile Ultrasound	0	1	0	1,371,331	-	1	0	1,371,331	-	1	0	1,500,000	-	1	0	2,400,000	-
		Color Doppler RADIOLOGY	1	0	1	3,698,310	3,698,310	0	1	3,698,310	3,698,310	0	1	4,500,000	4,500,000	0	1	5,500,000	5,500,000
22		ICU MONITOR	2	1	1	301,665	301,665	1	1	301,665	301,665	1	1	900,000	900,000	1	1	1,250,000	1,250,000
23		Temporary pace maker	0	0	0	315,000	-	0	0	315,000	-	0	0	315,000	-	0	0	550,000	-
24	1	Defibrillator	1	1	0	299,153	-	1	0	299,153	-	1	0	650,000	-	1	0	800,000	-
25	ccu	ECG Machine Three Channel	2	1	1	169,785	169,785	1	1	169,785	169,785	1	1	169,785	169,785	1	1	300,000	300,000
26		ETT Machine	0	1	0	2,021,838	-	1	0	2,021,838	-	1	0	2,200,000	-	1	0	3,000,000	-
27		Color doplor CARDIOLOGY	0	1	0	4,681,790	-	1	0	4,681,790	-	1	0	4,800,000	-	1	0	6,000,000	-
28		Suction Pump	2	1	1	259,350	259,350	1	1	259,350	259,350	1	1	275,000	275,000	1	1	300,000	300,000
29		Blood Cabinet	1	0	1	690,539	690,539	0	1	690,539	690,539	0	1	700,000	700,000	0	1	1,500,000	1,500,000
30	Blood Bank	Centrifuge Machine	2	1	1	149,336	149,336	1	1	149,336	149,336	1	1	250,000	250,000	1	1	400,000	400,000
31 32		Slide viewer	1	0	1	42,000	42,000	0	1	42,000	42,000	0	1	55,000	55,000	0	1	55,000	55,000
		Clinical Microscope	1	1	0	132,825	-	1	0	132,825	-	1	0	180,000	-	1	0	250,000	-
33	Dialysis Unit (10 beds)	Computerized Hemo Dialysis Machine	5	0	5	1,050,000	5,250,000	0	5	1,050,000	5,250,000	0	5	1,600,000	8,000,000	0	5	3,200,000	16,000,000
34	(,	Baby Cot	10	1	9	14,669	132,017	1	9	14,669	132,017	1	9	16,000	144,000	1	9	16,000	144,000
35		Phototherapy Unit	2	1	1	130,200	130,200	1	1	130,200	130,200	1	1	655,000	655,000	1	1	850,000	850,000
36		Infant Warmer	2	1	1	335,638	335,638	1	1	335,638	335,638	1	1	985,000	985,000	1	1	1,050,000	1,050,000
37	Nursery	Pulse Oximeter	6	0	6	104,500	627,000	0	6	104,500	627,000	0	6	160,000	960,000	0	6	225,000	1,350,000
38		Infant Incubator	2	1	1	858,932	858,932	1	1	858,932	858,932	1	1	900,000	900,000	1	1	1,750,000	1,750,000
39		Suction Pump	1	0	1	259,350	259,350	0	1	259,350	259,350	0	1	275,000	275,000	0	1	300,000	300,000
40		Hospital Grade Nebulizer Heavy Duty	2	1	1	125,265	125,265	1	1	125,265	125,265	1	1	215,000	215,000	1	1	300,000	300,000
41		Anesthesia Machine with Ventilator	1	1	0	2,509,554	-	1	0	2,509,554	-	1	0	3,000,000	-	1	0	7,000,000	-
42		BED SIDE PATIENT MONITOR	2	1	1	441,000	441,000	1	1	441,000	441,000	1	1	550,000	550,000	1	1	1,200,000	1,200,000
43		Defibrillator	2	1	1	308,713	308,713	1	1	308,713	308,713	1	1	650,000	650,000	1	1	800,000	800,000
44		Electrosurgical Unit	1	1	0	507,530	-	1	0	507,530	-	1	0	700,000	-	1	0	900,000	-
45		Operation Table	1	1	0	1,426,215	-	1	0	1,426,215	-	1	0	2,000,000	-	1	0	2,500,000	-
46	O.T (04)	Ceiling Operating Light	1	1	0	413,013	-	1	0	413,013	-	1	0	800,000	-	1	0	950,000	-
47		STEAM STERILIZER	1	1	0	3,465,000	-	1	0	3,465,000	-	1	0	4,000,000	-	1	0	7,800,000	-
48		Suction Pump	2	0	2	259,350	518,700	0	2	259,350	518,700	0	2	275,000	550,000	0	2	300,000	600,000
49		Resuscitation trolley With Crash Cart	2	1	1	244,733	244,733	1	1	244,733	244,733	1	1	400,000	400,000	1	1	600,000	600,000
50	Ť	mayo table	4	0	4	21,000	84,000	0	4	21,000	84,000	0	4	23,000	92,000	0	4	23,000	92,000
51	Ī	MOBILE OPERATING LIGHT	1	0	1	304,220	304,220	0	1	304,220	304,220	0	1	400,000	400,000	0	1	900,000	900,000
52		Operation Table	0	0	0	1,426,215	-	0	0	1,426,215	-	0	0	2,000,000	-	0	0	5,000,000	-
53	Ť	ORTHOPEDIC DRILL	0	0	0	1,108,740	-	0	0	1,108,740	-	0	0	1,500,000	-	0	0	4,000,000	-
54	Orthopedic	Plaster Cutting Pneumatic	1	0	1	276,250	276,250	0	1	276,250	276,250	0	1	450,000	450,000	0	1	1,500,000	1,500,000
55	İ	Pneumatic Tourniquets	0	0	0	262,500	-	0	0	262,500	-	0	0	262,500	-	0	0	300,000	-
56	İ	Orthopedic Instruments	0	0	0	432,623	-	0	0	432,623	-	0	0	550,000	-	0	0	550,000	-
		4						· -			1							.,	

					Me	edical	Equip	ment											
					Orig	inal				evise	d			Revise	d			Revise	d
Sr. No.	Area	Name of Equipment	Yard Stick	Available Quantity	Required Quantity	Cost per Unit	Total Cost	Available Quantity	Required Quantity	Cost per Unit	Total Cost	Available Quantity	Required Quantity	Cost per Unit	Total Cost	Available Quantity	Required Quantity	Cost per Unit	Total Cost
57		Portable/Mobile Ultrasound	1	1	0	1,418,958	-	1	0	1,418,958	-	1	0	1,500,000	-	1	0	2,400,000	-
58		Autoclave	1	1	0	441,000	-	1	0	441,000	-	1	0	550,000	-	1	0	850,000	-
59		Delivery Set	10	1	9	31,500	283,500	1	9	31,500	283,500	1	9	40,000	360,000	1	9	65,000	585,000
60		Delivery Table	2	1	1	47,250	47,250	1	1	47,250	47,250	1	1	47,250	47,250	1	1	55,000	55,000
61		BED SIDE PATIENT MONITOR	2	0	2	294,000	588,000	0	2	294,000	588,000	0	2	550,000	1,100,000	0	2	1,200,000	2,400,000
62	Gynea (20	D & C Set	2	1	1	34,650	34,650	1	1	34,650	34,650	1	1	40,000	40,000	1	1	60,000	60,000
64	beds)	Vaccume Extractor	1	0	1	259,350	259,350	0	1	259,350	259,350	0	1	300,000	300,000	0	1	350,000	350,000
65		CTG Machine	1	1	0	628,049	-	1	0	628,049	-	1	0	725,000	-	1	0	900,000	-
66		ECG Machine Three Channel	1 2	1	0	169,785 304,220	608.440	1	0	169,785 304,220	608,440	1	0	180,000 400.000	800.000	1	0	300,000 900.000	1.800.000
67		Portable O.T Light	2	0	2	14,669	29,337	0	2	14,669	29,337	0	2	16,000	32,000	0	2	16,000	32,000
68		Baby Cot	2	0	2	47,250	94,500	0	2	47,250	94,500	0	2	47,250	94,500	0	2	47,250	94,500
69		Delivery trolly Desktop Fetal Heart Rate Detector	1	0	1	144,375	144,375	0	1	144,375	144,375	0	1	175,000	175,000	0	1	200,000	200,000
70		Steam Sterilizer	0	0	0	3,355,849	144,373	0	0	3,355,849	144,373	0	0	4,000,000	173,000	0	0	7,800,000	200,000
71		Operation Table	0	0	0	1,426,215	-	0	0	1,426,215	-	0	0	2,000,000	-	0	0	2,500,000	-
72	Surgical	MOBILE OPERATING LIGHT	0	1	0	285,466	-	1	0	285,466	-	1	0	400,000		1	0	900,000	-
73	Emergency (10	Suction Pump	0	1	0	259,350	-	1	0	259,350	-	1	0	275,000	-	1	0	300,000	-
74	beds)	Laryngoscope	0	0	0	9,744	_	0	0	9,744	-	0	0	12,000	-	0	0	20,000	-
75		Set of Surgical Instruments	0	1	0	141,750	-	1	0	141,750	-	1	0	160,000	-	1	0	220,000	-
76		Stretcher	10	0	10	68,250	682,500	0	10	68,250	682,500	0	10	69,300	693,000	0	10	69,300	693,000
77		wheel chair	10	0	10	31,500	315,000	0	10	31,500	315,000	0	10	35,000	350,000	0	10	35,000	350,000
78		foot support	6	0	6	4,200	25,200	0	6	4,200	25,200	0	6	4,500	27,000	0	6	5,148	30,888
79		Resuscitation trolly With Crash Cart	5	0	5	237,618	1,188,091	0	5	237,618	1,188,091	0	5	400,000	2,000,000	0	5	600,000	3,000,000
80		BP Appratus	15	0	15	15,750	236,250	0	15	15,750	236,250	0	15	16,000	240,000	0	15	16,000	240,000
81	Others	Ventilator	0	0	0	2,195,080	-	0	0	2,195,080	-	0	0	3,500,000		0	0	5,500,000	
82		CPAP	1	0	1	1,098,510	1,098,510	0	1	1,098,510	1,098,510	0	1	2,100,000	2,100,000	0	1	2,800,000	2,800,000
83		X-RAY PROCESSOR	1	0	1	858,440	858,440	0	1	858,440	858,440	0	1	925,000	925,000	0	1	1,200,000	1,200,000
84		Hand wash Scrub Double Bay	2	0	2	94,500	189,000	0	2	94,500	189,000	0	2	100,000	200,000	0	2	140,000	280,000
85		Image Inensifier	0	0	0	4,667,460	-	0	0	4,667,460	-	0	0	4,667,460		0	0	12,000,000	-
86		Central Medical Gass Pipe Line System	7	0	7	850,000	5,950,000	0	7	850,000	5,950,000	0	7	-		0	7	-	-
87		Motorized Patient bed with bed	4	0	4	210,000	840,000	0	4	210,000	840,000	0	4	400,000	1,600,000	0	4	600,000	2,400,000
88		side,Mattress,IV stand, Attendant Bench	4		4	15,750	63,000	0	4	15,750	63,000		4	30,000	120,000	0	4	35,000	140.000
89		Sphygmomanometer wall mtd	2	0	2	244,733	489,466	0	2	244,733	489.466	0	2	400,000	800,000	0	2	600,000	1,200,000
90		Resuscitation trolly With Crash Cart Defibrilator	1	0	1	299,153	299,153	0	1	299,153	299,153	0	1	650,000	650,000	0	1	800,000	800,000
91		Defibrillator Defibrillator with Monitor	0	0	0	330,750	299,155	0	0	330,750	299,153	0	0	650,000	650,000	0	0	800,000	
92		ECG Machine Three Channel	0	0	0	169,785	-	0	0	169,785	-	0	0	180,000	-	0	0	300,000	-
93		Syringe pump	1	0	1	108,780	108,780	0	1	108,780	108,780	0	1	125,000	125,000	0	1	200,000	200,000
94	ICU	Suction Pump	0	0	0	259,350	- 100,700	0	0	259,350	-	0	0	275,000	-	0	0	300,000	200,000
95	100	ICU Monitor	0	0	0	298,200	-	0	0	298,200	-	0	0	900,000		0	0	1,250,000	-
96		Instrument Trollev	1	0	1	55,000	55.000	0	1	55,000	55.000	0	1	55,000	55,000	0	1	55,000	55.000
97		Ward instruments	0	0	0	-	-	0	0	-	-	0	0	-	-	0	0	-	-
98		Ventilator intensive care	2	0	2	1,600,000	3,200,000	0	2	1,600,000	3,200,000	0	2	3,500,000	7,000,000	0	2	5,500,000	11,000,000
99		CPAP with humidifier	0	0	0	1,098,510	-	0	0	1,098,510	-	0	0	2,100,000	-	0	0	2,800,000	-
100		DELIVERY TROLLY STAINLESS STEEL	1	0	1	23,835	23,835	0	1	23,835	23,835	0	1	47,250	47,250	0	1	47,250	47,250
101		Ambu-Bag, adult	4	0	4	17,325	69,300	0	4	17,325	69,300	0	4	19,000	76,000	0	4	19,000	76,000
102		Ambu-Bag, paeds	4	0	4	17,325	69,300	0	4	17,325	69,300	0	4	19,000	76,000	0	4	19,000	76,000
103	MORTUERY	TWO BODY REFRIGERATOR WITH CASTERS 220v 50Hz Along with Atopsy Table & Lifter Trolley	1	0	1	2,470,546	2,470,546	0	1	2,470,546	2,470,546	0	1	3,000,000	3,000,000	0	1	3,500,000	3,500,000
104		Dental Unit	2	0	2	2,190,000	4,380,000	0	2	2,190,000	4,380,000	0	2	2,820,000	5,640,000	0	2	2,820,000	5,640,000
105		Autoclave	1	0	1	441,000	441,000	0	1	441,000	441,000	0	1	550,000	550,000	0	1	850,000	850,000
106		Dental X-RAY Machine	1	0	1	282,975	282,975	0	1	282,975	282,975	0	1	350,000	350,000	0	1	525,000	525,000
107		Digital Intra Oral Camera	0	0	0	94,500	-	0	0	94,500	-	0	0	150,000	-	0	0	600,000	-
108		DENTAL CAUTERY	0	0	0	84,000	-	0	0	84,000	-	0	0	160,000	-	0	0	900,000	-
109	Dental Unit	Ultrasonic scaling	1	0	1	120,750	120,750	0	1	120,750	120,750	0	1	175,000	175,000	0	1	300,000	300,000
110		Curing lights	1	0	1	52,500	52,500	0	1	52,500	52,500	0	1	95,000	95,000	0	1	150,000	150,000
111	Ī	Endo motor system	1	0	1	199,601	199,601	0	1	199,601	199,601	0	1	265,000	265,000	0	1	500,000	500,000

					Me	edical	Equip	ment											
					Orig	inal			1st R	evise	d		2nd F	Revise	d		3rd F	Revise	d
Sr. No.	Area	Name of Equipment	Yard Stick	Available Quantity		Cost per Unit	Total Cost		Required Quantity	Cost per Unit	Total Cost		Required Quantity	Cost per Unit	Total Cost	Available Quantity	Required Quantity	Cost per Unit	Total Cost
112		Dental cabinet	0	0	0	42,000	-	0	0	42,000	-	0	0	70,000	-	0	0	160,000	-
113		Dental examination/surgical instrument sets	4	0	4	157,500	630,000	0	4	157,500	630,000	0	4	175,000	700,000	0	4	175,000	700,000
114		Shortwave diathermy	1	0	1	844,562	844,562	0	1	844,562	844,562	0	1	1,500,000	1,500,000	0	1	2,750,000	2,750,000
115		Infrared Radiation	1	0	1	142,916	142,916	0	1	142,916	142,916	0	1	315,222	315,222	0	1	526,500	526,500
116		TENS(Transcutaneous Electrical Nerve Stimulation)	1	0	1	132,577	132,577	0	1	132,577	132,577	0	1	275,000	275,000	0	1	585,000	585,000
117		Treatment couch	4	0	4	10,080	40,320	0	4	10,080	40,320	0	4	75,000	300,000	0	4	760,500	3,042,000
118		A. Electrical Heating Pads	3	0	3	6,300	18,900	0	3	6,300	18,900	0	3	20,000	60,000	0	3	117,000	351,000
119		B. Hot pack unite	1	0	1	131,782	131,782	0	1	131,782	131,782	0	1	253,485	253,485	0	1	1,053,000	1,053,000

					Me	edical	Equip	ment											
					Origi	inal			1st R	evise	d		2nd F	Revise	d		3rd F	Revise	d
Sr. No.	Area	Name of Equipment	Yard Stick	Available Quantity	Required Quantity	Cost per Unit	Total Cost	Available Quantity	Required Quantity	Cost per Unit	Total Cost	Available Quantity		Cost per Unit	Total Cost	Available Quantity	Required Quantity	Cost per Unit	Total Cost
120	Dh l . th	C. Paraffin bath	1	0	1	154,082	154,082	0	1	154,082	154,082	0	1	308,071	308,071	0	1	819,000	819,000
121	Physiotherapy	Therapeutic ULTRASOUND unit	1	0	1	141,748	141,748	0	1	141,748	141,748	0	1	275,000	275,000	0	1	819,000	819,000
122	unit	Treadmill	1	0	1	335,111	335,111	0	1	335,111	335,111	0	1	950,000	950,000	0	1	1,404,000	1,404,000
123		Mats	1	0	1	75,817	75,817	0	1	75,817	75,817	0	1	150,000	150,000	0	1	292,500	292,500
124		Quadriceps Bench	1	0	1	189,164	189,164	0	1	189,164	189,164	0	1	425,000	425,000	0	1	750,000	750,000
125		Ergometer Cycling	1	0	1	66,087	66,087	0	1	66,087	66,087	0	1	175,000	175,000	0	1	409,500	409,500
126		Mirror	1	0	1	24,640	24,640	0	1	24,640	24,640	0	1	45,000	45,000	0	1	400,000	400,000
127		Floor Mounted Parallel Bars	1	0	1	87,821	87,821	0	1	87,821	87,821	0	1	150,000	150,000	0	1	590,000	590,000
128		Pully System	1	0	1	41,826	41,826	0	1	41,826	41,826	0	1	128,594	128,594	0	1	409,500	409,500
129		Trollies	4	0	4	2,520	10,080	0	4	2,520	10,080	0	4	35,000	140,000	0	4	50,000	200,000
130		Stool(Steel)	4	0	4	2,520	10,080	0	4	2,520	10,080	0	4	7,000	28,000	0	4	10,000	40,000
131	Beds	Fowler beds with Mattress	60	0	60	70,000	4,200,000	0	60	70,000	4,200,000	0	60	110,000	6,600,000	0	60	150,000	9,000,000
		Total					49,194,801				49,194,801				66,186,656			ı	103,951,638
							49.195				49.195				66.187				103.952

				Ele	ctricity	•							
			Original			1st Revis	ed		2nd Revi	sed		3rd Revis	sed
Sr. No.	Item Name	Quantity	Per Unit Cost	Total Cost	Quantity	Per Unit Cost	Total Cost	Quantity	Per Unit Cost	Total Cost	Quantity	Per Unit Cost	Total Cost
1	Transformers (200 KVA)	1	600,000	600,000	1	600,000	600,000	1	1,200,000	1,200,000	1	1,200,000	1,200,000
2	Transformers (100 KVA)	1	450,000	450,000	1	450,000	450,000	2	800,000	1,600,000	2	800,000	1,600,000
3	Transformers (50 KVA)	0	300,000	-	0	300,000		0	300,000	-	0	300,000	-
4	Generator (200 KVA)	0	4,000,000	-	0	4,000,000	-	0	4,000,000	-	1	9,000,000	9,000,000
5	Generator (100 KVA)	1	2,300,000	2,300,000	1	2,300,000	2,300,000	1	2,300,000	2,300,000	1	2,300,000	2,300,000
6	2 Ton air conditioners (split)	7	55,500	388,500	7	55,500	388,500	7	55,500	388,500	7	55,500	388,500
7	2 Ton air conditioners (Cabinet)	33	78,000	2,574,000	33	78,000	2,574,000	33	78,000	2,574,000	33	78,000	2,574,000
8	4 Ton air conditioners (Cabinet)	12	120,000	1,440,000	12	120,000	1,440,000	12	120,000	1,440,000	12	120,000	1,440,000
9	Ceiling Fans 56"	50	3,090	154,500	50	3,090	154,500	50	3,090	154,500	50	3,090	154,500
10	Exhaust Fans	36	3,000	108,000	36	3,000	108,000	36	3,000	108,000	36	3,000	108,000
11	Bracket Fans 18"	72	3,280	236,160	72	3,280	236,160	72	3,280	236,160	72	3,280	236,160
12	Dual Connection of Electricity / Express Line	1	5,000,000	5,000,000	1	5,000,000	5,000,000	1	12,090,882	12,090,882	1	12,090,882	12,090,882
	Total			13,251,160			13,251,160			22,092,042			31,092,042
				13.251			13.251			22.092			31.092

IT & QMS & Surveillance

				= =									
			Origina	al	1s	t Revi	sed	2n	d Revi	sed	3r	d Revi	sed
Sr. No.	Item Name	Quantity	Per Unit Cost	Total Cost	Quantity	Per Unit Cost	Total Cost	Quantity	Per Unit Cost	Total Cost	Quantity	Per Unit Cost	Total Cost
1	Desktop, UPS, LED	30	75,000	2,250,000	30	75,000	2,250,000	30	130,000	3,900,000	30	216,000	6,480,000
2	MS Windows License	30	20,000	600,000	30	20,000	600,000	30	20,000	600,000	30	20,000	600,000
3	Scanner Flatbed with ADF	3	90,000	270,000	3	90,000	270,000	3	150,000	450,000	3	150,000	450,000
4	Heavy duty Printer	7	40,000	280,000	7	40,000	280,000	7	50,000	350,000	7	110,000	770,000
5	Multimedia Projector with Screen	1	100,000	100,000	1	100,000	100,000	1	100,000	100,000	1	100,000	100,000
6	Tabs	4	50,000	200,000	4	50,000	200,000	4	50,000	200,000	4	50,000	200,000
7	Laptop	1	100,000	100,000	1	100,000	100,000	1	100,000	100,000	1	100,000	100,000
8	MS Windows License	1	20,000	20,000	1	20,000	20,000	1	20,000	20,000	1	20,000	20,000
9	QMS System	1	3,700,000	3,700,000	1	3,700,000	3,700,000	1	4,000,000	4,000,000	1	4,000,000	4,000,000
10	Networking	1	995,000	995,000	1	995,000	995,000	1	995,000	995,000	1	1,200,000	1,200,000
11	Monitoring & Surveillance (CCTV)	1	5,000,000	5,000,000	1	5,000,000	5,000,000	1	5,000,000	5,000,000	1	5,000,000	5,000,000
12	Public Address System	1	1,000,000	1,000,000	1	1,000,000	1,000,000	1	1,000,000	1,000,000	1	1,200,000	1,200,000
	Total			14,515,000			14,515,000			16,715,000			20,120,000
				14.515			14.515			16.715			20.120

Furniture and Fixtures

			Origin	al	19	st Rev	ised	2n	d Rev	ised	3r	d Rev	ised
Sr. No.	Item Name	Quantity	Unit Price	Total									
1	Benches (internal)	60	30,000	1,800,000	60	30,000	1,800,000	60	30,000	1,800,000	60	40000	2,400,000
2	Benches (external)	10	10,000	100.000	10	10,000	100.000	10	10,000	100,000	10	40000	400.000
3	Electric Water Cooler	8	45.000	360,000	8	45,000	360.000	8	45.000	360,000	8	60000	480,000
4	Doctors rooms Furniture	30	70,000	2,100,000	30	70,000	2,100,000	30	70,000	2,100,000	30	125000	3,750,000
5	Examination couches	10	35,000	350,000	10	35,000	350,000	10	35,000	350,000	10	35000	350,000
6	Fire Blanket	5	2,500	12,500	5	2,500	12,500	5	2,500	12,500	5	3000	15,000
7	Fire Extinguisher (Water Based)	30	8,000	240,000	30	8,000	240,000	30	8,000	240,000	30	2500	75,000
8	Acrylic Board	150	2,200	330,000	150	2,200	330,000	150	2,200	330,000	150	2000	300,000
9	Rostrum	2	18,000	36,000	2	18,000	36,000	2	18,000	36,000	2	20000	40,000
10	Blinds for windows	6000	150	900,000	6000	150	900,000	6000	150	900,000	6000	200	1,200,000
11	Paintings	100	6,000	600,000	100	6,000	600,000	100	6,000	600,000	100	5000	500,000
12	Waste Bin Sets (3 bin)	40	6,000	240,000	40	6,000	240,000	40	6,000	240,000	40	9000	360,000
13	Printing			1,000,000			1,000,000			1,000,000			1,000,000
	Machinery and Equipment's												
14	Refrigerator(Domestic) front glass double door	2	160,000	320,000	2	160,000	320,000	2	160,000	320,000	2	150000	300,000
15	Refrigerator glass single door	5	80,000	400,000	5	80,000	400,000	5	80,000	400,000	5	90000	450,000
16	Refrigerator 16 cft	5	36,000	180,000	5	36,000	180,000	5	36,000	180,000	5	50000	250,000
17	Air Curtain On Door	5	50,000	250,000	5	50,000	250,000	5	50,000	250,000	5	75000	375,000
18	Washing machines for pantries	3	13,000	39,000	3	13,000	39,000	3	13,000	39,000	3	11000	33,000
19	Gas Burner for pantries	10	4,800	48,000	10	4,800	48,000	10	4,800	48,000	10	80000	800,000
20	Fire Extinguishers DCP	30	4,800	144,000	30	4,800	144,000	30	4,800	144,000	30	6500	195,000
21	LED TV	15	55,000	825,000	15	55,000	825,000	15	55,000	825,000	15	140000	2,100,000
22	Industrial Exhaust	5	50,000	250,000	5	50,000	250,000	5	50,000	250,000	5	60000	300,000
23	Acrylic Display Board	4	20,000	80,000	4	20,000	80,000	4	20,000	80,000	4	20000	80,000
	Laundry & Washing												
	Bed Sheets and pillow covers	300	1,250	375,000	300	1,250	375,000	300	1,250	375,000	300	2500	750,000
	Pillows	150	400	60,000	150	400	60,000	150	400	60,000	150	500	75,000
26	Blankets with covers	100	5,000	500,000	100	5,000	500,000	100	5,000	500,000	100	4000	400,000
	Medicine Store												
27	Medicine (Iron Racks) 8x6x2 (Required)	20	50,000	1,000,000	20	50,000	1,000,000	20	50,000	1,000,000	20	60000	1,200,000
28	Moveable Iron Stairs (Required)	2	15,000	30,000	2	15,000	30,000	2	15,000	30,000	2	20000	40,000
29	Lifters (Required)	2	37,000	74,000	2	37,000	74,000	2	37,000	74,000	2	35000	70,000
30	Pallets 3x4 (Plastic) (Required)	20	12,000	240,000	20	12,000	240,000	20	12,000	240,000	20	10000	200,000
31	Dehumidifier (Required)	1	100,000	100,000	1	100,000	100,000	1	100,000	100,000	1	125000	125,000
32	Insect Killer (Required)	25	8,000	200,000	25	8,000	200,000	25	8,000	200,000	25	6500	162,500
33	Thermometer (Required)	20	16,000	320,000	20	16,000	320,000	20	16,000	320,000	20	600	12,000
	Total			13,503,500			13,503,500		·	13,503,500			18,787,500
		•		13.504			13.504			13.504			18,788

Signage and plaques

				!!	<u> </u>	4 - 4	D	!	0	D		01	D	!aad
			U	rigin	aı	1 S t	Revi	sea	2na	Kev	ised	3ra	Rev	ısea
Sr No	Туре	Kinds of Sign Boards	Quantity	Rates	Cost	Quantity	Rates	Cost	Quantity	Rates	Cost	Quantity	Rates	Cost
		External Sign Boards												
1	A1	External Platform/Road Signage (Circular)	6	10,221	61,326	6	10,221	61,326	6	13,951	83,706	6	13,951	83,706
2	A2	External Platform/Road Signage (Triangular)	6	9,350	56,100	6	9,350	56,100	6	12,762	76,574	6	12,762	76,574
3	B1	Main Directional Board	1	113,632	113,632	1	113,632	113,632	1	155,107	155,107	1	155,107	155,107
4	C1	Directional Board (Single Sheet)	10	14,600	146,000	10	14,600	146,000	10	19,929	199,290	10	19,929	199,290
5	C2	Directional Board (Two Sheets)	1	22,722	22,722	1	22,722	22,722	1	31,016	31,016	1	31,016	31,016
6	C3	Directional Board (Three Sheets)	1	30,463	30,463	1	30,463	30,463	1	41,581	41,581	1	41,581	41,581
7	C4	Directional Board (Four Sheets)	1	37,619	37,619	1	37,619	37,619	1	51,351	51,351	1	51,351	51,351
8	C5	Directional Board (Five Sheets)	1	45,685	45,685	1	45,685	45,685	1	62,360	62,360	1	62,360	62,360
9	C6	Directional Board (Six Sheets)	1	53,341	53,341	1	53,341	53,341	1	72,810	72,810	1	72,810	72,810
10	C7	Additional Panel (For Fixation on existing Foundation & Posts)	3	8,024	24,072	3	8,024	24,072	3	10,952	32,857	3	10,952	32,857
11	D1	Departmental Signage on Building	6	47,683	286,098	6	47,683	286,098	6	65,087	390,524	6	65,087	390,524
12	E1	External Map Boards	2	41,603	83,206	2	41,603	83,206	2	56,788	113,576	2	56,788	113,576
		Internal Signage	0		-	0		-	0	-	-	0	-	-
1	F1	Internal Hanging Signage (Main Entrance)	5	90,791	453,955	5	90,791	453,955	5	125,294	626,472	5	125,294	626,472
2	F2	Internal Hanging Signage (Main Entrance 2)	5	69,887	349,435	5	69,887	349,435	5	95,396	476,980	5	95,396	476,980
3	F3	Internal Hanging Signage (Corridor)	4	51,759	207,036	4	51,759	207,036	4	70,651	282,604	4	70,651	282,604
4	F4	Internal Hanging Signage (Corridor 2)	4	52,359	209,436	4	52,359	209,436	4	71,470	285,880	4	71,470	285,880
5	G1	Internal Department Signage on wall	7	13,239	92,673	7	13,239	92,673	7	18,071	126,498	7	18,071	126,498
6	H1	Specialist Name Plaques fixed on wall	20	3,805	76,100	20	3,805	76,100	20	5,194	103,880	20	5,194	103,880
7	J1	Room Name Plaques and Numbers fixed on wall	100	875	87,500	100	875	87,500	100	1,194	119,420	100	1,194	119,420
8	K1	Internal Wall Signage	100	1,437	143,700	100	1,437	143,700	100	1,961	196,140	100	1,961	196,140
9	L1	Room Numbers Fixed on Wall	50	3,647	182,350	50	3,647	182,350	50	4,978	248,920	50	4,978	248,920
10	M1	Advance Fire Exit Sign	10	1,856	18,560	10	1,856	18,560	10	2,534	25,340	10	2,534	25,340
11	M2	Fire Exit Sign Mounted Above the Door	10	1,284	12,840	10	1,284	12,840	10	1,753	17,528	10	1,753	17,528
12	N1	Fire Safety/Equipment Signage	20	2,459	49,180	20	2,459	49,180	20	3,357	67,144	20	3,357	67,144
13	P1	Floor Map Board	5	21,301	106,505	5	21,301	106,505	5	29,075	145,376	5	29,075	145,376
14	Q1	Caution Signage	25	2,195	54,875	25	2,195	54,875	25	2,996	74,900	25	2,996	74,900
15	Q2	Caution Signage	5	660	3,300	5	660	3,300	5	902	4,508	5	902	4,508
16	Q3	Caution Signage	10	1,155	11,550	10	1,155	11,550	10	1,576	15,764	10	1,576	15,764
17	Q4	Caution Signage	15	897	13,455	15	897	13,455	15	1,225	18,375	15	1,225	18,375
		Total			3,032,714			3,032,714			4,146,482			4,146,482
_		Designing and Site Supervision			90,981			90,981			124,394			124,394
		Grand Total			3,123,695			3,123,695			4,270,877			4,270,877
					3.124			3.124			4.271			4.271

DAY CARE CENTER

Yard Stick as per Women Dvelopment Department

		(Original		1st	Revised		2nd	d Revised		3rd	d Revised	
Sr. No.	ITEMS	Yard Stick (DCC of 25 Kids)	Unit Cost	Total	Yard Stick (DCC of 25 Kids)	Unit Cost	Total	Yard Stick (DCC of 25 Kids)	Unit Cost	Total	Yard Stick (DCC of 25 Kids)	Unit Cost	Total
	Cylinder Block	1	3,000	3,000	1	3,000	3,000	1	3,000	3,000	1	3,000	3,000
2	Geometrical Cabinet (36 pcs)	1	4,000	4,000	1	4,000	4,000	1	4,000	4,000	1	4,000	4,000
3	Geometrical Solids (10 pcs)	1	2,200	2,200	1	2,200	2,200	1	2,200	2,200	1	2,200	2,200
	Base for Geometrical Solids (14 pcs)	1	2,000	2,000	1	2,000	2,000	1	2,000	2,000	1	2,000	2,000
5	Constructive Triangles (4 box)	1	400	400	1	400	400	1	400	400	1	400	400
6	Metal Insets (10 - shape)	1	1,000	1,000	1	1,000	1,000	1	1,000	1,000	1	1,000	1,000
7	Stand for metal insets	1	2,000	2,000	11	2,000	2,000	1	2,000	2,000	1	2,000	2,000
8	Paper Board for metal insets (10 Boards)	1	5,000	5,000	1	5,000	5,000	1	5,000	5,000	1	5,000	5,000
9	Sandpaper Alphabets (English)	3	2,000	6,000	3	2,000	6,000	3	2,000	6,000	3	2,000	6,000
	Sandpaper Alphabets (Urdu)	3	3,500	10,500	3	3,500	10,500	3	3,500	10,500	3	3,500	10,500
11	Sandpaper Number	<u>3</u>	2,000	6,000	3	2,000	6,000	3	2,000	6,000	3 2	2,000	6,000
	Hammer Case Soft Reading Book	<u>2</u> 15	1,000 200	2,000 3.000	2 15	1,000 200	2,000 3.000	15	1,000 200	2,000 3.000	15	1,000 200	2,000 3.000
14	Shape Sorting Case	2	500	1,000	2	500	1,000	2	500	1,000	2	500	1,000
	Transport Set (Model)	2	700	1,400	2	700	1,400	2	700	1,400	2	700	1,400
	Model Puzzles (S)	7	300	2,100	7	300	2,100	7	300	2,100	7	300	2,100
	Model Puzzles (B)	7	500	3,500	7	500	3,500	7	500	3,500	7	500	3,500
	Storybook	20	100	2,000	20	100	2,000	20	100	2,000	20	100	2,000
	Information Book (Large)	20	350	7,000	20	350	7,000	20	350	7,000	20	350	7,000
	Basket (L)	10	1,000	10,000	10	1,000	10,000	10	1,000	10,000	10	1,000	10,000
	Basket (S)	10	600	6,000	10	600	6,000	10	600	6,000	10	600	6,000
	Color table Box	2	1,000	2,000	2	1,000	2,000	2	1,000	2,000	2	1,000	2,000
	ABC Block	4	500	2,000	4	500	2,000	4	500	2,000	4	500	2,000
	Number Block	4	500	2,000	4	500	2,000	4	500	2,000	4	500	2,000
	Color Pensils (Large)	5	450	2,250	5	450	2,250	5	450	2,250	5	450	2,250
	Color Crayons (Large)	5	300	1,500	5	300	1,500	5	300	1,500	5	300	1,500
	Marker Color (Board and Permanent) Fruits Basket (Model Set)	15 2	395 1,000	5,925 2,000	15 2	395 1,000	5,925 2,000	15 2	395 1,000	5,925 2,000	15 2	395 1,000	5,925 2,000
		2	1,000	2,000	2	1,000	2,000	2	1,000	2,000	2	1,000	2,000
	Vegetables Basket (Model Set)	2	,	1,200	2			2			2		
	Animal Sets Insects sets	2	600 400	800	2	600 400	1,200 800	2	600 400	1,200 800	2	600 400	1,200 800
32	Shape Sorting House	2	1,500	3,000	2	1,500	3,000	2	1,500	3,000	2	1,500	3,000
	Flash card (Small)	10	120	1,200	10	120	1,200	10	120	1,200	10	120	1,200
	Flash card (Big)	10	325	3,250	10	325	3,250	10	325	3,250	10	325	3,250
	Sand Play	2	1,000	4,000	2	1,000	4,000	2	1,000	4,000	2	1,000	4,000
	Gym Play	2	2,000	3,000	2	2,000	3,000	2	2,000	3,000	2	2,000	3,000
37	Straight Mats	20	1,500	40,000	20	1,500	40,000	20	1,500	40,000	20	1,500	40,000
	Folding Mats	20	2,000	6,000	20	2,000	6,000	20	2,000	6,000	20	2,000	6,000
	Diaper Changing Mats	3	300	1,500	3	300	1,500	3	300	1,500	3	300	1,500
	Cube Cushion	2	500	1,000	2	500	1,000	2	500	1,000	2	500	1,000
	Square Cushion	2	500	600	2	500	600	2	500	600	2	500	600
	Baby Mirror	3	300	2,400	3	300	2,400	3	300	2,400	3	300	2,400
	Pink Tower With Stand	1 12	800	500	1 12	800	500	1	800	500	1	800	500
	Dressing Frames Monkey Stuffed	10 2	500 800	8,000 2,400	10 2	500 800	8,000 2.400	10	500 800	8,000 2,400	10	500 800	8,000 2,400
	Lion Stuffed	2	1,200	3,400	2	1,200	3,400	2	1,200	3,400	2	1,200	3,400
	Cater Pillar Stuffed	2	1,700	3,000	2	1,700	3,000	2	1,700	3,000	2	1,700	3,000
48	Stuffed toys (Animal shaped i.e. Moneky, lion, caterpillar etc)	6	1,500	9,000	6	1,500	9,000	6	1,500	9,000	6	1,500	9,000
49	Long Roads with Stands	1	1,500	1,500	1	1,500	1,500	1	1,500	1,500	1	1,500	1,500
	Number Rods	1	500	500	1	500	500	1	500	500	1	500	500
51	Stand Number Rods	1	800	800	1	800	800	1	800	800	1	800	800
	Soft toys	2	700	1,400	2	700	1,400	2	700	1,400	2	700	1,400
53	Infants Manual Weight Machine	1	1,000	1,000	1	1,000	1,000	1	1,000	1,000	1	1,000	1,000
	Toddlers Manual Weight Machine	1	1,000	1.000	1	1,000	1.000	1	1,000	1.000	1	1,000	1,000

DAY CARE CENTER

Yard Stick as per Women Dvelopment Department

		C	Original		1st	Revised		2nd	l Revised	ł	3rc	l Revised	
Sr. No.	ITEMS	Yard Stick (DCC of 25 Kids)	Unit Cost	Total	Yard Stick (DCC of 25 Kids)	Unit Cost	Total	Yard Stick (DCC of 25 Kids)	Unit Cost	Total	Yard Stick (DCC of 25 Kids)	Unit Cost	Total
	Tri Cycles	4	3,500	14,000	4	3,500	14,000	4	3,500	14,000	4	3,500	14,000
	Wooden Cots	10	10,000	100,000	10	10,000	100,000	10	10,000	100,000	10	10,000	100,000
	Mattresses for Cots	10	1,200	12,000	10	1,200	12,000	10	1,200	12,000	10	1,200	12,000
	Pillows	10	300	3,000	10	300	3,000	10	300	3,000	10	300	3,000
	Bed Sheets and pillow covers	20	400	8,000	20	400	8,000	20	400	8,000	20	400	8,000
	Nets	10	600	6,000	10	600	6,000	10	600	6,000	10	600	6,000
	High Chairs for feeding	15	3,000	45,000	15	3,000	45,000	15	3,000	45,000	15	3,000	45,000
	Rockers Cum Bouncer	8	2,500	20,000	8	2,500	20,000	8	2,500	20,000	8	2,500	20,000
63	Cot Mobile	10	1,500	15,000	10	1,500	15,000	10	1,500	15,000	10	1,500	15,000
64	Plastic Chairs (Round edges Animal Shapes)	7	600	4,200	7	600	4,200	7	600	4,200	7	600	4,200
	Multi-Purpose Table	2	3,000	6,000	2	3,000	6,000	2	3,000	6,000	2	3,000	6,000
	Writing Board	1	500	500	11	500	500	1	500	500	1	500	500
	Electric Sterilizer	2	5,000	10,000	2	5,000	10,000	2	5,000	10,000	2	5,000	10,000
	Electric Warmer	2	5,000	10,000	2	5,000	10,000	2	5,000	10,000	2	5,000	10,000
	Table sets	2	4,000	8,000	2	4,000	8,000	2	4,000	8,000	2	4,000	8,000
	Rocker	6	3,200	19,200	6	3,200	19,200	6	3,200	19,200	6	3,200	19,200
	Activity Gym (Infants)	5	2,000	10,000	5	2,000	10,000	5	2,000	10,000	5	2,000	10,000
	Play Gym	5 5	2,700 2,000	13,500 10,000	<u>5</u> 5	2,700	13,500	5	2,700 2,000	13,500 10,000	5	2,700 2,000	13,500
	Activity Gym (Toddlers) Toiler Training Seat	10	3,000	30,000	10	2,000 3,000	10,000 30,000	5 10	3,000	30,000	5 10	3,000	10,000 30,000
	Infant Toys	30	4,000	120,000	30	4,000	120,000	30	4,000	120,000	30	4,000	120,000
	Bath Toys	15	1,000	15,000	15	1,000	15.000	15	1,000	15,000	15	1.000	15,000
	Fun Links Teether	15	300	4.500	15	300	4,500	15	300	4,500	15	300	4,500
	Fun Pal Teether	15	500	7,500	15	500	7,500	15	500	7,500	15	500	7,500
	Fun Rattle	15	400	6,000	15	400	6,000	15	400	6,000	15	400	6,000
	Mother feeding Chair	1	3,000	3,000	1	3,000	3.000	1	3.000	3,000	13	3,000	3,000
	Soft Books (duplication)	20	500	10,000	20	500	10.000	20	500	10,000	20	500	10,000
	Bottle Brushes	3	300	900	3	300	900	3	300	900	3	300	900
	of others Items i.e. Kitchen, Office, Elec		000	-		000	-		000	-			-
	Water Dispenser	1	14,000	14,000	1	14,000	14,000	1	14,000	14,000	1	14,000	14,000
2	Microwave Oven	1	12,400	12,400	1	12,400	12,400	1	12,400	12,400	1	12,400	12,400
3	Fridge	1	34,000	34,000	1	34,000	34,000	1	34,000	34,000	1	34,000	34,000
4	Kitchen Accessories / Cutleries etc.	24	200	4,800	24	200	4,800	24	200	4,800	24	200	4,800
	Sofa Set	1	40,000	40,000	1	40,000	40,000	1	40,000	40,000	1	40,000	40,000
	Office Table	1	5,000	5,000	<u>.</u> 1	5,000	5,000	1	5,000	5,000	1	5,000	5,000
	Office Chairs	5	10,000	50,000	5	10,000	50,000	5	10,000	50,000	5	10,000	50,000
	Air Conditioner	2	42,000	84,000	2	42,000	84,000	2	42,000	84,000	2	42,000	84,000
	LCD	1	27,000	27,000	1	27,000	27,000	1	27,000	27,000	1	27,000	27,000
	DVD player	1	5,000	5.000	 1	5.000	5.000	1	5,000	5.000	1	5.000	5.000
	CCTV Cameras	1	100,000	100,000	1	100,000	100,000	1	100,000	100,000	1	100,000	100,000
	Fire Alarms	3	5,000	15,000	3	5,000	15,000	3	5,000	15,000	3	5,000	15,000
	UPS	1	10,000	10,000	1	10,000	10,000	1	10,000	10,000	1	10,000	10,000
	Vacuum Cleaner	1	7,000	7,000	1	7,000	7,000	1	7,000	7,000	1	7,000	7,000
_	Fire Extinguishers (Large)	2	5,000	10,000	2	5,000	10,000	2	5,000	10,000	2	5,000	10,000
	Electric Insect Killer	2	7,800	15,600	2	7.800	15,600	2	7.800	15,600	2	7.800	15,600
	Electric Hand Dryer	1	4,000	4,000	1	4,000	4,000	1	4,000	4,000	1	4,000	4,000
	Electric Heater	2	5,000	10,000	2	5,000	10,000	2	5,000	10,000	2	5,000	10,000
	Ceiling/bracket Fans	4	8,000	32,000	4	8.000	32.000	4	8,000	32,000	4	8.000	32.000
	Curtains	2	45,000	90,000	2	45,000	90,000	2	45,000	90,000	2	45,000	90,000
21	Carpets	1	100,000	100,000	1	100,000	100,000	1	100,000	100,000	1	100,000	100,000
22	Other miscellaneous items	1	218,675	218,675	1	218,675	218,675	1	218,675	218,675	1	218,675	218,675
		'	210,075		<u> </u>	210,075		ı	210,075		'	210,075	
1	TOTAL			1,600,000			1,600,000		1	1,600,000			1,600,000 1.600

			Hui	man Re	source	e Model	of THO	Q Hosp	ital									
			Orig	jinal			1st Re	vised			2nd R	evised				3rd Re	vised	
Sr. No.		No. of Employees	Per Month Salary	Per Month Salary for Person	Salary for One Year	No. of Employees	Per Month Salary	Per Month Salary for Person	Salary for One Year	No. of Employees	Per Month Salary	Per Month Salary for Person	Salary for Two Years	No. of Emplyees	Project Pay Scale	Per Month Salary	Per Month Salary for all Person	Salary for Two Years
1	ADMIN OFFICER	1	60,000	60,000	720,000	1	60,000	60,000	720,000	1	80,000	80,000	1,920,000	1	6	105,000	105,000	3,255,000
2	HUMAN RESOURCE & LEGAL OFFICER	1	60,000	60,000	720,000	1	60,000	60,000	720,000	1	80,000	80,000	1,920,000	1	6	105,000	105,000	3,255,000
3	IT/STATISTICAL OFFICER	1	60,000	60,000	720,000	1	60,000	60,000	720,000	1	80,000	80,000	1,920,000	1	6	105,000	105,000	3,255,000
4	FINANCE, BUDGET & AUDIT OFFICER	1	60,000	60,000	720,000	1	60,000	60,000	720,000	1	80,000	80,000	1,920,000	1	6	105,000	105,000	3,255,000
5	PROCUREMENT OFFICER	1	60,000	60,000	720,000	1	60,000	60,000	720,000	1	80,000	80,000	1,920,000	1	6	105,000	105,000	3,255,000
6	QUALITY ASSURANCE OFFICER	1	60,000	60,000	720,000	1	60,000	60,000	720,000	1	80,000	80,000	1,920,000	1	6	105,000	105,000	3,255,000
7	LOGISTICS OFFICER	1	60,000	60,000	720,000	1	60,000	60,000	720,000	1	80,000	80,000	1,920,000	1	6	105,000	105,000	3,255,000
8	DATA ENTRY OPERAOTOR (DEO)	2	25,000	50,000	600,000	2	25,000	50,000	600,000	2	35,000	70,000	1,680,000	2	3	44,000	88,000	2,728,000
9	ASSISTANT ADMIN OFFICER	2	40,000	80,000	960,000	2	40,000	80,000	960,000	2	50,000	100,000	2,400,000	2	5	70,000	140,000	4,340,000
10	HR FOR QMS and MSDS and Day Care Center																	
11	QMS Supervisor / Information Desk Officer	2	25,000	50,000	600,000	2	25,000	50,000	600,000	2	25,000	50,000	600,000	2		25,000	50,000	600,000
	Computer Operator	8	20,000	160,000	1,920,000	8	20,000	160,000	1,920,000	8	20,000	160,000	1,920,000	8		20,000	160,000	1,920,000
	Consultants (MSDS) Implementation & Clinical Audit	1	100,000	100,000	1,200,000	1	100,000	100,000	1,200,000	1	100,000	100,000	1,200,000	1		100,000	100,000	1,200,000
	Training on MSDS Compliance for Staff of THQ Hospital	1000	4,000	4,000,000	4,000,000	1000	4,000	4,000,000	4,000,000	1000	4,000	4,000,000	4,000,000	1000		4,000	4,000,000	4,000,000
					500,000				500,000				500,000				0	500,000
	Manager Day Care Center	1	45,000	45,000	540,000	1	45,000	45,000	540,000	1	45,000	45,000	540,000	1	1	45,000	45,000	540,000
	Montessori Trained Teacher	1	35,000	35,000	420,000	1	35,000	35,000	420,000	1	35,000	35,000	420,000	1	1	35,000	35,000	420,000
18		4	25,000	100,000	1,200,000	4	25,000	100,000	1,200,000	4	25,000	100,000	1,200,000	4	1	25,000	100,000	1,200,000
19	Office Boy	1	20,000	20,000	240,000	1	20,000	20,000	240,000	1	20,000	20,000	240,000	1	1	20,000	20,000	240,000
	Sub Total of H	R Model		4,860,000	17,220,000			4,860,000	17,220,000			5,040,000	28,140,000		1		5,273,000	
					17.220				17.220				28.140		1			40.473
	Utilization of HR (5.230			ı	7.44]			
	Total of HR Cor	mponent		1									33.37					47.917

	Jani	torial	Servi	ces
	Original			From 1st Revised to onward
Assumptions				In the light of decision made during the Progress Review Meeting of
Covered area excluding residential area	38,308	sft		Revamping of DHQ/THQ Hospitals held on 01-01-2018 under the
Covered area assigned to one sweeper	7,500	sft		Chairmanship of Chairman, P&D Board; it was inter alia decided as under:
Number of sweepers required for covered area	5	Persons		"It would be made sure by the P&SH Department that the outsourcing
Road and ROW area	53,569	sft		would be shifted to the non-development side from 1st July 2018 next FY"
Road and ROW assigned to one sweeper	15,000	sft		In view of above, Outsourcing cost has been excluded from this PC-I.
Number of sweepers required for road and ROW area	4	Persons		
Number of washroom blocks	13	blocks		
Number of washroom block assigned to one sweeper	3	Persons		
Number of sweepers required for total washroom blocks	4	Persons		
Total sweeper in morning shift	13	Persons		
Total number of sweepers in evening shift	7	Persons		
Total number of sweepers in night shift	7	Persons		
Total number of sweepers in all shifts	27	Persons		
Number of sewer men required	3	Persons		
Number of supervisors	3	Persons		
Salary component				
Type of worker	No of	Salary per	Salary for	
	workers	month	One Year	
Sweepers / Janitors	27	22,000	7,096,883	
Sewer men	3	22,000	792,000	
Supervisors	3	26,000	936,000	
Cost of Supply per Month		400,000	4,800,000	
Sub Total (Salary component) 13,624,88				
		•	13.625	•

Security and Parking								
	Original				From 1st Revised to onward			
Assumptions	•				In the light of decision made during the Progress Review Meeting of			
Covered area excluding residences	38,308				Revamping of DHQ/THQ Hospitals held on 01-01-2018 under the			
Covered Area per guard	15,000				Chairmanship of Chairman, P&D Board; it was inter alia decided as under:			
Number of guards	3				"It would be made sure by the P&SH Department that the outsourcing			
Open area excluding parking area	53,569				would be shifted to the non-development side from 1st July 2018 next			
Area covered per guard per shift for	15.000				FY". In view of above, Outsourcing cost has been excluded from this PC-I.			
open area excluding parking	15,000				ill view of above, Outsourcing cost has been excluded from this FC-1.			
Number of guards for total area								
excluding parking area	4							
Number of gates	3							
Number of guards at gates	6							
Total No of Guard	12							
Total number of all guards for second								
shift	6							
Lady Searcher	2							
Number of parking areas	1							
Number of guards for parking lot per								
shift (Morning+ Evening)	2							
Total no. of Supervisors	2							
Type of worker	No of workers	Salary per month	Salary per Month for all Person	Salary for One year				
Supervisors	2	24,675	49,350	592,200				
Ex-Army	7	21,525	150,675	1,808,100				
Civilian	11	21,000	231,000	2,772,000				
Lady Searcher	2	21,525	43,050	516,600				
Parking	2	21,525	43,050	516,600				
Sub total				6,205,500				
Equipment cost								
Lump sum Provision (Walk Through Gate=1, Metal Detector=4, Walkies Talkies=8, Base Set=1)				400,000				
Sub total				400,000				
Subtracting Parking Fees				500,000	1			
Total Security and Parking Services			1	6,105,500				
, , , , , , , , , , , , , , , , , , , ,				6,106				

Laundry Services								
		Origin	al	From 1st Revised to onward				
Number of beds	60			In the light of decision made during the Progress Review Meeting of Revamping of				
Type of Item	No of Beds	Per bed cost per year	Total Cost	DHQ/THQ Hospitals held on 01-01-2018 under the Chairmanship of Chairman, P&D Board; it was inter alia decided as under: "It would be made sure by the P&SH Department that the outsourcing would be shifted				
No of Bed	60	30,000	1,800,000	to the non-development side from 1st July 2018 next FY".				
Transport Charges			1,200,000	In view of above, Outsourcing cost has been excluded from this PC-I.				
Total for laundry items			3,000,000					
Total			3.000					

		Origin	al	From 1st Revised to onward
Item Name	Quantity	Cost per year	Total Cost	In the light of decision made during the Progress Review Meeting of Revamping of DHQ/THQ Hospitals held on 01-01-2018 under the Chairmanship of Chairman, P&D Board; it was inter alia
Periodical Maintenance Cost				decided as under:
Number of Generators (200 KVA)	1	500,000	500,000	"It would be made sure by the P&SH Department that the outsourcing would be shifted to the
Number of Generators (100 KVA)	-	325,000	-	non-development side from 1st July 2018 next FY".
Number of Generators (50 KVA)	1	175,000	175,000	In view of above, Outsourcing cost has been excluded from this PC-I.
Repairs Cost	1	675,000	675,000	
HR Cost				
Supervisor	1	40,000	240,000	
Generator Operator	3	30,000	1,080,000	
Technical Staff/Mechanic	-	30,000	-	
Total			2,670,000	
			2.670	

				IVI	EP
		Ori	ginal		From 1st Revised to onward
Type of worker / Component	No of workers	Salary per month	Salary per Month for all persons	Salary for One Year	In the light of decision made during the Progress Review Meeting of Revamping of DHQ/THQ Hospitals held on 01-01-2018 under the Chairmanship of Chairman, P&D Board; it was inter alia decided as under: "It would be made sure by the P&SH Department that the outsourcing would be shifted
Supervisors	1	56,420	56,420	677,040	to the non-development side from 1st July 2018 next FY". In view of above, Outsourcing cost has been excluded from this PC-I.
Plumber	1	32,550	32,550	390,600	in view of above, Outsourcing cost has been excluded from this FC-1.
AC/ Technician	1	34,720	34,720	416,640	
Electrician	2	31,465	62,930	755,160	
Car painter	1	30,380	30,380	364,560	
Fotal (Salary componer	nt)		217,000	2,604,000	
	No.	Per Unit Cost per Year	Cost per Year for all Items	Cost for One Year	
A/C	118	6,665	786,470	786,470	
Fridge	5	4,000	20,000	20,000	
UPS	12	8,000	96,000	96,000	
Water Cooler	15	4,000	60,000	60,000	
Exhaust	7	3,000	21,000	21,000	
Geyser	15	4,000	60,000	60,000	
Water Pump	3	3,000	9,000	9,000	
Carpentry Work		-	180,000	180,000	
Electrical Work		-	120,000	120,000	
Plumbing Work		-	75,000	75,000	
Sub Total				1,427,470	
General Total				4,031,470	
				4.031	

				Medi	ical Ga	ises
			Origin	nal		From 1st Revised to onward
	Scope of Work	Monthly Consumption per THQ Hospital	Annual Consumption per THQ Hospital	Rate per Cylinder	Total Annual Cost per THQs	In the light of decision made during the Progress Review Meeting of Revamping of DHQ/THQ Hospitals held on 01-01-2018 under the Chairmanship of Chairman, P&D Board; it was inter alia decided as under: "It would be made sure by the P&SH Department that the outsourcing would be shifted to
	Medical Oxygen Gas in 240 CFTCylinder (MM)	12	144	1850	266,400	the non-development side from 1st July 2018 next FY". In view of above, Outsourcing cost has been excluded from this PC-I.
	Medical Oxygen Gas in 48 CFTCylinder (MF)	30	360	1,000	360,000	
	Medical Oxygen Gas in 24 CFTCylinder (ME)	40	480	800	384,000	
	Nitrous Oxide in 1,620 Liter (XE)	2	24	5,000	120,000	
	Nitrous Oxide in 16,200 Liter (XM)	1	12	12,500	150,000	
Nitrogen Gas	Nitrogen Gas	1	12	2,000	24,000	
		Total			1,304,400	

Cafeteria

Pre-Fabrication Cateen (Procurement)

						rocurement)
			C	rigir	nai	From 1st Revised to onward
Sr. No.	Description of work	Unit	Qty	Rate (Rs)	Amount (Rs)	In the light of decision made during the Progress Review Meeting of Revamping DHQ/THQ Hospitals held on 01-01-2018 under the Chairmanship of Chairman, P&D Board; it was inter alia decided as under:
1	Excavation in foundation of building, bridges and other structures, including dagbelling, dressing, refilling around structure with excavated earth, watering and ramming lead upto one chain (30 m) and lift upto 5 ft. (1.5 m) for ordinary soil	Cft	2545	6.13	15,602	"It would be made sure by the P&SH Department that the outsourcing woul be shifted to the non-development side from 1st July 2018 next FY". In view of above, Outsourcing cost has been excluded from this PC-I.
2	Spraying anti-termite liquid mixed with water in the ratio of 1:40.	Sft	4305	2.21	9,514	
3	Supplying and filling sand of approved quality from outside sources under floors etc complete in all respects.	Cft	2268	15.62	35,426	
4	Providing, laying, watering and ramming brick ballast 1½" to 2"(40 mm to 50 mm) gauge mixed with 25% sand, for floor and foundation, complete in all respects.	Cft	998	39.15	39,069	
5	Providing and laying damp proof course (1½" thick (40 mm)) of cement concrete 1:2:4, with one coat bitumen and one coat polythene sheet 500gauge	Sft	318	43.34	13,789	
6	Brick work with cement, sand mortar ratio 1:5	Cft	1792	180.25	323,071	
7	Cement concrete plain Ratio 1: 4: 8 including placing, compacting, finishing and curing complete (including screening and washing of stone aggregate)	Cft	427	170.72	72,893	
8	Cement concrete plain Ratio 1: 2 : 4 including placing, compacting, finishing and curing complete (including screening and washing of stone aggregate)	Cft	1043	190.48	198,746	
9	Placing Granite tiles (24"x24"x0.5") using white cement over a bed of 3/4" (20 mm) thick cement mortar 1:6.	Sft	2160	200.00	432,000	
10	Providing and laying Tuff pavers, having 7000 PSI, crushing strength of approved manufacturer, over 2" to 3" sand cushion i/c grouting with sand in joints i/c finishing to require slope. complete in all respect.	Sft	720	118.00	84,960	
D	Total Amount of Platform Construction				1,225,070	
	Fabrication of Canteen Structure Providing and fixing aluminium frame window with double glazzed glass 6mm+6mm thick complete in all respect as approved by engineer	Sft	48	1100.00	52,800	
12	Providing and fixing aluminium frame door with single glazzed glass 6mm thick complete in all respect as approved by engineer	Sft	56	700.00	39,200	
13	Fixing of frameless Glass wall of approved quality and design as approved by engineer	Sft	550	1500.00	825,000	
14	Providing Granite skirting or dado 4/8"(13 mm) thick including rounding of corner and straight ening of top edge and finishing to smooth surface afterplastering	Sft	491	212.00	104,177	
15	Placing & erection of pre-painted Box section tube Columns of M.S sheet 4mm thick of size 4" x4" complete in all respect.	Kg	693	150.00	103,950	
16	Placing & erection of pre-painted Box section tube Rafters of M.S sheet 4mm thick of size 3" x3" with all fittings, complete in all respect.	Kg	1040	150.00	155,925	
17	Placing & erection of pre-painted Box section tube Purlins of M.S sheet 1.6 mm thick (16 Gauge) of size 2" x2", with all fittings, complete in all respect.	Rft	676	120.00	81,144	
18	Placing & erection of pre-painted, Galvanized Sandwitched board of 0.5 mm thick M.S sheet with 50mm PU insulation with all fittings, complete in all respect.	Sft	2640	400.00	1,055,800	
19	Placing & fixing glass wool complete in all respect.	Sft	3024	50.00	151,200	
20	Placing & fixing Gypsum False Ceiling, complete in all respect.	Sft	3024	70.00	211,680	
21	Providing & Fixing corrugated galvanized iron sheets 22 gauge with EPDM screw fittings, complete in all respect.	Sft	3629	145.00	526,176	
	Total Cost of Pre-Fabrication of Canteen Structure				3,307,052	
	Total Amount (Rs)				4,532,121	
	Electrification				998,735	
	Plumbing and Sanitory Kitching Fixtures				410,000	
24	Kitching Fixtures Grand Total Amount (Rs)	<u> </u>	l]	802,000 6,742,856	1
	Grana Istal Amount (NS)				6.743]

LANDSCAPE DEVELOPMENT WORKS COST ESTIMATE

					•	
			O	rigina	11	From 1st Revised to onward
Sr. No.	Description	Unit	Quantity	Unit Rate Rs.	Amount Rs.	In the light of decision made during the Progress Review Meeting of Revamping of DHQ/THQ Hospitals held on 01-01-2018 under the Chairmanship of Chairman, P&D Board; it was inter alia decided as under:
1	SOFT LANDSCAPE					"It would be made sure by the P&SH Department that the outsourcing would be shifted to the non-development side from 1st July 2018 next FY".
1.1	TOP SOIL					In view of above, Outsourcing cost has been excluded from this PC-I.
	Providing, spreading and leveling of topsoil (sweet soil including manure and fertilizers) as required complete in all respects as per Drawings, Specifications and as approved by the Engineer.	Cft	9,184	20	183,680	
1.2	STONE / PEBBLES					
	Supply and laying a layer of pebbles/stone at specified locations with Landscape base as in Landscape Design approved by the Engineer.	Truck	1	34,375	34,375	
1.3	GRASSING					
а	GRASSING (EXISTING NON MAINTANE LAWNS)					
	Providing and dibbing of Fine Dacca grass where required, including mud filling/leveling and contour shape preparation confirming to the criteria outlined in the Specifications, complete in all respects as per Drawings, Specifications and as approved by the Engineer.	Sft	25,361	7	177,527	
b	GRASSING (NEW LAWNS)					
	Providing and dibbing of Fine Dacca grass, including mud filling/leveling and contour shape preparation confirming to the criteria outlined in the Specifications, complete in all respects as per Drawings, Specifications and as approved by the Engineer.	Sft	9,361	11.25	105,311	
1.4	TREE / SHRUBS (SPREADING)					
	Providing and planting tree / shrub as listed and as arrangement and type shown in the Drawings, in pits of size 305mm x 305mm x 305mm. Dug in improved soil 610mm. deep filled by adding 10% cow dung manure and confirming to the criteria outlined in the Specifications, complete in all respects and to the satisfaction of Engineer.					
а	Trees 18" pot 6'-7' - Terminally, Cassia Fistula, Bauhinia Variegated, Alstonia Choirs, Ficus Yellow, Ficus Black, Jacaranda, Pilken, Mangifera etc.	No's	242	1,500	363,000	
b	Trees 12* pot 3'-4' - Polyalthia Long folia, Terminally, Cassia Fistula, Bauhinia Variegated, Latonia Choirs, Delonix Regia, Ficus Yellow, Focus Black, fichus Starlight, Melaluca, Mimuspps, Pine, Ficus Amestal, Pilken, Palms etc.	No's	60	270	16,200	
С	Plantation of Fruit Plants in the vacant area 12" pot 3'- 4' - Am rood, Jaman, Berri, Mango, Citrus. Including site preparation, plantation, watering and maintenance for six months.	No's	400	600	240,000	

LANDSCAPE DEVELOPMENT WORKS COST ESTIMATE Original From 1st

From 1st Revised to onward

			0	rigina	ı
1.5	Shrubs and Ornamental Plants 10" pot Pittosporum Variegated, Murray Small, Ixora Coccinea, Juniper Varigated, Hibiscus Varigated, Carronda Dwarf Spp, Jasmine Sambac(Mottya), Leucophyllum Frutescens(Silvery), Rose, Nerium, Lantana, Canna, Asparagrass, Conocarpus, Acalypha, Callistemon Dwarf, Cestrum, Thabernaemontara Variegated etc.	No's	31,500	69	2,173,500
а	Shrubs and Ornamental Plants 12" pot Pittosporum Varigated, Ixora Cochineal, Juniper Variegated, Carronade Dwarf, Jasmine Thai, Plumier Robar, Cassia Malacca, Largest mea, Euphorbia, Jestropha Thai etc	No's	4,875	195	950,625
1.6	GROUND COVERS				
	Providing and planting ground covers as listed and as arrangement and type shown in the Drawings, in pits of size 150mm x 150mm x 150mm. Dug in improved soil 610mm deep filled by adding 10% cow dung manure and confirming to the criteria outlined in the Specifications, complete in all respects and to the satisfaction of Engineer.				
	Ground Cover Plastic Bag Plants Alternant Hera, Dianella, Iresine (Red), Hemercollis(Daylily), Duranta etc	No's	25,000	12	300,000
1.7	PALMS				
	Providing and planting palms as per Drawings,				
а	specifications and to the satisfaction of Engineer . Palm 18" pot - Queen Palm, Wodyetia Bifurcate,	No's	12	3,675	44,100
b	Washingtonian Palm, Biskarkia etc. Palm 18" pot - Phoenix Palm, Cyrus Palm	No's	40	1,800	72,000
1.8	CREEPERS	140.5	40	1,000	72,000
	Providing and planting Creepers as listed and as arrangement and type shown in the Drawings, in pits of size 305mm x 305mm x 305mm. Dug in improved soil 610mm. deep filled by adding 10% cow dung manure and confirming to the criteria outlined in the Specifications, complete in all respects and to the satisfaction of Engineer.				
	Bombay Creeper etc.	No's	100	195	19,500
2	HARD LANDSCAPE				
2.1	WALK WAYS				
а	Excavation of walkways and edging including brick ballast under 12"X14" curb stones fixing with 1:2:4 PCC, supply of 7000PSI tuff tiles 60mmas per approved design fixing on 4" brick ballast compacted and grouting with sand.	Sft	2000	150	300,000
2.2	BENCHES				
	Concrete Bench 5' wide complete in all respects and to the satisfaction of Engineer as per approved design.	No's	10	12,562	125,620
2.3	DUSTBINS				
	Complete in all respects and to the satisfaction of Engineer as per approved design.	No's	8	23,675	189,400

LANDSCAPE DEVELOPMENT WORKS COST ESTIMATE

			0	rigina		From 1st Revised to onward					
				riyiiia	1	From 15t Revised to onward					
2.4	PLAYING EQUIPMENTS										
	Complete in all respects and to the satisfaction of Engineer as per approved design.	No's	1	465,760	465,760						
2.5											
	Concrete planters 2' X 2-1/2' complete in all respects and to the satisfaction of Engineer as per approved design.	No's	7	3,850	26,950						
2.6	WATER POINTS (Injector Pump 1HP)	No's	3	45,000	135,000						
3	SOFT LANDSCAPE MAINTENANCE (Including maintenance and up keeping of site for 6 months) after development as per specifications and to the satisfaction of Engineer.	Sft	40,456	7.50	303,420						
4	CONSTRUCTION OF PLANTERS										
4.1	Large Size with keystones fixed with cement with top concrete slab as per design and to the satisfaction of Engineer.	No's	100	550	55,000						
4.2	slab as per design and to the satisfaction of Engineer.	No's	1,170	550	643,500						
4.3	Small Size with keystones fixed with cement with top concrete slab as per design and to the satisfaction of Engineer.	No's	240	550	132,000						
5	GAZEBO Construction of Gazebo 12' X 12' with top fiberglass 3 layer canopy as per approved design and to the satisfaction of Engineer.	No's	1	200,000	200,000						
	Total Amount of - Landscaping				7,256,468						
	PRA(16%)				1,161,035						
	Design Consultancy				100,000						
	TPV (3%)				217,694						
	Grand Total				8,735,197						
	·				8.735						



BUILDINGS CIRCLE DERA GHAZI KHAN

BUILDINGS SUB-DIVISION ROJHAN BUILDING DIVISION RAJAN PUR

ROUGH COST ESTIMATE FOR REVAMPING OF HEALTH FACILITY IN THO HOSPITAL ROJHAN DISTRICT RAJANPUR

ESTIMATED COST = 14.973 (M)

MRS (2nd Bi-Annual 2022) District Rajanpur

		District	Category	Dept	Zone	Visit Date
VC-V4	Name	<u> </u>	Hospital		South	Visit Date 05-7-22 to 06-7-22
· · · 	Salance work of Revamping of THQ Hospital Ahmedpur East Revamping of THQ Hospital, Hasilpur District Bahawalpur		Hospital	P&SHD		Visit Date 05-7-22 to 06-7-22
<u>26</u> 27	Revamping of THQ Hospital, Yazman District Bahawalpur	Bahawalpur	Hospital	P&SHD) · · ·	Visit Date 05-7-22 to 06-7-22
	Bahwalpur Victoria Hospital - Old Blocks	Bahawalpur	Hospital	SH&ME		Visit Date 05-7-22 to 06-7-22
	Govt. paramadical school, bahawalpur	Bahawalpur	Paramedical School	SH&ME	South	Visit Date 05-7-22 to 06-7-22
	College of Nursing, QAMC / Bahawal Victoria Hospital, Bahawalpur	1	Nursing School	SH&ME	South	Visit Date 05-7-22 to 06-7-22
_	Bahawalpur Nursing Hostel	Bahawalpur	Nursing Hostel	SH&ME	South	Visit Date 05-7-22 to 06-7-22
	Revamping of THQ Hospital, Liaquatpur District Rahim Yar Khan	Rahim Yar Khan	Hospital	P&SHD	South	Visit Date 07-7-22 to 08-07-22
	DHQ Rahim Yar Khan	Rahim Yar Khan	Hospital	SH&ME	South	Visit Date 07-7-22 to 08-07-22
	College of Nursing, SZMC / Sheikh Zayed Hospital, Rahim Yar Khan	Rahim Yar Khan	Nursing School	SH&ME	South	Visit Date 07-7-22 to 08-07-22
35	Rahim Var Khan Nursing Hostel	Rahim Yar Khan	Nursing Hostel	SH&ME	South	Visit Date 07-7-22 to 08-07-22
. 36	Balance work of Revamping of DHQ Hospital Bahawalnagar	Bahawalnagar	Hospital	P&SHD	South	
37	Balance work of Revamping of THQ Hospital Chishtian	Bahawalnagar	Hospital	P&SHD	South	Visit Date 12-7-22 to 13-7-22
	Revamping of THQ Hospital, Fort Abbas District Bahawalnagar	Bahawalnagar	Hospital	P&SHD	South	Visit Date 12-7-22 to 13-7-22
39	Revamping of THQ Hospital, Minchinabad District Bahawalnagar	Bahawalnagar	Hospital	P&SHD	South	Visit Date 12-7-22 to 13-7-22
40	CON, DHQ Hospital, Bahawalnagar	Bahawalnagar	Nursing School	SH&ME		Visit Date 12-7-22 to 13-7-22
41	Bahawainagar Nursing Hostel	Bahawalnagar	Nursing Hostel	SH&ME	South	Visit Date 12-7-22 to 13-7-22
42	Balance work of Revamping of DHQ Hospital Khanewal	Khanewal	Hospital	P&SHD	South	Visit Date 14-7-22
4	Balance work of Revamping of THQ Hospital Mian Channu	Khanewal	Hospital	P&SHD	South	Visit Date 14-7-22
44	Revamping of THQ Hospital, Jahanian District Khanewal	Khanewai	Hospital	P&SHD	South	Visit Date 14-7-22
4:	Revamping of THO Hospital, Kahinyala DistrickKhanewal	Khanewal	Hospital	P&SHD	South	Visit Date 14-7-22
41	CON, DHQ Hospital, Khanewal	Khanewal	Nursing School	SH&ME	South	Visit Date 14-7-22
	7 Khanewal Nursing Hostel	Khanewal	Nursing Hostel	SH&ME	South	Visit Date 14-7-22
4	Revamping of THQ Hospital, Kehror Pacca District Lodharan	Lodharan	Hospital	P&SHD	South	The second of the second of the second of
. 4	Revamping of THQ Hospital, Dunyapur District Lodhran	Lodharan	Hospital	P&SHD	South	Visit Date 15-7-22
	OCON, DHQ Hospital, Lodhran	Lodharan	Nursing School	SH&ME	South	Visit Date 15-7-22
	1 Lodhran Nursing Hostel	Lodharan	Nursing Hostel	SH&ME	South	Visit Date: 15-7-22
	2 Balance work of Revamping of DHQ Hospital Muzafargarh	Muzafargarh	Hospital	P&SHD		Visit Date 18-7-22

2

ROUCH COST ESTINATE FOR REVANITIOS OF HEALTH FACILITY IN THE HOSPITAL ROHAND REPRESENTABLES TEOD HOUGH

ender kons statist pag &A. (2010 benans 18 m)	No. Description of these study seek Fortion		Comma Loca	ya.		Charp drager 3. And then Brit		Complete to Dame I or control tripent of the Complete of the C	A STATE OF THE STA	of the selection (1)	of houses (C.) phide T. (f	8	ALPONIA MARINE	2) 124-114	of artic believes to cheek guitely and Percel and Perce	The statement of the state of t	me bermeye as tourners against very as and against response
	Describeron of these Nicel		Ground Lines	ya.	1		has mid. critical benearies 67% wordbood overalls ofthe m to men and	Mary SV many or particular to the second	A STATE OF THE STA	<i>इइ३</i> ।	College TV	8	SCR Ports		in to obselv publication (the other stand) has	Total Services of the services	Separate in Separate street
	75			ya.	1	any drayer 3.474 has p	he mich, cylish baranga it's\C weetherd\netaclia ith- m bears all	Care of the Care o	E STATE OF THE STA	and heart absence of heart absence of the stack goodle.	Chick TV	Commercial Tree	ACRESON SECTIONS	And the second	n to obed) gastie. On div the G her	Takes for to see property	and godinent prim
		2	1		_	2	9 3			T1:5	of Section Sec	•	a C	1	walled state Call	Totalina p	the large and the
		1	Ť.	4			<u> </u>		-	431	******		ă	FA	J.L.1		22
	ethitee		1	-	F		ð		7	<u></u>	- W		ğ Ü			ğ Q	
	district of the second		İ		L		ä			**	ħ.	\downarrow	i i			ij	
. 1	4.5		×		-		13.4	į		۱,	de Terr		ų		-	ž.	
s per plands seen rates.	1						, E	•			†		†	1		Z.C.	
tands area rates	-					-					1		-				
A STATE OF THE STA						·			士	F 3	-		王		-		
	8.11.2		â.						土				n l				
	111	+	15			-			_				6				
	Tecal		8	ñ		•	ğ	•			#		1 8			3	
	Dag	11	ra Ta	,	7	 	REA GLOS	b	T		<u> </u>		1 3	 		<u> </u>	
	Manage		T. Berri	200BET								9	+-	;, -		N	
	118		*	-11-	1				+			+	B				
	4×~	H			Ŧ				上			士	土			<u></u>	
				_	1	· · · · · · · · · · · · · · · · · · ·	-		\perp	····	· 				<u> </u>		
	_		T	T	T			************				1					
	and belong	Ŧ		+	Ŧ			······································	+			#	+				
5 ₽	5 .4	1			_	 				b		<u> </u>	1				
2 4		+	_	_	Ł						7	1				•	
£ 5		+	1	_	L	-i		· · · · · · · · · · · · · · · · · · ·		1 A1	!						
As per plaint drain stars, (2nd El-anime) and El-anime is a second and electrical	H4 13	+	+	+	-		· .		<u> </u>		-		П				
	i i i	†	+		-	.	······································				· · · · · · · · · · · · · · · · · · · ·				P	/	
L.		1	+		L		· · · · · ·			•							
	Unda	+	- -		_	 		-			 	-					
	Упрови	•	•				•			•	ļ	•	0				
	7	·	,				ľ		•	į .			,	***************************************			
Potrac			7	T							ļ	∤ ∤					
ertens.		Ť.	100			Fr.	75			1 1	•	Starte	E .		Į.	-	

		·											— т	· · · ·		T		\top	1	Ĭ	Π^-	П	\top	-		-		İ			
ii)	Providing and laying superb quality		-	Ì	1	Ш	1	1	1	1		-		` '		4	İ	1				11	- [ŀ		1	1	:	i	-
1	Porcelain glazed tiles of Master brand		1	ļ			11	i l										1	.		11	-11	1		ļ			1	. 1		
	skirting /dado of specified size, Color		-	1		IJ	- 11	1 1	1 1					ł	٩			-	1		11	11		1 1	:	•	1 1		1	. "	
1	and Shade with adhesive /bond over 1/2* thick(1:2) cement plaster i/c the			-		11	- 11								i	ı		1	ı	1		11	- [1 1	0	-	20915	
	cost of and sealer for finishing the	110 S	ft	239 -	126.7	,	'			1		112.3	. 1	20915		-	•		- 1	1	11	11	ļ	1							•
	joints, cutting grinding complete in all	1	1		ŀ	11	-			-		-	j			- [1	-		11	-	ı				i i				
1	respect as approved and directed by		Ì	1	1		1	1 1					. 1		1	- 1		.		Į	11	11		1			-				
	the Engineer Incharge .a)Full body	1	İ		ŀ	11	1		1 1							- [1	ì	41	-11	ı				,				
	Glazed Tile		1	-				ŀ		[·			- 1			ĺ					11	11	1 1		<u> </u>			•			
-	(i) 400 mmX400 mm					Ш		\sqcup	┵	_	├	2424	D D G	227856		-		H	_	 	11-	\Box	\Box				1	.0		227856	
	Compound Wall(29+18)x2	94 R	₹ft			₩-		\sqcup	1	1	1				 - 	-+		Η.	-	1	11	П						Ö	-	167002	
	Boring Complete with pump and Tuff	2 J	ob	83501			-					83501	P.Job	167002						<u> </u>	-11-	-11		┷			4			344468	
	Tanki		-+		+	╁┼		\vdash	_	H	 	344468	D.a.b	344468			•	11		1	11	- 1		ì			1 1	0		344400	. <u>.</u>
3	Rehabilitation/Renovation of M.O Residence(01 Nos)	1 J	оъ	1	· ·	11		l		11.		344400	r.job		├ ──			╨		+	╅╋	+		+-	-						Detailed
-	· · · · · · · · · · · · · · · · · · ·	 	+			1.]		;		ا. ا			H	- 1	1	11	1		ĺ		4781600	P.job	4781600	4781600	_	attached
4	Emergency Block			- 1	1.			1 1						10.	1	Job		11	l	1		٠ [H		<u> </u>						
*	(i.c X-Ray room,ward,Lab,OT)		1							Ш								++-	-+	+-	╅	+	1-1	+	 	2830380	P.job	2830380	2830380	_	Detailed attached
<u> </u>	000 01 1	1				11				11	Ì	•		0 ,	1	Job		Ш.		<u> </u>				1_	<u> </u>	2630300				•	Detailed
5	OPD Block °	 	_ .	∤	ļ —	╌		1	$\vdash\vdash$	╂┼	+	 	-	0	5000	Cla	-	П					1 1		1	346.00	P-Gln	1730000	1730000		attached
6	Construction of OHR	1 1	-	1						Ш_	<u> </u>	<u> </u>			3000	GE.		Ш_					<u></u> i		<u> </u>	·		0241000		8094914	
ь_					. ,					•				17436894	•											•		9341980			
												•														_		•	İ	\	Detailed
																										•		- 3839750	2263668		attached ,
	Add 10% external development				'	•			-			17436894		1576082	_		Exterr	ıal Dev	elops	nent P-j	ob ·					-					
	charges on Rs:														_														1	5831246	ł
												Total Rs:		19012976												Total Rs:		13181730		3031240	1
												TOTAL ICS.	-	1,012,10			Add V	Vapda (Conne	ction C	harges	s to b	e paid	i	-			1000000	950000	- 1	ì
	Add Wapda Connection Charges to be	e ,		-										50000			to ME	PCO										100000			7
	paid to MEPCO																4 4 4 !	_ 10/. T		lantatio						,		131817		58313	4
	Add 1% tree plantation								•	-				· 190130			Addin	Ig 170 I	ree p	IAIILANIO						•				291562	1
	Time 1,0 and particular											•		950649			Add 5	% PRA									•	659087	 -	291302	┫.
•	Add 5% PRA											٠	-	3000.00	_													•		5004404	
,														20203755												Total Rs:		14972634	-	5231121	┥
												Total Rs:		20200733												1		40000000		5231400	1
	•											Say Rs:		20204000												Say Rs:		14972600		1 -	1
												Or.		20.204 (M)												Or.		14.973 (M)		5.231	_
•												U r.		20.201 (141)					٠						/. -	0					
										-				1			_							a	m	1					
				•					1/0	The	W	-		h	_									8	'// ive Epg	inear	,				
•						•		•	·			`.		Sub Division	mal Office	er '			·				1	Buildi	ngs Div	ision		•			•
								C S. 1	Engine					Bear Duildings 9	h Iliviek	217									jan Pu						

ROUGH COST ESTIMATE FOR REVAMPING OF HEALTH FACILITY IN THQ HOSPITAL ROJHAN DISTRICT RAJANPUR

Sr,	Description of Items									h area	a rates 2022)	· .			Remarks
No.		Plin	th		Bui	ldir	ıg			E.I	P.H	Total	Unit	Amount	<u> </u>
1	Emergency Block (i.c X-Ray room,ward,Lab,OT)	1	Job	4,781,600								4781600	P.Job	4381700 4781600 2408500	Detailed Attached
2	OPD Block	1	Job	2,830,380	<u> </u>	+-		11			 	2830380	P.Job	2830380	
	Construction of OHR	5000				-						346	P-Gallon	. 1730000	Detailed Attached
	External Development	1	Job	3,839,750	-	-			_			3839750	P.Job	3839750	Detailed Attached
			<u> </u>	<u> </u>			<u> </u>				<u> </u>	Total Rs:		13181730	12359950
	Adding WAPDA Connection Charges sul	niect to	 Dema	and Notice					-				<u> </u>	1000000	
		·	CIII		۰	-							·	131817	<u> </u>
	Add 1% tree plantation	<u> </u>					,							659087	617,998
	Add 5% PRA					_						Total Rs:		14972634	13,977,948
		<u>.</u>	_			- -						Say Rs:		14972600	13977900
				•				-				Or:		14.973 (M)	13.978 LH

Sub Engineer

Sub Divisional Officer v Buildings Sub Division Rojhan Executive Engineer Buildings Division Rajan Pur

REVAMPING OF HEALTH FACILITY IN THO HOSPITAL ROJHAN DISTRICT RAJANPUR

EMERGENCY BLOCK ABSTRACT OF COST

1 Emergency Blo	ck
-----------------	----

2 Electric Installation

3 Sanitary Installation

Adding 3% Contingency

Rs 3,404,680
405,141
Rs 793,350

Rs 444,300
4,254,121

Total 4,642,330

127624 139,270

Total

4,784,600 4,381,745

Say

4,781,600-

4,381,700

Sub Engineer

Sub Divisional Officer

Buildings Sub Division

Rojhan

Executive Engineer Buildings Division Rajanpur

3 Providing and fibring anti-pidenobial, stall panelling complete in respect as approved by engineer inchenge.	eas eas	2-54	1,	10
				
Inchiste.Clas Verona		1		1 .
finish the joints as approved and directed by the Engine	et	İ		
mortor complete in all respectific the cost of metabling scaler	10 220	h-sn	204.5	5 4
and shade with adhesive bond over \$/4"thick [1:2] coment sai	udi			`\
handna uniform tariura (spottess) of size 24 x6" of approved quali	2計	1 .		1
8 Providing and laying 3/3" told. Prepolished Marble skirting/ riss	12	,		
approved and directed by the Engineer incharge.				
	1	}	'	1
processing with administration of all a strangers in all respects	361	1001	479	3
(Spotless) with adhesive bond over 3/4"thick(1:2) coment ser	R] ***	P-Sft	412	3 148
forvanities/Shelves/Treads/Window Gils, having Uniform teatur	4	1		[
7 Providing and laying 3/4" thick full width Prepalished Marble th	₽į	J	1	1
approved by enginist inchects.	T	<u> </u>		-
chemical composition i.c labour and carriage charges etc a	P	5	,	,
Conductive spory flooring /dado(imported) to avoid enction with a	¹⁴ 361	P-50	551	198
6 Frowlding and laying anti-naturobial familistatic self levelling put Mor	b]	
body Glazed Tile(I) 400mmN400 mm				1
respect as approved and directed by the Engineer inchargs a)Fu			1	ļ
and sealer for Unithing the junts, cutting trinding complete in a	2	1	}	1
SCHEENS JOHN OVER 1/2 SHOWLESS CONTRICTE IN A	1753	- P-S#	- 792.cd	274.
actics, we hand over 1/2" thick(1/2) cement plaster Ve the cost of	4			1
brand, skirting /dado of specified size, Color and Shade will	μ.			
S Providing and laying superb quality Porcelain glazed tiles of Maste	L.		 	ļ
			}	}
(i) 400 mm x 400 mm	Ī			١.
Full body Chazed bles	·		1	
affressect as approved and directed by the Engineer Incharge.a)	123	P-Sft	278.20	220
Leaster for festabling the totals by cutting principle compares in	1	1	176 30	350
with adhesive/bondoverti/4"(List/[1:3] coment plaster I/4 the cost of	ľ	}	1	ř
MACTER brand of socilied \$25 in approved design ,Color and Special	1.]		
4 Providing and taying supera quelay Porceiain glassed tiles Booring of		!		
East 1406 (Including enges): Threa tooks	 	 		
preparing surface and pulnting of exers and windows				•
Sipabulus nev. sistiscai-cl	1316	Ksh	2714.8	357;
CAY type (including a edical-Two costs				·
Preparing surface and patraing of doors and windows		į į		
2 Painting old skrface:-c)	2366	. इ.इ.ह.	1667.55	3947
Thisticing smarel and housest	23224	भरतंथ	******	-
1 Preparing surface and painting with emulsion paints Two cost	2228	10.10	2034,65	4725;
Description of Item ·	Quantity	Unit	Rate	Amauni
ABSTRACT OF CO.	Z.C			
FWERGENCYBLOC	ik .	· · · · · · · · · · · · · · · · · · ·		
				
VAMPING OF HEALTH FACILITY IN THO H RAJANPUR FWREGWICY BLOC	· ************************************	<i>j</i> *		

		· · · · · · · · · · · · · · · · · · ·			
1	P/L false ceiling comprising of 5/8" thick plaster of parisshee to required size in approved design with oneline of 6"wide niche all around, hanging with Copperwire(16SWG) dulyenriched with POP and flaxen i/c the cost of making space for rope light/screws/jute/making holes for lights andrawal plugs complete in all respects as approved and directed by the incharge (Measurement will be made as per carpet Area).	361	%cft	133.45	48175
	P/F 1-1/2" thick solid flush door comprising of 2.5mm thick Commercial ply compressed over 2.5mm thick commercial ply over 1" thick packing wood in style and rails under proper pressure i/c the cost of nails, tower bolt handles glue, sawing charges, Painting charges, sand papering and 3/8" thick matching wooden lipping as approved and directed by the Engineer Incharge.	46	%cft	502.2	23101
12	Making and fixing PVC doors 1-1/2" thick consisting of pvc frame and pvc leaves i.c hinges complete in all respect as approved design /color approved by engineer incharge	613	P-cft	880	539440
13	Providing and fixing Lead sheet 1/8" thick in X-Ray room	725	P-Sft	1200	870000
14	Providing and fitting all types of glazed aluminium windows of anodised/ powder coated partly fixed and partly sliding using delux sections of approved manufacturer having frame size of 100 x 30 mm (4"x1-1/4") and leaf frame sections of 50 x 20 mm (2"x½"), all of 1.6mm thickness including 5 mm thick imported tinted glass with rubber gasket using approved standard latches, hardware etc., as approved by the Engineer in-charge.	330	P-Sft	1,348.40	4450
15	Providing and laying non slippery tiles complete in all respect as approved by engineer incharge	90	P-Sft	232	209
16	Providing and fixing wooden box type wardrobe 22" (550mm) deep including %" (20 mm) thick boxing and shelves, hanger rods, hard board back drawers, brass fittings,locking arrangements, handles, internal bolts, shoe rods, etc. including three coats of enamel paint	-	P-Sft	2,036.25	1466
17	Providing and fixing SS Cladding on column complete in all respect as approve by engineer incharge	248	P-Sft	800	198400
18	Providing and fixing M.S. angle iron 1½"x1½"x½"40x40x6 mm) edge protector nozing of steps of stairs,having holdfast or 3/8" (10 mm) dia M.S. bars 8" (200 mm)long welded at 2' (600 mm) centre to centre and embedded in cement concrete on steps, complete in all respects.		P-Rft	375.75	90180
19	Cement plaster 1:3 upto 20' (6.00 m) height:-3/8" (10 mm) thick	300	%-Sft	3,130.75	9392
20	Providing and applying weather shield paint of approved quality on external surface of building including preparation of surface, application of primer complete in all respect: old surface	1500	%-Sft	1,925.45	28882

Total Say Rs 3404683 3404680

Sub Engineer

Sub Divisional Officer Buildings Sub Division Rojhan

Executive Engineer Buildings Division Rajan Pur

RAIANPUR · REVAMPING OF HEALTH FACILITY IN THO HOSPITAL ROLHAN DISTRICT

ABSTRACT OF COST OPD BLOCK

1 OPD Block

2 Electric Installation

385724 Rs Rs 1,954,590

2,830,378 2,4 08,+63 Total PHIOF **.82,438** Total 2,347,940

2,408,500

Adding 3% Contingency

Rojhan W Buildings Sub Division **Sub Divisional Officer**

Execçuve Er/gineer Buildings Division Rajanpur

Say

14 Cement plaster 1:3 upto 20' (6.00 m) height:-3/8" (10 mm) thick	4500	%-Sft	3,130.75	140884
15 Providing and applying weather shield paint of approved quality on external surface of building including preparation of surface, application of primer complete in all respect: old surface	2700	%-Sft	1,925.45	51987

Total

1954589

Say Rs

s 1954590

Sub Engineer

Sub Divisional Officer
Buildings Sub Division
Rojhan

Executive Engineer Buildings Division Rajan Pur

REVAMPING OF HEALTH FACILITY IN THO HOSPITAL ROJHAN DISTRICT RAJANPUR

Series Description No Length Breadth Depth Conterns Unit							OP	D BI	LOCK	•	•		} .	
1 Preparing surface and painting with emulsion point-l'ivo coat 13	S.No	Description	No		Lengt	h		_		Dept	h	\Box	Contents	Unit
emulsion painti-Two coat 13													\$	
13	. 1	Preparing surface and painting with											(
13		emulsion paint:-Two coat					12	_	75	. 10	75	_	3998	Sft ·
13		·								•			,	
Stair hall						,				•				
Stair hall		•								•			:	
Hall 2 x 182 x 5 x 75	,	Cinia hall								•		_	Ę.	
13								Х			6	-	13650	Sft
13			<u> </u>				. 13	×	7.5			=	1268	Sft
Entrance					13	x	6	×	6.75	:		=	527	Sft
Entrance					13	x	ູ5.75	x	, 5.75		•	==	430	Sft
Entrance			•		6	x	18.75	x	13.25	. *		=	-	
2 x 8 x 5					1	x'		×				=	į.	
Peparing surface and painting of doors and windows any type (including edges)-Two coats Window grill 12 x 2 x 3.25 x 4 - 312 Sft 23 x 2 x 4.667 x 4 - 859 Sft 17 x 2 x 3 x 2 x 3.25 x 7 - 183 Sft 6 x 2 x 3.25 x 7 - 183 Sft 6 x 2 x 3.25 x 7 - 183 Sft 7 - 183 Sft 183 Sft 194 Sft 194 Sft 195 Sft 1		• Entrance				x		x			,	=	í	
2 Painting old surface -c) Preparing surface and painting of doors and windows any type (including edges)-Two coats Window grill 12 x 2 x 3.25 x 4 = 3.12 Sft 2 x 3.25 x 2 = 2.04 Sft 2 x 3.25 x 7 = 1183 Sft 2 x 2 x 3.25 x 7 = 1183 Sft 6 x 2 x 3.25 x 7 = 2.52 Sft 2 x 3 x 7 = 2.52 Sft 2 x 3 x 7 = 2.52 Sft 2 x 3 x 7 = 2.53 Sft 2 x 3 x 7 = 2.53 Sft 2 x 3 x 7 = 2.53 Sft 2 x 3 x 7 = 2.53 Sft 2 x 3 x 7 = 2.53 Sft 2 x 3 x 7 = 2.53 Sft 2 x 3 x 7 = 2.53 Sft 2 x 3 x 7 = 2.53 Sft 2 x 3 x 7 = 2.53 Sft 2 x 3 x 7 = 2.53 Sft 2 x 3 x 7 = 2.53 Sft 2 x 3 x 7 = 2.53 Sft 2 x 3 x 7 = 2.53 Sft 2 x 3 x 3 x 7 = 2.					2	×	8	x	5				,	
Preparing surface and painting of doors and windows any type (including edges). Two coats Window grill 12											Total	=	32284	Sft
doors and windows any type (including edges)-Two coats Window grill 12 x 2 x 3.25 x 4	2					•						·	ş	
Window grill 12					. ,						•		1	
Window grill 12													÷	
Window grill 12		• • •											į	
23 x 2 x 4.667 x 4 = 859 Sft 17 x 2 x 3 x 2 = 204 Sft 18													, , , , , , , , , , , , , , , , , , ,	=4.
old wooden door 26 x 2 x 3 x 2 = 204 Sft 26 x 2 x 3.25 x 7 = 1183 Sft 26 x 2 x 3.25 x 7 = 252 Sft 7 = 2510 Sf		Window grill										=	ţ.	
old wooden door 26 x 2 x 3.25 x 7 = 1183 Sft		•										=	>.	
8		old wooden door										=		
Painting new surface and painting of doors and windows any type (including edges):-Three coats 26		old wooden door									•	-		
Preparing surface and painting of doors and windows any type (including edges):-Three coats 26							•				Total ·	=	2810	Sft
doors and windows any type (including edges):-Three coats 26	3	Painting new surface:-c)				•							<u> </u>	
any type (including edges):-Three coats 26					•						:		}	
coats 26									•				l e	
26 x 2 x 2.5 x 7 = 910 Sft. 2 x 2 x 3.25 x 7 = 910 Sft. 1 Providing and laying superb quality Porcelain glazed tiles of Master brand skirting /dado of specified size, Color and Shade with adhesive /bond over 1/2" thick(1:2) cement plaster i/c the cost of and sealer for finishing the joints,cutting grinding complete in all respect as approved and directed by the Engineer Incharge a)Full body Glazed Tile(i) 400mmX400 mm Entrance skirting 1 x 4 x 16.25 x 6 = 390 Sft Total = 390 Sft Total = 390 Sft Total = 390 Sft Total = 390 Sft Total = 390 Sft Total = 390 Sft Total = 390 Sft Total = 390 Sft Total = 390 Sft Total = 390 Sft Total = 390 Sft Total = 390 Sft Total = 390 Sft Total = 390 Sft Total = 390 Sft Total = 390 Sft		•	r										ĵ	
2 x 2 x 3.25 x 7 = 91 Sft Total = 1001 Sft 4 Providing and laying superb quality Porcelain glazed tiles of Master brand skirting /dado of specified size, Color and Shade with adhesive /bond over 1/2" thick(1:2) cement plaster i/c the cost of and sealer for finishing the joints, cutting grinding complete in all respect as approved and directed by the Engineer Incharge a)Full body Glazed Tile(1) 400mmX400 mm Entrance skirting 1 x 4 x 16.25 x 6 = 390 Sft Total = 390 Sft Froviding and laying 3/4" thick full width Prepolished Marble slab forVanities/Shelves/Treads/Windo w Cills, having Uniform texture (Spotless) with adhesive bond over 3/4"thick(1:2) cement sand mortor i/c the cost of matching sealer complete in all respects as approved and directed by the Engineer Incharge. Counter top 1 x 21 x 1.16 = 24 Sft		coats	26	x	2	x	. 2.5	x	7			=		
4 Providing and laying superb quality Porcelain glazed tiles of Master brand skirting /dado of specified size, Color and Shade with adhesive /bond over 1/2" thick(1:2) cement plaster i/c the cost of and sealer for finishing the joints,cutting grinding complete in all respect as approved and directed by the Engineer Incharge a)Full body Glazed Tile(i) 400mm×400 mm Entrance skirting 1 x 4 x 16.25 x 6 = 390 Sft Total = 390 Sft 5 Providing and laying 3/4" thick full width Prepolished Marble slab forVanities/Shelves/Treads/Windo w Cills,having Uniform texture (Spotless) with adhesive bond over 3/4"thick(1:2) cement sand mortor i/c the cost of matching sealer complete in all respects as approved and directed by the Engineer Incharge. Counter top 1 x 21 x 1.16 = 24 Sft				x	2	x	3.25	x	7		•	=	L	
Porcelain glazed tiles of Master brand skirting /dado of specified size, Color and Shade with adhesive /bond over 1/2" thick(1:2) cement plaster i/c the cost of and sealer for finishing the joints,cutting grinding complete in all respect as approved and directed by the Engineer Incharge a)Full body Glazed Tile(i) 400mmX400 mm Entrance skirting 1 x 4 x 16.25 x 6 = 390 Sft Total = 390 Sft Total = 390 Sft Total = 390 Sft Total = 390 Sft Total = 390 Sft Total = 390 Sft Total = 390 Sft Total = 390 Sft Total = 390 Sft Total = 390 Sft Total = 390 Sft Total = 390 Sft Total = 390 Sft Total = 390 Sft		•									Total	=	1001	Sft
brand ,skirting /dado of specified size, Color and Shade with adhesive /bond over 1/2" thick(1:2) cement plaster i/c the cost of and sealer for finishing the joints,cutting grinding complete in all respect as approved and directed by the Engineer Incharge a)Full body Glazed Tile(i) 400mmX400 mm Entrance skirting 1 x 4 x 16.25 x 6 = 390 Sft Total = 390 Sft Froviding and laying 3/4" thick full width Prepolished Marble slab forVanities/Shelves/Treads/Windo w Cills,having Uniform texture (Spotless) with adhesive bond over 3/4"thick(1:2) cement sand mortor i/c the cost of matching sealer complete in all respects as approved and directed by the Engineer Incharge. Counter top 1 x 21 x 1.16 = 24 Sft	4												Ì	
size, Color and Shade with adhesive /bond over 1/2" thick(1:2) cement plaster i/c the cost of and sealer for finishing the joints, cutting grinding complete in all respect as approved and directed by the Engineer Incharge a)Full body Glazed Tile(i) 400mmX400 mm Entrance skirting 1 x 4 x 16.25 x 6 = 390 Sft Total = 390 Sft Froviding and laying 3/4" thick full width Prepolished Marble slab forVanities/Shelves/Treads/Windo w Cills, having Uniform texture (Spotless) with adhesive bond over 3/4"thick(1:2) cement sand mortor i/c the cost of matching sealer complete in all respects as approved and directed by the Engineer Incharge. Counter top 1 x 21 x 1.16 = 24 Sft			,										Ì	
/bond over 1/2" thick(1:2) cement plaster i/c the cost of and sealer for finishing the joints, cutting grinding complete in all respect as approved and directed by the Engineer Incharge a) Full body Glazed Tile(i) 400mmX400 mm Entrance skirting 1 x 4 x 16.25 x 6 = 390 Sft Total = 390 Sft		-				۰.					6	•		
plaster i/c the cost of and sealer for finishing the joints, cutting grinding complete in all respect as approved and directed by the Engineer Incharge a) Full body Glazed Tile(i) 400mmX400 mm Entrance skirting 1 x 4 x 16.25 x 6 = 390 Sft Total = 390 Sft Froviding and laying 3/4" thick full width Prepolished Marble slab for Vanities/Shelves/Treads/Windo w Cills, having Uniform texture (Spotless) with adhesive bond over 3/4" thick (1:2) cement sand mortor i/c the cost of matching sealer complete in all respects as approved and directed by the Engineer Incharge. Counter top 1 x 21 x 1.16 = 24 Sft													. }	
finishing the joints, cutting grinding complete in all respect as approved and directed by the Engineer Incharge a) Full body Glazed Tile(i) 400mmX400 mm Entrance skirting 1 x 4 x 16.25 x 6 = 390 Sft Total = 390 Sft	7				٠.				•	:	! .		1	
complete in all respect as approved and directed by the Engineer Incharge a)Full body Glazed Tile(i) 400mmX400 mm Entrance skirting 1 x 4 x 16.25 x 6 = 390 Sft Total = 390 Sft Total = 390 Sft Froviding and laying 3/4" thick full width Prepolished Marble slab forVanities/Shelves/Treads/Windo w Cills,having Uniform texture (Spotless) with adhesive bond over 3/4"thick(1:2) cement sand morfor i/c the cost of matching sealer complete in all respects as approved and directed by the Engineer Incharge. Counter top 1 x 21 x 1.16 = 24 Sft		<u> </u>					o.			,			<u> </u>	
and directed by the Engineer Incharge a)Full body Glazed Tile(i) 400mmX400 mm Entrance skirting 1			•										ì	
Incharge a)Full body Glazed Tile(i) 400mmX400 mm Entrance skirting 1						•					•			
Entrance skirting 1 x 4 x 16.25 x 6 = 390 Sft Total = 390 Sft Total = 390 Sft Total = 390 Sft Froviding and laying 3/4" thick full width Prepolished Marble slab forVanities/Shelves/Treads/Windo w Cills,having Uniform texture (Spotless) with adhesive bond over 3/4"thick(1:2) cement sand morfor i/c the cost of matching sealer complete in all respects as approved and directed by the Engineer Incharge. Counter top 1 x 21 x 1.16 = 24 Sft											•		į	
Total = 390 Sft 5 Providing and laying 3/4" thick full width Prepolished Marble slab forVanities/Shelves/Treads/Windo w Cills,having Uniform texture (Spotless) with adhesive bond over 3/4"thick(1:2) cement sand morfor i/c the cost of matching sealer complete in all respects as approved and directed by the Engineer Incharge. Counter top 1 x 21 x 1.16 = 24 Sft		400mmX400 mm	•								۰		1	
5 Providing and laying 3/4" thick full width Prepolished Marble slab forVanities/Shelves/Treads/Windo w Cills,having Uniform texture (Spotless) with adhesive bond over 3/4"thick(1:2) cement sand mortor i/c the cost of matching sealer complete in all respects as approved and directed by the Engineer Incharge. Counter top 1 x 21 x 1.16 = 24 Sft		Entrance skirting	1	x	4	. x	16.25	x	6			=	1 1	
width Prepolished Marble slab forVanities/Shelves/Treads/Windo w Cills,having Uniform texture (Spotless) with adhesive bond over 3/4"thick(1:2) cement sand mortor i/c the cost of matching sealer complete in all respects as approved and directed by the Engineer Incharge. Counter top 1 x 21 x 1.16 = 24 Sft						•					Total	=	390	Sft
forVanities/Shelves/Treads/Windo w Cills,having Uniform texture (Spotless) with adhesive bond over 3/4"thick(1:2) cement sand mortor i/c the cost of matching sealer complete in all respects as approved and directed by the Engineer Incharge. Counter top 1 x 21 x 1.16 = 24 Sft	5				٠.						•		,	
w Cills, having Uniform texture (Spotless) with adhesive bond over 3/4"thick(1:2) cement sand mortor i/c the cost of matching sealer complete in all respects as approved and directed by the Engineer Incharge. Counter top 1 x 21 x 1.16 = 24 Sft													•	
(Spotless) with adhesive bond over 3/4"thick(1:2) cement sand mortor i/c the cost of matching sealer complete in all respects as approved and directed by the Engineer Incharge. Counter top 1 x 21 x 1.16 = 24 Sft	•												•	
3/4"thick(1:2) cement sand mortor i/c the cost of matching sealer complete in all respects as approved and directed by the Engineer Incharge. Counter top 1 x 21 x 1.16 = 24 Sft		-											\$	
i/c the cost of matching sealer complete in all respects as approved and directed by the Engineer Incharge. Counter top 1 x 21 x 1.16 = 24 Sft		*									-		Î	
complete in all respects as approved and directed by the Engineer Incharge. Counter top 1 x 21 x 1.16 = 24 Sft		3/4"thick(1:2) cement sand morfor									•			
and directed by the Engineer Incharge. Counter top 1 x 21 x 1.16 = 24 Sft		i/c the cost of matching sealer							٠					
Incharge. Counter top		complete in all respects as approved	,										ļ	
Counter top 1 x 21 x 1.16 = 24 Sft		and directed by the Engineer								•	-		Í	
-														
Total = 24 Sft		Counter top			1	x	21	x	1.16		:	=	,	
			. •		,				•		Total	=	24	Sft

respectaconcrete on steps, complete in ell centre and embedded in central welded at 2' (600 mm) centre to man) dia M.S. bars 8" (200 entrillong staira, having holdfast or 3/8" (10 protector nozing of steps of 18'x18'x8'40x30x5 aum) edge 12 Providing and fixing NLS angle trod

Total

Incharee and directed by the Engineer complete in all respects as approved welding, fixing to poliching pesses through gains fixed en vertical post. Vs statistics steel rawal plugs , 3-Nex disposal statutors etect pipes of 1/2' dis with 3" long steel screws and brans O 2-ft c/c fluid on effects the stops round/ Squar pipe/ Tong (chimta) vertical poets of 2" als stainless steel ralling of 18 SWG welded with (304) Stain less steel 2" dia pipe railing comprising of non unguede 13 Providing and fixing 2-9º high stair

KU 22 RH

height-3/8" (10 man) this 14 Centent plaster 12 upto 20' (6.00 ct)

Patch work(Laum)

quality on entrend surface of

shield paint of approved 15 Providing and applying weather

> 2 10

> > 19

Total 200 57

4500

Sħ

surface, application of primar complete in all respects building including preparation of

Total 2700

Sub Engineer

Rojhan Buildings Sub Division Sub Divisional Officer

Rejampur Defidings Division Exceptive Engineer

REVAMPING OF HEALTH FACILITY IN THO HOSPITAL ROJHAN DISTRICT RAJANPUR

S.No		No	Length	Breadth		Dept	h	Contents	Amount
1	Supply and erection of PVC pipe for	•							
	wiring on surface							. 1	
	including clamps inspection boxes,								
	pull boxes, bends, tees,							•	-
	repairing surface, etc., complete with							,	
	all specials:- v) 32 mm i/d					•			
	v) 32 Itin 1/ u	,					· , =	500	Rft
							Total =	500	Rft
			•			@	86.45 F	-Rft	43225
2	Supply and erection of single core	•					•	ļ	
	PVC insulated copper conductor					,	•	į	
	cables, in prelaid PVC pipe/M.S.							į	
	conduit/G.I pipe/wooden strip							i	•
	batten/wooden casing an							!	
	capping/G.I.wire/trenches (rate for							1	
	cables only):- a) 250/440 volts, PVC insulated:						ű	. :	
	•		•					1600	
	iii)7/0.74 mm (7/0.029")	•					Total =	3000	Rft
						@		P-Rft	-122250
3	Supply and erection of button		•	"		•			40750
	holder, i) bakelite large size								,0/50
							•	70	
	•						Total =	= 100	Nos
	•	,				@	104.15 I	Each /	10415
4	Supply and erection of 3 pin. 5 Amp					_		į	3124.
	wall socket.	,						1	, , ,
							. •	20	
							Total :	= 60	Nos
٠						@	90.2	Each	54 12 -
5	Supply and erection of ceiling rose,							!	1864
	bakelite.								•
		•						1	
						_		= 60	Nos
	• •					.@	66.3	Each	3978
6	P/F PVC double layer Switch kit	ì							
	Face plate with specified switch							· · · · · · · · · · · · · · · · · · ·	
	holes i/c the cost of switches /							!	
	sockets / dimmer made of Hi-Life / Bush / Schenider, screws complete						:	i	
	as approved and directed by the		•					4	
	Engineer Incharge	a						į	
	Large							20	
	(iii) 06 Gange		•					= 60	Nos
	` ,					@	1,162.50	Each i	69750
	(i) 04 Gange							= ,50 !	Nos 2325
	., -					@	946.5	Each 25	47325
7	Providing and fixing Copper							į	23662
	winded Exhaust fan with louver and			9			0	• 1	
	shutter made of Pak/Younas/G.F.C.		•	•					
	i/c the cost of necessary cable and		•				t	!	
	hardware for connection from								
	ceiling rose complete as approved			ė	,			ļ	
	and directed by Engineer Incharge.		•					7	
	a) Plastic body			•			•	7	
	(ii) 12 " dia .						Total	= 15	Nos
	···/··· ·					@		, ,	46995
	•					~	.,	1	
								Į.	2193
8	Providing and Installation of philips	,		•	-		•	[
8	Providing and Installation of philips SMD Light (24"x24")as approved by			. "	•				
8	Providing and Installation of philips SMD Light (24"x24")as approved by engineer incharge			• '	-				
8	SMD Light (24"x24")as approved by			°	•			15	
8	SMD Light (24"x24")as approved by			• *			Total	= 38	Nos
8	SMD Light (24"x24")as approved by		•	·		@ .			Nos
8	SMD Light (24"x24")as approved by	۰				@		= 38	
8	SMD Light (24"x24")as approved by		· .			@		= 38	Nos 4 44000 2-22 <i>0</i> 0s

Sub Engineer

Sub Divisional Officer
Ruildings Sub Division

383724

Executive Engineer Buildings Division Page 95

DETAIL OF OVER HEAD RESERVOIR 10000 GALLON CAPACITY.

DETAIL OF OVER	<i>HEAD RESE</i> sis purpose ta		UGALLON	<u> </u>	10000	Gallons
For analy		Unit of rate.			,	Gallon
·		Based o	n MRS 2nd Bi	-Annual Perio	d 2022 Distric	
Description of iotems	No	Lenghth	Breadth	Height	Contents	Amound
U Description						4.

		No	Lenghth	Bı	eadth	Height C	ontents Amo	urct
S. No	Description of iotems Excavation in foundation of building,	140	Demons	ــــالـ				3:
1	bridges and other structure with							1
	excavated earth, watering and rammling					·		1
	lead upto one chain (30 m) and lift upto 5	,					•	:
	ft. (1.5 m) b) in ordinary soil.							i i
		·				2.5 =	238 Cft	:
	Toe wall.	2 x	19		2.5 x	2.0	206 Cft	i i
	* *	2 x	16.5	x	2.5 x	2.5 =	444 Cft	Ť .
						Total:		075
			• •		- @	8727.85	%oCft	§875
2	Excavation of well in dry upto 20'(6							*
۷,	metre) below ground level, and disposal	•						
	of soil within one chain (30 metre) a) in							H .
. *	ordinary soil or sand :- i) from 0' to 5'(0 to						•	•
	1.5 metre) depth					- _	6598 Cft	1
	O.H.R	3.14 x	20.5	x	20.5 x	5 =		49801
•	•				@	7,547.95	%oCft	47001
	ii) from 5.1' to 10' (1.5 to 3.0 metre) depth							
	n) nome of to to		•				2639 Cft	
	O.H.R	3.14 x	20.5	x	20.5 x	2 =		
	,	•			@	7883.15	%oCft	20804
3	Cement concrete brick or stone ballast 11/2					:		:
ن	" to 2" (40 mm to 50 mm) gauge, in	•	•	•				
	foundation and plinth:- (b) Ratio 1: 4: 8	•						
	Tourississis I.		•	•			•	í
	Base *	<u>(3.1</u>	4x20.5 x 20	<u>.5)</u>	x	0.75 =	- 247 Cft	4
	•		4				, ,	(1105
		·			@	24,738.85	%Cft	61105
4	Reinforced cement concrete in slab of							':
4	rafts / strip foundation, base slab of	T.	·					;
	column and retaining walls; etc and other							1
	structural members other than those					•)
	mentioned in 5(a) (i) above not requiring							Ì
	form work (i.e. horizental shuttering)							į
	complete in all respects:- (3) Type C	•				•	-	4
	(nominal mix 1: 2: 4)					4 -	330 Cft	4
		3.14 x	20.5x20.5x		1 /	4 =	= -	1
	Raft beam	3.14 x	11	. x	1.5 x	1.5 =		H
	Core Wall	3.14 x	11	X	0.5 x	8.5 =		1
	a	,				Total:	555 <i>Cft</i>	i
	· •				@	457.75	P-Cft	254051
	Reinforced cement concrete in roof slab,	,	· •			•		1
•	beams, columns lintels, girders and other							1
	structural members laid in situ or precast							,
	laid in position, or prestressed members	•					•	
	cast in situ, complete in all respects:-						•	1
	cust in one, company						105.00	i
	Coloumns	. 4 x		5 x	1.5 x	45 =		1 .
	Braces	16 >	-	3 x	1.5 x	1.5 =		1:
	Top beam	4 >		3 x	1 x	1.667 =	 46 Cft 8 Cft 	4
	Landing	. 5 >		5 x	2.25 x	0.33 =	10.00	
	Intermidiate slab	1 >	-	0 x	10 x	0.417 =	= 80 Cft	7
	Tanki bottom slab.	3.14		1 x	0.625 x		= 64 Cft	1
	Tanki bottom slab. 12.75x12.75/4	3.14	-	1 x	0.5 x	0:208 =		•
	Hodi	2 ;	· -	2 x	1.5 x			
	Hodi			2 x		0.208 =		
	'Hodi	1:	х <u>г</u>	.5 x	1.5 x	Total:	- 893 Cfi	
					@	556.5	P-Cft	496955
					<u>u</u>		1-011	120000
	6 Fabrication of mild steel reinforcement						•	
	for cement concrete, including cutting,							. 1
	bending, laying in position, making joints				e.			Ī
	and fastenings, including cost of binding	•					•	ļ
	wire and labour charges for binding of							1
	steel reinforcement (also includes							ή
	removal of rust from bars):- (b) Deformed		• • •		·			ļ.
	bars (Grade-40)							ય
	T-1-401bCh No 2 - b	1448	~	9 x	0.454 x	· _ `	= . 5917 Kg	•
	Take 10lbs of item No.3 a,b	1440	^ .	, x	0.454 A		- , 3517 Kg %Kgs	1859923
					9			

٠.		•				. :						
7	Mosaic dado or skirting with one part of cement and marble powder in the ratio of 3:1 and two parts of marble chips, laid over ½"(13 mm) thick cement plaster 1:3,					•				•		
	including rubbing and polishing, complete with finishing: (a) using grey cement: ii) ½"(13 mm) thick	•										
		4	x		8	x	0.5	x	`	=	16 Sft	
	bottom beam.	3.14	x		10	X		x	Ų. <u>—</u> 5	=	79 Sft	
	Walls	3.14				Χ.	9	X		=	283 Sft 20 Sft	
	room	4	X		10	x	0.5	x	 Total:	-	398 Sft	
								@	20,961.80		%Sft	83428
8 '	Fabrication of heavy steel work, with							•			•	
0	angle, tees, flat iron round iron and sheet iron for making trusses, girders, tanks,	•										
	etc., including cutting, drilling, revitting, handling, assembling and fixing,			• ,							: 1	1
	including erection in position.	_			05				. 170	_ 724	4	:
	angle iron $2" \times 2" \times 1/4"$ (ladder)	. 2	x		85	X	1.4	Χ.	170 Kgs/P.Rft	= K1	238.00 Kgs	
	angle iron 1.5" x 1.5" x 3/16" Frame	4	x		2.5	Y	1.7	x		= Rí		
	angle from 1.5 x 1.5 x 5/10 Plante		x		2.25			x		= R1		
							Total		28	= R	ft -	
٠.						•	0.8		Kgs/P.Rft		22.40 Kgs	
	angle iron 1.25" x 1.25" x 3/16" cover	2	x		2.25	x		x	4.5			
			x		2.25			×	6.75			
	•	10	x		2	X		х	20	= Ri		
						•	Total 0.5		31.25 Kgs/P.Rft		: 15.625 Kgs	
	Round Iron 5/8" dia	75	x	٠.	1.5	v		x	112.5		Rft	•
•	Round from 5/8 dia	, , ,	^		1.0	^ •	0.47	^	Kgs/P.Rft	=	52.875 Kgs	
									Total:	=	329 Kgs	
	,			2092	71.45	+	967.2	@	32516.00		%Kgs	106978
9	Pacca brick work in foundation and plinth in:- i) Cement, sand mortar:- Ratio								٠		•	•
•	1:6 Toe wall.	1	х		<i>7</i> 1	x	0.75	x	4	=	213 Cft	
	Toe wan.	, -	^			••		••	Total:	_	213 Cft	
	·			-				@	28,902.70		%Cft	61563
10	Filling, watering and ramming earth under floors:- i) with surplus earth from foundation, etc.											; ;
	Take 2/3 of excavation.	9681	L x		2	1	3	X	`	=	6454 Cft	
11	11 7 0							@	5,090.45		%0Cft	32854
	plugging in wells. Under Foundation (4×0.5)	3.14	1 x		20.5	x	20.5	1	. 2	=	660 Cft	
	· ·		lχ			x	1		0.33	=	23 Cft	
;	Appron		i x		71	x	4	x	0.33		94 Cft	
								_	Total:		777 Cft	. 01007
				•				@	2,823.30		%Cft	21937
12	Providing, laying, watering and ramming brick ballast 11/2" to 2"(40 mm to 50 mm)	•										
	gauge mixed with 25% sand, for floor											
•	foundation, complete in all respects.					٠.					q	,
						;						· .
	° Appron.		1 x			X		2 x			47 Cft	
			1 ×		71	×	4	l x	0.33 Total:		94 Cft 141 Cft	:
					-			@	9,284.40		• %Cft	13091
13	Providing and laying topping of cement			•				_	J/20,2110		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	10071,
	concrete 1:2:4, including surface finishing and dividing in panels:- (c) 1½"(40 mm)			•.					:			<u>;</u>
	thick					•						
			1 x			, x		1 x		=	284 Sft	
	,		1 x		10) x	10) x		=	· 100 Sft	1
	•								Total			
								. @	7,006.30	1	%Sft	26904
14	Providing and fixing marble strip of any											
	shade for dividing the mosaic flooring				•							
	into panels a) Size 1½" x 3/8" (40 x 10 mm)				•						•	
	Take 60% of item above.	38	4 x		60) /	100	0 x	· ·	=	230 Rft	
-	•					٠		@		;	P.Rft	4554

				•				1	1	
15	Providing/fixing stair railing consisting					0			•	
1.4	of M.S. Box section size 1-1/2"x3" of 16	•								
	SWG welded with M.S. flat 1"x1/8"				•				•	
	continuously and welded over M.S.								,	
. :	square bars 5/8"x5/8" punched in M.S.							•		•
	flat 2 ¾' high @ 5½" c/c fixed in steps on	•								
	stair I/C painting 3 coats complete.			,						•
•,		3.14	x	. 10	x		x	=	31 Rft	
	•					(@	1063.05	P.Rft	32955
16	Extra labour for laying concrete plain or							•		;
•	reinforced (a) above 20' (6 m) upto 40'(12									į
	m) height						•	20 –	100.00	}
;	Coloumns	• 4		1.5			X	20 =	. 180 Cft	:
,	Braces	8		6.83		1	X	1 =	55 Cft 46 Cft	ì
•	Top beam	4		6.83 2.25		1 2.25	x x	1.667 = 0.33 =	* 5 Cft	i
	Landing	3 3.14		2.23 41	X	0.58	x	0.05 =	75 Cft	
	Tanki bottom slab. 12.75x12.75/4	3.14			x	0.417	x	· =	47 Cft	
	Top slab 12 x 12/4 Core Wall	3.14		11			x	8.5 =	147 Cft	•
	Cole vvan	5.14	^		^	0.0	^	Total: =	555 Cft	
	•						@ .	4,063.50	%Cft	22552
17	Pacca brick work in ground floor:- i)	•					-	-,		
17	cement, sand mortar:- Ratio 1:4								•	
•	Core Wall	3.14	x	10.25	x	0.375	x	9 =	, 109 Cft	
		3.14	x	12.75	x	0.375	x	9 =	, 135 Cft	•
		•						Total: =	244 Cft	
						•	@	32,759.30	%Cft	79933
18	Pacca brick work in ground floor:- i)	•		,						· .
•	cement, sand mortar:- Ratio 1:6			E 05		0.75			209 Cft	• 1
	O.H.R	4	x	7.75	Χ.	0.75	х	.9 =	209 CIT	•
	Deduction					0.75		1.5 =	7 Cft	•
	Cw		x	. 3	X	0.75 0.75	x x	7 =	21 Cft	
	D.Opening	• 1	x x		x x	0.75	x	0.5 =	. 3 Cft	
	Lintles D/L		x X		X	0.75		0.5 =	2 Cft	•
	, D/L	1		3	^	0.75	^	Total: =	.33 Cft	1 -
,		•						Balance	176 Cft	1
				,			@	31,086.50	%Cft	54712
19	Cement plaster 1:5 upto 20' (6.00 mm)	•		•				•		
•	height:- b) ½" (13 mm) thick								•	j
	Toe Wall		x		x	1.5	x	=	107 Sft	į.
	Drain		X		x x	1.25 1.5		= -	8 Sft 30 Sft	1
	Hodi Hodi	_	x x		X			=	40 Sft	•
	noai	٠. ٥	^		^	. 1.20	^	Total: ⊨	185 Sft	*
							@	3,092.10	%Sft	5720
20	Cement plaster 1:4 upto 20' (6.00 mm)	•						•		
	height:- b) ½" (13 mm) thick								•	i
	O.H.R Room		x		x	7. <i>7</i> 5		. 9 =	558 Sft	
	Reservoir	3.14	x	12	×	9.5	x	= Total:	358 Sft 916 Sft	į
				•			@	3,241.60	Sft 51t	29693
21	Providing and fixing 1½" (40mm) thick			•			9	0,241.00	70511	23033
21	solid flush door shutter(Approved	n								1
	Factory Manufactured) with commercial								•	•
•	ply (5 mm thick)on both sides double							•	n	•
	pressed and deodar wood							•		
	lipping1½"x3/8" (40mm x 10mm) around	•								
	shutter includingchromium plated fitting, iron hinges with aluminium									1
	kickplate 22 SWG on both sides & finger	•		•					•	
	plate complete in allrespect.i,c Providing			•				•		.]
	and fixing mild steel chowkat of									
	doorsM.S. angle iron 1½"x 1½"x ¼"							:	•	,
	(40x40x6 mm) weldedwith M.S. flat 2"x					•		•		1
	1/4" (50 mm x 6 mm)									
	,								•	1
		1	×	4	x	. 7	×	<u></u> · _	28 Sft	
		678:55		338.25			@	1016.8	P-Sft	28470
23	, ,					:				•
	surface and painting of doors and	•				**			_	
	windows any type (including edges):-								•	1
	(Three coats)	1	. x	-	2 x		. x	7 =	56 Sft	
		1292.00		711.4		711.4		2714.80		Dog 157001
			-	- + 1.1	-	, _ 1.T	•		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Page 5701
						,				

Providing and fixing steel windows with openable glazed panels, using beam section for frame 1½"x1"x5/8"x1/8" (40x25x16x3 mm), Z-section for leaves ¾"x1"x¾"x1/8" (20x25x20x3 mm), T-section sashes 1"x1"x1/8" (25x25x3 mm), glass panes, wooden screed for glazing embedded over a thin layer of putty duly screwed with leaves, brass fittings, holdfast, duly painted, complete in all respects, including all cost of material and labour, etc. as per approved design and as directed by the Engineer-in-charge-b) fixed with wire gauze, 22 SWG iii) glass pane 3 mm thick i/c Providing and fixing M.S. flat ½"x1/8" (13mm x 3mm) grill including ¾" x 1/8" (20 mmx3 mm) M.S. flat frame, in windows of approved design, including painting three coats, complete in all respects.

	•	Š	3	x	1,010.65		5.5 410.85		 Total 1421.5	=	66 Sft 66 Sft P.Sft	93819
25	Single layer of tiles 9"x4½"x1½" (225x113x40 mm) laid over 4"(100 mm) earth and 1" (25 mm) mud plaster without Bhoosa, grouted with cement sand 1:3 on top of RCC roof slab,				1,010.03	•	410.00	J			**	:
	provided with 34 lbs. per %Sft. or 1.72 Kg/Sq.m bitumen coating sand blinded i/c Supplying and laying polythene sheet over D.P.C. under floors and on roofs, etc. ii) 500 gauge (.005" thick)									٠	· · · · · · · · · · · · · · · · · · ·	
	Roof	·	1	x	8 11,515.10	x +	8 690	́х @	 12205.10		64 Sft %Sft	7811
2 6	Plain galvanized iron sheet flashing, 22 gauge.		3	×	2.5	x	2.15	; х @	 288.75	-	16 Sft P.Sft	4620
27	White washing:- a) new surface:- iii) three coats	4		x	7.75	x	9	x @	628.3	=	279 Sft %Sft <i>Total:</i> 3	1753 461381
	Cost of Pe	r Gallo	nc	•	3461000 10000	-	346.1				Say Rs. 3	461000

Sub Engineer

Sub Divisional Officer Buildings Sub Division Rojhan

Say Rs=

346

Executive Engineer Buildings Division Rajan Pur

REVAMPING OF HEALTH FACILITY IN THO HOSPITAL ROJHAN DISTRICT RAJANPUR

EXTERNAL DEVELOPMENT

AVBSIDEANOTE COSTE		
1 External Sewerage	Rs:	814400
2 External Water Supply	Rs:	236600
3 Sludge pump complete	Rs:	1902050
4 Collecting Tank	Rs:	886700
)
	Total	3839750

Sub Divisional Officer Buildings Sub Division Rojhan Executive Engineer Buildings Division

EXTERNAL DEVELOPMENT (Sewerage System)

2nd Bi-Annual 2021

S.No	Description	No	Length	Breadth	Depth	Contents	Amount
1	Earthwork excavation in open cutting						
	for sewers and manholes as shown in		•				
	drawings including shuttering and			, ,	:		
	timbering, dressing to correct section		•		,	•	;
	and dimensions according to templates			•	. *		,
	and levels, and removing surface	•		•			
	water, in all types of soil except					4	
	shingle, gravel and rock:- i) 0 ft. to 7.0				•	•	į
•	ft. (0 to 2.10 m) depth						, }
	•			• .	· .		**
	6'' dia	1 x	80 x	(3 x	3 =	= · · 720) Cft [‡]
	9'' dia	1 x				= 600) Cft [
	9 ata			·	Total: =) Ćft [:]
				@	11,740.40	%oCft	15497
	D. I'm and laving P.C.C. mine	٠	•				
. 2	Providing and laying R.C.C. pipe, moulded with cement concrete 1:11/2:3,						1
	with spigot socket or collar joint, etc.				•	•	
	including cost of reinforcement,						2
	conforming to B.S. 5911: Part I: 1981,				•		
	Class "L" including carriage of pipe		•				•
	from factory to site of work, lowering		•				
	in trenches to correct alignment and						
	grade, jointing, cutting pipes where						
•	necessary, finishing and testing, etc.,				•	o.	n.
•	complete.					·	
				•		_ 0	0 Rft
i,) 6'' dia RCC pipe				262.05		21028
				. @	262.85	_ P.Rft	
ii) 9'' dia RCC pipe.			_	500 2 ·		0 Rft
				. @	528.3	P.Rft	; 26415
3	Man Hole Small	-		л <u>-</u>	- 44.00		3 Nos
	•	, ,		. °@	41600	Each	124800
. 4	Septick tank(20x8)		•			=	1 No
	•			@	623300	Each	623300
5	Rehendling of earth work lead up to				•	٠.	•
•	single throw of kassi	•					0.00
	Same as per item No. 1	-	-		, -		0 Cft
	•	·		@	2,539. <i>7</i> 0	%oCft	3352
		•					
					-	Tota	
-	·	•			•	Say R	s: 814400
•							
		1				- MM -	***
		ls.				Town T	ĺ

Sub Engineer

Sub Divisional Officer Buildings Sub Division Executive Engineer Buildings Division EXTERNAL DEVLOPMENT (WATER SUPPLY)

	EATERIVAL	77.47			D	Contouto	Amount
S.No	Description	No	Length	Breadth	Depth	Contents	Amount
1	Excavation of trenches in all kinds of						, ,
	soil, except cutting rock, for				•		:
	watersupply pipelines upto 5 ft. (1.5	1					1
	m) depth from ground level, including			٠			
	trimming, dressing sides, leveling the						Ť
٠.	beds of trenches to correct grade and		• .		:	,	;
	cutting pits for joints, etc. complete in					·	į
	all respects.				, .		<u>}</u>
•	•		•	•		•	ļ.
	4" DIA .	1 x	100 x	: 2:	x 3 =		Cft
	2'' DIA	1.x	80 x	. 2	x 3 =	= '*480	
					Total =	= 1080	Cft
				· @	7,622.75	%0Cft	8233
2	Providing, laying, cutting, jointing,		,			• •	ļ
-	testing and disinfecting						1
	G.I. pipeline in trenches, with socket						į.
	joints, using G.I. pipes of B.S.S. 1387-						-
	1967 complete in all respects, with	• .					:
	specials and valves.Medium Quality				-	•	
	<i>-</i>						; i
		•			:	= 100) Rft
i)	4'' dia			@	1,516.20	P.Rft	151620
				w	· .	•) Rft
ii)	2'' dia		•	@	573.3	P.Rft	45864
	•	1	. 250	w	•	,) Rft
iii)	1'' dia	1 :	x 250	-	Total) Rft
٠.		-		a	281.65	P.Rft	28165 .
				@	201.03	r.iyt	20100.
3	Rehendling of earth work lead up to	٠					
	single throw of kassi			•		= 100	0 Cft
	Same as per item No. 1	-	-	-	- 2,539.70		2743
				. @	2,559.70	%oÇft	2743
					, .	Total:	236625
•	•		•		• :	Totat.	230023
				۰		Carr Bar	236600
	. •	. •			. '	Say Rs:	230000
•	•]		•			ł ł
		k				Lim 1	
	DATE!				_ %		
	Su	b Divisi	onal Office	er	Exeeu	tive Engineer	,
	Sub Engineer & Bu	ildings	Sub Divisio	on.	Buildi	ings Division	
	1	Ro	jhan			• • •	ĺ

DETAILE ESTIMATE OF SEPTIC TANK Size 20' x 8'

			_		_					2nd Bi-A	nnu	al 2022
S.No	Description	No		Lengt	h	Bre	adth	JC	Depth	Contents	An	nount
	Earthwork excavation in open cutting		.,									
	for sewers and manholes as shown in								,			
	drawings including shuttering and					•						
	timbering, dressing to correct section									. 0		
	and dimensions according to templates											
	and levels, and removing surface water,					•						
	in all types of soil except shingle, gravel							•				
	in all types of soil except sittingie, grucei											_
	and rock:- i) 0 ft. to 7.0 ft. (0 to 2.10 m)				n				-	¢		-
	depth											
1	•		,							1		
•		1	x	. 2	4 x		11	x	7 ≐	1848	l Cft	
						0	@		11,740.40	%0Cft		21696
_	o									·		
2	Cement concrete brick or stoneballast	-		2	4 x	.	11	~	1 =	264	Sft	
	1-1/2'' to 2'' guage in 1:6:12	1	x	2	* 1		@	~	21,060.85		,-	55601
-	· ·						W		21,000.00	70 C)1	٠.	55001
3	Pacca brick work other than buildings .											
	upto 10' height in 1:4											
	L.Wall	2	x	2	3 ;	:	1.5	x	10 =) Cfi	
	S Wall	2	x .		8 2	c	1.5	x	10 =	= 240) Cf	t
			x		8 :	r	0.75	x	8 =	= 90	6 Cf	t
	B Wall		^	,		•	0	••	Total:		6 Cf	
							6		31,660.30		,	324835
							@		31,000.30	70 CJ1		324000
4	Plain cement concrete 1:2:4 i/c placing										نہ ہ	^
	finishing & curring.	. 1	x	2	20 :	x	8	x	0.25		0 Cf	
	,						@		38,126.10	% Cft		15250
-	1/2" thick cement plaster 1:4.											
5		2	x(20	+	8)x	11.5	= 64	4 Sf	1
	Inside		x		8			x			6 Śf	
	B Wall	_			23)x	· з		4 Sf	
	Out side	. 2	x(•	23	т	11	12			14 SI	
							_		Total:		4 3)	
	•			;			@		3,241.60	%Cft		35787
6	RCC roof slb beam lintels, girders & other											
	structural members laid in situ or precost									•		
	(1:2:4)	. 1	x		23	x	11	x	0.416	= 10)5 · C	ft
	(1.2.1)								Total:	= 1,0)5 C	ft
							@	1	556.5	P.Cft		58433
							Ū		551.5	7 -	•	
7	Fabrication of m.s reinforcement i/c											
	cutting, bending, laying, in position							_		_ 24	22 E	,_
	etc D-bars.	105	5 x	6	.75	x.	0.454	x			22 K	-
	•						@	9	31,433.55	%Kg		10121
8	Providing and fixing 3" (75 mm) thick									. •		
Ü				٠.						: 1		
	R.C.C. manhole cover, 22" (550 mm)											
	dia, with tee shaped C.I. frame of 20"					٥			·	. •		
	(500 mm) clear i/d (frame weighing											
	37.324 Kg. or one										•	-
	· maund) as per Standard Drawing											
	STD/PD No. 5, of 1977, complete in all										•	•
	respects.	•										. .
	•	-		-				-	-	= '		Set .
•					•			2	10498.2	Per set		1049
				•								
				•						Tot	al:	62331
	·									,		
	· ·									Say	Re.	62330
		1								عرب المناطق الم		. 02331
	-	į.							N	1	0	-
	pint.	سر ا							y.	M /		
4	Sub D	ilvisio	กลเ	Offic	ег				Executiv	re Engine	ег	
_	, Buildi	nas S	ub	Divisi	on				Byriding	gs Divisio	n .	
Su	b Engineer Wilding	· Roji							•			•
	••	اړټ.										

EXTERNAL DEVELOPMENT (Man holes Size 4 ft. * 2-1/2 ft.)

	EXTERNAL DLVLEOT MA					2nd Bi-Annual 2022						
S.No	Description	1	No		Leng	ζth		Breadth	Depth	Conte	nts An	nount
1	Earth work excavation in open cutting		-			•••				:		
	for sewer manholes as shown in drawings				_	_			2.5	_	77 Cft	į.
	0' to 7' depth.		1	x	5	i.5 x	:	4 x	3.5	•	•	904
								@	11,740.40	%0Cj1	•	304
2	Cement concrete of laids or stone ballast				_			4	0.5	•	11 Cft	
	1-1/2" to 2" guage in 1:6:12.		1	x	٤	5.5 a	C	4 x	21060.85		11 Cj.	2317
								@	21000.03	70 CJ1		2,017
3	Pacca brick work other than buildings		_					0.75 x	3.5	=	29 Sft	, i
	upto 10' height in 1:4.		2			5.5		0.75 x	3.5	9	13 Sft	
	•		2	x	4	2.5	x	U.75 X	Total:		42 Sft	2
٠.	•		٠.					@	31660.3		•	13297
			2	/		4°		2.5)x	. 3.5	-	46 Sft	1
4	Cement plaster 1:4 upto 20' height.1/2" thick		2	x(4	т	@ @	3241.6	%Sft		1491
						4	~	2.5 x	0.25	•	3 Cf	
5	Plain cement concrete 1:2:4 i/c finishing.		1	x		4		2.5 x @	38,126.1			1144
	•							•	. 50,120,1	ر د در		
6	Fabrication of m.s RCC i/c cutting etc									-		
	D-bars.		7			1	x	0.667 x	0.4535	=	8 Kg	?
	1/2'' Q.B			x		5.5		0.667 x	0.4535		13 Kg	
	•		0			5.5		0.007 2	Total:		21 K	-
		•						. @	31433.5			:6601
	and the student							. •	02,00,00	6		
7	RCC in roof slab, beams, lintles, girders											•
	& other structural members other than			x		5.5	r	4 x	0.4166	; =	9 C	ft :
	those mentioned in 5(a) (1:2:4).		1			<i>J.J</i>	^	@	556.5	P.Cf	•	5009
	1 Land Guisling Sparin	м						•		• •	٠	ì
8	Extra for benching making and finishing floor in	ı	-	l x		4	x	2.5 x	-	=	10 S	ft
	M.H Chamber with 1/8" cement finish.		-		•	•	^	@	2,934.1	0 %Sf		293
	20 4 1 220 E-				_			-	-7 , -1	=	1 se	et
9	P/F man hole cover 3" thick 22" dia	-	-	:				@.	10498.	2 P-se	t	10498
	•											
										T	otal:	41554
												1
		_								Sa	y Rs:	41600
]			_				,		•	

Sub Engineer

Sub Divisional Officer, Buildings Sub Division Rojhan

Executive Engineer Buildings Division Rajan Pur

ABSTRACT OF COST OF SLUDGE PUMP

1 Non-Clogging Centrifugal Pump

1697900

2 Foundation of Pump

Rs: , 92450

3 Power Wiring

Rs: 111700

Total

Rs:

1902050

Sub Engineer

Sub Divisional Officer Buildings Sub Division Rojhan Executive Engineer Buildings Division Rajan Pur

DETAILED NON CLOGGING CENTRIFUGAL PUMP(SLUDGE PUMP)

P/Installation of non-clogging pump of waste water with capacity of 1.5 cusec discharge with total head of 40 ft complete in all respect as required at site of work & as approved by the Engineer Incharge

1 Job

Non Schedule

1617000

P.Job

1617000

Total

1617000

80850

Total

1697850

Say 1697900

Sub Engineer

Add 5% contractor profit

Sub Divisional Officer Buildings Sub Division Rojhan Executive Engineer Buildings Division Rajan Pur

Detail of Turbine Foundation

MRS (2nd Bi-annual 2022)Dist Rajan Pur

			Length	تــــــــــــــــــــــــــــــــــــــ	readth	Depth		nts An	nount
1	Excavation in foundation of building, bri other structures, including dagbelling, dr refilling around structure with excavated	essing, earth,					. ·		
	watering and ramming lead upto one che and lift upto 5 ft. (1.5 m) b) in ordinary s	ain (30 m) oil.				,			
	• •	1 x	. 7	x	7 x	. 5 10,677.75		245 Cft	2616
2	Cement concrete brick or stone ballast 1½ mm to 50 mm) gauge, in foundation and Ratio 1: 6:12	½" to 2" (40 plinth:- (d)	•					:	· · · · · · · · · · · · · · · · · · ·
•		1 x	7	x	7 x @	0.5 21060.85	= %Cft	25 Cft	5265
3	Reinforced cement concrete in slab of raft foundation, base slab of column and retai etc and other structural members other th mentioned in 5(a) (i) above not requiring	ning walls; han those form work						· .·	***
	(i.e. horizental shuttering) complete in al (3) Type C (nominal mix 1: 2: 4)	i respects:-					. •		
•							1	•	
	Bottom Top	•		5 x °	6 x 5.25 x	0.5 0.5 Total		18 Cft 14 Cft 32 Cft	,
	•				@		P-Cft	-	14648
4	Fabrication of mild steel reinforcement for concrete, including cutting, bending, lay position, making joints and fastenings, it of binding wire and labour charges for be reinforcement (also includes removal of bars):- (b) Deformed bars (Grade-40)	ying in ncluding cosi inding of stee	t .·		v				. :
		• 32 ɔ	x 6.7.	5 x	0.454		` =	98 Kg	rs
5	Pacca brick work other than building up				0	31433.	55 % Kgs	S ,	30805
	height. i) cement, sand mortar:- Ratio 1	:4			, ,	0.05		, 0. C4	1
		$rac{1}{1}$:	-	6 x	6 x 5.625 x			9 Cf 8 Cf	
	•	1.		5 x	5.25 x		. =	165 <i>Cf</i>	
			•			Total	=	182 Cf	
. 6	Cement plaster 1:4 upto 20' (6.00 m) h	eight:b) ½"	•		(31660	.30 % Cft		57622
	(13 mm) thick		, ,		5 0 F 1		7 -	147 C4	2
		2	x(5.2	?5 +	5.25	a 3241.6		。147 Sf	4765
	,							Total	115721
			. "				Say	Rs:	115720
•	Sub Engineer	Sub Divi	sional Off	lcer	۰		utive Endings D		

DETAILED ESTIMATE OF POWER WIRING (ELECTRIC INSTALLATION) FOR TURBINE.

MRS 2nd Bi-annual 2021 Dist Rajan Pur

S.No	Description		No	Length	Breadth	Depth C	ontents Amount s
	Earthing of iron clad/aluminum sw		 -				
•	with G.I. wire No. 8 SWG in G.I. pi	pe 15 mm					•
	(1/2") dia, recessed or on surface of	wall and					
	floor, complete with 1.5 metre long	G.I. pipe,					
	50 mm (2") dia with reducing soc	ket 4 to 5				-	•
	metre below ground level, and 2 m	etre away					•
	from building plinth.						
• •	Motor	& S.board.	1 +	1 x	- x	- =	2 Jobs
		•			@	9592.45	Each ' 19185
2	Supply and erection of iron/alumi	inum clad,					
•	500 volts main switches with kitka	t fuses, on					
	angle iron board with 3 mm (1/8")	thick M.S.					
	sheet covering, including bonding	g to earth	•				1
	with necessary flexible pipe and th	imbles, etc.					
	c) triple pole with neutral link:- iii) 1	.00 Amp.					
	•		1	1		_ =	1 No
		• .	1 x	1	• ด	6,436.75	Each 6437*
•		D. 10			9	0,456.75	Lucii
3	Supply and erection of single	core PVC					•
· '	insulated, PVC sheathed copper	conductor,		•			
	250/440 volts grade cable (BS)	5-2004), in	-				
		onduit/G.L.		÷ •	. •		
	pipe/wooden strip batten/wooden capping/trenches, etc. (rate for cal	ole only)- i)		n .			•
	7/1.63 mm (7/0.064")	ne omy j. 1,					•
	7/1.65 mm (7/0.004) 4 (5+)	10 + 80 +25)	•	-	-	- , -	480 Rft
			•		@	173.75	P-Rft 83400
	Supply and erection of PVC pipe	for wiring		•	•		
-	recessed in walls, including inspe	ction boxes,					
	pull boxes, hooks, cutting jh	arries, and		٠,			, , , ,
^	repairing surface, etc., complet	e with all					•
•	specials. i) 50 mm i/d	•			. 50 :	15 =	105 Rft
	•	•	1 x	ļ0 +			P-Rft 19262
				,	@	183.45	F-KII 19202
5	Supply and erection of house	service pipe		• .	.2		i
	Henley (G.I. pipe water quality)	or pole type,	•				•
	50 mm (2") dia, erected to inst	al insulated	;	٠.			
	overhead line,include shackle i	nsulator for					
	holding insulated wire and strai	ning devices					
	for bearer wire and other acco	essories etc.,		·			,
	complete.	•	. 1 ×	c 10	•	. =	. <u>10</u> Rft
ĵ.	•					Total: =	10 Rft
	•					g 650.05	P-Rft . 6501
	Supply and erection of stay for I	hause service	2			• . •	
6	pipe, erected with straining screen	ws and 7/14	1				
•	stay wire, complete.						
-	Sury visito, compression		1 :	x 15	-		= 15 Rft
	•	*	•		İ	@ 62.10	P-Rft 932
7	Supply and erection of bare copp	per conducto	r ·				t
,	wire No. 2 to No. 10 SWG, inclu	iding binding	g			``	
•	wire No. 16 SWG.	· :				· · · · · · · · · · · · · · · · · · ·	115 DA
				x 🚬 10		+ 25	
	C.O	0.417 lbs/Rf	115	x 0.0417	× 0.454		= '2 Kgs
		. . .		`_ :-		@ 2688.80	
						2	Total: 141095
				•	, -		7 7 74575
		400		-		•	Say Rs: 141100
,	•	•	1	•			· · · · · · ·
, ,			1			•	154
	A TOPP		[]			U	ן יַראַן
	Ture	รน์เ		sional Offi		Exec	itive Engineer
	Sub Engineer	/ , Bui		s Sub Divis	sion		lings Division
		. 44	R	ojhan		/ 1	Rajan Pur
	•						

COLLECTING TANK Size 15' Dia

	,				MR	3 2	nd Bi-Ar	ınu	al 2022 D	ISTRICT R	AJANPUR
S.No	Description		No	7	Length	_	Breadth			Contents	
3.140	Excavation of well in dry upto	20'(6	'.								
	metre) below ground level, and a	lisposal					•		•		
	of soil within one chain (30 metr	e) a) in									
	ordinary soil or sand :- i) from ()' to 5'	,							•	
	(o to 1.5 m) depth			,						•	
1		n								•	
•			3.14	x	20	x	20 2	c	. 5 =	= 1570	Cft
							@		7547.95	%0Cft	11850
	E 1 . 10!		3.14	Y	20	r	20 :	x	5 =	•	Cft
	5.1 to 10'		J.14	^	. 20	~				:	•
	,						@		7883.15	%0Cft	12377
2	C.Concrete brick or stone balast	1-1/2'' to	•						_ <u></u>		00
,	2" guage 1:4:8		3.14	x	20	x	2.25	x	0.75	= 26	Cft
	,						@		24738.85	% Cft	6432
3	RCC in slab of raft. Strip founda	ition.								•	
3	1:02:04										
	Base.		3.14	x	. 1Ŝ	x	2.25	x	0.5	= ' 13	Cft
									0.375	= .86	Cft
	Core wall.		6.28	x	9.687	x	. 15	x	· Total:		Cft
	·		•				ů		10141.	- 99	G,
					•	٠	@		457.75	P.Cft	45317
	7001		3.14*	2		Y.	225/4			= 177	
4	RCC in roof slab beam 1:2:4		J.17 .	_						•	•
							@		556.5	P.Cft	98501
5	Fabrication of mild steel reinfor	cement									
5	D-bars Grade 40		276	5 x	6.75	x	0.454	x	-	= 846	Kgs
									•		
							@		31433.55	%Kgs	265928
6	Pacca brick work other than but	ldings.									
•	1:4		3.1	4 x	: 15	x	0.75		20		Cft
	•		3.1	4 x	: 16	x	0.375	x	20		' Cft
									Total:		! Cft
	•		,				@		31,660.30		343198
7	1/2" thick cement plaster 1:4.		6.2	8 x	c 15	x		x			Sft .
							@		3,241.60	% Sft	61072
8	Dry rammed brick or stone ball	ast			:	_	404		٠ _	_ 201	CA
	1-1/2'' to 2'' guage		3.1	4)	x 15	5 x	10/4	x	5	= 390	3 Cft
	•						. @)	8,891.50	% Cft	3494
	Providing and fixing 1¼"x1¼	"~3/16"					_		-,		:5
9	angle iron step, in manhole cha	mbers, in	ıcludin	ıg			•			٠	į
	carriage and setting the same i	n work		0							;
	to correct lines and levels.			2 :	x 6	_				= 1	2 Nos
	to correct times with tools.									9	}
							. @		591.2	e Each	709
•	,				•				:	Tota	l: 88671
	•										i - -
		•								Say Rs:	88670
	•		А			,			*	•	

Sub Engineer

Sub Divisional Officer
Buildings Sub Division
Rojhan

Executive Engineer
Buildings Division
Rajan Pur

8. ANNUAL OPERATING COST (POST COMPLETION)

Financial Components: Capital Grant Number: Government Buildings - (PC12042)

Cost Center:OTHERS- (OTHERS)

LO NO:LO22010033

Fund Center (Controlling):LE4203 A/C To be Credited:Account-I

PKR Million

Sr#	Object Code	2025	-2026	2026-2027		2027-2028		2028-2029		2029-2030	
		Local	Foreign	Local	Foreign	Local	Foreign	Local	Foreign	Local	Foreign
1	A05270-To Others	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
2	A12403-Other Buildings	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	Total	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

Financial Components: Capital Grant Number: Government Buildings - (PC12042)

Cost Center:OTHERS- (OTHERS)

LO NO:LO22010033

Fund Center (Controlling):LE4203 A/C To be Credited:Account-I

PKR Million

Sr	Object Code	2025-2026		2026-2027		2027	-2028	2028-2029		2029-2030	
		Local	Foreign	Local	Foreign	Local	Foreign	Local	Foreign	Local	Foreign
1	A12403-Other Buildings	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
2	A05270-To Others	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	Total	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

8. <u>Annual Operating and Maintenance Cost after Completion of the Project</u>

The Annual operating and maintenance cost after completion of the project will be borne by the concerned District Health Authority (DHA) as well as Primary and secondary healthcare Department, Lahore.

9. DEMAND AND SUPPLY ANALYSIS

Semi modern health facilities and scientific diagnostics are presently available in this Hospital. This initiative of revamping Hospital will cover all departments and components of healthcare including Medical, Surgical, psychiatric, Cardiac, ENT, Ophthalmic and Pediatrician components. Moreover, women health components i.e. Gynecology and obstetric will also be emphasized upon. In emergency, calamities and natural disasters, valuable lives will be saved through revamping of Emergency Units.

10. FINANCIAL PLAN AND MODE OF FINANCING

10.1 FINANCIAL PLAN EQUITY INFORMATION

10.2 FINANCIAL PLAN DEBT INFORMATION

undefined

10.3 FINANCIAL PLAN GRANT INFORMATION

attached

Financial Plan and Mode of Financing

The project will be executed / financed through Annual Development Program under the sector Primary and Secondary Healthcare Department, the Government of Punjab. Year wise financial utilization is as under:

Revenue Side

(Rs.in Million)

Year	2017-18	2018-19	2019-20	2020-21	2021-22	2022-23	Total
Funds	20,000	24.012	2 004	4.006	F 070	7 007	02 701
Released	38.000	24.013	3.894	4.006	5.870	7.997	83.781
Utilization	16.630	24.013	3.694	3.873	5.845	1.268	55.287

Capital Side:

Year	2017-18	2018-19	2019-20	2020-21	2021-22	2022-23	Total
Funds	0	0	0	0	0	18.420	18.420
Released	U	U	0	U	U	16.420	16.420
Utilization	0	0	0	0	0	0	0

<u>Balance funds may be provided for completion of the project in</u> <u>subsequent years through ADP</u>

10.4 WEIGHT COST OF CAPITAL INFORMATION

undefined

11. PROJECT BENEFITS AND ANALYSIS

11.1 PROJECT BENEFIT ANALYSIS INFORMATION

Social Benefits with Indicators

Social economic burden will be decreased due to availability of better medical services in the district. Time and money of community will be saved which were expended in other cities like Lahore Islamabad etc. on treatment of patients and for boarding and logging of attendants. The social status of community will rise.

11.3.1 Social Impact:

A number of patients lose their lives or suffer serious disabilities for want of timely access to the health facilities. The project will ensure that no one is left to reach the health facilities. The most important beneficiaries will be mothers having complicated delivery conditions. The number of patients transferred to the health facilities for treatment and lifesaving will serve as indicators for performance evaluation. In long term the project will help in improving socio-economic indicators of IMR and MMR.

Employment Generation (Director and Indirect)

Revamping of this Hospital will lead to generation of employment for highly skilled /professional staff and unskilled staff leading to reduction of unemployment. Huge employments opportunity will be created from the establishment of the project. The Medical doctors and paramedics who are trained in this discipline or intended to specialize in this field can make maximum use of training. A large number of gazette and non-gazette posts will be available for employment directly or indirectly.

11.2 ENVIRONMENTAL IMPACT ANALYSIS

Environmental Impact

It will have no hazardous effect on the environment. On the other hand, addition of horticulture and landscaping will provide healthy environment to the general public. All the more, the program is environment friendly having no adverse environmental effects. Simultaneously, this shall further improve environment by creating sense of responsibility among employed and beneficiaries of the service.

11.3 PACT ANALYSIS

undefined

11.4 ECONOMIC ANALYSIS

Impact of Delays on Project Cost and Viability

Delay in the implementation of the project will lead to increase in cost and increase financial burden on the Government and general population of Punjab. Since the project is one of the major needs and a long awaited desire of the community, therefore, Government of the Punjab

contemplated plan for early execution of Revamping of Emergency Units. The delay will not only deprive the patients of the state of the art facility but also distort the public image of the Government.

11.5 FINANCIAL ANALYSIS

Financial Benefits & Analysis

Tremendous public benefits will be accrued from revamping of Emergency Units:

The Targets of Sustainable Development Goals (SDGs) will be achieved

The Human Development Index of Pakistan (HDI) will improve

Infant Mortality Rate will decrease

Mother Mortality rate will be decreased

The international commitments of Pakistan will be accomplished

Health standard of public will

Better Health Facilities to mother and

Prompt and scientific facility for operation

Rehabilitation of disables and injured

Blindness in this area will be decreased and controlled

Better social and mental health to addict

Provision of better health facilities at doorsteps

Awareness and control for communicable

Survival of heart failure

Social indicators of Pakistan will improve

This will decrease load of patients on teaching hospitals and specialized institutions by promoting physical and mental health. By adopting preventive and Hygienic principles, the number of patients and diseases will decrease. Resultantly budget load of Government for treatment will decrease and saving will be utilized for development programs.

11.1.1 Financial Impact:

In the beginning, It is extremely difficult to put a money value on each life saved by taking/shifting a critically ill patient to the appropriate health facility for treatment. However, the exact amount spent shall be calculated against each patient shifted by analyzing data collected during operations.

11.2 Revenue Generation

Revenue will be generated from:

Indoor fee

Laboratory fees

Diagnostic facility fees

Dental fee

ECG fee

Private room charges

From other fees prescribed by Government

12. IMPLEMENTATION SCHEDULE

12.1 IMPLEMENTATION SCHEDULE/GANTT CHART

Original Gestation period (From September, 2017 to June, 2019)

Extension in Gestation period for one year with no change in cost & Scope till June 2020.

1st Revised gestation period till June, 2021

2nd Revised gestation period till June, 2023.

3rd Revised gestation period till June, 2025

12.2 RESULT BASED MONITORING (RBM) INDICATORS

undefined

12.3 IMPLEMENTATION PLAN

undefined

12.4 M&E PLAN

The operation team will monitor the progress of the project and will hold regular weekly meeting to review the progress under the supervision of Project Director.

12.5 RISK MITIGATION PLAN

attached

RISK REGISTER

Programme for Revamping of all THQ Hospitals in Punjab

		RISK DATA			itigation / Co		MITIGATION
Risk Item No	Risk Description/Event	Cause	Cause Effect / Consequences				Mitigation / Actions
1	Due date for the completion of some hospital sites may be extended due to increase in scope from the Client	Direct instructions from the Medical Superintendents / Hospital Administration to revamp the remaining areas	Significant scope increase requested by the Hospital administration will result in: 1. Project delays 2. Contractor claims 3. Increase in project cost along with variations	3	3	9	Hospital administration is requested to finalize the scope during joint field visits of C&W and PMU
2	Various unexpected structural issues are being encountered	Unforeseen structural issues are expected to face during execution in hospital buildings approaching end of life	Stoppage of work Performance of the Contractor has affected Delays in the project	3	3	9	Various items which are unforeseen and expected to be used during execution may be taken in estimates so that those can be executed to address these issues
3	Change in management of the Client	Management change	Re-briefing is to be carried out	2	2	4	Acceleration of understanding for smooth and expeditious transition, without affecting the project
4	Financial Issues	Funds for these schemes should be provided as per the targets	Delay in tendering Effect on quality as the Consultant supervision will not take place Inconvenience to the patients	3	3	9	Approval of PCIs and early release of funds is requested
5	Nationwide spread of pandemic i.e. COVID-19 in 2nd and 3rd quarter of this year	Work delays during nationwide lockdown.	Delays in completion of works Claim requests received by Contractor and Consultant	3	3	9	Contractor will be asked to depute fully vaccinated labor

12.6 PROCUREMENT PLAN

undefined

13. MANAGEMENT STRUCTURE AND MANPOWER REQUIREMENTS

The Organogram of New Management Structure is available in PC-I

14. ADDITIONAL PROJECTS / DECISIONS REQUIRED

NA

15. CERTIFICATE

Focal Person Name:Mr. KHIZAR HAYAT Designation:Project Director, PMU P&SHD

Email: Tel. No.:

Fax No:

Address:31/E1, Shahrah-e-imam Hussain? Road? Block E 1 Gulberg III, Lahore, Punjab

15. It is certified that the project titled "Revamping of THQ Hospital Rojhan"

(3rd Revised)" has been prepared on the basis of instruction provided by the Planning Commission for the preparation of PC-I for Social Sector projects.

Prepared By:

(RIZWAN SHOUKAT)

PROCUREMENT SPECIALIST, (PMU).

PRIMARY & SECONDARY HEALTHCARE

DEPARTMENT, LAHORE

(042-99231206)

(Oct-2022)

(Oct-2022)

Glams 1

(HAMZA NASEEM)
PROJECT MANAGER CIVIL, PMU,
PRIMARY & SECONDARY HEALTHCARE DEPARTMENT, LAHORE
(042-99231206)
(Oct-2022)

Checked By:

(Dr. AYESHA PARVEZ)

DEPPUTY PROJECT DIRECTOR (PMU),
PRIMARY & SECONDARY HEALTHCARE
DEPARTMENT, LAHORE
(042-99231206)

(Oct-2022)

Approved By:

PROJECT DIRECTOR (PMU).
PRIMARY & SECONDARY HEALTHCARE
DEPARTMENT, LAHORE
(042-99231206)
(Oct-2022)

(KHIZAR HAYAT)

(DR. IRSHAD AHMAD) SECRETARY.

GOVERNMENT OF THE PUNJAB

PRIMARY & SECONDARY HEALTHCARE DEPARTMENT, LAHORE

(042-99204567)

(Oct-2022)

17. RELATION WITH OTHER PROJECTS