

PC-1
Revamping of THQ Hospital, Samundari District Faisalabad

ORIGINAL APPROVED COST	PKR Million. 326.062/-
ORIGINAL APPROVED GESTATION	43 Months Till June 2025
APPROVAL FORUM	DDSC (DDSC)

1. NAME OF THE PROJECT

Revamping of THQ Hospital, Samundari District Faisalabad

2. LOCATION OF THE PROJECT

- **2.1. DISTRICT(S)**
 - I. FAISALABAD

3. AUTHORITIES RESPONSIBLE FOR

- 3.1. SPONSORING AGENCY
 - PRIMARY AND SECONDARY HEALTH CARE
- 3.2. EXECUTION AGENCY
 - PRIMARY AND SECONDARY HEALTH CARE
- 3.3. OPERATIONS AND MAINTENANCE AGENCY
 - PRIMARY AND SECONDARY HEALTH CARE
- 3.4. CONCERNED FEDRAL MINISTRY
 - NATIONAL HEALTH SERVICES, REGULATIONS AND COORDINATION

•	AUTHORITIES RESPONSIBLE	
	3.1 Sponsoring	Government of the Punjab, Primary and Secondary Healthcare Department
	3.2 Execution	PMU for Revamping Program of Primary and Secondary Healthcare Department, District Health Councils and C&W Department.
	3.3 Operation & Maintenance	PMU for Revamping Program of Primary and Secondary Healthcare Department and District Health Authority
	3.4 Concerned Federal Ministry	Ministry of National Health Services, Regulation and Coordination Pakistan

4. PLAN PROVISION

Sr#	Description	
1	Source of Funding: Scheme Listed in ADP CFY	
2	Proposed Allocation: 0.000	
3	GS No:5297	
4	Total Allocation: 0.000	
5	Funds Diverted:0.000	
6	Balance Funds: 0.000	
7	Comments: Funded out of block provision reflected at G.S No.658 with an allocation of Rs. 1,800 million (Capital = Rs. 1.300 Million & Revenue = Rs. 500 Million).	

5. PROJECT OBJECTIVES

attached

5. Project objectives and its relationship with Sectorial Objectives and Components

The Government of Punjab is making strenuous efforts for a better and effective Health Care system. The Defining step in this direction was to recognize the importance of Health Care at Primary & Secondary Levels. As a first step towards better health care at primary and secondary level, the department under the guidance of Government of the Punjab has decided to launch massive revamping of 40 THQ & DHQ Hospitals in the financial year 2016-17 along with revamping of emergencies of 15 selected THQs and emergencies of all Hospitals. In addition to that, Government has assigned the task of revamping of all remaining 85 THQ Hospitals of Punjab during 2017-18. The Project Management Unit, Revamping Program, Primary and Secondary Healthcare Department has started the 2nd Phase of the said revamping program in September, 2017.

5.1 Background of Primary & Secondary Healthcare Department

Effective primary and secondary healthcare is particularly important in resource-poor countries. Effective delivery of vaccinations, maternal and child care (MCH) and treatment of common pathologies (such as malaria, gastroenteritis, respiratory tract infections and other vector borne diseases) is essential for the achievement of Sustainable Development Goals (SDGs). Effective diagnostic triage, an organized system of prescription and queue management, an effective and stringent sterilization regime, quality nursing and consultant care, implementation of minimum service delivery standards (MSDS) and delivery of care for chronic pathologies lie at the center for the provision of universal health care at a cost that the community can afford as envisaged in domains established by the 1978 Alma-Ata Declaration of WHO. Primary care serves as the cornerstone for building a strong healthcare system that ensures positive health outcomes and health equity. The deficiencies in quality of care represent neither the failure of professional compassion nor necessarily a lack of resources rather, they result from gaps in knowledge, inappropriate applications of available technology and unstructured planning. Local health care systems in our setup have practically not been able to implement department's objectives. Result is continuous lack of quality improvement to lower health outcomes.

Quality health care is actually provision of health care by timely, skillful application of medical technology in a culturally sensitive manner within the available resource constraints. Eliminating poor quality involves not only giving better care but also eliminating under provision of essential clinical services (system wide microscopy for diagnosing tuberculosis, for example); stopping overuse of some care (prenatal ultrasonography or unnecessary injections, for example); and ending misuse of unneeded services (such as unnecessary hysterectomies or antibiotics for viral infections). A sadly unique feature of quality is that poor quality can obviate all the implied benefits of good access and effective treatment. At its best, poor quality is wasteful and at its worst, it causes actual harm.

Keeping in view this basic essence of primary and secondary health care, The Government of Punjab is dedicated in making strenuous efforts for ensuring a better and effective Health Care system .The Defining step in this direction was to recognize the importance of Health Care at Primary & Secondary Levels. As a first step towards better health care at primary and secondary level, a separate department was created by bifurcating the Health department into two departments Specialized Health Care & Medical Education Department and Primary & Secondary Health Care (P&SH) Department. The principle reason for bifurcation has been to improve governance and service delivery in the spheres of health care across the province. Primary and Secondary Health Care Department has been entrusted the responsibility of primary and secondary level health facilities including preventive health services and Vertical Programs. P&SH Department accordingly has its functional responsibility in respect of 26 District Headquarter Hospitals (DHQs), 129 Tehsil Headquarter Hospitals (THQs), 322 Rural Health Centers (RHCs) and 2,504 Basic Health Units (BHUs). Moreover, specialized programs like Expanded Program for Immunization (EPI), TB Control (DOTS), Hepatitis Control Programs as well as special campaigns such as Dengue Campaign, Polio Eradication Campaigns also fall in purview of the department. The establishments like Director General Health Services (DGHS), Drug Testing Labs (DTLs) and Biomedical Engineering Workshops also assist the department in discharge of its functions efficiently. Establishment of Internal delivery Unit at Primary and Secondary Health Care Department has been aimed for institutional strengthening and capacity building of Primary and Secondary Health Care Department. Monitoring and follow up remains one of key ingredients for good governance and is at heart of all management models. Therefore, an Internal Delivery Unit, comprising well qualified and experienced persons, is being established within P&SH Department. Internal Delivery Unit shall be manned with qualified and experienced consultants. Internal Delivery Unit shall be responsible for every such task needed to strengthen the PSHD which may range from operational matters to monitoring e.g. tracking pace of all initiatives of the Department through the process such as tracking procurement of medicines by districts, procurement of vaccine by Director EPI, pace of various development schemes and performance of Drug Testing & Bio-mechanical Labs etc.

The basic mandate of Primary & Secondary Health Department is to focus on preventive health care in primary sector along with basic diagnostics and treatment facilities at secondary level. The context is to primarily lessen the load on tertiary care health establishments and to reduce treatment costs. The major challenge for Primary & Secondary Health Department is to boost the confidence of masses and raise the level of trust in the primary health care system. The reality is that most of the health care establishments at secondary level are not currently providing health care services up to the optimal level, owing to a myriad of reasons including heavy patient load, scarcity of resources, human resource constraints and dysfunctional biomedical and allied equipment.

Due to lack of structured planning and monitoring, previous efforts did not materialize into an integrated health care regime, rather these have resulted in haphazard construction, poor repair and maintenance, lack of basic amenities, absence of waiting areas, substandard diagnostics and therapeutics, shabby outlook and suboptimal level of patient care over all. Such state of affairs has severely jolted level of trust in health care system by common man and hence the patients prefer to visit tertiary level hospitals or even private health facilities for treatment of even very common pathologies. This subsequently has a cascade effect on socioeconomics of common man who has to spend more in shape of travelling from villages to district headquarters and then bearing costs of private treatment, secondly, this has also increased disease load on our tertiary health care establishments.

Keeping in view this importance of primary and secondary health care, the department decided to launch massive revamping program for all DHQs and THQs all over the Punjab.

5.2 Project Management Unit (PMU), Primary & Secondary Healthcare Department

In order to successfully complete the program objectives in the given timeframe, it is imperative to establish a dedicated Program Management Unit (PMU) having technical and administrative expertise and autonomy, as the regular machinery of the department is too busy with the routine work and cannot successfully steer the program. The PMU is responsible for the successful implementation of the Revamping Program through completion of all related projects. After the implementation of all these projects, the Primary & Secondary Healthcare network will be improved. The PMU shall ensure that the DHQ & THQ hospitals have a well-constructed physical infrastructure with vibrant management model for efficient service delivery and improved processes to focus on patient distress in prompt manner. It adheres to Minimum Service Delivery Standards (MSDS) to address the patients' needs in the most efficient and systematic manner.

In this regard, a dedicated team of Project Management Unit (PMU) has been established to execute the project. PMU's office is located at 31-E/1, Shahrah-e-Imam Hussain, Gulberg-III, near Qaddaffi stadium, Lahore. It is headed by a Project Director with a committed team comprising of Deputy Project Director, Finance and Administration, ICT), Project Managers, Project Officers, Engineers, supporting administrative and technical staff, experienced and qualified Health consultants., Directors (Operations, Human Resource & Planning and infrastructure, Outsourcing) as well as Procurement Specialist.

5.3 Infrastructural Interventions

The construction of various new blocks of hospital complex is constructed without any proper planning and necessary connection to existing blocks. On the whole, the complete infrastructure of hospital is quite complex and scattered, access to various blocks of hospital is quite inadequate and there is no proper connection or link between different blocks of hospital. In the revamping program of

DHQ and THQ Hospitals, the placement of various facilities of hospitals are replanned keeping in view the layout of existing blocks for facilitation of patients and some modifications/alterations were proposed in the blocks for necessary link or connection between the blocks.

Major infrastructural interventions can be divided in the following four categories

- **5.3.1 External Development**
- **5.3.2 Internal Development**
- **5.3.3 Medical Infrastructure Development**
- **5.3.4 Emergencies Development**

5.3.1 External Development

5.3.1.1 External Platforms

In order to improve the communication between blocks, necessary interventions are taken to improve the existing internal metaled road network. Moreover, new internal metaled road network is also designed and proposed to access the blocks of hospital accordingly. Despite the improvement in metaled road network, external platforms except metaled road is also designed and proposed for patients to access the blocks by simply walking among the blocks.

5.3.1.2 Façade Improvement

In order to improve the aesthetics of hospital, façade uplift with aluminum composite panels with aluminum cladding, false steel structures, façade aluminum windows and aluminum doors are designed in order to give the feel of modern architectural era.

5.3.1.3 Sewerage System

The most important entity of a hospital lies in its cleanliness. Infrastructural interventions to keep the hospital clean were taken in the form of <u>improvement of sewerage system</u> of the hospital. These interventions include the re designing of sewerage system, construction of new manholes, laying of new sewer lines and connection between trunk sewer and hospital sewer.

5.3.1.4 Landscaping (Horticulture)

Landscaping in hospital adds aesthetic & beauty to the built environment as well as improves in reducing the pollution. Soft & hard landscape reduces dust particles moment in air, hence contributes in a clean environment. The hours spent

in a hospital can be stressful for patients, staff and visitors. According to research easy access to a natural environment can contribute to stress management and potentially improve health outcomes: physiological studies indicate that 3-5 minutes spent in such Hospital Outdoor Landscape Design environments reduces anger, anxiety and pain and induces relaxation. Research also shows that "positive distractions" can reduce stress and their visual forms include gardens, scenic views and artwork, which play a critical role in modern hospital design: gardens, fountains, and water features provide patients, staff and visitors with restorative experiences of nature. In this regard complete lawns development, placement of benches, dust bins, playing equipment, fruit trees, flower plants, fruit trees and gazebos are proposed in all hospitals under revamping program

5.3.1.5 Water Filtration Plant

In the modern era, the access to clean water for everyone is becoming rare day by day. Especially in hospitals, the supply of water free from any harmful impurity is one of the most basic needs. To cope up with this problem water filtration system according to the existing nature of water is designed and water filtration plant is proposed accordingly. For ease of patients, drinking water supply network was designed to provide filtered water in wards and in various drinking stations within the hospital building

5.3.1.6 External Electrification

One of the major hindrances in functionality and ineffectiveness of electro medical equipment and other facilitating electrical appliances is either interrupted power supply or power supply with lesser voltage than required. This problem was solved by providing express line or dual electrical supply in all hospitals under revamping. Despite these two facilities based, on the current and proposed electrical load of hospital new transformers were proposed to step down the voltage to desired level and complete generator backup system was designed and generators along with automatic transfer switches were proposed accordingly. Moreover, to fully lighten up the hospital for proper utilization of all facilities of hospital during the low/no-light hours of the day, external pole lights to lighten up the pathways and garden lights to lighten up the lawns were designed and proposed.

5.3.1.7 Parking and Waiting area

Non-clinical facilitation of patients and attendants were specially considered in the revamping program. One such facilitation step is designing the parking and waiting areas on basis of daily influx of vehicles and patients/attendants during the

peak hours. <u>Parking and waiting areas</u> on several places of hospital were then proposed according to the design.

5.3.1.8 External Signage

<u>Eexternal signage system</u> is designed including various signage types for complete guidance of patient attendants and to search concerned facility promptly.

5.3.2 Internal development

5.3.2.1 Aesthetic improvement

In order to improve the aesthetics of hospital wards, corridors, rooms and toilet blocks, flooring and dado design of suitable material in these areas is proposed. Despite of aesthetics, the material of flooring and dado design were chosen to provide ease in cleaning process. For further improvement in aesthetics, paint on exterior and interior part of the hospital, poly-vinyl chloride paneling to conceal the dampness damaged areas and steel cladding of columns are proposed.

5.3.2.2 Ramp and Stretcher improvement

For hospitals having more than one floor, there is a huge problem of patient transfer with stretcher. This problem is solved by proposing new ramps/stretcher ways where needed. Moreover, in order to further improve the communication between various floors of hospitals improvement of stair cases with hand rail or guard rails is proposed.

5.3.2.3 Seamless flooring and Lead Lining

To keep high risk areas like Operation theaters, I.C.U, C.C.U, and Gynecology Operation Theater bacteria free is one of the basic medical practices. In the revamping program of hospitals low epoxy paint is proposed in these areas to provide seamless flooring so that the bacterial growth within the groves can be prevented. Moreover, to make the X-Ray rooms radio-resistant and to keep the patients away from the harm of rays, interventions are taken in X-ray rooms regarding provision of lead lining in walls, ceiling and floor.

Interventions were taken regarding hazardous radiation emitting areas to make them radio-resistant in order to keep patients/attendants away from harmful radiations. These interventions were in the form of provision of lead lining in ceiling, walls and roofs of X-Ray rooms.

5.3.2.4 Aluminum doors and windows

In order to make sound and heat proof the doors and windows of wards, corridors and major health facilities are proposed as aluminum doors and windows. Which despite of above benefits are also aesthetically pleasing. Corridor wire mesh windows and rolling blinds for windows are proposed in order to invite or stop the day light within the wards according to the requirement. Moreover, existing wooden doors having shabby and dirty look are proposed to be re-polished and washroom doors are proposed to be replaced with PVC doors to make them resistant against water.

5.3.2.5 Improvement of washroom blocks

The area of hospital which can be dirty at most is its washroom or toilet blocks. To improve the cleanliness of hospital the special interventions were taken regarding the renovation of toilet block of hospital. This renovation includes the re tiling of existing damaged flooring and skirting and addition of water closets etc.

5.3.2.6 Facilitation of attendants and patients

The facilitation of attendants is also one of the most basic things to be provided in the hospital. The facilitation of attendants contributes towards the facilitation of patients. In order to facilitate the attendants, pantries are designed at that location of hospital where attendants can be effectively facilitated. These pantries include stoves and washing machines. Moreover, it is also very important to educate the patients and attendants regarding the seasonal and general diseases along with its cure and prevention. Installation of LED televisions in various locations of hospitals especially in wards and waiting areas is also proposed in the design in this regard.

5.3.2.7 Furniture and Fixtures

One more step towards the facilitation of attendants or patients is placement of benches in waiting areas. The most rush positions of hospital are chosen in this regard and placement of benches is designed according to the patient number and flow. In order to improve the efficiency of consultants or doctors, interventions regarding the renovations of doctor or consultant office are designed in this regard. The doctor room furniture is designed for this purpose keeping in view the existing area of room and necessary required equipment. To carry and dispose of the medical and general waste material of hospital, waste bin sets are designed to place at various positions of the hospital. These positions are marked by keeping in view the general circulation of the public and sensitivity of the area.

5.3.2.8 Air Conditioners, Refrigerators and LEDs

According to the different standards, there is a separate requirement of temperature to control the environment of particular place with respect to the nature of facility. In this regard, air conditioners are proposed according to the required tonnage of the specific area. For better efficiency and performance delivery, cabinet air conditioners are proposed in the wards and other facilities having larger areas. The maintenance and repair services of these air conditioners are outsourced so that uninterrupted performance can be delivered. For further facilitation of patients and attendants, placement of refrigerator is proposed on each nursing counter. These refrigerators are proposed for items requiring specific temperature for storage purposes. LEDs will also be placed at various points to facilitate the patients and attendants.

5.3.2.9 Internal Signage and Paintings

As described earlier, the information regarding the positions of major health facility especially emergency and labor room etc. is very much essential for any person entering inside the covered area of hospital. For these purposes, different types of signage are proposed including corridor hanging signage, floor map boards, room numbers and room names plaques. For general information duty rooster boards, janitorial station signage, waste bin set signage, emergency exit signage.

Different kinds of paintings are designed according to the nature of area where it is desired to be fixed. These paintings are beneficial in a sense that it improves the aesthetics of hospital and moreover, such painting patterns are designed so that it give the relaxation and soothing feelings to aid in the healing of patients. Moreover, in order to create a healthy, positive, entertaining and friendly environment for interest of children, paintings on children wards is proposed.

5.3.3 Medical Infrastructure Development

To cope with the emergency condition of clinically serious patient, oxygen supply system is designed by proposing an individual oxygen supply system for each major health facility. This oxygen supply network comprises on copper pipe line, flow meter with bed head units, cylinders and setup and individual central oxygen supply system. The contract of filling of oxygen gas in cylinders is outsourced for uninterrupted oxygen gas supply to the patients.

For patient receiving, information, guidance, appointment or for any other task, separate reception counters are proposed in various blocks so that, all necessary information regarding the block is available on the counter round the clock. In this way, utilization of clinical facilities will be optimized. For indoor patient department, complete facilitation and care of patients admitted in wards is ensured

by proposal of nursing counter in each ward. This nursing counter will be placed or constructed in such a placement that each bed can be monitored by the nurse available.

The design regarding architectural planning of above mentioned facilities are designed according to the patient facilities and architectural planning standards. These designed facilities are then designed in the existing building structure according to the patient flow and sensitivity of facility.

5.3.3.1 Emergency Department:

All THQS and DHQs are already providing emergency services to critical ill patients. As far as the existing sources including human resources & equipment are not sufficient to fulfill the requirement. Primary and secondary healthcare department is going to take the initiative to improve emergencies of hospitals by providing new equipment and human resource in form of recruitment of doctors, nurses and paramedical staff along with Infrastructure of Causality Department. Ultimate goal of revamping of emergencies is to enhance the quality of medical services to critical ill patient in golden hour to decrease the mortality and morbidity rate in causality department of each hospital.

5.3.3.1.1 General Overview of Emergency Department

In any hospital, the most important and critical area is its emergency block. Specially, if hospital is situated on a highway where there is a huge flux of rapidly moving traffic which can be a major source of causalities, if patient treatment is not proper. Besides road trauma cases, cardiac cases and burn cases etc. are also more likely to be initially treated in emergency. Proper first aid to patient reduces morbidity and mortality. The emergency department of hospital is a block where in time service delivery is so much essential that delay in proper treatment can cause lot of lives to suffer from serious diseases for rest of their life. In a nutshell, the efficiency and in time service delivery of emergency block depicts the overall efficiency of the hospital.

In order to improve the emergency department and to ensure in time service delivery of the same, special initiatives are being taken in this regard. Infrastructure of emergency department depends a lot on its service delivery and efficiency. An emergency department with all necessary medical and general equipment and equipped with all essential medical facilities but without ineffective and poorly planned infrastructure will never fulfill its need. Conclusively, such infrastructural interventions are planned in this program so that the efficiency of emergency department can be optimized. Some of the following major interventions are listed below:

5.3.3.1.2 Position of Emergency Department

It is planned that new construction of building should be avoided at most because already existing blocks with no proper utilization are existing in all of the hospitals. The emergency block should be on such a location that the distance between that department and main entrance gate should be minimum with respect to other locations or positions of complex. To fulfill this purpose, that portion of this building block is selected for re planning of emergency department which is most near to the entrance gate. The far positioning of emergency department will result the lost in time for patient during its travelling which can be crucial.

5.3.3.1.3 Access towards the Emergency Department

The route leading towards the emergency department is important in this aspect that a smooth track and a widened path will be feasible for the movement of vehicle or stretcher. Initiatives are taken in this program for construction of new pathways or renovation of existing ones leading towards the emergency department. Such material of the external platform is selected so that a smooth movement should be observed over it rather than jerks bumps. Moreover, the width of the passage from entrance gate up to emergency department is designed by keeping in view the flux of the vehicles rushing towards the emergency block.

5.3.3.1.4 Medical Infrastructure Emergency:

The existing emergency department or other block of the hospital according to its access from entrance gate, is designed and re planned according to the above described emergency facilities. The changings or amendments in the existing covered area of the hospital are proposed according space availability. Due to the rush of patients and increased number of minor surgeries performed in the emergency department make it one of the dirtiest department of the hospital. Hence, in this regards it is very much essential to keep the floors of certain area of emergency department bacteria free. Seamless flooring is proposed in this regard to avoid the groves so that the cleaning process can be made easy. Low epoxy paint is designed and proposed in this regard on Minor OT, Gurney area and specialized healthcare unit.

Provision of medical gasses is essential to facilitate the patients suffering from breathing issue due to some disease and ailment. The filling process of oxygen in the cylinders is outsourced to ensure the continuous supply of the oxygen among the beds. The oxygen system comprises on copper pipe, central oxygen supply system for pressure maintenance, oxygen cylinders and flow meter with bed head units.

5.3.3.1.5 General Building Interventions:

In order to improve the over building condition of emergency blocks following major interventions are taken:

- 1. Provision of flooring and skirting
- 2. Painting on interior and exterior side of department

- 3. Provision of false ceiling
- 4. Replacement of damaged and renovation of existing wooden doors
- 5. Provision of aluminum doors and windows
- 6. Public health work regarding supply of water and gas along with improvement of sewerage system
- 7. Provision of LED panel lights, ceiling fans, exhaust and wall bracket fans
- 8. Improvement of existing wiring and distribution including replacement of damaged equipment and proposal of new equipment

5.3.3.2 Monitoring and Quality Assurance (Process Interventions)

During construction phase, "Construction Supervision" will be carried out by the Procuring Agency (Director Infrastructure) along with Punjab Buildings department (C&W D) who will certify construction activity.

5.3.3.2.1 MSDS (Minimum Service Delivery Standards)

MSDS are minimum level of services, which the patients and service users have a right to expect. MSDS include minimum package of services, standards of care (level specific) and mandatory requirements/systems for delivery of effective health care services. The World Health Assembly in Alma-Atta in 1978 expressed the need of action to protect and promote the health for all the people of the world. Essential health is to be made universally accessible to individuals and families through their full participation and at a cost that the community and country can afford. MSDS is now being deemed to be of vital importance at Secondary HealthCare level. The THQ hospital provides promotive, preventive, curative, diagnostics, in patients, referral services and also specialist care.

THQ hospitals are supposed to provide basic and comprehensive EmONC. THQ hospital provides referral care to the patients including those referred by the Rural Health Centers, Basic Health Units, Lady Health Workers and other primary care facilities. The District Head Quarters Hospital is located at District headquarters level and serves a population of 1 to 3 million, depending upon the category of the hospital. The THQ hospital provides promotive, preventive, curative, advance diagnostics, inpatient services, advance specialist and referral services. Services package and standards of care at SHC level are also not well defined. Deficient areas include: weak arrangements to deal with non-communicable diseases, mental, geriatric problems and specialized surgical care especially at THQ. There is disproportionate emphasis on maternal and child health services at SHC facilities. Services-package being provided at PHC and SHC are also deficient in terms of Health care providers' obligations, patients' rights and obligations.

MSDS umbrella is very vast and it requires a very extensive and planned approach towards, gap analysis, planning, development, implementation,

monitoring and evaluation. MSDS comprises of 10 thematic area, 30 standards and 162 indicators. Government of Punjab has taken an initiative to standardize all hospitals of Punjab in accordance with Punjab Health Care Commission Minimum service delivery standards. PMU team segregated MSDS indicators into various targets and sub-targets to make these targets achievable. Manuals for both clinical and non-clinical specialties are being prepared comprising of departmental organizational plan, criteria for essential human resource, essential equipment, general and specialized SOPs, departmental safety guidelines etc. Standardized Medical Protocols (SMPs) are standard steps to be taken by a health facility during medical or surgical management of a patient. Standard Operating Procedure (SOPs) are detailed description of steps required in performing a task including specifications that must be complied with and are vital to ensure the delivery of these services .It requires literature review, departmental view, facility visits, consultative visits and development of action plan for implementation of MSDS. Effective MSDS implementation requires essential documentation. Documentation is a key for record keeping, monitoring and auditing. For this purpose, registers, forms, displays have to be designed with coding for effective tracking. In addition to this it also requires analysis from field from utilization point of view.

Displays constituting of public serving messages, health related information and general facility related guidelines. In order to monitor effective implementation, compliance monitoring is required to be carried out by field experts which is followed up by further planning to ensure continuous delivery of effective, accessible, continuous and quality services to masses in uninterruptable manner.

MSDS implementation is a complex procedure. Because it requires

- 1. Capacity building for understanding, development and continuous implementation of MSDS.
- 2. Ecosystem for establishing its implementation by full cooperation, collaboration, commitment of
- 3. Continuous monitoring
- 4. Continuous audit
- 5. Continuous training, refresher courses with purpose of reinforcement
- 6. Continuous quality improvement
- 7. Continuous Strengths, Weaknesses, Opportunities, and Threats (SWOT) analysis and gap identification
- 8. Continuous strategy making and implementation with backup plan for secondary options.
- 9. Responsibility designation for clinical and non-clinical procedures and activities.
- 10. Effective utilization, calibration and maintenance of equipment with record maintenance and their audit
- 11. Establishment of plans, implementation, analysis of gaps with alternate planning regarding fire evacuation plan, hospital inflectional control plan, hospital operational and

strategic plans, disaster plan both internal (partial / complete) and external.

The PDSA cycle

- 1. Developing a plan to test the change (Plan),
- 2. Carrying out the test (Do),
- 3. Observing and learning from the consequences (Study), and
- 4. Determining what modifications should be made to the test (Act).
- 5. Monitoring effective load sharing of Human resource and equipment within hospitals.
- Addition of new HR/ rationalization on requirement of MSDS indicator compliance for effective departmental organization and their planned trainings by MPDD, UHS ETC
- 7. Standard optimization of Standard operating procedures and methods for their effective adoption by hospital human resource.
- 8. We have also extended our MSDS implementation in 20 more departments such as dentistry, ICU, CCU, Dialysis, mortuary, burn unit, physiotherapy, orthopedics, medicine, nursing, paeds, ophthalmology, derma, TB, urology, patient transfer system, store and purchase, audit and accounts, procurement, planning etc. We are also in process of preparing manuals, SOPS, plans, universal forms, and universal registers with universal tracking system of record.
- 9. We have developed an application for continuous monitoring of MSDS compliance.

Health managers are considered essential at both the strategic and operational levels of health systems. To gain an initial understanding of the management workforce for service deliver. Every health system desires managers who are competent and have the knowledge, skills and demeanor to be effective. The performance of health services managers will depend in part on how certain standard support systems function. Even good managers will have problems if procedures for running finances, staff, etc., are not working well. Functional systems should have clear rules and regulations, good guides and forms, effective monitoring and supervision and appropriate support staff, e.g. account staff, supplies and information staff and secretarial support A health manager is supposed to be competent in planning, budgeting, financial management systems personnel management systems, including performance management, procurement and distribution systems for drugs and other commodities, information management and monitoring systems, systems for managing assets and other logistics, infrastructure and transport. Support systems help to ensure uniformity in management practices and ensure that management and administrative systems function and get results.

5.3.3.3 Laboratory

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the Laboratory in THQ hospitals. Majority of patients are suffering problems some time life threatening phases due to delay in diagnosis and treatment according to diagnosis in case of lack of laboratory in vicinity.

5.3.3.4 X-Ray

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the Radiology unit in THQ hospitals. Majority of patients are suffering problems some time life threatening phases due to delay in diagnosis and treatment according to diagnosis in case of lack of Radiology unit in vicinity. A healthy human being enables not only nutrition of the physical body but also enhances social interaction and promotes self-esteem and feelings of self-esteem and feelings of wellbeing. The radiology equipment serves as a "window "to the patient treatment regarding the body.

5.3.3.5 CCU

Understanding these ground realities Primary and Secondary Healthcare Department, Government of the Punjab has decided to establish coronary care units (CCU) in THQ hospitals as a part of its Revamping Program. This will improve the quality of healthcare and timely provision of life saving treatment will be possible to large number of patients. A coronary care unit (CCU) is a special department of a hospital or health care facility that provide coronary care to patients. Coronary care units cater to patients with severe and life-threatening cardiac illnesses and which require constant, close monitoring and support from specialized equipment and medications in order to ensure normal bodily functions.

Coronary care units are staffed by highly trained doctors and nurses who specialize in caring for cardiac patients. They are also distinguished from normal hospital wards by a higher staff-to-patient ratio and access to advanced medical resources and equipment that are not routinely available elsewhere. Common conditions that are treated within CCUs including angina, myocardial infection, cardiac arrhythmia, cardiac shock etc. Patients may be transferred directly to coronary care unit from an emergency department or from a ward if they rapidly deteriorate, and immediately require cardiac care treatment.

5.3.3.6 Dialysis Unit

Chronic kidney disease is now a significant public health problem worldwide. Chronic kidney disease globally affects almost 10 % of general population with Incidence in prevalence of disease are still rising especially in

developing countries .The rise in chronic kidney disease is by aging of the populations and growing problems of obesity, diabetes, high blood pressure and cardiovascular diseases.

Tehsil head Quarter Hospital (THQ) serve large catchment populations of the district and provide a range of specialist care in addition to basic outpatient and inpatient services. Patient who are in need of dialysis, are referred to tertiary care hospital due to non-availability or insufficient number of dialysis machines. Patient's condition not only deteriorate but also compromise the effectiveness of life saving intervention due to approaching to other cites or to costly private setups of dialysis. Primary and Secondary Healthcare Department has decided to establish & strengthening already existing 5 bedded dialysis unit at THQ hospitals. This will improve the quality of healthcare and timely provision of life saving treatment will be possible to large number of patients.

Dialysis unit is a special department of a hospital or health care facility that provides a lifesaving support to patients with chronic renal disease along with pre-existing diseases like diabetes, hypertension, ischemic heart disease to ensure normal bodily functions. Dialysis units are staffed by highly trained doctors, dialysis technicians and dialysis nurses who have done specialized training in caring for such patients. Patients are usually admitted from out door and often from emergency and registered for their timing and schedule of dialysis because these patients are given regular appointments twice or thrice a week as per defined by nephrologist/physician.

5.3.3.7 <u>Labor Rooms/Nurseries</u>

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the Labor Rooms/Nursery unit in THQ hospitals.

5.3.3.8 Operation Theater

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the Operation Theater in THQ hospitals. Majority of patients are suffering problems some time life threatening phases due to delay in treatment according to diagnosis in case of lack of Operation Theater in vicinity.

5.3.3.9 Orthopedic unit

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the orthopedic unit in THQ

hospitals. Majority of patients are suffering problems some time life threatening phases due to delay in diagnosis and treatment according to diagnosis in case of lack of orthopedic unit in vicinity.

5.3.3.10 Gynecology Department

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the gynecology unit in THQ hospitals. Majority of patients are suffering problems some time life threatening phases due to delay in diagnosis and treatment according to diagnosis in case of lack of gynecology unit in vicinity.

5.3.3.11 Surgical Unit

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the surgical unit in THQ hospitals. Majority of patients are suffering problems some time life threatening phases due to delay in diagnosis and treatment according to diagnosis in case of lack of surgical unit in vicinity.

5.3.3.12 Intensive Care Unit (ICU)

Tehsil Headquarter Hospitals (THQ) serve catchment populations of the whole Tehsil (0.5-1 million) and provide a range of specialist care in addition to basic outpatient and inpatient services. They typically have about 80 to 150 beds and a broad range of specialized services including surgery, medicine, paediatrics, obstetrics, gynaecology, ENT, ophthalmology, orthopaedics, urology, neurosurgery etc. Patient who are in need of intensive care are usually referred to tertiary care hospital but due to long distance they had to travel and time consumed on road due to heavy traffic and other unavoidable circumstance ,patient's condition not only deteriorate but also compromise the effectiveness of life saving intervention. Understanding these ground realities Primary and Secondary Healthcare Department, Government of the Punjab has decided to establish intensive care units (ICU) in THQ hospitals as a part of its Annual Development Plan. This will improve the quality of healthcare and timely provision of life saving treatment will be possible to large number of patients.

Primary and Secondary Healthcare Revamping programme (PSHRP) is the initiative by the Chief Minister of Punjab to strengthen the healthcare delivery system in the province Acquisition of licenses for all THQ Hospital by developing and implementing uniform set of standard Operating procedures (SOPs) & standard medical protocol (SMP) for compliance to MSDS of PHC is planned as a part of PSHRP.

An **intensive care unit (ICU)** is a special department of a hospital or health care facility that provides <u>intensive treatment medicine</u>. Intensive care units cater to patients with <u>severe and life-threatening</u> illnesses and injuries, which require constant, close monitoring and support from specialized equipment and medications in order to ensure <u>normal bodily functions</u>. Intensive care units are staffed by highly trained <u>doctors</u> and <u>nurses</u> who specialize in caring for critically ill patients. They are also distinguished from normal hospital wards by a higher staff-to-patient ratio and access to advanced medical resources and equipment that are not routinely available elsewhere. Common conditions that are treated within ICUs include <u>ARDS</u>, <u>trauma</u>, <u>multiple organ failure</u> and <u>sepsis</u>. Patients may be transferred directly to an intensive care unit from an <u>emergency department</u> if required, or from a ward if they rapidly deteriorate, or immediately after surgery if the surgery is very invasive and the patient is at high risk of complications.

5.3.3.13 Mortuary Unit

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the mortuary unit in THQ hospitals. Postmortem or autopsy is a part of medico legal investigation into a death which is conducted by a judicial medical officer. Realizing the problems countered medico legal process focusing on following important areas;

- 1. Improving quality and motivation levels of human resource conducting medico legal Examination.
- 2. Improve methods to collect and preserve samples so that so that these may best be available for further forensic analysis.
- Improving physical infrastructure at tehsil level to provide enabling environment for better conduct of medico legal cases including improvement in state of mortuaries at tehsil level.
- 4. Improvement in legal framework including improved forms.

5.3.3.14 Dental Unit

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the dental unit in THQ hospitals. Majority of patients are suffering problems some time life threatening phases due to delay in diagnosis and treatment according to diagnosis in case of lack of dental unit in vicinity.

5.3.3.15 Physiotherapy Unit (33 THQ Hospitals)

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the physiotherapy unit in all THQ hospitals. Majority of patients are suffering problems some time life threatening phases due to delay in diagnosis and treatment according to diagnosis in case of lack of physiotherapy unit in vicinity.

- 1. Physiotherapy is a "science of healing and art of caring". It pertains to the clinical examination, evaluation, assessment, diagnosis and treatment of musculoskeletal, Neurological, Cardio-Vascular and Respiratory systems 'functional disorders including symptoms of pain, edema, and physiological, structural and psychosomatic ailments. It deals with methods of treatment based on movement, manual therapy, physical agents, and therapeutics modalities to relieve the pain and other complications. Hence, Physical therapy covers basic parameters of healing sciences i.e. preventive, promotive, diagnostic, rehabilitative, and curative.
- Physiotherapy practice has a very long history and a modern clinical practice is heavily reliant on research and evidence based practice. The Primary and Secondary Healthcare Department Government of Punjab attests to this commitment by adopting and promoting the Standards of Practice for Physiotherapy.

Importance of Physiotherapy and Rehabilitation department

- 1. Physiotherapy provides services to individuals and populations to develop maintain and restore maximum movement and functional ability throughout the lifespan. This includes providing services in circumstances where movement and function are threatened by aging, injury, disease or environmental factors. Functional movement is central to what it means to be healthy.
- 2. Physiotherapy is concerned with identifying and maximizing quality of life and movement potential within the spheres of promotion, prevention, treatment/intervention, habilitation and rehabilitation. This encompasses physical, psychological, emotional, and social wellbeing. Physiotherapy involves the interaction between physical therapist, patients/clients, other health professionals, families, care givers, and communities in a process where movement potential is assessed and goals are agreed upon, using knowledge and skills unique to physical therapists.
- 3. The proposed project entails setting up a Physiotherapy and Rehabilitation Department. Being one of the major players in human service sector, rehabilitation Departments provide a wide range of services relating to physical impairments and disabilities of all age groups. These services range from assessment, evaluation, diagnosis, treatment and plan of care of individuals, from newborns to the very oldest, who have medical problems or other health-related conditions that limit their abilities to move and perform functional activities in their daily lives. These services will be provided by qualified Physiotherapists Consultants. Our consultants

examine each individual and develop a plan using treatment techniques to promote the ability to move, reduce pain, restore function, and prevent disability. In addition, our doctor work with individuals to prevent the loss of mobility before it occurs by developing fitness- and wellness-oriented programs for healthier and more active lifestyles. The proposed Physiotherapy and Rehabilitation Department will provide all these services under one roof.

Opportunity Rationale

Due to vast media exposure over past few years, women, as well as men, have become more conscious about their health especially youngsters. In Pakistan, Rehabilitation Clinics and Fitness Centers have grown over the years. It is easy to open GP clinic as space and skill requirement is very basic. But a Rehabilitation clinic provides more professional services with qualified staff including Physiotherapy doctors and experienced support staff and therefore, requires more planning and arrangement. Quite a few Physiotherapy and Rehabilitation Departments have opened in Lahore, Islamabad, Karachi and other relatively larger cities of Pakistan, which are catering to the demand of the people, but still there is a lot of unfulfilled demand as can be judged from excessive rush at the existing Physiotherapy Departments. The patient's ratio and problems with musculoskeletal disorders and neurological disorders are same in the tehsils and districts levels of Punjab. The business is service-oriented and carries large potential for serving poor people due to its unique nature and uncontrolled spreading of joints and muscles, and neurological problems, especially in the areas where our THQ Hospitals are located. There is lot of potential in this domain, especially for those who are committed to providing quality service.

5.3.3.16 Queue Management System (QMS)

OPD in THQ has enormous patient load, due to the only big public sector serving hospital in Tehsils. At the moment the ticket system is prevailing but there is no mechanism to handle that ticket and assign number to the ticket and its being issued in manual format. This will also create dependency on the person issuing the ticket. After getting the tickets, patient will be provided with no guidance on where to go and when his term will come to meet the doctor and get the required service. This will create confusion and delayed service delivery. On the other hand it will waste lots of time on the end of doctor and patient as patient and doctor has no direct liaison with each other. Moreover, patient will again have to be dependent on some person to check that either doctor is free or any patient sitting in his facility. Here again, human intervention and dependency will come into play.

This project basically aims to remove all the human related dependency till the patient reach the doctors. Moreover, it also includes, recording basic information for a patient and guiding him to the doctors room from registration count to triage without any dependency on hospital staff. This will improve the transparency as per the vision of good governance and serve the patient in an efficient and transparent manner. This will also help the patient in estimating that time estimate till his term which will give him relief and more belief on the fair system. On the other hand doctor will always have an idea that how many patients will be in queue and give him direct liaison with the patient sitting outside.

The need of queue management system is evident in hospital from the fact of lack of proper mechanism of patient queue management at OPD's, human resource deficiency and non-functional equipment. The Implementation of Queue Management System will provide and streamline Patient Queue Management at OPD with Ticket Generation and Display of Numbers on the counters. This will help in maintaining the queue on First IN First OUT (FIFO) basis. The system will also provide the information counter to the general public to educate them in the use of queue management system and short description of the process. After implementation of this system, the incoming patient will be guided in a manner to get the service on his turn without any dependency or interference of an external resource. All will be handled in an automated way with patient are being served at their turn.

The system manages the patients load, organizes the patient's queues in an adequate manner and gives them the ease in waiting area; and they will be examined gracefully by doctors at their turn. Basic information of the patient is also linked with its ticket, being taken at the first counter. This will help established a unique ID against each patient. This will also lead to the establishment of Electronic Medical Record. The Process flow of Queue Management System at THQ is given as follows:

There are 25 counters at THQ level including basic registration counter, triage counter, consultant office and hospital pharmacy. There is one ticketing machine with a bifurcation of male, female and old age person. The ticket will be issued to the relevant category accordingly. After receiving the ticket the said number will be blinked on male, female and old age counter. The person will move to that counter where he will be asked about his basic details which will be entered in the basic registration form software linked with QMS and that specific token / ticket number. He will also be asked about the disease and accordingly the relevant consultant / specialty area e.g. pediatrics, ophthalmology etc. after registering, he will take the printout and give the slip to patient / attendant along with its token number.

The basic fee of OPD will be received at the registration counter and accounted for in the basic registration software linked with QMS. The same token number will be displayed on the triage counter where his vitals will be taken and written on the same registration slip available with the patient. Now, keeping in view the specialty area the token number will be displayed on the relevant consultant office and he will be checked by relevant consultant. The consultant than diagnosed the medicine or either to admit it after his examination. In case of medicine he will be sent to hospital pharmacy where again the same ticket number will be displayed. There have to be an option available with the doctor to either redirect him to the hospital pharmacy or other (medical tests, referred to IPD). On displaying the same token number at pharmacy counter the patient will move to pharmacy counter along with his token number and registration slip and take prescribed medicine. Patient will be disposed from that window and process of QMS will be completed. There will be no entry in the basic registration software on the counters of triage, doctor at the moment. Detail of equipment is attached.

The process described above for THQ will be implemented. The important constraints for the systems are:

- Same token number will be used at all the counters and patient will be getting the ticket from ticketing machine only once at the time of entry.
- 2. QMS will cater for missed, skipped or delayed patient at any counter.
- 3. There will be two LED displayed at different location in the waiting area to guide patients about the process details and to display token number along with announcement in URDU.
- 4. The gap between each display panel from ticketing machine to pharmacy can be customized according to requirement e.g. 5, 10, 30, 60 seconds etc.

5.3.3.17 Electronic Medical Record (EMR)

Establishment of network infrastructure, establishing a central data center, connectivity of different building through fiber, are also the major components of the revamping project in terms of ICT. This will including provision of networking point at all nursing stations and important areas where entries regarding patients' needs to be made e.g. Radiology/Pathology, Indoor, outdoor etc. This will serve as backbone to implement the Electronic Medical Record System in the Hospital which has the key feature of generating Unique Medical Record Number for each patient.

This MR number will serve as an identity for patients during their treatment, retrieval of records and for decision making.

EMR will also be able to log the patient for treatment being provided to him in different areas of hospital i.e. OPD, Pathology, Radiology, Surgery, Indoor, etc. and their integration. This will be achieved by entering the relevant information at each department against specific MR number of a patient in the Customized / Purpose build software (EMR) for these public healthcare facilities.

This entry of MR number against each patient in hospital will build a large database for patient and relevant diseases. This will help in analysis disease / epidemic prevention and better patient care through retrieval of patient history and proper diagnoses at physician end. Implementation of patient registration, Record keeping, physical queue management, E-prescription, supporting IT interventions for EMR and medicine dispensation. Detail of equipment is attached.

5.3.3.18 Video Surveillance through CCTVs

Installation of network based CCTV cameras is an important module in the ICT part of revamping project. Scope of this component is to install 60 to 80 cameras in each hospitals at important location i.e. entry, exit, OPD, waiting areas, Parking for surveillance and security purposes. This will also serve as major input to the security services by Outsourced Security Company in the hospitals. Moreover, there will be small scale central control room at each hospital to monitor the allocated locations where the cameras have been installed. This system will also have the facility to record the video for 15 days for all the cameras so that recording of specific duration can be produced on demand. This will also have the facility of central control room which has the capacity to access the camera of THQ hospitals and to view and monitor the area of specific camera within specific hospital at any given time. Therefore, it will establish a centralized surveillance and security mechanism for these 85 public sector healthcare facilities. Detail of equipment is attached.

5.3.3.19 Medicine Store

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the medicine store in THQ hospitals.

5.3.3.20 Day Care Center

On-site (or near-site) child care would lead to improve workplace satisfaction by allowing employers more frequent contact with their children,

reducing stress and anxiety over scheduling, and potentially providing financial benefit to the hospital. Therefore, P&SH Department has decided to establish the Day Care Center at every THQ Hospital. The Medical Superintendent of the concerned hospital will be the overall in-charge of the Day Care Center.

5.4 Out Sourcing of Non Clinical Services

It was planned to provide Outsourcing of following Non-clinical services through development Budget later on decided to shift to non-development Budget as per the decision of progress review meeting chaired by the Chairman P&D Board dated 01-01-2018 w.e.f. 30-06-2018:-

- 1. Janitorial services
- 2. Laundry services (On hold)
- 3. MEPG Services
- 4. CT scan
- 5. Security

5.4.1 Janitorial services

These services include cleaning of hospitals and its roads and ROW areas. Internal cleaning comprises of complete cleaning along with washrooms cleanliness and material for these services such as hand wash/sanitizer. The Outsourcing is hereby designed keeping in view the sizes of areas assigned to each sanitary worker along with condition and nature of service. Human resources are planned after measuring the total area of hospital, built up area excluding the areas of horticultural land and residential buildings. The workers shall work in three shifts in a day. Half of the total strength of sanitary workers shall work in morning shift due to patients load in OPD. The concerned sanitary work company is bound to provide cleaning services materials and their refilling as and when required.

The companies providing janitorial services will be required to provide quality janitorial services, complete their personnel strength on daily basis which will be ensured through biometric attendance. Also, the companies will be subject to pecuniary penalties by hospital authorities if services provided are not according to the contracts.

5.4.2 Laundry Services

Different models were being applied by the hospital administrations individually which were not properly catering the basic requirement of washing and disinfection of different items used for hospitals. This model includes the initial procurement of different daily use items such as three different colors bed sheets and pillow covers and are to be changed thrice a day. Moreover, the concerned company must provide washing and cleaning services of bed sheets, pillow covers, blankets along with covers, apparels/OT clothes.

5.4.3 MEPG Services

The service of the hospitals is suffering badly due to improper functionality of the existing electrical and mechanical equipment which arises due to lack of maintenance. This model satisfies the need of proper maintenance plan which comprises of regular visits of technicians for looking after of electrical and mechanical equipment and accessories. Outsourcing company will be responsible for immediate response and above mentioned services.

5.4.4 CT Scan Services

CT Scan Services in selected Hospitals of Punjab are also being undertaken as a component of Government's decision to revamp all Secondary Healthcare. The objective of this initiative is to provide high quality CT Scan Services to widely scattered population of low socio-economic groups at their door steps. It will ensure provision of satisfactory diagnose infections, muscle disorders, and bone fractures. The imaging technique of CT Scan can help doctor to study the blood vessels and other internal structures and assess the extent of internal injuries and internal bleeding.


5.4.5 Security

The outsourcing model is designed due to non-provision of security arrangements and improper parking in different areas of premises of hospital. This model consists of guards who shall work in two shifts to provide security and surveillance for complete premises of hospital excluding residential areas. The devices required for this service to operate are arms, walkie talkie, Base set per unit and torch etc.


5.6 HR & Management Interventions Structure

HR Interventions can be broadly classified into introduction of New Management Structure (NMS) staff.

New Organogram of Hospital



MS •AMS/ SUPPORT MANAGER •IT/Data Analysis •IT/ Statistical Officer •4 Data Entry Operators Admin Admin Officer •4 Monitors Security Transport Parking Janitorial Canteen •External House Keeping •Civil Works Technical works •Electrical Works •Internal House Keeping Laundry •Stores & Supplies



5.6.1 <u>Non Clinical HR Interventions (Human Resource (HR) Plan</u> <u>Management Structure)</u>

Institution will run under the administrative control of Medical Superintendent, who will control this with the collaboration and cooperation of 3 Additional Medical Superintendents including AMS (Admin), AMS (HR & Budget) and AMS (clinical), 3 Deputy Medical Superintendents (morning, evening and night) will be reporting to AMS Clinical. Each clinical facility will be further controlled by head of concerned department and 6 administrative posts of HR & Legal Officer, IT/Static Officer, Budget & Account Officer, Admin Officer, Procurement Officer and Audit Officer will be provided as supporting hands for AMS Admin and AMS HR & Budget for smooth execution of hospital tasks.

Responsibilities / Job Descriptions, Eligibility & Financial Implications for Management Structure of Hospital

5.6.2.1 Medical Superintendent

Shall be overall responsible for all the affairs of the Hospital

5.6.2.2 AMS Admin.

Shall be responsible for following functions in addition to his own duties:

- 1. General administration
- 2. IT/Data analysis/statistics keeping (biometric machines, etc.).
- In case of outsourced interventions like QMS/EMR he shall be responsible for enforcement of contract and in case of violation shall ensure action has been taken as envisaged in the contract.
- 4. He shall be responsible for entry of data on Citizen Feedback Model.
- 5. He shall be responsible for ensuring collection of report of actions taken on CFM reports and entry of that on CFM.
- 6. He shall be responsible for implementation of any IT related initiative in the hospital.
- 7. He shall be responsible for better record keeping of hospital
- 8. He shall devise and implement systems for better record keeping of hospital

9. He shall ensure generation of all types of reports/information required of hospital by District Government/P&SHD/any other authorized Public agency

New Management Structure (NMS)

In place of the clerical positions, the P&SH Department has introduced a New Management Structure (NMS), in all District and Tehsil Headquarters Hospitals. The officers recruited as a part of the NMS have a minimum of 16 years of education. Their minimum qualification is MBA / B.Sc. Engineering / M.Com / Pharm-D / M.Cs / LLB / MPA / CA Inter / ACCA / ACMA / Master Degree or equivalent in relevant field etc. Their recruitments were undertaken through a competitive process by a third party testing service.

5.6.2.3 Admin Officer

Shall be responsible for general administrative affairs of hospital along with following functions:

- 1. Security
- 2. Transport
- 3. Parking
- 4. Janitorial
- 5. External housekeeping
- 6. Electrical works
- 7. Internal housekeeping
- 8. Laundry
- 9. Stores & supplies

In case these functions have been outsourced, he shall be responsible for enforcement of these contracts and shall ensure that penalties are imposed in case of violation of contract. In case he fails to enforce contract and the outsourced function is not performed at par as per contract and penalties have not been imposed he shall be liable for non-action. Moreover, only reporting of violation of contract shall not suffice but he has to ensure follow up till the penalty has been imposed and action as envisaged in contract in case of violation has been taken.

Eligibility Criteria

 Minimum qualification Masters' degree in Economics/ Public Administration/ Finance/ MBA Finance/Administration or equivalent from HEC recognized University 2. Minimum 2 years post degree experience of administration (Additional credit may be given for hospital administration/ Public sector administration of similar nature)

5.6.2.4 <u>Human Resource Officer</u>

Shall be responsible for following:

- Issuance of monthly Duty rosters & special duty rosters of Eid,
 Muhurram etc. of all clinical & non-clinical staff in hospital
- 2. Issuance of Transfer/postings orders within hospital
- 3. Taking of joining from new incumbents and charge relieving orders of relinquishing officials
- 4. File maintenance of all employees of hospital
- 5. Record of all enquires of employees of hospital
- 6. Leave record of employees
- 7. Adjustment of officials on duty during leave of concerned employee
- 8. Litigation/ legal issues of hospital (shall ensure all court cases are well attended and all legal matters of hospital are well taken care of)
- 9. Any other HR related function assigned by MS/AMS

Eigibility Criteria

- Minimum qualification Masters' degree in Economics/ Public Administration/ Finance/ MBA HR/Management/ Finance/Administration or equivalent from HEC recognized University
- 2. Minimum 1 year post degree experience of administration (Additional credit may be given for hospital administration/Public sector experience of similar nature)

5.6.2.5 IT/Statistical Officer

He shall be responsible for IT support for all IT interventions in the hospital.

He shall be in liaison with HISDU, P&SHD for proper reflection of hospital record on HISDU dashboard. In case there is any discrepancy or error he shall resolve the issue. Moreover, he shall be responsible for functionality of all IT equipment.

Eligibility Criteria

- Minimum qualification Masters' degree in Computer Science or equivalent from HEC recognized University
- 2. 2 years post degree experience of IT/Data analysis(Additional credit may be given for similar assignment experience)

5.6.2.6 Finance & Budget Officer

Shall be responsible for following:

- 1. Handling of all financial matters of hospital
- 2. Petty cash handling
- 3. Preparation of budget
- 4. Budget review
- 5. Maintenance of accounts and record
- Any other function assigned by AMR HR & Finance/MS/P&SHD

Eigibility Criteria

- Minimum qualification Masters' degree in Finance/ MBA Finance or equivalent from HEC recognized University (Additional credit may be given to Charter accountant/ACCA)
- Minimum 2 years post degree experience of Finance, Accounts
 Budget (Additional credit may be given for Public sector experience of similar nature)

5.6.2.7 Procurement Officer

Shall be responsible for following functions:

- 1. Procurement of all kinds for hospital
- 2. Shall be in liaison with P&SHD for procurements being conducted
- 3. Any other function assigned by AMS HR & Finance /MS/P&SHD

Eigibility Criteria

- Minimum qualification Masters' degree in Finance/ MBA Finance or equivalent from HEC recognized University
- 2. 2 years post degree experience of procurement (Additional credit may be given for public sector experience of procurement)

5.6.2.8 **Quality Assurance Officer**

He shall be responsible for quality of all things in the hospital.

Eligible Criteria

 Masters in Total Quality Management / Masters in Public Health/ Masters in Health Administration/ Masters in Hospital Management / Masters in Biochemistry / Biotechnology / Molecular Biology / Microbiology from an HEC recognized University or equivalent.

OR

16 years education along with Post graduate diploma in Total Quality Management/ Post graduate diploma in Health Safety and Environmental Management System / Post graduate diploma in Healthcare and Hospital Management / Quality Assurance or equivalent.

2. Minimum 1 Year post degree relevant experience.

5.6.2.9 Logistics Officer

He shall be responsible for Supply Chain, logistics, fleet, warehousing and inventory management, clearing and forwarding in the hospital.

Eligible Criteria

- 1. M.Sc. Supply Chain Management/ MBA or Equivalent.
- 2. One year experience in Supply Chain, logistics, fleet, warehousing and inventory management, clearing and forwarding.

5.6.2.10 Data Entry Operators (DEO)

Four Data entry operators shall help IT officer in dispensation of his responsibilities.

Eligible Criteria

 Minimum qualification BA / B.Sc / B.COM / BCS or equivalent from HEC recognized University. In case of BA/B.COM candidate must have six months computer course / Diploma.

- 2. Proficient in MS Word/ MS Excel/ MS Power point (additional credit may be given for additional relevant certified computer courses)
- 3. 1 years post degree relevant experience

5.6.2.11 Assistant Admin Officer

Shall be responsible for general administrative affairs of hospital and assist the admin officer.

Eligibility Criteria

- Minimum qualification Masters' degree in Social Sciences/Economics/ Public Administration/ Finance/ MBA Finance/Administration or equivalent from HEC recognized University
- 2. Minimum 2 years post degree experience of administration (Additional credit may be given for hospital administration/Public sector administration of similar nature).

5.7 HR for QMS and MSDS and Day Care Center.

5.7.1.1 QMS Supervisor / Information Desk Officer

Shall be responsible whole QMS networking

Eligible Criteria

- M.Sc. (Comp. Engineering, Electronics, Electrical Engineering, IT, Telecommunication, Com. Science, Software Engineering, MCS), BCS (Comp. Engineering, Electronics, Electrical Engineering, IT, Telecommunication, Com. Science, Software Engineering, MBA, BBA, MPA, IT related 16 years Education.
- 2. Experience in the field of Software/Hardware/Network/DATA Quality Assurance, IT projects, IT enabled organizations, CCTV Control Room monitoring, Call Centre, Networking, Software Development will be considered as an added advantage during interview process.
- 3. Excellent communication Skill (Urdu, English) and IQ level
- 4. Age Limit of 21-28 years for Male & 21-30 years for Female
- 5. Typing Speed: 30WPM.

5.7.1.2 Computer Operators

Eight Computer operators shall help QMS Supervisor in dispensation of his responsibilities.

Eligible Criteria

- 1. Minimum qualification 14 year or Masters' degree from HEC recognized University
- 2. Proficient in MS Word/ MS Excel/ MS Power point (additional credit may be given for additional relevant certified computer courses)
- 3. 35 Word per Minute. Excellent communication in English and Urdu.

5.7.2 Consultants (MSDS) Implementation & Clinical Audit

Eligible Criteria

- 1. MBBS & Masters in Public Health, or equivalent qualification.
- 2. The consultant must have 10 years of hands on experience of third party validation, clinical audit of hospitals, Minimum Service Delivery Standards (MSDSs) implementation / hand holding; Report Writing; working knowledge of international best practices in hospital management will be preferred. Proficiency in MS Office is must. Must have strong communication skills.

5.7.2.1 <u>Terms of Reference (TORs) for Consultants Minimum Service</u> <u>Delivery Standards (MSDS) Implementation & Clinical Audit</u>

Government of the Punjab, Primary and Secondary Healthcare Department (P&SHD) is implementing multiple initiatives to improve the quality of healthcare at DHQ/THQ level across the province. One of the initiatives is Primary and Secondary Healthcare Revamping program which is being implemented by the Project Management Unit (PMU). Currently PMU is also involved in the standardization of quality of care at facility level through uniform set of Standard Operating Procedures (SOPs) & Standard Medical Protocols (SMPs) for compliance. The department intends to make all DHQs and THQ hospitals of Punjab as MSDS compliant which have been devised by Punjab Healthcare Commission.

Punjab Healthcare Commission was established under the PHC Act 2010 as an autonomous regulatory body for health sector; with the purpose of improving the quality, safety and efficiency of healthcare service delivery for all Public and Private Healthcare Establishments (including Allopaths, Homeopaths and Tibbs) in the province of Punjab. The Punjab Healthcare Commission has developed

Minimum Service Delivery Standards (MSDS) for all hospitals to improve the quality of healthcare services all over the Punjab. All Healthcare Establishments are required to implement MSDS to acquire a License to deliver healthcare services in Punjab.

This standardization effort will not only ensure availability of minimum services delivery standards (MSDS), SOPs, SMPs at all levels, but also the other essential inputs for functioning of systems and processes to ensure the smooth and safe delivery of quality healthcare services. These will also create conducive working environment for healthcare providers.

5.7.2.2 Objectives

The objective of this assignment is to implement & check all SOPs, SMPs, Minimum Service Delivery Standards (MSDS) & conduct clinical audit for 125 DHQ/THQ hospitals. Furthermore, the consultant will also monitor ongoing multiple trainings at DHQ/THQ hospitals.

5.7.2.3 Scope of Work

- 1. Develop policy & strategy for clinical audit of 125 hospitals.
- 2. Develop detailed clinical audit plan, with expected deliverables from hospitals. 360 degrees clinical audit.
- Visit DHQ/THQ hospitals, to assess MSDS implementation and detailed report generation with short coming & highlight areas of improvement.
- 4. Review SOPs, SMPs & ISO Standards in hospitals to identify non-compliance.
- Visit DHQ/THQ hospitals to implement clinical audit as per devised strategy, as well as monitoring and implementing MSDS standards.
- 6. Prepare detailed visit reports of clinical short comings; and suggest, and implement improvement plan.
- 7. Monitoring & auditing of patient referral system, detailed report on error and recommendations on rectification of errors.
- Visit DHQ/THQ hospitals to implement clinical audit as per devised strategy, as well as monitoring and implementing MSDS standards.
- 9. Prepare detailed visit reports of clinical short comings; and suggest, and implement improvement plan.
- 10. Monitoring & auditing of patient referral system, detailed report on error and recommendations on rectification of errors.
- 11. Monitoring and evaluation of multiple trainings imparted at DHQ/THQ hospitals.
- 12. Any other relevant task assigned by Project Director/Director Quality Assurance / Project Manager.

5.7.2.4 Reporting Arrangements

 The Consultant (MSDS & Clinical Audit) will report to the Project Director/Director Quality Assurance/Senior Project Manager, P&SHD

5.7.2.5 <u>Duration of Assignment</u>

 The duration of assignment will initially be for THREE MONTHS / 120 DAYS which will be extendable subject to satisfactory performance.

5.7.2.6 Outputs / Key Deliverables

- Study/desk review the relevant Minimum Service Delivery Standards (MSDS) prescribed by PHC & ISO Standards, train the hospital staff/monitor/facilitate their implementation.
- Study/desk review the existing Standard Operating Procedures (SOPs), train the hospital staff/monitor/facilitate their implementation and suggest improvements where necessary.
- Study/desk review the existing SMPs, train the hospital staff/monitor/facilitate their implementation and suggest improvements where necessary.
- Conduct hospital visits of 125 DHQ/THQ hospitals (each DHQ hospital to be visited monthly & each THQ hospital every three months).
- Conduct formal hospital survey for confirming the implementation of MSDS on the relevant Scoring Matrix.
- Submit detailed report of each hospital visit on a standard format prescribed for the purpose.
- Conduct a system, process analysis with special emphasis on clinical audit and submission of detailed report accordingly.

5.7.2.7 Remunerations

- The consultant will be paid amount of Rs. **4500-6500/- per day** with no other benefits.
- All logistics will be arranged/reimbursed by PMU for field visits (accommodation, refreshments etc).

5.7.2.8 Terms of Payment

 Consultant will be paid on monthly basis throughout the contract period.

5.7.3 HR for Day Care Center

5.7.3.1 Manager Day Care Center (DCC)

Shall be responsible for general administrative affairs of DCC.

Eligibility Criteria

- Minimum qualification Masters' degree in Economics/ Public Administration/ Finance/ MBA Finance/Administration or equivalent from HEC recognized University
- 2. Minimum 2 years post degree experience of administration (Additional credit may be given for hospital administration/ Public sector administration of similar nature)

5.7.3.2 Montessori Trained Teacher

Shall be responsible for basic education of children.

Eligibility Criteria


- 1. Minimum qualification BA/BSC or equivalent from HEC recognized University along with B.Ed.
- Minimum 1 years post degree experience of teaching (Additional credit may be given for Public sector teaching of similar nature)

5.7.3.3 Attendant / Care Giver

Shall be responsible for special care of the children.

Eligibility Criteria

Minimum qualification Matric or equivalent alongwith diploma in relevant field



The Planning & Development Board vide letter No.12(24)PO(COORD-II)P&D/2022 dated 14-07-2022 has informed that revised standard pay package were discussed and approved by the 83rd PDWP meeting held on 28-06-2022 under the chairmanship of Chairman P&D Board for all ADP funded Project posts of Department /Organizations working in Government of the Punjab:

Project Pay Scale (PPS)	Revised Project Pay Scales (Permissible Range) (PKR)	Annual Increment Up to % age
PPS-1	28,000 44,800	10
PPS-2	35,00056,000	10
PPS-3	43,750 70,000	10
PPS-4	52,500 84,000	10
PPS-5	70,000112000	10
PPS-6	105,000 172,200	8
PPS-7	157,500258,300	8
PPS-8	218,750358,750	8
PPS-9	306,250502,250	8

PPS-10	437,500700,000	5
PPS-11	612,500 980,000	5
PPS-12	875,0001,400,000	5

In view of the above the Pay package of NMS staff has been revised. Financial Implications of New Management Structure Model based on revised Standard Pay Package (PPS) approved by the 83rd PDWP meeting held on 28-06-2022:

	No. of	Original Pa	ay package	Revised Pa	ay package
Name of Post	Employees	Per Month Salary	Salary for One Year	Per Month Salary	Salary for One Year
Admin Officer	1	80,000	960,000	105,000	1,260,000
Human Resource Officer	1	80,000	960,000	105,000	1,260,000
IT/Statistical Officer	1	80,000	960,000	105,000	1,260,000
Finance & Budget Officer	1	80,000	960,000	105,000	1,260,000
Procurement Officer	1	80,000	960,000	105,000	1,260,000
Quality Assurance Officer	1	80,000	960,000	105,000	1,260,000
Logistics Officer	1	80,000	960,000	105,000	1,260,000
Data Entry Operator (DEO)	2	35,000	840,000	44,000	1,056,000
Assistant admin Officer	2	50,000	1,200,000	70,000	1,680,000
Total	11		8,760,000	849,000	11,556,000

5.8 Other Initiatives:

There are many other initiatives which government plans to undertake in order to improve healthcare services in the province. These include:

- Rehabilitation of Emergency Ward
- Fixture of Benches
- Addition of Bracket Fans/Water Coolers/LCDs with signage
- Supply of Laboratory/ Equipment/USG/ECG etc.
- CCU Improvement
- Installation of Water filtration plants
- Replacement of Bed sheets/Pillows/Matrasses
- Installation of Transformers/Dual Connection
- Improvement of Labor rooms/Nurseries

- Maintenance and replacement of Air-conditioners through Outsourcing
- Blood Bank improvement
- Installation of CCTV Cameras
- Installation of Basic Fire-fighting Equipment
- Up gradation of Pharmacy and medicine Store
- Improvement of Internal Roads and laying of Tough pavers
- External Development
- Rehabilitation of Hepatitis/T.B Control

The PMU is essential to deliver the project end-item within budget and time limitations, in accordance with technical specifications, and, when specified, in fulfillment of project objectives.

5.9 Patient Management Protocol

5.9.1 Emergency:

- 1. Initial reception and computerization of data, issuance of medical record number and preparation of record file.
- 2. Patients seen by C.M.O. initial assessment (brief history and physical examination) is entered on the emergency slip/file initial treatment is started.
- 3. C.M.O calls the medical officer / house officer of the relevant department who takes on of the following action:
 - i. Discharges the patient from emergency department after the patient is stabilized (himself or after consultation).
 - ii. Returns the patient in emergency department and inform the consultant or call such patient is either discharged after some time i.e. 2 hours of admitted later on
 - iii. Patient is straight way admitted by the medical officer himself or in consultation with the consultant
- A separate record is maintained by each department. Each patient discusses at the morning meeting and any pitfalls are any pitfalls are corrected.
- 5. The patient who is admitted is again entered into the computer in the ward, complete history and physical examination is carried out and relevant lab & radiological investigations are ordered. (If not already done in the emergency department).

- 6. The definitive management is either started by the medical officer himself or in consultation with the consultant. (Telephone or physically). The patient is prepared for surgery if required.
- 7. At the evening round of the ward, the patients admitted throughout the day (Through OPD or emergency) are seen by the specialist. Appropriate changes in the management are carried out.
- 8. During the night, medical officer & house officer will be on duty and they will remain in contact with consultant.
- 9. In the morning round all the new admissions and old patients are thoroughly discussed management / treatment changed, surgery ordered or discharge ordered.
- 10. The discharge certificate is either prepared by the house officer or medical officer. If prepared by the house officer, it is countersigned by the medical officer

Appropriate changes are made in the computer record after discharge. The file is sent to the central record.

5.9.2 O.P.D:

- 1. After the initial registration and issuance of computerized number patient is sent to the relevant medical officer with the OPD slip/file.
- 2. The medical officer / house officer of the relevant department performs the initial assessment. The medical officer himself advises the treatment / investigation or refers the patients to the specialist or admits the patient.
- 3. After admission. The same routine is followed which has been mentioned in the case of admission through emergency.

5.9.3 Death or End of Life Management.

- 1. The decision regarding resuscitation is made at the initial stages by the medical officer / house officer or specialist in consultation with the patient himself and / attendants.
- 2. The DNR (Do not resuscitate) patients are only seen by the medical officer/ hose officer at the time of death.
- 3. For the patients to be resuscitated, a special code (blue code) is declared when patient go onto cardiac or the terminal events.
- The policy for very sick / terminal and dying patients is formulated at the hospital administration level and appropriate modifications are decided in the relevant department for each patient.

Every death is discussed weekly at the mortality committee at the department and at the hospital level cleared by the Medical Superintendent.

5.9.4 Inventory Control System

The stock keeping and issuance of such items shall also be controlled and monitored through closer supervision and checks and balance system built in the software. The stock and expense of durable and consumable items will be kept in the system and also as hard copies. The main stores computers will be linked with the sub stores computers through networking. The areas like emergency. Outpatient department, Indoor registration desks, Laboratory and Radiology Department, ICUs, etc., will have linkages with the main and sub stores to know about:-

- 1. Stock in hand of various items
- 2. New receipt of these items
- 3. The items which have been issued to other departments
- 4. The Items which are not available
- 5. The expenditure incurred on the purchase.

The budget and details of account shall be linked with the financial control system.

5.9.5 Project Monitoring Committee

A Project Monitoring Committee is proposed hereby as under to monitor the project regarding Revamping of THQ Hospital:

1.	Deputy Commissioner	(Chairman)
2.	District Monitoring Officer	(Member)
3.	Executive Engineer Buildings	(Member)
4.	Assistant Commissioner Concerned	l (Member)
5.	MS THQ Hospital (S	Secretary/Member)

The committee will monitor the progress of the project and will hold regular weekly meeting to review the progress.

5.10 Relationship with Sectoral Objectives

The Government of the Punjab, Primary & Secondary Healthcare Department is in the process of undertaking number of initiatives to improve health care delivery system in the province. The Government of the Punjab is firmly committed to provide health care services at the doorstep of the community through integrated approach. A number of projects to improve emergency health care service particularly targeting on the promptness and quality have been

initiated. Although major focus is on disease prevention and health promotion strategies by providing specialist health care services to victims of various diseases in the patients is one of the top most priority. The instant project will be a major wing to health department with line departments.

Mainly the linkage with social welfare and human empowerment, labour and manpower, Education Department, Special Education, Home of the project will be in a vibrant environment in the holistic manner. The scope of the project itself aims to establish horizontal linkage with all the stakeholders through multisectorial approach. The health care facilities and ongoing services provided in the hospital will seek strength and viability from its linkage and public ownership.

6. DESCRIPTION AND JUSTIFICATION OF PROJECT

6.1 JUSTIFICATION OF PROJECT

attached

1. Description, Justification and Technical Parameters

The scheme has been estimated on face of the factual basic requirements and if needed, alterations and has been quoted in this PC-I. The Population of Tehsil Sumundri District Faisalabad is more than 0.503 million. The area of the THQ Hospital Sumundri District Faisalabad is 351,011 SFT land.

6.1 Description and Justification

The Project Management Unit, Revamping Program, Primary and Secondary Healthcare Department planned to start the 2nd Phase of the said revamping program. The instant PC-I is also meant for provision of requisite biomedical and non-biomedical equipment, Electricity, Furniture & Fixture, Signage, HR and outsourcing of services for THQ Sumundri District Faisalabad.

Revamping of THQ Sumundri District Faisalabad constitutes of value addition in all major domains of the hospital including improvement of Civil infrastructure, addition of water filtration plant facility, value addition in Emergency ward and making the health facility more equipped with modern bio-medical equipment. State of the art furniture and fixtures complemented by interior and exterior decors are also part of this revamping project backed by the thought of dedicated express line of electricity to ensure smooth operations of hospitals will bring the modern health facilities in healthy and comfortable environment at the door step of masses. Introduction of new model of outsourcing of laundry services to ensure provision of neat and clean bed sheets, pillow covers, blankets etc. round the clock is also a part of this project. Fool proof security and adequate cleanliness measures of whole health facility are also proposed in this PC-I.

Civil work component will be carried out through C&W Department instead of District Health Authority for this hospital. Value addition in Emergency block is proposed in four domains i.e. Triage, Minor O.T, Specialized care room and emergency ward. Addition of Water Filtration Plant facility where it is not available as unclean or polluted water is devastating for human health. A key consideration was made while selecting furniture and its compatibility with hospital grade cleaners, detergents and disinfectants. Signage is an effective interface between the user and intended facility. Effective signage promotes the healthcare facility in a patient friendly manner. Access is an important part of quality of care. A crucial aspect for patient satisfaction is their comfort levels with the facility itself i.e. a person's ease in navigating a facility, and the timeliness in receiving care. Clear and proper signage at strategic points helps patients in reaching their destination without losing much of their valuable time and saves lot of their efforts in unnecessary enquiring from persons. In this regard, the Equipment of Emergency, Bio-Medical, Non-Bio-Medical, Electricity, Signage, Janitorial, Security, Laundry, Maintenance of Generator and Horticulture have been added as per actual requirement of the Hospital. The Equipment of MSDS, IT, Furniture Fixture, Day Care Center, HR, Medical Gases, Cafeteria are fixed in all hospitals as per yardstick established by P& SH Department. Prior to initiation of this exercise standardization of required facilities was done by committee of experts in P & SH Department and on the basis of it, gaps were identified which would be covered under this PC-I.

Justification for 3rd Revision of PC-I

- 1. Originally the Civil work component of the scheme was planned to be executed by the Health Council of the concerned District Health Authority based on cost estimates prepared by the Infrastructure Wing of PMU and approved by the DDSC. Accordingly, funds of Rs.3, Rs.5 and Rs.10 million were provided during FY 2017-18 for the execution of work as per parameters provided to these THQ Hospitals. However, no reasonable revamping civil work was carried out and hence did not fulfil the requirement and the objectives of the Revamping Program. Now P&SHD has decided to carry out further revamping of Civil work through Communication and Works Department Punjab to accomplish the uniformity of THQ Hospitals with already revamped hospitals of Phase-I. Hence the Rough Cost Estimates of the Punjab Buildings Department has been included in the civil work cost of this scheme.
- 2. Primary & Secondary Healthcare Department (P&SHD) made a decision to shift all the clerical posts in DHQ / THQ hospitals of Punjab to District Health Authorities as per notification dated 24th October, 2017. This administrative decision was taken due to a multiplicity of reasons which were adversely affecting healthcare service delivery in the hospitals. Primarily, these clerical posts were not specialized in any particular field, and therefore, the HR hired against these posts were generalized to the extent that they were not able to perform functions of Hospitals and Health Specific tasks that any medical administration should ideally perform. Additionally, public complaints against the clerical staff on issues such as behavior, performance created an environment of malfeasance in all hospitals. In place of the clerical positions, the Department introduced a New Management Structure (NMS), in all District and Tehsil Headquarters Hospitals. The officers/officials recruited as a part of the NMS have a minimum of 16 years of education. Introduction of New Management Structures (NMS) across all secondary hospitals in the Punjab, has allowed for the overall efficiency of District and Tehsil Headquarters Hospitals. In each Tehsil Headquarter Hospital HR under MNS has been provided for smooth running of the health services. Pay Package for NMS Staff was never been revised since 2017-18, therefore it was decided to approach the P&D Department for revision of Pay package. The PDWP approved revised pay page in its meeting held on 08-02-2022 based on PPS approved in 60th PDWP meeting as under: -

	60 th PDWP Me	eting	
Name of Posts	PPS Assigned	Permissible Range (PKR) & Annual increment	Approved Pay Package
HR & Legal Officer, IT & Statistical Officer, Admin Officer, Procurement Officer, Finance & Budget Officer, Logistics Officer, Quality Assurance Officer, Audit Officer and Biomedical Engineer	PPS-6	75,000-105,000 (8% annual incr.)	75,000
Assistant Admin Officer	PPS-5	50,000-75000 (10% annual incr.)	50,000
Data Entry Operator	PPS-3	35,000-55,000 (10% annual incr.)	35,000

Now the Planning & Development Board vide letter No.12(24)PO(COORD-II)P&D/2022 dated 14-07-2022 has informed that revised standard pay package were discussed and approved by the 83rd PDWP meeting held on 28-06-2022 under the chairmanship of Chairman P&D Board for all ADP funded Project posts of Department /Organizations working in Government of the Punjab. Therefore, the revised Pay Package has been incorporated in the revised PC-I.

- 3. As the gestation period of the PC-I till 30.06.2023, therefore, the cost of NMS has been revised for smooth running of the Tehsil Headquarter Hospitals and hence PC-I has been proposed till 30- 06-2025.
- 4. Infrastructure team has conducted the Joint visits with the team of C&W Department. During the field visits, few alterations were recommended by the technical teams which have been incorporated in the Revised Rough Cost Estimates of the subject scheme and have been attached with the PC-I along with comparative statement. Therefore, Civil works component cost has been decreased from Rs. 39.531 million to Rs. 38.664 million due to few changes in the scope and MRS rates (2nd Bi-annual 2022).

85 THQ Hospitals covered under the Program:

The location map of the 85 THQ hospitals that will be taken up for rehabilitation in this program is given below:

PROJECT MANAGEMENT UNIT PRIMARY & SECONDARY HEALTHCARE DEPARTMENT



LOCATION OF DHQ AND THQ HOSPITALS IN PUNJAB



6.2 SECTORAL SPECIFIC INFORMATION

Social Sectors, Health Department

7. CAPITAL COST ESTIMATES

Financial Components: Revenue Grant Number: Development - (PC22036)

Cost Center:OTHERS- (OTHERS)

LO NO:LO17011174

Fund Center (Controlling): N/A

A/C To be Credited: Assan Assignment

PKR Million

Sr #	Object Code	2021	2021-2022		-2023	2023-	2024	2024-2025		
		Local Foreign		Local Foreign		Local	Foreign	Local	Foreign	
1	A12403-Other Buildings	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
2 A05270 -To Others		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
Total		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	

Financial Components: Capital Grant Number: Government Buildings - (PC12042)

Cost Center:OTHERS- (OTHERS)

LO NO:LO22010079

Fund Center (Controlling):LE4203 A/C To be Credited:Account-I

PKR Million

									1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
Sr #	Object Code	2021	2021-2022		-2023	2023	-2024	2024-2025		
		Local	8		eal Foreign Local Foreign		Local Foreign		Local	Foreign
1	A05270 -To Others	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
2	A12403-Other Buildings	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	
Total		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	

				Ab	stract	of Cos	t					
Name of THQ Hospital					Revampi	ng of THQ	Hospital S	UMUNDRI				
_		Original			1st Revise	ed		2nd Revise	d		3rd Revise	d
Scope of work					Cost in milli							
Coope of Work	Capital	Revenue	Total	Capital	Revenue	Total	Capital	Revenue	Total	Capital	Revenue	Total
Capital component												
Internal development	0.000	24.093	24.093	0.000	24.093	24.093	34.345	10.000	44.345	24.191	10.000	34.191
External development	0.000	4.900	4.900	0.000	4.900	4.900	2.508	0.000	2.508	14.473	0.000	14.473
Water filtration plant	0.000	5.600	5.600	0.000	5.600	5.600	2.679	0.000	2.679	0.000	0.000	0.000
Total Capital Component	0.000	34.593	34.593	0.000	34.593	34.593	39.531	10.000	49.531	38.664	10.000	48.664
Revenue component												
Emergency	0.000	22.140	22.140	0.000	22.140	22.140	0.000	30.151	30.151	0.000	50.136	50.136
MSDS	0.000	8.647	8.647	0.000	8.647	8.647	0.000	9.654	9.654	0.000	13.438	13.438
Med. Machinery and Equipment	0.000	46.095	46.095	0.000	46.095	46.095	0.000	60.304	60.304	0.000	88.834	88.834
Electricity	0.000	11.059	11.059	0.000	11.059	11.059	0.000	11.059	11.059	0.000	20.059	20.059
IT & QMS & Surveillance	0.000	14.515	14.515	0.000	14.515	14.515	0.000	16.715	16.715	0.000	20.120	20.120
Furniture and Fixtures	0.000	13.504	13.504	0.000	13.504	13.504	0.000	13.504	13.504	0.000	18.788	18.788
Interior and Exterior decorations/	0.000	3.051	3.051	0.000	3.051	3.051	0.000	4.271	4.271	0.000	4.271	4.271
Signage												
Day Care Center	0.000	1.600	1.600	0.000	1.600	1.600	0.000	1.600	1.600	0.000	1.600	1.600
Human resource (HR) plan	0.000	17.220	17.220	0.000	17.220	17.220	0.000	39.380	39.380	0.000	57.743	57.743
LC Deficit during procurement								2.410	2.410		2.410	2.410
(currency fluctuation)												
Total Revenue component	0.000	137.831	137.831	0.000	137.831	137.831	0.000	189.048	189.048	0.000	277.398	277.398
Outsourcing component												
Janitorial Services	0.000	12.346	12.346	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Security and Parking services	0.000	5.860	5.860	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Laundry Services	0.000	3.000	3.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Maintenance (Generator)	0.000	2.520	2.520	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
MEP	0.000	4.686	4.686	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Medical Gases	0.000	1.304	1.304	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Cafeteria	0.000	6.743	6.743	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Horticulture services	0.000	2.065	2.065	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Total outsourcing cost	0.000	38.524	38.524	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Total	0.000	210.948	210.948	0.000	172.424	172.424	39.531	199.048	238.579	38.664	287.398	326.062
Contingency (1%) only on Civil Component	0.000	0.346	0.346	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Third Party Monitoring (TPM) (1%)	0.000	2.109	2.109	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Third Party Validation (TPV) (1%)	0.000	2.109	2.109	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Grand Total	0.000	215.513	215.513	0.000	172.424	172,424	39.531	199.048	238.579	38.664	287.398	326.062

				Em	nergen	cy Equ	uipment								
				0	riginal		1st	Revise	ed	2nd	Revis	ed	3rd	Revise	ed
Sr. No.	Area	ITEM DESCRIPTION	Yard Stick	Required Quantity (T=6+S=0+E=6)	Actual Unit Price	Actual Total Cost(Rs)									
1		Table	0	0	99,750	-	0	99,750	-	0	99,750	-	0	99,750	- 1
2	Reception Area	Chairs	0	0	26,775	-	0	26,775	-	0	26,775	-	0	30,000	-
3	Aicu	Computer Data Entry With Printer	1	1	141,750	141,750	1	141,750	141,750	1	141,750	141,750	1	195,000	195,000
4	3	Table (2.5 X 4)*(N)	0	0	101,850		0	101,850	-	0	101,850	-	0	101,850	-
5	6	Chairs *(N)	0	0	26,775		0	26,775	-	0	26,775	-	0	30,000	-
6		B.p apparatus wall type*(N)	3	6	15,750	94,500	6	15,750	94,500	6	30,000	180,000	6	30,000	180,000
7		Gurney WITH FOOT STEP)*(N)	3	6	420,000	2,520,000	6	420,000	2,520,000	6	460,000	2,760,000	6	800,000	4,800,000
8		Mercury B.P apparatus*(N)	2	4	33,600	134,400	4	33,600	134,400	4	36,000	144,000	4	36,000	144,000
9		Laryngoscope paeds &adult each*(N)	2	4	10,500	42,000	4	10,500	42,000	4	12,000	48,000	4	20,000	80,000
10		Diagnostic set*(N)	1	2	45,150	90,300	2	45,150	90,300	2	50,000	100,000	2	85,000	170,000
11	. .	ECG Machine (with trolley) *(N)	1	2	169,785	339,570	2	169,785	339,570	2	180,000	360,000	2	300,000	600,000
12	Triage area	Central oxygen with accessories FOR each	0	0	420,000	-	0	420,000	-	0	-	-	0	-	-
13		NEBULIZER HD*(N)	2	4	125,265	501,060	4	125,265	501,060	4	215,000	860,000	4	300,000	1,200,000
14		SUCKER MACHINE*(N)	1	2	259,350	518,700	2	259,350	518,700	2	275,000	550,000	2	300,000	600,000
15		Resuscitation Trolley (fully equipped))*(N)	1	2	244,733	489,466	2	244,733	489,466	2	400,000	800,000	2	600,000	1,200,000
16		INSTRUMENT CABINET*N	1	2	69,300	138,600	2	69,300	138,600	2	69,300	138,600	2	69,300	138,600
17		MEDICINE TROLLY*N	1	2	60,900	121,800	2	60,900	121,800	2	60,900	121,800	2	60,900	121,800
18	-	O.T table WITH foot step	2	2	1,417,500	2,835,000	2	1,417,500	2,835,000	2	2,000,000	4,000,000	2	2,500,000	5,000,000
19		Anesthesia Machine	1	1	2,509,554	2,509,554	1	2,509,554	2,509,554	1	3,000,000	3,000,000	1	7,000,000	7,000,000
20		Sucker machine	2	2	259,350	518,700	2	259,350	518,700	2	275,000	550,000	2	300,000	600,000
21		Portable O.T Lights	1	1	304,220	304,220	1	304,220	304,220	1	500,000	500,000	1	900,000	900,000
22	Minor O.T	Ceiling o.t light	1	1	414,750	414,750	1	414,750	414,750	1	800,000	800,000	1	950,000	950,000
23		Hot air oven	1	1	110,000	110,000	1	110,000	110,000	1	385,000	385,000	1	450,000	450,000
24		Autoclave	1	1	441,000	441,000	1	441,000	441,000	1	550,000	550,000	1	850,000	850,000
25		Instrument trolley*N	1	1	54,000	54,000	1	54,000	54,000	1	54,000	54,000	1	55,000	55,000
26		Defibrillator*N	1	1	310,000	310,000	1	310,000	310,000	1	650,000	650,000	1	800,000	800,000
27		Instrument cabinet	1	1	69,300	69,300	1	69,300	69,300	1	69,300	69,300	1	69,300	69,300
28		GURNEYS*N	0	0	420,000	-	0	420,000	-	0	460,000	-	0	850,000	-
29		Sucker machine *(N)	0	0	259,350	-	0	259,350	-	0	275,000	-	0	300,000	-
30		Nebulizer HD*(N)	0	0	125,265	-	0	125,265	-	0	215,000	-	0	300,000	-
31		Center Oxygen supply*N	0	0	420,000	-	0	420,000	-	0	-	-	0	-	-
32	Constant /	Resuscitation Trolley (fully equipped))*(N)	0	0	237,618	-	0	237,618	-	0	400,000	-	0	600,000	-
33	specialized	Defibrillator*N	0	0	302,605	-	0	302,605	-	0	650,000	-	0	800,000	-
34	care room	Pulse- oximeter*(N)	0	0	104,000	-	0	104,000	-	0	160,000	-	0	225,000	-
35		Bedside-monitor*(N)	0	0	301,665	-	0	301,665	-	0	550,000	-	0	1,200,000	-
36		ECG MACHINE)*(N)	0	0	169,785	-	0	169,785	-	0	169,785	-	0	300,000	-
37		BP APPARATUS*N	0	0	15,750	-	0	15,750	-	0	16,000	-	0	16,000	-
38		FOOT STEP)*(N)	0	0	3,150	-	0	3,150	-	0	4,000	-	0	5,500	-
39 40		ATTANDANT BENCH)*(N) (MOTRIZED BEDS) with accessories	0	0	5,250	-	0	5,250	-	0	8,000	-	0	10,000	-
41	7	(with foot steps*(N)	7	6	210,000	1,260,000	6	210,000	1,260,000	6	400,000	2,400,000	6	600,000	3,600,000
	6	ECG machine(with trolley) *(N)	1	1	169,785	169,785	1	169,785	169,785	1	169,785	169,785	1	300,000	300,000
42		Pulse- oximeter *(N)	6	6	104,000	624,000	6	104,000	624,000	6	160,000	960,000	6	225,000	1,350,000
43 44		Bedside-monitor*(N)	3	3	301,665	904,995	3	301,665	904,995	3	550,000	1,650,000	3	1,200,000	3,600,000
44		B.P apparatus wall type *(N)	6	6	26,250	157,500	6	26,250	157,500	6	30,000	180,000	6	30,000	180,000

Emergency	Eau	ipme	nt
,	-95		

				0	riginal		1st Revised			2nd	Revise	ed	3rd Revised		
Sr.	Area	ITEM DESCRIPTION	Yard	Required Quantity	Actual Unit	Actual Total									
45	•	Nebulizer HD *(N)	2	2	125,265	250,530	2	125,265	250,530	2	215,000	430,000	2	300,000	600,000
46	ward	Resuscitation Trolley (fully equipped))*(N)	1	1	237,618	237,618	1	237,618	237,618	1	400,000	400,000	1	600,000	600,000

				Er	nergen	cy Equ	ıipment								
				Original			1st Revised			2nd Revised			3rd Revised		
Sr.	Area	ITEM DESCRIPTION	Yard	Required Quantity	Actual Unit	Actual Total									
47		Defibrillator*N	1	1	299,153	299,153	1	299,153	299,153	1	650,000	650,000	1	800,000	800,000
48		Sucker machine *(N)	2	2	259,350	518,700	2	259,350	518,700	2	275,000	550,000	2	300,000	600,000
49		Wheal chairs *(N)	0	0	31,500	-	0	31,500	-	0	35,000	-	0	35,000	-
50		Stretcher *(N)	0	0	69,300	-	0	69,300	-	0	69,300	-	0	69,300	-
51		ambo bag paeds with Mask*N	5	5	15,750	78,750	5	15,750	78,750	5	19,000	95,000	5	19,000	95,000
52	Generalized	ambo bag adult with Mask* N	5	5	15,750	78,750	5	15,750	78,750	5	19,000	95,000	5	19,500	97,500
53		patient stool * N	2	2	4,085	8,169	2	4,085	8,169	2	4,500	9,000	2	5,000	10,000
54		Portable x-rays (300 M.A)	1	1	3,450,350	3,450,350	1	3,450,350	3,450,350	1	4,300,000	4,300,000	1	9,800,000	9,800,000
55		Portable ultra-sound	1	1	1,403,325	1,403,325	1	1,403,325	1,403,325	1	1,500,000	1,500,000	1	2,400,000	2,400,000
		Total				22 140 295			22 140 295			30.151.235			50 136 200

22.140

22,140,295

30.151

30,151,235

50.136

2,400,000 **50,136,200**

Total

22.140

22,140,295

MSDS

			Origina	al	1s	t Revi	sed	2n	d Revi	sed	3r	d Revi	sed
Sr. No.	ITEM DESCRIPTION	Quantity Required	Actual Unit Price	Actual Total Cost(Rs)									
1	Histology slide boxes	3	3,100	9,299	3	3,100	9,299	3	4,500	13,500	3	4,500	13,500
2	Labeling Device connected with	3	60,000	180.000	3	60.000	180.000	3	80.000	240.000	3	80.000	240,000
	Computer		· ·	,		,	,		,	-,		,	·
3	Safe Transportation Boxes	2	15,750	31,500	2	15,750	31,500	2	18,000	36,000	2	18,000	36,000
4	Portable Safety Exhaust Hood	1	160,000	160,000	1	160,000	160,000	1	250,000	250,000	1	450,000	450,000
5	Centrifuge Machine	0	149,336	-	0	149,336	-	0	250,000		0	325,000	
6	Hot plates	2	26,250	52,500	2	26,250	52,500	2	45,000	90,000	2	55,000	110,000
7	Water bath	1	157,500	157,500	1	157,500	157,500	1	157,500	157,500	1	300,000	300,000
8	Complaint boxes	10	3,150	31,500	10 4	3,150	31,500	10	3,150	31,500	10	3,150	31,500
9	Spine boards with Neck holders	4	31,080	124,320		31,080	124,320	4	31,080	124,320	1	31,080	124,320
10	Sensitometer	2	137,325	137,325	2	137,325	137,325	1 2	137,325	137,325		137,325	137,325
11	Densitometer personal		191,391	382,782		191,391	382,782		191,391	382,782	2	191,391	382,782
12	Box of Films	2	26,250	52,500	2	26,250	52,500	2	30,000	60,000	2	30,000	60,000
13	Aluminium Step Wedge	1	26,250	26,250	1	26,250	26,250	1	26,250	26,250		26,250	26,250
14	Non-Mercury thermometer	10	305	3,045	10	305	3,045	10	350	3,500	10	750	7,500
15	Brass or copper mesh screen	2	5,250	10,500	2	5,250	10,500	2	5,250	10,500	2	5,250	10,500
16	Wheel Chairs	0	31,500	-	0	31,500	-	0	35,000	-	0	35,000	-
17	Statures	0	67,830		0	67,830		0	75,000	-	0	75,000	
18	Blood Warmer	3	246,750	740,250	3	246,750	740,250	3	275,000	825,000	3	275,000	825,000
19	Sequence Compression Device	2	210,000	420,000	2	210,000	420,000	2	230,000	460,000	2	600,000	1,200,000
20	Blood Bank Refrigerators with	0	682,500	-	0	682,500	-	0	700,000	-	0	1,469,900	-
21	Data Coder	1	84,000	84,000	1	84,000	84,000	1	100,000	100,000	1	-	-
22	Plasma Separator 1	0	4,200,000	-	0	4,200,000	-	0	4,500,000	-	0	4,500,000	-
23	Blood Storage Cabinet	1	682,500	682,500	1	682,500	682,500	1	700,000	700,000	1	1,469,900	1,469,900
24	Resuscitation Trolley	0	244,733	-	0	244,733	-	0	400,000	-	0	491,350	-
25	Ultra sound machine gyne	0	1,403,325	-	0	1,403,325	-	0	1,700,000	-	0	2,150,000	-
26	Delivery Table	0	47,250	-	0	47,250	-	0	47,250	-	0	48,500	-
27	Height and weight scale	4	8,400	33,600	4	8,400	33,600	4	10,000	40,000	4	31,500	126,000
28	Suction Electronic	0	259,350	-	0	259,350	-	0	275,000	-	0	275,000	-
29	Fetal Heart Rate Detector	1	144,375	144,375	1	144,375	144,375	1	175,000	175,000	1	275,000	275,000
30	Ambo bag	0	17,325	-	0	17,325	-	0	19,000	-	0	19,000	-
31	Neonatal size face mask	4	578	2,310	4	578	2,310	4	1,200	4,800	4	1,500	6,000
32	Exchange transfusion trays	2	10,000	20,000	2	10,000	20,000	2	10,000	20,000	2	12,000	24,000
33	Shoe racks SS	4	39,900	159,600	4	39,900	159,600	4	39,900	159,600	4	39,900	159,600
34	Sterilizer	0	2,940,000	-	0	2,940,000	-	0	3,500,000	-	0	7,800,000	-
35	Washer disinfector	0	-	-	0	-	-	0	-	-	0	-	-
36	Packing table	0	-	-	0	-	-	0	-	-	0	-	-
37	Digital Sealer Printer	1	420,000	420,000	1	420,000	420,000	1	480,000	480,000	1	520,000	520,000
38	Backup Auto Clave	0	441,000	-	0	441,000	-	0	550,000	-	0	789,625	-
39	Racks for Manual	10	21,000	210,000	10	21,000	210,000	10	37,500	375,000	10	56,160	561,600
40	Locked Racks for MSDS Data	2	21,000	42,000	2	21,000	42,000	2	37,500	75,000	2	56,160	112,320
41	Eye Wash Station with shower	3	300,000	900,000	3	300,000	900,000	3	350,000	1,050,000	3	350,000	1,050,000
42	Air Curtain	4	50,190	200,760	4	50,190	200,760	4	60,000	240,000	4	60,000	240,000
43	Fire Sand Buckets with stand	5	15,000	75,000	5	15,000	75,000	5	20,000	100,000	5	20,000	100,000
44	Smoke Detectors	10	7,350	73,500	10	7,350	73,500	10	8,500	85,000	10	8,500	85,000
45	Heat Detector	5	8,400	42,000	5	8,400	42,000	5	10,000	50,000	5	10,000	50,000
46	Gas Detector	5	6,300	31,500	5	6,300	31,500	5	7,500	37,500	5	7,500	37,500
47	Fire Blankets	10	2,783	27,825	10	2,783	27,825	10	3,200	32,000	10	3,200	32,000
48	Fire Alarms	10	5,250	52,500	10	5,250	52,500	10	6,500	65,000	10	6,500	65,000

MSDS

			Origina	al	1s	t Revi	sed	2n	d Revi	sed	3rd	d Revi	sed
Sr. No.	ITEM DESCRIPTION	Quantity Required	Actual Unit Price	Actual Total Cost(Rs)									
49	Identification Bands	100	3	315	100	3	315	100	3	300	100	3	300
50	Wet Flooring Signages	0	431	-	0	431	-	0	550	-	0	750	-
51	Key Box	6	8,190	49,140	6	8,190	49,140	6	10,000	60,000	6	10,000	60,000
52	Dehumidifier	0	58,800	-	0	58,800	-	0	70,000	-	0	100,000	-
53	Tourniquet	4	840	3,360	4	840	3,360	4	850	3,400	4	1,500	6,000
54	LAB SAFETY BOX	2	3,150	6,300	2	3,150	6,300	2	4,000	8,000	2	4,000	8,000
55	densitometer	0	210,000	-	0	210,000	-	0	210,000	-	0	210,000	-
56	vending machine	0	630,000	-	0	630,000	-	0	630,000	-	0	630,000	-
57	Automatic shoe cover machine	2	296,100	592,200	2	296,100	592,200	2	332,500	665,000	2	332,500	665,000
	Vein Finder	2	630,000	1,260,000	2	630,000	1,260,000	2	630,000	1,260,000	2	630,000	1,260,000
59	Blood Sample Vials (BOXES)	3	13	38	3	13	38	3	15	45	3	15	45
60	Bassinets	5	21,000	105,000	5	21,000	105,000	5	22,000	110,000	5	22,000	110,000
61	Chemical Spill Cleanup kit	2	100,000	200,000	2	100,000	200,000	2	100,000	200,000	2	100,000	200,000
62	Digital Tempurature Humidity Guage	4	15,000	60,000	4	15,000	60,000	4	15,000	60,000	4	15,000	60,000
63	Bio Cleaning and Disinfection System	1	650,000	650,000	1	650,000	650,000	1	650,000	650,000	1	2,200,000	2,200,000
	Total			8,647,094			8,647,094			9,653,822			13,437,942
				8.647			8.647			9.654			13.438

					Me	edical	Equip	ment											
					Ori	iginal			1st R	evise	d		2nd F	Revise	d		3rd F	Revise	d
Sr. No.	Area	Name of Equipment	Yard Stick	Available Quantity	Required Quantity	Cost per Unit	Total Cost	Available Quantity	Required Quantity	Cost per Unit	Total Cost	Available Quantity	Required Quantity	Cost per Unit	Total Cost	Available Quantity	Required Quantity	Cost per Unit	Total Cost
1		Semi Auto Clinical Chemistry Analyzer	1	3	0	449,295	-	3	0	449,295	-	3	0	550,000	-	3	0	550,000	-
2		Hematology Analyzer	1	3	0	427,350		3	0	427,350	-	3	0	550,000		3	0	750,000	-
3		Electrolyte Analyzer	1	1	0	427,350	-	1	0	427,350	-	1	0	550,000	-	1	0	550,000	-
4		Blood Gas Analyzer	0	1	0	2,744,858	-	1	0	2,744,858	-	1	0	3,200,000	-	1	0	1,400,000	-
5		Clinical Microscope	1	3	0	132,825	-	3	0	132,825	-	3	0	180,000	-	3	0	250,000	-
6	Laboratory	Water Bath	1	2	0	60,000		2	0	60,000		2	0	157,500		2	0	325,000	-
7		Hot air Oven	1	0	1	210,000	210,000	0	1	210,000	210,000	0	1	385,000	385,000	0	1	450,000	450,000
8		Distilled water plant	1	0	1	52,500	52,500	0	1	52,500	52,500	0	1	75,000	75,000	0	1	125,000	125,000
9		Auto pipettes	10	0	10	31,500	315,000	0	10	31,500	315,000	0	10	40,500	405,000	0	10	45,000	450,000
10		glass wares	0	0	0	105,000	-	0	0	105,000	-	0	0	105,000	-	0	0	105,000	-
11		Centrifuge Machine	2	3	0	149,336	-	3	0	149,336	-	3	0	250,000	-	3	0	400,000	-
12		Static X-ray Machine	1	1	0	4,200,000	-	1	0	4,200,000	-	1	0	6,000,000	-	1	0	12,000,000	-
13		Mobile X-Ray Machine	0	0	0	3,850,524	-	0	0	3,850,524	-	0	0	4,300,000	-	0	0	9,800,000	-
14		Computerized Radiography System	0	0	0	4,018,245	-	0	0	4,018,245	-	0	0	4,500,000	-	0	0	4,500,000	-
15	V D	Dental X-Ray	0	1	0	282,975	-	1	0	282,975	-	1	0	350,000	-	1	0	525,000	-
16	X-Rays	Lead apron and PPE	2	0	2	52,500	105,000	0	2	52,500	105,000	0	2	60,000	120,000	0	2	85,000	170,000
17		Density meter personal (Add)	0	0	0	210,000	-	0	0	210,000	-	0	0	210,000	-	0	0	250,000	-
18		Lead glass /shield	0	0	0	105,000		0	0	105,000		0	0	105,000	-	0	0	150,000	-
19		Lead Walls	0	1	0	525,000	-	1	0	525,000	-	1	0	525,000	-	1	0	525,000	-
20		Portable/Mobile Ultrasound	0	2	0	1,371,331		2	0	1,371,331	-	2	0	1,500,000	-	2	0	2,400,000	-
21	Ultrasound	Color Doppler RADIOLOGY	1	1	0	3,698,310		1	0	3,698,310	-	1	0	4,500,000	_	1	0	5,500,000	_
22		ICU MONITOR	2	10	0	301.665	-	10	0	301.665	-	10	0	900.000	-	10	0	1.250.000	-
23		Temporary pace maker	0	1	0	315,000	-	1	0	315,000	-	1	0	315,000	-	1	0	550,000	-
24		Defibrillator	1	1	0	299,153		1	0	299,153		1	0	650,000	-	1	0	800,000	-
25	ccu	ECG Machine Three Channel	2	2	0	169,785		2	0	169,785		2	0	169,785		2	0	300,000	-
26	_	ETT Machine	0	1	0	2,021,838		1	0	2,021,838		1	0	2,200,000		1	0	3,000,000	-
27	-	Color doplor CARDIOLOGY	0	0	0	4,681,790		0	0	4,681,790		0	0	4,800,000	-	0	0	6,000,000	_
28	-	Suction Pump	2	1	1	259,350	259,350	1	1	259,350	259,350	1	1	275,000	275,000	1	1	300,000	300,000
29	-	Blood Cabinet	1	0	1	690,539	690,539	0	1	690,539	690,539	0	1	700,000	700,000	0	1	1,500,000	1,500,000
30	-	Centrifuge Machine	2	0	2	149,336	298.673	0	2	149.336	298,673	0	2	250,000	500,000	0	2	400.000	800.000
31	Blood Bank	Slide viewer	1	0	1	42,000	42,000	0	1	42,000	42,000	0	1	55,000	55,000	0	1	55,000	55,000
32	-	Clinical Microscope	1	0	1	132,825	132,825	0	1	132,825	132,825	0	1	180,000	180,000	0	1	250.000	250,000
	Dialysis Unit	·	+			-							<u> </u>		·				
	(10 beds)	Computerized Hemo Dialysis Machine	5	0	5	1,050,000	5,250,000	0	5	1,050,000	5,250,000	0	5	1,600,000	8,000,000	0	5	3,200,000	16,000,000
34		Baby Cot	10	0	10	14,669	146,685	0	10	14,669	146,685	0	10	16,000	160,000	0	10	16,000	160,000
35	4	Phototherapy Unit	2	0	2	130,200	260,400	0	2	130,200	260,400	0	2	655,000	1,310,000	0	2	850,000	1,700,000
36		Infant Warmer	2	0	2	335,638	671,276	0	2	335,638	671,276	0	2	985,000	1,970,000	0	2	1,050,000	2,100,000
	Nursery	Pulse Oximeter	6	0	6	104,500	627,000	0	6	104,500	627,000	0	6	160,000	960,000	0	6	225,000	1,350,000
38	<u> </u>	Infant Incubator	2	0	2	858,932	1,717,864	0	2	858,932	1,717,864	0	2	900,000	1,800,000	0	2	1,750,000	3,500,000
39	4	Suction Pump	1	0	1	259,350	259,350	0	1	259,350	259,350	0	1	275,000	275,000	0	1	300,000	300,000
40		Hospital Grade Nebulizer Heavy Duty	2	0	2	125,265	250,530	0	2	125,265	250,530	0	2	215,000	430,000	0	2	300,000	600,000
41		Anesthesia Machine with Ventilator	1	1	0	2,509,554	-	1	0	2,509,554	-	1	0	3,000,000	-	1	0	7,000,000	-
42		BED SIDE PATIENT MONITOR	2	2	0	441,000	-	2	0	441,000	-	2	0	550,000	-	2	0	1,200,000	-
43		Defibrillator	2	0	2	308,713	617,425	0	2	308,713	617,425	0	2	650,000	1,300,000	0	2	800,000	1,600,000
44		Electrosurgical Unit	1	3	0	507,530	-	3	0	507,530		3	0	700,000	-	3	0	900,000	-
45		Operation Table	1	3	0	1,426,215	-	3	0	1,426,215		3	0	2,000,000	-	3	0	2,500,000	-
	O.T (04)	Ceiling Operating Light	1	2	0	413,013	-	2	0	413,013	-	2	0	800,000	-	2	0	950,000	-
47		STEAM STERILIZER	1	1	0	3,465,000	-	1	0	3,465,000	-	1	0	4,000,000	-	1	0	7,800,000	-
48		Suction Pump	2	0	2	259,350	518,700	0	2	259,350	518,700	0	2	275,000	550,000	0	2	300,000	600,000

					Me	edical	Equip	nent											
					Ori	ginal			1st R	evise	b		2nd F	Revise	d		3rd R	Revise	d
Sr. No.	Area	Name of Equipment	Yard Stick	Available Quantity	Required Quantity	Cost per Unit	Total Cost		Required Quantity	Cost per Unit	Total Cost	Available Quantity	Required Quantity	Cost per Unit	Total Cost		Required Quantity	Cost per Unit	Total Cost
49		Resuscitation trolley With Crash Cart	2	1	1	244,733	244,733	1	1	244,733	244,733	1	1	400,000	400,000	1	1	600,000	600,000
50		mayo table	4	0	4	21,000	84,000	0	4	21,000	84,000	0	4	23,000	92,000	0	4	23,000	92,000
51		MOBILE OPERATING LIGHT	1	0	1	304,220	304,220	0	1	304,220	304,220	0	1	400,000	400,000	0	1	900,000	900,000
52		Operation Table	0	0	0	1,426,215	-	0	0	1,426,215	-	0	0	2,000,000	-	0	0	5,000,000	-
53		ORTHOPEDIC DRILL	0	0	0	1,108,740	-	0	0	1,108,740	-	0	0	1,500,000	-	0	0	4,000,000	-
54	Orthopedic	Plaster Cutting Pneumatic	1	1	0	276,250	-	1	0	276,250	-	1	0	450,000	-	1	0	1,500,000	-
55		Pneumatic Tourniquets	0	0	0	262,500	-	0	0	262,500	-	0	0	262,500	-	0	0	300,000	-
56		Orthopedic Instruments	0	0	0	432,623	-	0	0	432,623	-	0	0	550,000	-	0	0	550,000	-
57		Portable/Mobile Ultrasound	1	0	1	1,418,958	1,418,958	0	1	1,418,958	1,418,958	0	1	1,500,000	1,500,000	0	1	2,400,000	2,400,000

					Me	edical	Equip	ment											
					Ori	iginal			1st R	Revise	d		2nd F	Revise	d		3rd F	Revise	d
Sr.	Area	Name of Equipment	Yard Stick	Available Quantity	Required Quantity	Cost per Unit	Total Cost	Available Quantity	Required Quantity	Cost per Unit	Total Cost	Available Quantity	Required Quantity	Cost per Unit	Total Cost	Available Quantity	Required Quantity	Cost per Unit	Total Cost
58		Autoclave	1	0	1	441,000	441,000	0	1	441,000	441,000	0	1	550,000	550,000	0	1	850,000	850,000
59		Delivery Set	10	0	10	31,500	315,000	0	10	31,500	315,000	0	10	40,000	400,000	0	10	65,000	650,000
60		Delivery Table	2	0	2	47,250	94,500	0	2	47,250	94,500	0	2	47,250	94,500	0	2	55,000	110,000
61		BED SIDE PATIENT MONITOR	2	0	2	294,000	588,000	0	2	294,000	588,000	0	2	550,000	1,100,000	0	2	1,200,000	2,400,000
62		D & C Set	2	0	2	34,650	69,300	0	2	34,650	69,300	0	2	40,000	80,000	0	2	60,000	120,000
63	beds)	Vaccume Extractor	1	0	1	259,350	259,350	0	1	259,350	259,350	0	1	300,000	300,000	0	1	350,000	350,000
64		CTG Machine	1	0	1	628,049	628,049	0	1	628,049	628,049	0	1	725,000	725,000	0	1	900,000	900,000
65		ECG Machine Three Channel	1	0	1	169,785	169,785	0	1	169,785	169,785	0	1	180,000	180,000	0	1	300,000	300,000
66		Portable O.T Light	2	0	2	304,220	608,440	0	2	304,220	608,440	0	2	400,000	800,000	0	2	900,000	1,800,000
67		Baby Cot	2	8	0	14,669	-	8	0	14,669	-	8	0	16,000	-	8	0	16,000	-
68		Delivery trolly	2	0	2	47,250	94,500	0	2	47,250	94,500	0	2	47,250	94,500	0	2	47,250	94,500
69		Desktop Fetal Heart Rate Detector	1	0	1	144,375	144,375	0	1	144,375	144,375	0	1	175,000	175,000	0	1	200,000	200,000
70		Steam Sterilizer	0	0	0	3,355,849	-	0	0	3,355,849	-	0	0	4,000,000	-	0	0	7,800,000	-
71		Operation Table	0	1	0	1,426,215	-	1	0	1,426,215	-	1	0	2,000,000	-	1	0	2,500,000	-
72	E	MOBILE OPERATING LIGHT	0	1	0	285,466	-	1	0	285,466	-	1	0	400,000	-	1	0	900,000	-
73	beds)	Suction Pump	0	1	0	259,350	-	1	0	259,350	-	1	0	275,000	-	1	0	300,000	-
74		Laryngoscope	0	1	0	9,744	-	1	0	9,744	-	1	0	12,000	-	1	0	20,000	-
75		Set of Surgical Instruments	0	1	0	141,750	-	1	0	141,750	-	1	0	160,000	-	1	0	220,000	-
76		Stretcher	10	0	10	68,250	682,500	0	10	68,250	682,500	0	10	69,300	693,000	0	10	69,300	693,000
77		wheel chair	10	0	10	31,500	315,000	0	10	31,500	315,000	0	10	35,000	350,000	0	10	35,000	350,000
78		foot support	6	0	6	4,200	25,200	0	6	4,200	25,200	0	6	4,500	27,000	0	6	5,148	30,888
79		Resuscitation trolly With Crash Cart	5	1	4	237,618	950,473	1	4	237,618	950,473	1	4	400,000	1,600,000	1	4	600,000	2,400,000
80		BP Appratus	15	6	9	15,750	141,750	6	9	15,750	141,750	6	9	16,000	144,000	6	9	16,000	144,000
81	Others	Ventilator	0	0	0	2,195,080	-	0	0	2,195,080	-	0	0	3,500,000	-	0	0	5,500,000	-
82		CPAP	1	0	1	1,098,510	1,098,510	0	1	1,098,510	1,098,510	0	1	2,100,000	2,100,000	0	1	2,800,000	2,800,000
83		X-RAY PROCESSOR	1	0	1	858,440	858,440	0	1	858,440	858,440	0	1	925,000	925,000	0	1	1,200,000	1,200,000
84		Hand wash Scrub Double Bay	2	0	2	94,500	189,000	0	2	94,500	189,000	0	2	100,000	200,000	0	2	140,000	280,000
85		Image Inensifier	0	0	0	4,667,460	-	0	0	4,667,460	-	0	0	4,667,460	-	0	0	12,000,000	-
86		Central Medical Gass Pipe Line System	7	0	7	850,000	5,950,000	0	7	850,000	5,950,000	0	7	-		0	7	-	-
87		Motorized Patient bed with bed side,Mattress,IV stand, Attendant Bench	4	0	4	210,000	840,000	0	4	210,000	840,000	0	4	400,000	1,600,000	0	4	600,000	2,400,000
88		Sphygmomanometer wall mtd	4	0	4	15,750	63,000	0	4	15,750	63,000	0	4	30,000	120,000	0	4	35,000	140,000
89		Resuscitation trolly With Crash Cart	2	0	2	244,733	489,466	0	2	244,733	489,466	0	2	400,000	800,000	0	2	600,000	1,200,000
90		Defibrilator	1	0	1	299,153	299,153	0	1	299,153	299,153	0	1	650,000	650,000	0	1	800,000	800,000
91		Defibrillator with Monitor	0	0	0	330,750		0	0	330,750	-	0	0	650,000		0	0	800,000	-
92		ECG Machine Three Channel	0	0	0	169,785		0	0	169,785	-	0	0	180,000		0	0	300,000	-
93		Syringe pump	1	0	1	108,780	108,780	0	1	108,780	108,780	0	1	125,000	125,000	0	1	200,000	200,000
94		Suction Pump	0	0	0	259,350	-	0	0	259,350	-	0	0	275,000	-	0	0	300,000	-
95		ICU Monitor	0	0	0	298,200		0	0	298,200	-	0	0	900,000		0	0	1,250,000	-
96		Instrument Trolley	1	0	1	55,000	55,000	0	1	55,000	55,000	0	1	55,000	55,000	0	1	55,000	55,000
97		Ward instruments	0	0	0	-		0	0	-	-	0	0	-		0	0	-	-
98		Ventilator intensive care	2	0	2	1,600,000	3,200,000	0	2	1,600,000	3,200,000	0	2	3,500,000	7,000,000	0	2	5,500,000	11,000,000
99		CPAP with humidifier	0	0	0	1,098,510	-	0	0	1,098,510	-	0	0	2,100,000	-	0	0	2,800,000	-
100		DELIVERY TROLLY STAINLESS STEEL	1	0	1	23,835	23,835	0	1	23,835	23,835	0	1	47,250	47,250	0	1	47,250	47,250
101		Ambu-Bag, adult	4	0	4	17,325	69,300	0	4	17,325	69,300	0	4	19,000	76,000	0	4	19,000	76,000
103		Ambu-Bag, paeds TWO BODY REFRIGERATOR WITH	4	0	4	17,325	69,300	0	4	17,325	69,300	0	4	19,000	76,000	0	4	19,000	76,000
10	MORTUERY	CASTERS 220v 50Hz Along with Atopsy Table & Lifter Trolley	1	0	1	2,470,546	2,470,546	0	1	2,470,546	2,470,546	0	1	3,000,000	3,000,000	0	1	3,500,000	3,500,000
104	_	Dental Unit	2	0	2	2,190,000	4,380,000	0	2	2,190,000	4,380,000	0	2	2,820,000	5,640,000	0	2	2,820,000	5,640,000

					Me	edical	Equipr	nent											
					Ori	ginal			1st R	evise	d		2nd F	Revise	d		3rd R	evise	d
Sr. No	Area	Name of Equipment	Yard Stick	Available Quantity	Required Quantity	Cost per Unit	Total Cost	Available Quantity	Required Quantity	Cost per Unit	Total Cost	Available Quantity	Required Quantity	Cost per Unit	Total Cost	Available Quantity	Required Quantity	Cost per Unit	Total Cost
105		Autoclave	1	0	1	441,000	441,000	0	1	441,000	441,000	0	1	550,000	550,000	0	1	850,000	850,000
106	1	Dental X-RAY Machine	1	0	1	282,975	282,975	0	1	282,975	282,975	0	1	350,000	350,000	0	1	525,000	525,000
107		Digital Intra Oral Camera	0	0	0	94,500	-	0	0	94,500	-	0	0	150,000	-	0	0	600,000	-
108		DENTAL CAUTERY	0	0	0	84,000	-	0	0	84,000	-	0	0	160,000	-	0	0	900,000	-
109	Dental Unit	Ultrasonic scaling	1	0	1	120,750	120,750	0	1	120,750	120,750	0	1	175,000	175,000	0	1	300,000	300,000
110	1	Curing lights	1	0	1	52,500	52,500	0	1	52,500	52,500	0	1	95,000	95,000	0	1	150,000	150,000
111		Endo motor system	1	0	1	199,601	199,601	0	1	199,601	199,601	0	1	265,000	265,000	0	1	500,000	500,000
112		Dental cabinet	0	0	0	42,000	-	0	0	42,000	-	0	0	70,000	-	0	0	160,000	-
113	•	Dental examination/surgical instrument sets	4	0	4	157,500	630,000	0	4	157,500	630,000	0	4	175,000	700,000	0	4	175,000	700,000
114	Beds	Fowler beds with Mattress	60	0	60	70,000	4,200,000	0	60	70,000	4,200,000	0	60	110,000	6,600,000	0	60	150,000	9,000,000
		Total					46,095,406				46,095,406				60,304,250				88,833,638
							46.095				46.095				60.304				88.834

Electricity

	Original 4st Devised 2nd Devised 2nd Devise												
			Original		,	1st Revise	ed	2	2nd Revis	ed	;	3rd Revise	ed
Sr. No.	Item Name	Quantity	Per Unit Cost	Total Cost	Quantity	Per Unit Cost	Total Cost	Quantity	Per Unit Cost	Total Cost	Quantity	Per Unit Cost	Total Cost
1	Transformers (200 KVA)	1	600,000	600,000	1	600,000	600,000	1	600,000	600,000	1	600,000	600,000
2	Transformers (100 KVA)	1	450,000	450,000	1	450,000	450,000	1	450,000	450,000	1	450,000	450,000
3	Generator (200 KVA)	0	4,000,000	•	0	4,000,000	•	0	4,000,000	-	1	9,000,000	9,000,000
4	Generator (100 KVA)	1	2,300,000	2,300,000	1	2,300,000	2,300,000	1	2,300,000	2,300,000	1	2,300,000	2,300,000
5	2 Ton air conditioners (split)	5	55,500	277,500	5	55,500	277,500	5	55,500	277,500	5	55,500	277,500
6	2 Ton air conditioners (Cabinet)	15	78,000	1,170,000	15	78,000	1,170,000	15	78,000	1,170,000	15	78,000	1,170,000
7	4 Ton air conditioners (Cabinet)	7	120,000	840,000	7	120,000	840,000	7	120,000	840,000	7	120,000	840,000
8	Ceiling Fans 56"	25	3,090	77,250	25	3,090	77,250	25	3,090	77,250	25	3,090	77,250
10	Bracket Fans 18"	72	3,280	236,160	72	3,280	236,160	72	3,280	236,160	72	3,280	236,160
9	Exhaust Fans	36	3,000	108,000	36	3,000	108,000	36	3,000	108,000	36	3,000	108,000
	Dual Connection of Electricity / Express Line	1	5,000,000	5,000,000	1	5,000,000	5,000,000	1	5,000,000	5,000,000	1	5,000,000	5,000,000
	Total			11,058,910			11,058,910			11,058,910			20,058,910
				11.059			11.059			11.059			20.059

IT & QMS & Surveillance

			Origina	ıl	1s	t Revis	sed	2n	d Revi	sed	3r	d Revis	sed
Sr. No.	Item Name	Quantity	Per Unit Cost	Total Cost									
1	Desktop, UPS, LED	30	75,000	2,250,000	30	75,000	2,250,000	30	130,000	3,900,000	30	216,000	6,480,000
2	MS Windows License	30	20,000	600,000	30	20,000	600,000	30	20,000	600,000	30	20,000	600,000
3	Scanner Flatbed with ADF	3	90,000	270,000	3	90,000	270,000	3	150,000	450,000	3	150,000	450,000
4	Heavy duty Printer	7	40,000	280,000	7	40,000	280,000	7	50,000	350,000	7	110,000	770,000
5	Multimedia Projector with Screen	1	100,000	100,000	1	100,000	100,000	1	100,000	100,000	1	100,000	100,000
6	Tabs	4	50,000	200,000	4	50,000	200,000	4	50,000	200,000	4	50,000	200,000
7	Laptop	1	100,000	100,000	1	100,000	100,000	1	100,000	100,000	1	100,000	100,000
8	MS Windows License	1	20,000	20,000	1	20,000	20,000	1	20,000	20,000	1	20,000	20,000
9	QMS System	1	3,700,000	3,700,000	1	3,700,000	3,700,000	1	4,000,000	4,000,000	1	4,000,000	4,000,000
10	Networking	1	995,000	995,000	1	995,000	995,000	1	995,000	995,000	1	1,200,000	1,200,000
11	Monitoring & Surveillance (CCTV)	1	5,000,000	5,000,000	1	5,000,000	5,000,000	1	5,000,000	5,000,000	1	5,000,000	5,000,000
12	Public Address System	1	1,000,000	1,000,000	1	1,000,000	1,000,000	1	1,000,000	1,000,000	1	1,200,000	1,200,000
	Total			14,515,000			14,515,000			16,715,000			20,120,000
				14.515			14.515			16.715			20.120

Furniture and Fixtures

			Origin	al	15	st Revi	sed	2r	nd Rev	ised	3r	d Rev	ised
Sr. No.	Item Name	Quantity	Unit Price	Total	Quantity	Unit Price	Total	Quantity	Unit Price	Total	Quantity	Unit Price	Total
1	Benches (internal)	60	30,000	1,800,000	60	30,000	1,800,000	60	30,000	1,800,000	60	40000	2,400,000
2	Benches (external)	10	10,000	100,000	10	10,000	100,000	10	10,000	100,000	10	40000	400,000
3	Electric Water Cooler	8	45,000	360,000	8	45,000	360,000	8	45,000	360,000	8	60000	480,000
4	Doctors rooms Furniture	30	70,000	2,100,000	30	70,000	2,100,000	30	70,000	2,100,000	30	125000	3,750,000
5	Examination couches	10	35,000	350,000	10	35,000	350,000	10	35,000	350,000	10	35000	350,000
6	Fire Blanket	5	2,500	12,500	5	2,500	12,500	5	2,500	12,500	5	3000	15,000
7	Fire Extinguisher (Water Based)	30	8,000	240,000	30	8,000	240,000	30	8,000	240,000	30	2500	75,000
8	Acrylic Board	150	2,200	330,000	150	2,200	330,000	150	2,200	330,000	150	2000	300,000
9	Rostrum	2	18,000	36,000	2	18,000	36,000	2	18,000	36,000	2	20000	40,000
10	Blinds for windows	6000	150	900,000	6000	150	900,000	6000	150	900,000	6000	200	1,200,000
11	Paintings	100	6,000	600,000	100	6,000	600,000	100	6,000	600,000	100	5000	500,000
	Waste Bin Sets (3 bin)	40	6,000	240,000	40	6,000	240,000	40	6,000	240,000	40	9000	360,000
13	Printing			1,000,000			1,000,000			1,000,000			1,000,000
	Machinery and Equipment's												
14	Refrigerator(Domestic) front glass double door	2	160,000	320,000	2	160,000	320,000	2	160,000	320,000	2	150000	300,000
	Refrigerator glass single door	5	80,000	400,000	5	80,000	400,000	5	80,000	400,000	5	90000	450,000
16	Refrigerator 16 cft	5	36,000	180,000	5	36,000	180,000	5	36,000	180,000	5	50000	250,000
17	Air Curtain On Door	5	50,000	250,000	5	50,000	250,000	5	50,000	250,000	5	75000	375,000
18	Washing machines for pantries	3	13,000	39,000	3	13,000	39,000	3	13,000	39,000	3	11000	33,000
19	Gas Burner for pantries	10	4,800	48,000	10	4,800	48,000	10	4,800	48,000	10	80000	800,000
20	Fire Extinguishers DCP	30	4,800	144,000	30	4,800	144,000	30	4,800	144,000	30	6500	195,000
21	LED TV	15	55,000	825,000	15	55,000	825,000	15	55,000	825,000	15	140000	2,100,000
22	Industrial Exhaust	5	50,000	250,000	5	50,000	250,000	5	50,000	250,000	5	60000	300,000
23	Acrylic Display Board	4	20,000	80,000	4	20,000	80,000	4	20,000	80,000	4	20000	80,000
	Laundry & Washing												
24	Bed Sheets and pillow covers	300	1,250	375,000	300	1,250	375,000	300	1,250	375,000	300	2500	750,000
25	Pillows	150	400	60,000	150	400	60,000	150	400	60,000	150	500	75,000
26	Blankets with covers	100	5,000	500,000	100	5,000	500,000	100	5,000	500,000	100	4000	400,000
	Medicine Store												
27	Medicine (Iron Racks) 8x6x2 (Required)	20	50,000	1,000,000	20	50,000	1,000,000	20	50,000	1,000,000	20	60000	1,200,000
28	Moveable Iron Stairs (Required)	2	15,000	30,000	2	15,000	30,000	2	15,000	30,000	2	20000	40,000
29	Lifters (Required)	2	37,000	74,000	2	37,000	74,000	2	37,000	74,000	2	35000	70,000
30	Pallets 3x4 (Plastic) (Required)	20	12,000	240,000	20	12,000	240,000	20	12,000	240,000	20	10000	200,000
31	Dehumidifier (Required)	1	100.000	100,000	1	100.000	100,000	1	100.000	100,000	1	125000	125,000
32	Insect Killer (Required)	25	8.000	200,000	25	8.000	200,000	25	8.000	200,000	25	6500	162,500
33	Thermometer (Required)	20	16,000	320,000	20	16,000	320,000	20	16,000	320,000	20	600	12,000
- 55	Total	20	10,000	13,503,500	20	10,000	13,503,500	20	10,000	13,503,500	20	000	18.787.500
	Total	 		13,503,500			13,503,500			13,503,500			18.788

Signage and plaques

			0	rigin	al	1st	Revi	sed	2nd	Rev	ised	3rd	Rev	ised
Sr No	Туре	Kinds of Sign Boards	Quantity	Rates	Cost									
		External Sign Boards												
1	A1	External Platform/Road Signage (Circular)	6	9,965	59,790	6	9,965	59,790	6	13,951	83,706	6	13,951	83,706
2	A2	External Platform/Road Signage (Triangular)	6	9,116	54,696	6	9,116	54,696	6	12,762	76,574	6	12,762	76,574
3	B1	Main Directional Board	1	110,791	110,791	1	110,791	110,791	1	155,107	155,107	1	155,107	155,107
4	C1	Directional Board (Single Sheet)	10	14,235	142,350	10	14,235	142,350	10	19,929	199,290	10	19,929	199,290
5	C2	Directional Board (Two Sheets)	1	22,154	22,154	1	22,154	22,154	1	31,016	31,016	1	31,016	31,016
6	C3	Directional Board (Three Sheets)	1	29,701	29,701	1	29,701	29,701	1	41,581	41,581	1	41,581	41,581
7	C4	Directional Board (Four Sheets)	1	36,679	36,679	1	36,679	36,679	1	51,351	51,351	1	51,351	51,351
8	C5	Directional Board (Five Sheets)	1	44,543	44,543	1	44,543	44,543	1	62,360	62,360	1	62,360	62,360
9	C6	Directional Board (Six Sheets)	1	52,007	52,007	1	52,007	52,007	1	72,810	72,810	1	72,810	72,810
10	C7	Additional Panel (For Fixation on existing Foundation & Posts)	3	7,823	23,469	3	7,823	23,469	3	10,952	32,857	3	10,952	32,857
11	D1	Departmental Signage on Building	6	46,491	278,946	6	46,491	278,946	6	65,087	390,524	6	65,087	390,524
12	E1	External Map Boards	2	40,563	81,126	2	40,563	81,126	2	56,788	113,576	2	56,788	113,576
		Internal Signage	0	,	-	0		-	0	-		0	-	´-
1	F1	Internal Hanging Signage (Main Entrance)	5	89,496	447,480	5	89,496	447,480	5	125,294	626,472	5	125,294	626,472
2	F2	Internal Hanging Signage (Main Entrance 2)	5	68,140	340,700	5	68,140	340,700	5	95,396	476,980	5	95,396	476,980
3	F3	Internal Hanging Signage (Corridor)	4	50,465	201,860	4	50,465	201,860	4	70,651	282,604	4	70,651	282,604
4	F4	Internal Hanging Signage (Corridor 2)	4	51,050	204,200	4	51,050	204,200	4	71,470	285,880	4	71,470	285,880
5	G1	Internal Department Signage on wall	7	12,908	90,356	7	12,908	90,356	7	18,071	126,498	7	18,071	126,498
6	H1	Specialist Name Plaques fixed on wall	20	3,710	74,200	20	3,710	74,200	20	5,194	103,880	20	5,194	103,880
7	J1	Room Name Plaques and Numbers fixed on wall	100	853	85,300	100	853	85,300	100	1,194	119,420	100	1,194	119,420
8	K1	Internal Wall Signage	100	1,401	140,100	100	1,401	140,100	100	1,961	196,140	100	1,961	196,140
9	L1	Room Numbers Fixed on Wall	50	3,556	177,800	50	3,556	177,800	50	4,978	248,920	50	4,978	248,920
10	M1	Advance Fire Exit Sign	10	1,810	18,100	10	1,810	18,100	10	2,534	25,340	10	2,534	25,340
11	M2	Fire Exit Sign Mounted Above the Door	10	1,252	12,520	10	1,252	12,520	10	1,753	17,528	10	1,753	17,528
12	N1	Fire Safety/Equipment Signage	20	2,398	47,960	20	2,398	47,960	20	3,357	67,144	20	3,357	67,144
13	P1	Floor Map Board	5	20,768	103,840	5	20,768	103,840	5	29,075	145,376	5	29,075	145,376
14	Q1	Caution Signage	25	2,140	53,500	25	2,140	53,500	25	2,996	74,900	25	2,996	74,900
15	Q2	Caution Signage	5	644	3,220	5	644	3,220	5	902	4,508	5	902	4,508
16	Q3	Caution Signage	10	1,126	11,260	10	1,126	11,260	10	1,576	15,764	10	1,576	15,764
17		Caution Signage	15	875	13,125	15	875	13,125	15	1,225	18,375	15	1,225	18,375
		Total			2,961,773			2,961,773		.,0	4,146,482		.,0	4,146,482
		Designing and Site Supervision			88,853			88,853			124,394			124,394
		Grand Total			3,050,626			3,050,626			4,270,877			4,270,877
					3.051			3.051			4.271			4.271

		(Original		1s:	t Revised		2nc	l Revised	I	3rc	l Revised	
Sr. No.	ITEMS	Yard Stick (DCC of 25 Kids)	Unit Cost	Total	Yard Stick (DCC of 25 Kids)	Unit Cost	Total	Yard Stick (DCC of 25 Kids)	Unit Cost	Total	Yard Stick (DCC of 25 Kids)	Unit Cost	Total
1	Cylinder Block	1	3,000	3,000	1	3,000	3,000	1	3,000	3,000	1	3,000	3,000
2	Geometrical Cabinet (36 pcs)	1	4,000	4,000	1	4,000	4,000	1	4,000	4,000	1	4,000	4,000
3	Geometrical Solids (10 pcs)	1	2,200	2,200	1	2,200	2,200	1	2,200	2,200	1	2,200	2,200
4	Base for Geometrical Solids (14 pcs)	1	2,000	2,000	1	2,000	2,000	1	2,000	2,000	1	2,000	2,000
5	Constructive Triangles (4 box)	1	400	400	1	400	400	1	400	400	1	400	400
6	Metal Insets (10 - shape)	1	1.000	1.000	1	1.000	1.000	1	1.000	1.000	1	1.000	1.000
7	Stand for metal insets	1	2.000	2.000	1	2.000	2.000	1	2.000	2.000	<u>·</u> 1	2.000	2,000
8	Paper Board for metal insets (10 Boards)	1	5,000	5,000	1	5,000	5,000	1	5,000	5,000	1	5,000	5,000
9	Sandpaper Alphabets (English)	3	2,000	6,000	3	2,000	6,000	3	2,000	6,000	3	2,000	6,000
10	Sandpaper Alphabets (Urdu)	3	3,500	10,500	3	3,500	10,500	3	3,500	10,500	3	3,500	10,500
11	Sandpaper Number	3	2,000	6,000	3	2,000	6,000	3	2,000	6,000	3	2,000	6,000
12	Hammer Case	2	1,000	2,000	2	1,000	2,000	2	1,000	2,000	2	1,000	2,000
13	Soft Reading Book	15	200	3,000	15	200	3,000	15	200	3,000	15	200	3,000
14	Shape Sorting Case	2	500	1,000	2	500	1,000	2	500	1,000	2	500	1,000
15	Transport Set (Model)	2	700	1,400	2	700	1,400	2	700	1,400	2	700	1,400
16	Model Puzzles (S)	7	300	2,100	7	300	2,100	7	300	2,100	7	300	2,100
17	Model Puzzles (B)	7	500	3,500	7	500	3,500	7	500	3,500	7	500	3,500
18	Storybook	20	100	2,000	20	100	2,000	20	100	2,000	20	100	2,000
19	Information Book (Large)	20	350	7,000	20	350	7,000	20	350	7,000	20	350	7,000
20	Basket (L)	10	1,000	10,000	10	1,000	10,000	10	1,000	10,000	10	1,000	10,000
	Basket (S)	10	600	6,000	10	600	6,000	10	600	6,000	10	600	6,000
22	Color table Box	2	1,000	2,000	2	1,000	2,000	2	1,000	2,000	2	1,000	2,000
23	ABC Block	4	500	2,000	4	500	2,000	4	500	2,000	4	500	2,000
24	Number Block	4	500	2,000	4	500	2,000	4	500	2,000	4	500	2,000
25	Color Pensils (Large)	5	450	2,250	5	450	2,250	5	450	2,250	5	450	2,250
26	Color Crayons (Large)	5	300	1,500	5	300	1,500	5	300	1,500	5	300	1,500
27	Marker Color (Board and Permanent)	15	395	5,925	15	395	5,925	15	395	5,925	15	395	5,925
	Fruits Basket (Model Set)	2	1,000	2,000	2	1,000	2,000	2	1,000	2,000	2	1,000	2,000
29	Vegetables Basket (Model Set)	2	1,000	2,000	2	1,000	2,000	2	1,000	2,000	2	1,000	2,000
30	Animal Sets	2	600	1,200	2	600	1,200	2	600	1,200	2	600	1,200
31	Insects sets	2	400	800	2	400	800	2	400	800	2	400	800
32	Shape Sorting House	2	1,500	3,000	2	1,500	3,000	2	1,500	3,000	2	1,500	3,000
33	Flash card (Small)	10	120	1,200	10	120	1,200	10	120	1,200	10	120	1,200
	Flash card (Big)	10	325	3,250	10	325	3,250	10	325	3,250	10	325	3,250
35	Sand Play	2	1,000	4,000	2	1,000	4,000	2 2	1,000	4,000	2	1,000	4,000
36 37	Gym Play	20	2,000	3,000	20	2,000	3,000 40.000	20	2,000 1,500	3,000	2	2,000	3,000 40.000
38	Straight Mats Folding Mats	20	1,500 2,000	40,000 6,000	20	1,500 2,000	6,000	20	2,000	40,000 6,000	20 20	1,500 2,000	6,000
39	Diaper Changing Mats	3	300	1,500	3	300	1,500	3	300	1,500	3	300	1,500
40	Cube Cushion	2	500	1,000	2	500	1,000	2	500	1,000	2	500	1,000
41	Square Cushion	2	500	600	2	500	600	2	500	600	2	500	600
42	Baby Mirror	3	300	2,400	3	300	2,400	3	300	2,400	3	300	2,400
43	Pink Tower With Stand	1	800	500	1	800	500	1	800	500	1	800	500
44	Dressing Frames	10	500	8,000	10	500	8,000	10	500	8,000	10	500	8,000
45	Monkey Stuffed	2	800	2.400	2	800	2,400	2	800	2,400	2	800	2,400
46	Lion Stuffed	2	1,200	3,400	2	1,200	3,400	2	1,200	3,400	2	1,200	3,400
47	Cater Pillar Stuffed	2	1,700	3,000	2	1,700	3,000	2	1,700	3,000	2	1,700	3,000
48	Stuffed toys (Animal shaped i.e. Moneky, lion, caterpillar etc)	6	1,500	9,000	6	1,500	9,000	6	1,500	9,000	6	1,500	9,000

			Original		1st	Revised	I	2nd	l Revised	i	3rd	Revised	
Sr. No.	ITEMS	Yard Stick (DCC of 25 Kids)	Unit Cost	Total	Yard Stick (DCC of 25 Kids)	Unit Cost	Total	Yard Stick (DCC of 25 Kids)	Unit Cost	Total	Yard Stick (DCC of 25 Kids)	Unit Cost	Total
49	Long Roads with Stands	1	1,500	1,500	1	1,500	1,500	1	1,500	1,500	1	1,500	1,500
50	Number Rods	1	500	500	1	500	500	1	500	500	1	500	500
51	Stand Number Rods	1	800	800	1	800	800	1	800	800	1	800	800

	Original				1st Revised			2nd Revised			3rd Revised		
Sr. No.	ITEMS	Yard Stick (DCC of 25 Kids)	Unit Cost	Total	Yard Stick (DCC of 25 Kids)	Unit Cost	Total	Yard Stick (DCC of 25 Kids)	Unit Cost	Total	Yard Stick (DCC of 25 Kids)	Unit Cost	Total
52	Soft toys	2	700	1,400	2	700	1,400	2	700	1,400	2	700	1,400
53	Infants Manual Weight Machine	1	1,000	1,000	1	1,000	1,000	1	1,000	1,000	1	1,000	1,000
54	Toddlers Manual Weight Machine	1	1,000	1,000	1	1,000	1,000	1	1,000	1,000	1	1,000	1,000
55	Tri Cycles	4	3,500	14,000	4	3,500	14,000	4	3,500	14,000	4	3,500	14,000
56	Wooden Cots	10	10,000	100,000	10	10,000	100,000	10	10,000	100,000	10	10,000	100,000
57	Mattresses for Cots	10	1,200	12,000	10	1,200	12,000	10	1,200	12,000	10	1,200	12,000
58	Pillows	10	300	3,000	10	300	3,000	10	300	3,000	10	300	3,000
59	Bed Sheets and pillow covers	20	400	8,000	20	400	8,000	20	400	8,000	20	400	8,000
60	Nets	10	600	6,000	10	600	6,000	10	600	6,000	10	600	6,000
61	High Chairs for feeding	15	3,000	45,000	15	3,000	45,000	15	3,000	45,000	15	3,000	45,000
62	Rockers Cum Bouncer	8	2,500	20,000	8	2,500	20,000	8	2,500	20,000	8	2,500	20,000
63	Cot Mobile	10	1,500	15,000	10	1,500	15,000	10	1,500	15,000	10	1,500	15,000
64	Plastic Chairs (Round edges Animal Shapes)	7	600	4,200	7	600	4,200	7	600	4,200	7	600	4,200
65	Multi-Purpose Table	2	3,000	6,000	2	3,000	6,000	2	3,000	6,000	2	3,000	6,000
66	Writing Board	1	500	500	1	500	500	1	500	500	1	500	500
67	Electric Sterilizer	2	5,000	10,000	2	5,000	10,000	2	5,000	10,000	2	5,000	10,000
68	Electric Warmer	2	5,000	10,000	2	5,000	10,000	2	5,000	10,000	2	5,000	10,000
69	Table sets	2	4,000	8,000	2	4,000	8,000	2	4,000	8,000	2	4,000	8,000
70	Rocker	6	3,200	19,200	6	3,200	19,200	6	3,200	19,200	6	3,200	19,200
71	Activity Gym (Infants)	5	2,000	10,000	5	2,000	10,000	5	2,000	10,000	5	2,000	10,000
72 73	Play Gym	5	2,700	13,500	5	2,700	13,500	5	2,700	13,500	5	2,700	13,500
74	Activity Gym (Toddlers) Toiler Training Seat	5 10	2,000 3,000	10,000 30,000									
75	Infant Toys	30	4.000	120.000	30	4.000	120.000	30	4,000	120.000	30	4,000	120,000
76	Bath Toys	15	1,000	15,000	15	1,000	15,000	15	1,000	15,000	15	1,000	15,000
77	Fun Links Teether	15	300	4,500	15	300	4,500	15	300	4,500	15	300	4,500
78	Fun Pal Teether	15	500	7,500	15	500	7,500	15	500	7,500	15	500	7,500
79	Fun Rattle	15	400	6,000	15	400	6,000	15	400	6,000	15	400	6,000
80	Mother feeding Chair	1	3,000	3,000	1	3,000	3,000	1	3,000	3,000	1	3,000	3,000
81	Soft Books (duplication)	20	500	10,000	20	500	10,000	20	500	10,000	20	500	10,000
82	Bottle Brushes	3	300	900	3	300	900	3	300	900	3	300	900
List	of others Items i.e. Kitchen, Office,	Electric		-			-			-			-
1	Water Dispenser	1	14,000	14,000	1	14,000	14,000	1	14,000	14,000	1	14,000	14,000
2	Microwave Oven	1	12,400	12,400	1	12,400	12,400	1	12,400	12,400	1	12,400	12,400
3	Fridge	1	34,000	34,000	1	34,000	34,000	1	34,000	34,000	1	34,000	34,000
4	Kitchen Accessories / Cutleries etc.	24	200	4,800	24	200	4,800	24	200	4,800	24	200	4,800
5	Sofa Set	1	40,000	40,000	1	40,000	40,000	1	40,000	40,000	1	40,000	40,000
6	Office Table	1	5,000	5,000	1	5,000	5,000	1	5,000	5,000	1	5,000	5,000
7	Office Chairs	5	10,000	50,000	5	10,000	50,000	5	10,000	50,000	5	10,000	50,000
8	Air Conditioner	2	42,000	84,000	2	42,000	84,000	2	42,000	84,000	2	42,000	84,000
9	LCD	1	27,000	27,000	1	27,000	27,000	1	27,000	27,000	1	27,000	27,000
10	DVD player	1	5,000	5,000	1	5,000	5,000	1	5,000	5,000	1	5,000	5,000
11	CCTV Cameras	1	100,000	100,000	1	100,000	100,000	1	100,000	100,000	1	100,000	100,000
12	Fire Alarms	3	5,000	15,000	3	5,000	15,000	3	5,000	15,000	3	5,000	15,000
13	UPS	1	10,000	10,000	1	10,000	10,000	1	10,000	10,000	1	10,000	10,000
14	Vacuum Cleaner	1	7,000	7,000	1	7,000	7,000	1	7,000	7,000	1	7,000	7,000
15	Fire Extinguishers (Large)	2	5,000	10,000	2	5,000	10,000	2	5,000	10,000	2	5,000	10,000
16	Electric Insect Killer	2	7,800	15,600	2	7,800	15,600	2	7,800	15,600	2	7,800	15,600
17	Electric Hand Dryer	1	4,000	4,000	1	4,000	4,000	1	4,000	4,000	1	4,000	4,000
18	Electric Heater	2	5,000	10,000	2	5,000	10,000	2	5,000	10,000	2	5,000	10,000

		Original			1st Revised			2nd Revised			3rd Revised		
Sr. No.	ITEMS	Yard Stick (DCC of 25 Kids)	Unit Cost	Total	Yard Stick (DCC of 25 Kids)	Unit Cost	Total	Yard Stick (DCC of 25 Kids)	Unit Cost	Total	Yard Stick (DCC of 25 Kids)	Unit Cost	Total
19	Ceiling/bracket Fans	4	8,000	32,000	4	8,000	32,000	4	8,000	32,000	4	8,000	32,000
20	Curtains	2	45,000	90,000	2	45,000	90,000	2	45,000	90,000	2	45,000	90,000
21	Carpets	1	100,000	100,000	1	100,000	100,000	1	100,000	100,000	1	100,000	100,000
22	Other miscellaneous items	1	218,675	218,675	1	218,675	218,675	1	218,675	218,675	1	218,675	218,675
	TOTAL			1,600,000			1,600,000			1,600,000			1,600,000
				1.600			1.600			1.600			1.600

			Hur	man Re	source	e Model	of THO	Q Hosp	ital									
			Orig	jinal			1st Re	vised			2nd Re	evised				3rd Re	vised	
Sr. No.		No. of Employees	Per Month Salary	Per Month Salary for Person	Salary for One Year	No. of Employees	Per Month Salary	Per Month Salary for Person	Salary for One Year	No. of Employees	Per Month Salary	Per Month Salary for Person	Salary for Two Years	No. of Emplyees	Project Pay Scale	Per Month Salary	Per Month Salary for all Person	Salary for Two Years
1	ADMIN OFFICER	1	60,000	60,000	720,000	1	60,000	60,000	720,000	1	80,000	80,000	1,920,000	1	6	105,000	105,000	3,255,000
2	HUMAN RESOURCE & LEGAL OFFICER	1	60,000	60,000	720,000	1	60,000	60,000	720,000	1	80,000	80,000	1,920,000	1	6	105,000	105,000	3,255,000
3	IT/STATISTICAL OFFICER	1	60,000	60,000	720,000	1	60,000	60,000	720,000	1	80,000	80,000	1,920,000	1	6	105,000	105,000	3,255,000
4	FINANCE, BUDGET & AUDIT OFFICER	1	60,000	60,000	720,000	1	60,000	60,000	720,000	1	80,000	80,000	1,920,000	1	6	105,000	105,000	3,255,000
5	PROCUREMENT OFFICER	1	60,000	60,000	720,000	1	60,000	60,000	720,000	1	80,000	80,000	1,920,000	1	6	105,000	105,000	3,255,000
6	QUALITY ASSURANCE OFFICER	1	60,000	60,000	720,000	1	60,000	60,000	720,000	1	80,000	80,000	1,920,000	1	6	105,000	105,000	3,255,000
7	LOGISTICS OFFICER	1	60,000	60,000	720,000	1	60,000	60,000	720,000	1	80,000	80,000	1,920,000	1	6	105,000	105,000	3,255,000
8	DATA ENTRY OPERAOTOR (DEO)	2	25,000	50,000	600,000	2	25,000	50,000	600,000	2	35,000	70,000	1,680,000	2	3	44,000	88,000	2,728,000
9	ASSISTANT ADMIN OFFICER	2	40,000	80,000	960,000	2	40,000	80,000	960,000	2	50,000	100,000	2,400,000	2	5	70,000	140,000	4,340,000
10	HR FOR QMS and MSDS and Day Care Center																	
11	QMS Supervisor / Information Desk Officer	2	25,000	50,000	600,000	2	25,000	50,000	600,000	2	25,000	50,000	600,000	2		25,000	50,000	600,000
12	Computer Operator	8	20,000	160,000	1,920,000	8	20,000	160,000	1,920,000	8	20,000	160,000	1,920,000	8		20,000	160,000	1,920,000
13	Consultants (MSDS) Implementation & Clinical Audit	1	100,000	100,000	1,200,000	1	100,000	100,000	1,200,000	1	100,000	100,000	1,200,000	1		100,000	100,000	1,200,000
14	Training on MSDS Compliance for Staff of THQ Hospital	1000	4,000	4,000,000	4,000,000	1000	4,000	4,000,000	4,000,000	1000	4,000	4,000,000	4,000,000	1000				4,000,000
15					500,000				500,000				500,000				0	500,000
	Manager Day Care Center	1	45,000	45,000	540,000	1	45,000	45,000	540,000	1	45,000	45,000	540,000	1	1	45,000	45,000	540,000
	Montessori Trained Teacher	1	35,000	35,000	420,000	1	35,000	35,000	420,000	1	35,000	35,000	420,000	1	1	35,000	35,000	420,000
18		4	25,000	100,000	1,200,000	4	25,000	100,000	1,200,000	4	25,000	100,000	1,200,000	4	1	25,000	100,000	1,200,000
19	Office Boy	1 1	20,000	20,000	240,000	1	20,000	20,000	240,000	1	20,000	20,000	240,000	1	1	20,000	20,000	240,000
	Sub Total of H	R Model		4,860,000	17,220,000			4,860,000	17,220,000			5,040,000	28,140,000		1		1,273,000	
					17.220				17.220				28.140					40.473
	Utilization of HR (11.240				17.27		1			
	Total of HR Cor	nponent											39.38					57.743

Janitorial Services

333333											
	(Origir	nal	From 1st Revised to onward							
Assumptions				In the light of decision made during the Progress Review Meeting of Revamping of DHQ/THQ Hospitals							
Covered area excluding residential area	26,388	sft		held on 01-01-2018 under the Chairmanship of Chairman, P&D Board; it was inter alia decided as under:							
Covered area assigned to one sweeper	7,500	sft		"It would be made sure by the P&SH Department that the outsourcing would be shifted to the non-							
Number of sweepers required for covered area	4	Persons		development side from 1st July 2018 next FY".							
Road and ROW area	34,867	34,867 sft		In view of above, Outsourcing cost has been excluded from this PC-I.							
Road and ROW assigned to one sweeper	15,000	sft									
Number of sweepers required for road and ROW area	2	Persons									
Number of washroom blocks	15	blocks									
Number of washroom block assigned to one sweeper	3	Persons									
Number of sweepers required for total washroom blocks	5	Persons									
Total sweeper in morning shift	11	Persons									
Total number of sweepers in evening shift	5	Persons									
Total number of sweepers in night shift	5	Persons									
Total number of sweepers in all shifts	22	Persons									
Number of sewer men required	3	Persons									
Number of supervisors	3	Persons									
Salary component											
Type of worker	No of	Salary per	Salary for								
	workers	month	One Year								
Sweepers / Janitors	22	22,000	5,817,715								
Sewer men	3	22,000	792,000								
Supervisors	3	26,000	936,000								
Cost of Supply per Month		400,000	4,800,000								
Sub Total (Salary component)			12,345,715								
			12.346								

		Sec	curity	and Pa	arking			
					From 1st Revised to onward			
Assumptions			ginal		In the light of decision made during the Progress Review Meeting of Revamping			
Covered area excluding residences	26,388	1			of DHQ/THQ Hospitals held on 01-01-2018 under the Chairmanship of			
Covered Area per guard	15,000	1			Chairman, P&D Board; it was inter alia decided as under:			
Number of guards	2	1			"It would be made sure by the P&SH Department that the outsourcing			
Open area excluding parking area	34,867				would be shifted to the non-development side from 1st July 2018 next FY".			
Area covered per guard per shift for open area excluding parking	15,000				In view of above, Outsourcing cost has been excluded from this PC-I.			
Number of guards for total area excluding parking area	2							
Number of gates	3	1						
Number of guards at gates	6							
Total No of Guard	10							
Total number of all guards for second shift	5							
Lady Searcher	4							
Number of parking areas	1							
Number of guards for parking lot per								
shift (Morning+ Evening)	2							
Total no. of Supervisors	2							
Type of worker	No of workers	Salary per month	Salary per Month for all Person	Salary for One year				
Supervisors	2	24,675	49,350	592,200				
Ex-Army	6	21,525	129,150	1,549,800				
Civilian	9	21,000	189,000	2,268,000				
Lady Searcher	4	21,525	86,100	1,033,200				
Parking	2	21,525	43,050	516,600				
Sub total				5,959,800				
Equipment cost								
Lump sum Provision (Walk Through Gate=1, Metal Detector=4, Walkies Talkies=8, Base Set=1)				400,000				
Sub total				400,000				
Subtracting Parking Fees				500,000				

Total Security and Parking Services		5,859,800
		5.860

		La	undry	Services			
		Origin	al	From 1st Revised to onward			
Number of beds	60						
Type of Item	No of Beds	Per bed cost per year	Total Cost	In the light of decision made during the Progress Review Meeting of Revamping of			
No of Bed	60	30,000	1,800,000	DHQ/THQ Hospitals held on 01-01-2018 under the Chairmanship of Chairman, P&D			
Transport Charges				Board; it was inter alia decided as under:			
Total for laundry items				"It would be made sure by the P&SH Department that the outsourcing would be			
Total			3.000	shifted to the non-development side from 1st July 2018 next FY". In view of above, Outsourcing cost has been excluded from this PC-I.			

	Mair	Maintenance of Generator								
		Drigin	From 1st							
Item Name	Quantity	Cost per year	Total Cost							
Periodical Maintenance Cost]						
Number of Generators (200 KVA)	-	500,000	-]						
Number of Generators (100 KVA)	2	300,000	600,000	In the light of decision made						
Number of Generators (50 KVA)	-	175,000	-	DHQ/THQ Hospitals held on 0						
Repairs Cost	1	600,000	600,000	Board; it						
HR Cost				"It would be made sure by th						
Supervisor	1	40,000	240,000	shifted to the non-dev						
Generator Operator	3	30,000	1,080,000	In view of above, Outs						
Technical Staff/Mechanic	-	30,000	-	in view of above, oats						
Total			2,520,000	1						

In the light of decision made during the Progress Review Meeting of Revamping of DHQ/THQ Hospitals held on 01-01-2018 under the Chairmanship of Chairman, P&D

Board; it was inter alia decided as under:

From 1st Revised to onward

It would be made sure by the P&SH Department that the outsourcing would be shifted to the non-development side from 1st July 2018 next FY".

In view of above, Outsourcing cost has been excluded from this PC-I.

MEP

				IVI	
		Ori	ginal		From 1st Revised to onward
Type of worker / Component	No of workers	Salary per month	Salary per Month for all persons	Salary for One Year	In the light of decision made during the Progress Review Meeting of Revamping of DHQ/THQ Hospitals held on 01-01-2018 under the Chairmanship of Chairman, P&D Board; it was inter alia decided as under: "It would be made sure by the P&SH Department that the outsourcing would be shifted
Supervisors	1	56,420	56,420	677,040	to the non-development side from 1st July 2018 next FY".
Plumber	1	32,550	32,550	390,600	In view of above, Outsourcing cost has been excluded from this PC-I.
AC/ Technician	1	34,720	34,720	416,640	
Electrician	2	31,465	62,930	755,160	
Car painter	1	30,380	30,380	364,560	
otal (Salary component)			217,000	2,604,000	
	No.	Per Unit Cost per Year	Cost per Year for all Items	Cost for One Year	
A/C	200	6,665	1,333,000	1,333,000	
Fridge	10	4,000	40,000	40,000	
UPS	15	8,000	120,000	120,000	
Water Cooler	20	4,000	80,000	80,000	
Exhaust	10	3,000	30,000	30,000	
Geyser	20	4,000	80,000	80,000	
Water Pump	8	3,000	24,000	24,000	
Carpentry Work		-	180,000	180,000	
Electrical Work		-	120,000	120,000	
Plumbing Work		-	75,000	75,000	
Sub Total				2,082,000	
General Total				4,686,000	
			<u> </u>	4.686	

Medical Gases

			Origin	nal	
	Scope of Work	Monthly Consumption per THQ Hospital	Annual Consumption per THQ Hospital	Rate per Cylinder	Total Annual Cost per THQs
	Medical Oxygen Gas in 240 CFTCylinder (MM)	12	144	1850	266,400
Oxygen	Medical Oxygen Gas in 48 CFTCylinder (MF)	30	360	1,000	360,000
	Medical Oxygen Gas in 24 CFTCylinder (ME)	40	480	800	384,000
Nitrous	Nitrous Oxide in 1,620 Liter (XE)	2	24	5,000	120,000
Oxide	Nitrous Oxide in 16,200 Liter (XM)	1	12	12,500	150,000
Nitrogen Gas	Nitrogen Gas	1	12	2,000	24,000
		Total			1,304,400
					1.304

In the light of decision made during the Progress Review Meeting of Revamping of DHQ/THQ Hospitals held on 01-01-2018 under the Chairmanship of Chairman, P&D Board; it was inter alia decided as under:

From 1st Revised to onward

"It would be made sure by the P&SH Department that the outsourcing would be shifted to the non-development side from 1st July 2018 next FY".

In view of above, Outsourcing cost has been excluded from this PC-I.

Cafeteria

Pre-Fabrication Cateen (Procurement)

1 a a a a a a a a a a a a a a a a a a a	Description of work Excavation in foundation of building, bridges and other structures, including dagbelling, dressing, refilling around structure with excavated earth, watering and amming lead upto one chain (30 m) and lift upto 5 ft. 1.5 m) for ordinary soil Spraying anti-termite liquid mixed with water in the ratio of 1:40. Supplying and filling sand of approved quality from putside sources under floors etc complete in all espects. Providing, laying, watering and ramming brick ballast 1½" to 2"(40 mm to 50 mm) gauge mixed with 25% and, for floor and foundation, complete in all respects. Providing and laying damp proof course (1½" thick (40 mm)) of cement concrete 1:2:4, with one coat bitumen and one coat polythene sheet 500gauge Brick work with cement, sand mortar ratio 1:5	Unit Cft Sft Cft Cft	Qty 2545 4305 2268	Rate (Rs) 6.13 2.21	Amount (Rs) 15,602 9,514 35,426	From 1st Revised to onward In the light of decision made during the Progress Review Meeting of Revamping of DHQ/THQ Hospitals held on 01-01-2018 under the Chairmanship of Chairman, P&D Board; it was inter alia decided as under: "It would be made sure by the P&SH Department that the outsourcing would be shifted to the non-development side from 1st July 2018 next FY". In view of above, Outsourcing cost has been excluded from this PC-I.
1 a a s s s s s s s s s s s s s s s s s	Excavation in foundation of building, bridges and other structures, including dagbelling, dressing, refilling around structure with excavated earth, watering and amming lead upto one chain (30 m) and lift upto 5 ft. 1.5 m) for ordinary soil Spraying anti-termite liquid mixed with water in the ratio of 1:40. Supplying and filling sand of approved quality from putside sources under floors etc complete in all espects. Providing, laying, watering and ramming brick ballast 1/2" to 2"(40 mm to 50 mm) gauge mixed with 25% sand, for floor and foundation, complete in all respects. Providing and laying damp proof course (11/2" thick (40 mm)) of cement concrete 1:2:4, with one coat bitumen and one coat polythene sheet 500gauge	Cft Sft Cft	2545 4305 2268	6.13 2.21 15.62	(Rs) 15,602 9,514	DHQ/THQ Hospitals held on 01-01-2018 under the Chairmanship of Chairman, P&D Board, it was inter alia decided as under: "It would be made sure by the P&SH Department that the outsourcing would be shifted to the non-development side from 1st July 2018 next FY".
1 a a a a a a a a a a a a a a a a a a a	structures, including dagbelling, dressing, refilling around structure with excavated earth, watering and amming lead upto one chain (30 m) and lift upto 5 ft. 1.5 m) for ordinary soil spraying anti-termite liquid mixed with water in the ratio of 1:40. Supplying and filling sand of approved quality from putside sources under floors etc complete in all espects. Providing, laying, watering and ramming brick ballast 1½" to 2"(40 mm to 50 mm) gauge mixed with 25% sand, for floor and foundation, complete in all respects. Providing and laying damp proof course (1½" thick (40 mm)) of cement concrete 1:2:4, with one coat bitumen and one coat polythene sheet 500gauge	Sft Cft Cft	4305 2268	2.21	9,514	shifted to the non-development side from 1st July 2018 next FY".
2 d	of 1:40. Supplying and filling sand of approved quality from putside sources under floors etc complete in all espects. Providing, laying, watering and ramming brick ballast 1/2" to 2"(40 mm to 50 mm) gauge mixed with 25% and, for floor and foundation, complete in all respects. Providing and laying damp proof course (11/2" thick (40 mm)) of cement concrete 1:2:4, with one coat bitumen and one coat polythene sheet 500gauge Brick work with cement, sand mortar ratio 1:5	Cft	2268	15.62	,	
3 c r r r r r r r r r r r r r r r r r r	putside sources under floors etc complete in all espects. Providing, laying, watering and ramming brick ballast 1½" to 2"(40 mm to 50 mm) gauge mixed with 25% and, for floor and foundation, complete in all respects. Providing and laying damp proof course (1½" thick (40 mm)) of cement concrete 1:2:4, with one coat bitumen and one coat polythene sheet 500gauge Brick work with cement, sand mortar ratio 1:5	Cft			35,426	
5 F F F F F F F F F F F F F F F F F F F	1½" to 2"(40 mm to 50 mm) gauge mixed with 25% and, for floor and foundation, complete in all respects. Providing and laying damp proof course (1½" thick (40 mm)) of cement concrete 1:2:4, with one coat bitumen and one coat polythene sheet 500gauge Brick work with cement, sand mortar ratio 1:5		998			
7 d d d d d d d d d d d d d d d d d d d	nm)) of cement concrete 1:2:4, with one coat bitumen and one coat polythene sheet 500gauge Brick work with cement, sand mortar ratio 1:5	Sft		39.15	39,069	
6 E 7 C 8 C 8 C 9 C 11 C 10 C 6 F 10 C 6 F 11 C 7 C 7 C 8 C 8 C 8 C 8 C 8 C 8 C 8 C 8 C 8 C 8	Brick work with cement, sand mortar ratio 1:5		318	43.34	13,789	
8 C S F P C 10 C S f f	Coment concrete plain. Patio 1: 4: 9 including placing	Cft	1792	180.25	323,071	
9 c 10 3 f 1	Cement concrete plain Ratio 1: 4: 8 including placing, compacting, finishing and curing complete (including coreening and washing of stone aggregate)	Cft	427	170.72	72,893	
9 c 1 10 c 3 f	Cement concrete plain Ratio 1: 2:4 including placing, compacting, finishing and curing complete (including creening and washing of stone aggregate)	Cft	1043	190.48	198,746	
10 3 f	Placing Granite tiles (24"x24"x0.5") using white sement over a bed of ¾" (20 mm) thick cement mortar :6.	Sft	2160	200.00	432,000	
	Providing and laying Tuff pavers, having 7000 PSI, crushing strength of approved manufacturer, over 2" to "sand cushion i/c grouting with sand in joints i/c inishing to require slope. complete in all respect.	Sft	720	118.00	84,960	
Pro-F	Total Amount of Platform Construction abrication of Canteen Structure				1,225,070	-
11 C	Providing and fixing aluminium frame window with fouble glazzed glass 6mm+6mm thick complete in all espect as approved by engineer	Sft	48	1100.00	52,800	
12 (Providing and fixing aluminium frame door with single glazzed glass 6mm thick complete in all respect as approved by engineer	Sft	56	700.00	39,200	
13 F	ixing of frameless Glass wall of approved quality and design as approved by engineer	Sft	550	1500.00	825,000	
14 ii	Providing Granite skirting or dado 4/8"(13 mm) thick ncluding rounding of corner and straight ening of top edge and finishing to smooth surface afterplastering	Sft	491	212.00	104,177	
15 (Placing & erection of pre-painted Box section tube Columns of M.S sheet 4mm thick of size 4" x4" complete in all respect.	Kg	693	150.00	103,950	
16 F	Placing & erection of pre-painted Box section tube Rafters of M.S sheet 4mm thick of size 3" x3" with all ittings, complete in all respect.	Kg	1040	150.00	155,925	
17 F	Placing & erection of pre-painted Box section tube Purlins of M.S sheet 1.6 mm thick (16 Gauge) of size "" x2", with all fittings, complete in all respect.	Rft	676	120.00	81,144	
18	Placing & erection of pre-painted, Galvanized Sandwitched board of 0.5 mm thick M.S sheet with 50mm PU insulation with all fittings, complete in all espect.	Sft	2640	400.00	1,055,800	
	Placing & fixing glass wool complete in all respect.	Sft	3024	50.00	151,200]
	Placing & fixing Gypsum False Ceiling, complete in all espect.	Sft	3024	70.00	211,680	
21 2	orpoots 7 roviding & Fixing corrugated galvanized iron sheets 2 gauge with EPDM screw fittings, complete in all espect.	Sft	3629	145.00	526,176	
þ	Total Cost of Pre-Fabrication of Canteen Structure				3,307,052	
	Total Amount (Rs)				4,532,121]
	Electrification				998,735	1
				1		†
	Plumbing and Sanitory Kitching Fixtures		1		410,000 802,000	

LANDSCAPE DEVELOPMENT WORKS COST ESTIMATE

		C	DST E	STIM	ATE	
			Or	iginal		From 1st Revised to onward
Sr.	Description	Unit	Quantity	Unit Rate	Amount	In the light of decision made during the Progress Review Meeting of Revamping of DHQ/THQ Hospitals held on 01-01-2018 under the Chairmanship of Chairman, P&D
No.	SOFT LANDSCAPE		,	Rs.	Rs.	Board; it was inter alia decided as under: "It would be made sure by the P&SH Department that the outsourcing would be
1.1	TOP SOIL					shifted to the non-development side from 1st July 2018 next FY". In view of above, Outsourcing cost has been excluded from this PC-I.
	Providing, spreading and leveling of topsoil (sweet soil including manure and fertilizers) as required complete in all respects as per	Cft	4,162	20	83,236	
1.2	Drawings, Specifications and as approved by the Engineer. STONE / PEBBLES					
	Supply and laying a layer of pebbles/stone at specified locations with	Truck	1	31,375	31.375	
12	Landscape base as in Landscape Design approved by the Engineer. GRASSING	TTUOK		01,010	01,070	
1.3 a	GRASSING (EXISTING NON MAINTANE LAWNS)					
	Providing and dibbing of Fine Dacca grass where required, including mud filling/leveling and contour shape preparation confirming to the					
	criteria outlined in the Specifications, complete in all respects as per	Sft	5,708	7	39,953	
b	Drawings , Specifications and as approved by the Engineer. GRASSING (NEW LAWNS)					
Ü	Providing and dibbing of Fine Dacca grass, including mud					
	filling/leveling and contour shape preparation confirming to the criteria outlined in the Specifications, complete in all respects as per	Sft	7,135	10.00	71,345	
1.4	Drawings, Specifications and as approved by the Engineer. TREE / SHRUBS (SPREADING)					
	Providing and planting tree / shrub as listed and as arrangement and type shown in the Drawings, in pits of size 305mm x 305mm x					
	305mm. Dug in improved soil 610mm. deep filled by adding 10% cow dung manure and confirming to the criteria outlined in the					
	Specifications, complete in all respects and to the satisfaction of					
	Engineer . Trees 18" pot 6'-7' - Terminally, Cassia Fistula, Bauhinia Variegated,					
а	Alstonia Choirs, Ficus Yellow, Ficus Black, Jacaranda, Pilken, Mangifera etc.	No's	29	1,400	40,600	
Ф	Trees 12" pot 3'-4' - Polyalthia Long folia, Terminally, Cassia Fistula, Bauhinia Variegated, Latonia Choirs, Delonix Regia, Ficus Yellow,	No!-	-		4 000	
O	Focus Black, fichus Starlight, Melaluca, Mimuspps, Pine, Ficus Amestal, Pilken, Palms etc.	No's	7	260	1,820	
С	Plantation of Fruit Plants in the vacant area 12" pot 3'- 4' - Am rood, Jaman, Berri, Mango, Citrus. Including site preparation, plantation,	No's	_	600		
ŭ	Jaman, Berri, wango, Citrus. Including site preparation, piantiation, watering and maintenance for six months. Shrubs and Ornamental Plants 10" pot Pittosporum Variegated,	140.5		000	-	
	Murray Small, Ixora Coccinea, Juniper Varigated, Hibiscus Varigated,					
1.5	Carronda Dwarf Spp, Jasmine Sambac(Mottya), Leucophyllum Frutescens(Silvery), Rose, Nerium, Lantana, Canna, Asparagrass,	No's	2,594	65	168,610	
	Conocarpus, Acalypha, Callistemon Dwarf, Cestrum, Thabernaemontara Variegated etc.					
	Shrubs and Ornamental Plants 12" pot Pittosporum Varigated, Ixora Cochineal, Juniper Variegated, Carronade Dwarf, Jasmine Thai,					
а	Plumier Robar, Cassia Malacca, Largest mea, Euphorbia, Jestropha	No's	408	185	75,480	
1.6	Thai etc GROUND COVERS					
	Providing and planting ground covers as listed and as arrangement and type shown in the Drawings, in pits of size 150mm x 150mm x					
	150mm. Dug in improved soil 610mm deep filled by adding 10% cow dung manure and confirming to the criteria outlined in the					
	Specifications, complete in all respects and to the satisfaction of					
	Engineer . Ground Cover Plastic Bag Plants Alternant Hera, Dianella, Iresine	No's	2.771	11	30.481	
1.7	(Red), Hemercollis(Daylily), Duranta etc PALMS				,	
	Providing and planting palms as per Drawings, specifications and to the satisfaction of Engineer.					
а	Palm 18" pot - Queen Palm, Wodyetia Bifurcate, Washingtonian Palm, Biskarkia etc.	No's	3	3,575	10,725	
b 1.8	Palm 18* pot - Phoenix Palm, Cyrus Palm CREEPERS	No's	4	1,700	6,800	
1.0	Providing and planting Creepers as listed and as arrangement and					
	type shown in the Drawings, in pits of size 305mm x 305mm x 305mm. Dug in improved soil 610mm. deep filled by adding 10% cow					
	dung manure and confirming to the criteria outlined in the Specifications, complete in all respects and to the satisfaction of					
	Engineer . Creepers 12" Pot - Bougainvillea, Bonsai, Qusqualus, Bombay					
2	Creeper etc. HARD LANDSCAPE	No's	14	185	2,590	
2.1	WALK WAYS					
а	Excavation of walkways and edging including brick ballast under 12"X14" curb stones fixing with 1:2:4 PCC, supply of 7000PSI tuff tiles	Sft	571	150	85,650	
	60mmas per approved design fixing on 4" brick ballast compacted and grouting with sand.		0.1		23,000	
2.2	BENCHES					
2.0	Concrete Bench 5' wide complete in all respects and to the satisfaction of Engineer as per approved design.	No's	3	14,698	44,094	
2.3	DUSTBINS Complete in all respects and to the satisfaction of Engineer as per	No's	2	27,700	55,400	
2.4	approved design. PLAYING EQUIPMENTS			27,700	55,400	
	Complete in all respects and to the satisfaction of Engineer as per approved design.	No's	1	544,939	544,939	
2.5	PLANTERS Concrete planters 2' X 2-1/2' complete in all respects and to the					
2.0	satisfaction of Engineer as per approved design.	No's	2	3,700 45,000	7,400 45,000	
2.6	WATER POINTS (Injector Pump 1HP) SOFT LANDSCAPE MAINTENANCE	No's	- 1	40,000	40,000	
3	(Including maintenance and up keeping of site for 6 months) after development as per specifications and to the satisfaction of Engineer.	Sft	14,269	7.50	107,018	
4	CONSTRUCTION OF PLANTERS					
4.1	Large Size with keystones fixed with cement with top concrete slab as per design	No's	56	550	30,800	
1	and to the satisfaction of Engineer. Medium Size		30	330	55,000	
4.2	with keystones fixed with cement with top concrete slab as per design	No's	7	550	3,850	
	and to the satisfaction of Engineer. Small Size					
4.3	with keystones fixed with cement with top concrete slab as per design and to the satisfaction of Engineer.	No's	13	550	7,150	
5	GAZEEBO Construction of Gazebo 12' X 12' with top fiberglass 3 layer canopy as	No's	1	200.000	200.000	
3	per approved design and to the satisfaction of Engineer.	INUS	_ 1	200,000	,	
	Total Amount of - Landscaping				1,694,316 271,090	
	PRA(16%)					
	PRA(16%) Design Consultancy Grand Total				100,000 2,065,406	

PROVINCE

PUNJAB

DIVISION

EXECUTIVE ENGINEER BUILDINGSDIVISION, NO.2 FAISALABAD

SUB DIVISION

BUILDINGS SUB DIVISION SAMUNDRI

NAME OF WORK

REVISED ROUGH COST ESTIMATE FOR THE REVAMPING OF ALL T.H.Q. HOSPITALS IN PUNJAB "ON AT TEHSIL HEAD QUARTER HOSPITAL SAMUNDRI DISTRICT FAISALABAD ADP NO.658 FOR THE YEAR 2022-23.

ESTIMATED COST

44-253 CM

SAMUNDRI DISTRICT FAISALABAD ADP NO.658 FOR THE YEAR 2022-23.

COMPARATIVE STATEMENT

Based on M.R.S 2ND Bi Annual 2022

Sr. No.	- Description of Items	As Per A.A (1st Biannaul 2021)		As per Rough Cost Estimate (2nd Biannaul 2022)	- Excess / - Saving -	Remarks_
	the Auto	Amount		Amount		
1.	Main Building THQ.	23816900 /-	٠ • • • • • • • • • • • • • • • • • • •	13309375/ 19079900 /-1 861/2		
2.	Converting of O.P.D block Rooms Into Emergency Hall Size (51' x 37')			/ 3638000-4 · 27.2580	<u>.r</u>	
3.	Repair of Plinth Protection	425000 /-		3 0050 0 1-2-54 d	124500 ارام	
4.	Provision of internal E.I & P.H	2922130 /-		7862016 /-	4939886	
5.	Walking Path (Tuff Paver)	658000 /-			-658000	
ļ	Fiber Shed	2300000 /	1		-2300000	
-1	Water Filtration Plant	3910610 /-			-3910610	
8.	Provision of external E.I	2250000 /-	<u> </u>	9385590 /	7135590)
+	Manhole Covers	122000 /-		-	-122000)
	Provision of kerb Stone	625000 /-		Total = 402660057-136	-625000 3236366	<u> </u>

750000 /-D/d credit of old material

946410 1-1039410

Total = 36279640 /- Total =

ADD 5% PRA Tax

-2013300 i= 1092 130 161818 /

Provision for WAPDA

4500000 /- 2 1400000 /-

Total = 39531122 /-

1851482 /-

45832896 /-38.661

OR. 39.531 (M) // OR.

Say.=

6.302 (M)

Superintending Engineer Buildings Circle No-1.

Executive Engineer, Buildings Division No.2, Faisalabad.

Sub Divisional Officer, Buildings Sub Division, Samundri

	57 :	<u>.</u>	•	· «	4	
	Sr Description of Serra	-		11A.7	Published to door and windows any type 03 boths new suffice	
	reitan			BO:F	200	•
1	of there			р.н.т әиіділе инж	DIS 100	
1				D.H.	MUQCM	
	•				N KARE	
	÷				888	
		•			がながい	
	•				actue,	
					4	
	· -					
	11 A	first			٠	1
	Section 1					•
	Appendix 1 test of 1019 and the (SSCS testing 101).	res F		-		
	in the second	fmomÁ				4 1 4 1 4 0
		Ĉ,			所は一方の登	
	,		1	9	r.	
	ctambed total.tr	A MER		4	. 200	
		IndonA			14000	
}		- 1				
	Exces. 1			,	14000	****
	Remarks		****			4
	·····					

, v :	5	< 6.
Description of terra	•	A NIAIN BUILDING T.H.Q 40. Putting to door and windows any type 03 socia new surfaces to providing end fixing lair face Guess Chadding upon required height browing separation of size 9°XXYXXX, se cutting guits where necessary laying in 1.3 cement said mobile mexical with rod oxide per negation their layer layer to complete the cost of 0.1 with 80°C fact and normal limits the criter to center their and the BWE-8 and in season that and before the confer of complete to center their and their first their with their with their with their fact and their season to deading the 1/2" thick common passent (1.4) on beth either their substant to be provided in all statistics and their season to be provided and directed by the England Complete in all temporal and a substant directed by the England Complete.
-	7.7	33. 38.
Lead to the second	£#R	संदेश तह इंद्राइ
at Perf Catachard and a service (SSCS)	rc:D	4
	InnomÁ	40211 13
	Š	କ୍ଷିଷ୍ଟ ବ
•		24 K. H.
(SEDE IN THE	Rate	T OFFE.
	IndoniA	34020
Exces. /		020PS Straega-
Ecmo A		

4828233	-1 22PACES	Floor	23123120 1- }	= latoT
-137559	357726		4 28888	
\$126932	1 PSeetoer	rottl a	2301CZ27 -	• lesso
000TETA	-1 00627631	કરો મ	-\ 00earals	# Y#3

Add 3% Contingency

San Dividional Officer, and Carlo Dividion, and Carlo Dividion.

323:439

the extra section of the extra section is the section of the

REVISED ROUGH COST ESTIMATE FOR THE REVAMPING OF ALL-T.H.Q.-HOSPITALS IN PUNJAB "ON AT TEHSIL HEAD QUARTER HOSPITAL SAMUNDRI DISTRICT FAISALABAD ADP NO.658 FOR THE YEAR 2022-28.

ABSTRACT OF COST MAIN BUILDING

					DINACIO: COCI						
Sr:I		-	•	. ((Based on Plinth Area Rate 2nd B	i-Annual Pe	riod From	Ist July: 20	022 to 31th Dec 20	22	Remarks
О.		- Qty	: ,	Unit.	B.P.	P.H	E.1.	S.G.	Total.	Amount.	
1.	Renovation of Main Building THQ.				·					13309375/-	Detailed Attached
2.	Converting of O.P.D block Rooms Into Emergency Hall Size (51' x 37')									36 36960 2725 <i>000</i> /_	Detailed Attached
3.	Repair of Plinth Protection					-949				294893/-	Detailed Attached
4.	Provision of internal E.I & P.H	22592		Sft		120/-	228/-		348/-	7862016	
5.	Provision of external E.I									9385590	Detailed Attached

Total:

402660061- 33576874

1039410/-

Total =

39319598-1- 32537464

₂₀₁₃₃₀₀₇ 1626873

4500000 /-

Say =

46832896 /- 3866433

OR.

45.833-(M) 38.664 (N

EXOCI

D/d credit of old material

ADD 5% PRA Tax

Provision for WAPDA

Buildings D⊮կել. M.Faisalabad **SUB Engineer**

SUB DIVISIONAL OFFICER

Buildings Sub Division

REVISED ROUGH COST ESTIMATE FOR THE REVAMPING OF ALL T.H.Q. HOSPITALS IN PUNJAB " ON AT TEHSIL HEAD QUARTER HOSPITAL SAMUNDRI DISTRICT FAISALABAD ADP NO.658 FOR THE YEAR 2022-23.

				MA	IN BUI	DING (ABSTR	ACT C	OF COS	<u>iT)</u>	,		
		:	ļi								;		•
1 Re	moving door wit	h cho	wkat.	30	, ,			1,	. 1	= 30	· ·No		•
		;;;;	1				! !	•	Total	= 30	No		
		# 15 5 5 15 6 1				@	!	448.4	15∵	eacl	h		13454 /-
2 Re	moving Window	with	chow	kat.	· · · · ·		! !		}		•	•	
				105	.			•	Total	= 105 = 105			· •
1 /	,		• ,	ï		,			·	- 100	140	•	
0. 5:		. 1	. 	1 ,		@		350.4	15:	eac	h		36797 /-
3. Dis	mantling glazed surgical ward	or e	ncaus	tic tiles, e	IC.		i	•	,			•	
•	washrooms		 . :b				 t		·				
\sim	. 6	2	, X:	i(i 4-1	/4 +	2-1/2	<u>. </u>	X :	15	=	405 Sff -64-Sff		
	4	2	- Б. Х	-x 4 -1 (. 4-1	/4 × /4 ; +	2-1/2 . 4-2/5	. : y	x	15	=:	347 Sf		•
	ıı ıı	-	4.	• •	x_	4-2/5			,	=	-75_Sf		
, į		2	X,	(10-	1/2 +	9-1/4	^t)	x	5	=	395 Sf	t	
	: "		_	,							194-3f	ţ	
	<u>ن</u> ے		2	_x10-	1/2 _: x	<u>9-1/4</u>				_=			
٠	11		2-	- x - 8-5	5/8 x						104 Sf		
	D.Cill		10	x 2-1	/2 x	3/8				=	9 Sf		
	D.Cill		2	x 4	x	1-1/8	•			=	9 Sf	t '	
La	bour room washroo	oms		i									
	2	· 2	х	(; 3-5	5/8 +	5.)	x	5	= '	173 Sf	t	
	. 1 :	2	х			8-1/4	,)	x	5 '	=	159 Sf	t	
		_	1			8-1/4 -	•			_= -	63 Sf		
•	•		-				<u> </u>		<u>.</u> .		— - 35-Sf	ŧ	1
٠,	5.63		خــــــــــــــــــــــــــــــــــــ			2/0					2 Sf	t	•
	D.Cill		2	x 2-1		:3/8				=	5 S f		
	D.Cill		1	x 4	x	1-1/8				=			
	OPD \		room						<u>.</u>		,		
	4	2	X	(3)	х	5	= -	290 Sf 51 ₋ Sf		
	2	2	×	- x - 3 (6-3		4-1/4 13-5/8)	x	5	=	400 Sf		
	. "	_	2_	_x6-8		13-5/ 8	-		<u> </u>		174 Şİ	t .	
	D.Cill		4	x 2-1	1/2 x	3/8				E	4 Sf	t	
	D.Cill	•	2	x 4	X .	1-1/8				=	9 Sf	t	0.1
					•					•		- 0	07 8/
				1				Total		= -	-2006 Si	122	07 SF
	deduction door	r	1	x 6	x	2-1/2		x	5	=	75 is	ft	
				•	•						1.		·
	,,		1	x 4	, x			X	5	=	60 S		
			1	x 4	i X	2-3/4		X	5	=	55 S		
			1	x 2	x	2-3/4		x	5	=	28 S		
·	I)	,	_			A 14.45			<u>_</u>	_	63 Sf	t	
	1		5	x 1	х	2-1/2		X	5	=			^
					:			Total		=	281 Sf	_	52789
		Net	:=	29	66 -	28	81			=	2685 Sf	t	30,0

Rs. 2391.9 %Sft

64219-4

						- I				_	
	$^{\prime\prime}$ $^{\prime\prime}$ $^{\prime\prime}$ $^{\prime\prime}$.			: ':				•		•	
• ,								:	1 ;	, '. 1	
4.	Dismantling cement con	crete	1∷2:4 p	olain.		,	:	1			.
i	Flooring		14		:				•	171 Sft	
	Indoor Room No. 36	1	þ.	9 	X :	19		:	· · · · · · · · · · · · · · · · · · ·	60 Sft	
	Indoor Room No 37	1	•	5:	'X :	12. 1	• •	;	=	171 Sft	
£.	Indoor Room No. 45	1		9	X	19			=;	60 Sft	•
	Indoor Room No. 42	.1.		5	X :	12			= :	37 Sft	
1	Indoor Linen store	1		5-5/8	x ¹	6-1/2	• •		± ½	644 Sft	
-11	Indoor Ver	1	1 :	92 :	X	7			! .	258 Cff	
:	Indoor Ver	1	X - t	51-1/8	X 1	7 .					
ii	Bath	į	į	. !					•	64 Sft	
•	surgical ward washrooms	6	Χ ,	4-1/4	Χ.	2-1/2		.'	' , = ,	1	
		4	X 1	4-1/4	x :	4-2/5			=	75 Sft	
		_		40.40		0.444		,	<u>.</u>	97 Sft	
,		1. :	Χ .	10-1/2	x .	9-1/4		I	=	£2 C#	
		1	x .	8-5/8	x	6			=	52 Sft	
1	D.Cill	10	×	2-1/2	x .	3/8		i	=	9 Sft	
	D.Cill ·	2	` . X .	4	х .	1-1/8			·	9 Sft	
	Labour room washrooms	- 1	÷	7-5/8	X	8-1/4			=	63 Sft	
		•		3-1/2	1	5		:-	. '. =	35 Sft	
		2			X				=	2 Sft	
	D.Cill	2		2-1/2	X	3/8				5 Sft	
	D.Cill	1	X	4	X	1-1/8			' =	51 Sft	ı
	OPD Wash room	4	x	3	х	4-1/4			=	01 OK	
	, n ,	2	x	6-3/8	x	13-5/8			. =		
	D.Cill	4	X	2-1/2	x ·	3/8			= .	!	
	D.Cill	2	x	4 :	x	1-1/8			=	9 Sft	. '
				,			Т	otal	=	2150 Sft	
		215	0	Sft	×	1/6		4	· =	357 Cft	
	Nursing counter	6	χ.	8	x	2	x	1/2	=	٠.	
	Sitting Benches	5	X	10	×	2	×	1/2	=		
.•		1					Т	otal	=	455 Cft	
5.	Dismantling brickwork in	n lime	r or cen	nent mo	rtor.	@ Rs.		11209		%Cft	50992 /-
0.	1	6	x	8	x	3/4	×	2	=	1 4	1
	2 .	6	×	2	×	3/4	X	2	=	A CONTRACTOR OF THE PROPERTY O	
	2	6		2 .	X	3/8	X	2	. =	18 Cft 11 Cft	
	4	5	X	3/4	×	3/8 :	X T	2 otal	=	137 Cft	
	·		10	.	•	; @	Rs.		4331	%Cft	5933 /-
6	Dismantling brick o	r flage	ided fl	oorina	witho					0	;
	R /	:		. !.					٠ .	J.	
	O.P.D	1 1		233 7/8		A7 1/8			<u>=</u>	11021 Sft	
	Dignostic / . Indoor	1 1		92 142 5/8	X X	36 5/8 57 1/2		•	=	: 3370 Sft : 8201 Sft	•
									Total	22592 Sft	/
	D/d Khuras	! 		2	/				_	. / 224 . 59	
	/ '	56	X	2	×/	. 2			_ 	224 Sft 22368 Sft	
		: '	1 !		/ @	866.20		%Sft			Rs
7	Rehandling of earth			,				4.0		2070 04	
	O.P.D Dignostic	⊹ 1 1		233 7/8 92 /	x x	47 1/8 36 5/8		1/3 1/3	/ =		
	Indoor			92 5/8		57 1/2		1/3	/ <u>-</u>	: 2731 Cft	/
	D/d Khuana	·	1/			:		/	=	7523 Cff	
	D/d Khuras	56	$_{x}//$	2	x	2	x	1/3	=	: 75 Cft	:
	1	1		· ;		- ;			=		بر _
				:						• •	Page 90
										;	

÷.

1

1 2 10										1:		
• '		;	3 3 2 4	**.	1. q :	1				; **		
	•		1							i.		_
					@ <u></u>	- 3588.65	%0Cft			- F	₹s.	26566 <i>I</i> -
: Cement (includir	concrete plair g screening a	n includir nd wash	ng placin ing of st	ig compa one ago	acting regat	g, finishing an te): 1:2:4	d curing complete		$x_1 \stackrel{!}{\mapsto} x_2$	it '		
Flooring	-	,						: '	محام	04		
Indoor Ro	om No. 36	1 ,	x 9		X :	19		=		Sft C#		
Indoor Ro	om No. 37	1	x 5		x .	12	;	= ,	60	11		
Indoor Ro	om No. 45	- 1 :	x 9	A A	X ·	19,		=	171	+ 1		
indoor Ro	oom No. 42	1	x 5	· · ·	X	12		=		Sft Sft	•	Е
Indoor Lin	en store	1	x 5-	5/8	Χ.	6-1/2		=.	644	1		
Indoor Ve	er i i	1	x 92	. !	X :	7 :		=	358			
Indoor Ve	r,	1.	x 51	-1/8	Χ.	7. ±		Ξ.	300	Sit		
Bath			11. P.						64	C#		
surgical	ward washrooms	6	x 4-	1/4	x	2-1/2		=	64	Sft		
				1//		4-2/5		=	75	Sft		
•		4	x 4-	1/4	X	4-2/0	• :		97	Sft		•
4	٠. :	1.	x 10	-1/2	x :	9-1/4		=	. 97	JIL		
1	•	1	x 8-	·5/8	1 . X	6		=	. 52	Sft		
			•		.'				9	Sft		
	D.Cill	10		1/2	X	3/8		=		Sft		
	D.Cill	2	x 4	r	X	1-1/8		=		Sft		
Labour	room washrooms	. 1	x 7-	-5/8	X	8-1/4		=				
	ŗ	2	x 3-	-1/2	X	'5	•	=		Sft		
	D.Cill	2	x 2-	-1/2	X	3/8		=		Sft		
	D.Cill	1	x 4		x	1-1/8		=	5	Sft		
OPI	, D Wash room	4	x 3		x	4-1/4		=	51	Sft		
. 1	: "	2		.: -3/8	x	13-5/8		=	174	Sft		
	D.Cill .	. 4		-1/2	x	3/8		=	4	Sft		
,	D.Cill	2'	x 4		×	1-1/8		=	9	Sft		
* .	D.0		î T		^	1 170	Total	=	2150	Sft	•	
1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 - 1 -										<u>.</u>		
		2150	0 5	Sft `	X	1/6		=	357	Ćft		
		2150	0 ;	Sft [°]	X :	1/6		=	357	Cft I		
		2150	0	Sft	11	1/6 @ Rs.	38272	Ξ	357 %Cft	Cft - -	-	136592
		superb q	uality Po	orcelain ;	glaże	@ Rs.	g of MASTER brand of	ı		Cft		136592
specifie	ed size in appro	superb q	uality Po	orcelain	glaże Shad	Rs.d tiles flooringe with adhesi	g of MASTER brand of ve./ bond over 3/4"	f :		Cft		136592
specifie thick (1 comple	ed size in appro :3) cement pla te in all respec	superb q oved des ster i/c tl ct as app	uality Posign , Co he cost or	orcelain of sealer	glaze Shad	@ Rs. d tiles flooring e with adhesi	g of MASTER brand of	f :		Cft		136592
specifie thick (1 comple	ed size in appro :3) cement pla	superb q oved des ster i/c tl ct as app	uality Posign , Co he cost or	orcelain of sealer	glaze Shad	@ Rs. d tiles flooring e with adhesi	g of MASTER brand of ve / bond over 3/4" pints i/c cutting grinding	f :		Cft		136592
specifie thick (1 comple Glazed	ed size in appro :3) cement pla te in all respec	superb q oved des ster i/c tl ct as app	uality Posign , Co he cost or	orcelain blor and of sealer nd direct	glaze Shad	@ Rs. d tiles flooring e with adhesi	g of MASTER brand of ve / bond over 3/4" pints i/c cutting grinding	f :	%Cft	Cft Sft		136592
specifie thick (1 comple Glazed	ed size in appro :3) cement pla te in all respec tiles 600mmx	superb q oved des ster i/c ti ot as app 600 mm	uality Posign , Co he cost or proved a	orcelain blor and of sealer nd direct	glaze Shad for for ted by	Rs. d tiles flooring e with adhesi inishing the jo y the Enginee	g of MASTER brand of ve / bond over 3/4" pints i/c cutting grinding	f .	%Cft			136592
specific thick (1 comple Glazed Indoor Ro	ed size in appro :3) cement pla te in all respec tiles 600mmx	superb q oved des ster i/c tl t as app 600 mm	uality Posign , Co he cost oroved an x 9 x 4	orcelain olor and of sealer nd direct	glaze Shad for for ted by	Rs.d tiles flooring e with adhesinishing the joy the Enginee	g of MASTER brand of ve / bond over 3/4" pints i/c cutting grinding	f	%Cft 171 32	Sft		136592
specific thick (1 comple Glazed Indoor Ro	ed size in appro :3) cement pla :te in all respec tiles 600mmx oom No. 36 D.Cill	superb q oved des ster i/c th ot as app 600 mm 1 7	uality Posign , Co he cost or roved an x 9 x 4 x 5	orcelain blor and of sealer nd direct	glaze Shad for fi ted by	 Rs. d tiles flooring e with adhesing the joy the Engineer 19 1-1/8 12 	g of MASTER brand of ve / bond over 3/4" pints i/c cutting grinding	f	%Cft 171 32	Sft		136592
specific thick (1 comple Glazed Indoor Re Indoor Re Indoor Re	ed size in appro :3) cement pla te in all respec- tiles 600mmx oom No. 36 D.Cill oom No. 37	superb q oved des ster i/c ti et as app 600 mm 1 7 1	uality Posign Cooke cost or oved an x 9 x 4 x 5	orcelain de la constant de la consta	glaze Shad for for fi ted by	@ Rs. d tiles flooring e with adhesi inishing the jo y the Enginee 19 1-1/8 12 19	g of MASTER brand of ve / bond over 3/4" pints i/c cutting grinding	= = :	%Cft 171 32 60 171	Sft		136592
specific thick (1 comple Glazed Indoor Re Indoor Re Indoor Re	ed size in appro :3) cement pla te in all respec- tiles 600mmx oom No. 36 D.Cill oom No. 37 oom No. 45	superb q oved des ster i/c th ot as app 600 mm 1 7 1 1	uality Posign , Cohe cost or oved an x 9 x 4 x 5 x 9 x 5	orcelain olor and of sealer nd direct	glaze Shad for fi ted by	 Rs. d tiles flooring e with adhesinishing the journal of the property of the Engineer 19 1-1/8 12 19 12 12 12 12 	g of MASTER brand of ve / bond over 3/4" pints i/c cutting grinding	= = = =	%Cft 171 32 60 171 60	Sft Sft Sft		136592
specific thick (1 comple Glazed Indoor Re i Indoor Re Indoor Re Indoor Re Indoor Re Indoor Li	ed size in appro :3) cement pla ite in all respec- tiles 600mmx com No. 36 D.Cill com No. 37 com No. 45 com No. 42 nen store	superb q oved des ster i/c tl ct as app 600 mm 1 7 1 1 1	uality Posign Cohe cost or oved an x 9 x 4 x 5 x 5 x 5 x 5 x 5 x 5 x 5 x 5 x 5	orcelain plor and sealer and direct	glaze Shad for fi ted by	 Rs. d tiles flooring e with adhesinishing the joy the Engineer 19 1-1/8 12 19 12 6-1/2 	g of MASTER brand of ve / bond over 3/4" pints i/c cutting grinding	= = =	%Cft 171 32 60 171 60 37	Sft Sft Sft		136592
specific thick (1 comple Glazed Indoor Ro Indoor Ro Indoor Ro Indoor Ro Indoor Ro	ed size in appro :3) cement pla :te in all respec- tiles 600mmx oom No. 36 D.Cill oom No. 37 oom No. 45 oom No. 42 nen store	superb q oved des ster i/c th tt as app 600 mm 1 7 1 1 1	uality Posign Cooke cost or oved an x 9 x 4 x 5 x 9 x 5 x 92	orcelain plor and of sealer and direct	glaze Shad for fi ted b	 Rs. d tiles flooring e with adhesinishing the journal of the property of the Engineer 19 1-1/8 12 19 12 12 12 12 	g of MASTER brand of ve / bond over 3/4" pints i/c cutting grinding		%Cft 171 32 60 171 60 37 644	Sft sft sft sft		136592
specific thick (1 comple Giazed Indoor Re Indoor Re Indoor Re Indoor Li	ed size in appro :3) cement pla :te in all respec- tiles 600mmx oom No. 36 D.Cill oom No. 37 oom No. 45 oom No. 42 nen store	superb q oved des ster i/c tl ct as app 600 mm 1 7 1 1 1	uality Posign Cooke cost or oved an x 9 x 4 x 5 x 9 x 5 x 92	orcelain plor and sealer and direct	glaze Shad for fi ted by	 Rs. d tiles flooring e with adhesinishing the joy the Engineer 19 1-1/8 12 19 12 6-1/2 	g of MASTER brand of ve / bond over 3/4" sints i/c cutting grinding ir Incharge. Full body		%Cft 171 32 60 171 60 37 644 358	Sft ft ft St. Sf. Sf. Sf. Sf. Sf. Sf. Sf. Sf. Sf. Sf		136592
specific thick (1 comple Glazed Indoor Ro Indoor Ro Indoor Ro Indoor Ro Indoor Ro	ed size in appro :3) cement pla :te in all respec- tiles 600mmx oom No. 36 D.Cill oom No. 37 oom No. 45 oom No. 42 nen store	superb q oved des ster i/c th tt as app 600 mm 1 7 1 1 1	uality Posign Cooke cost or oved an x 9 x 4 x 5 x 9 x 5 x 92	orcelain plor and of sealer and direct	glaze Shad for fi ted b	 Rs. d tiles flooring e with adhesing the joy the Engineer 19 1-1/8 12 19 12 6-1/2 7 7 	g of MASTER brand of ve / bond over 3/4" bints i/c cutting grinding or Incharge. Full body Total		%Cft 171 32 60 171 60 37 644	Sft ft ft St. Sf. Sf. Sf. Sf. Sf. Sf. Sf. Sf. Sf. Sf		
specific thick (1 comple Glazed Indoor Re Indoor Re Indoor Re Indoor Li Indoor Ve	ed size in appro :3) cement pla :4 in all respec- tiles 600mmx com No. 36 D.Cill com No. 45 com No. 42 nen store	superb q oved des ster i/c to that as app 600 mm 1 7 1 1 1	uality Posign Cohe cost or oved an x 9 x 5 x 5 x 9 x 5 x 5 x 92 x 51	orcelain plor and of sealer and direct	glaze Shad for fi ted b	@ Rs. d tiles flooring e with adhesi inishing the jo y the Enginee 19 1-1/8 12 19 12 6-1/2 7 7	g of MASTER brand of ve / bond over 3/4" bints i/c cutting grinding ir Incharge. Full body Total 341.95		%Cft 171 32 60 171 60 37 644 358	Sft ft ft St. Sf. Sf. Sf. Sf. Sf. Sf. Sf. Sf. Sf. Sf		
specific thick (1 comple Glazed Indoor Relation Indoor Relation Indoor Life Indoor Version Indoor Indoor Version Indoor Version Indoor Version Indoor In	ed size in appro 3) cement pla ite in all respec- tiles 600mmx oom No. 36 D.Cill oom No. 45 oom No. 42 nen store er	superb q oved des ster i/c tl at as app 600 mm 1 7 1 1 1 1 1 1 superb q	uality Posign Cohe cost of cos	orcelain of sealer and direct	glaze Shad for fi ted by	@ Rs. d tiles flooring e with adhesi inishing the jo y the Enginee 19 1-1/8 12 19 12 7 7 Rs. d tiles of Massisive / bond or	g of MASTER brand of ve / bond over 3/4" bints i/c cutting grinding or Incharge. Full body Total 341.95 ster brand ,skirting / ver 1/2" thick (1:2)		%Cft 171 32 60 171 60 37 644 358	Sft ft ft St. Sf. Sf. Sf. Sf. Sf. Sf. Sf. Sf. Sf. Sf		
specific thick (1 comple Glazed Indoor Related Indoor Related Indoor Related Indoor Like Indoor Velated Indoor Ind	ed size in appro 3) cement pla ite in all respec- tiles 600mmx oom No. 36 D.Cill oom No. 45 oom No. 42 nen store er er ng and laying significations of the size of	superb q oved des ster i/c th tot as app 600 mm 1 7 1 1 1 1 1 1 cost of a	uality Posign , Cohe cost of c	orcelain plor and of sealer and direct orcelain ade with ler for fir	glaze Shad for fi ted by x x x x x x x y glaze adhe	@ Rs. d tiles flooring e with adhesi inishing the jo y the Enginee 19 1-1/8 12 19 12 7 7 Rs. d tiles of Massive / bond or g the joints of	g of MASTER brand of ve / bond over 3/4" bints i/c cutting grinding or Incharge. Full body Total 341.95		%Cft 171 32 60 171 60 37 644 358	Sft ft ft St. Sf. Sf. Sf. Sf. Sf. Sf. Sf. Sf. Sf. Sf		
specific thick (1 comple Glazed Indoor Reliance Indoor Reliance Indoor Reliance Indoor Version Indoor Indoo	ed size in appro 3) cement pla ite in all respec- tiles 600mmx oom No. 36 D.Cill oom No. 45 oom No. 42 nen store er er ng and laying significations of the size of	superb q oved des ster i/c th tot as app 600 mm 1 7 1 1 1 1 1 1 cost of a cost of a	uality Posign Cohe cost of cover and x y y x x y y x x y y x x y y x x y y x x y y x x y y x x y y x x y x	orcelain plor and of sealer and direct orcelain ade with ler for fir	glaze Shad for fi ted by x x x x x x x y glaze adhe	@ Rs. d tiles flooring e with adhesi inishing the jo y the Enginee 19 1-1/8 12 19 12 7 7 Rs. d tiles of Massive / bond or g the joints of	g of MASTER brand of ve / bond over 3/4" bints i/c cutting grinding r Incharge. Full body Total 341.95 ster brand ,skirting / ver 1/2" thick (1:2) cutting grinding		%Cft 171 32 60 171 60 37 644 358	Sft ft ft St. Sf. Sf. Sf. Sf. Sf. Sf. Sf. Sf. Sf. Sf		
specific thick (1 comple Glazed Indoor Reliands Indoor Reliands Indoor Like Indoor Version Indoor Indoor Version Indoor Indoor Indoor Indoor Indoor Indoor Indoor Indoor Version Indoor I	ed size in appro 3) cement pla ite in all respec- tiles 600mmx oom No. 36 D.Cill oom No. 45 oom No. 42 nen store er er ng and laying s f specified size t plaster i/c the ite in all respec- tiles 600mmx	superb q oved des ster i/c to the tas app 600 mm 1 1 1 1 1 1 1 superb q e. Color cost of a ct as app 600 mm	uality Posign Cohe cost of cover and x y y x x y y x x y y x x y y x x y y x x y y x x y y x x y y x x y x	orcelain plor and of sealer and direct orcelain ade with ler for fir	glaze Shad for fi ted by x x x x x x x y glaze adhe	@ Rs. d tiles flooring e with adhesi inishing the jo y the Enginee 19 1-1/8 12 19 12 6-1/2 7 7 @ Rs. d tiles of Massive / bond or g the joints / 6 y the Enginee	g of MASTER brand of ve / bond over 3/4" bints i/c cutting grinding ir Incharge. Full body Total 341.95 ster brand ,skirting / ver 1/2" thick (1:2) cutting grinding ir Incharge. Full body		%Cft 171 32 60 171 60 37 644 358 1533 P-Sft	Sft sft sft sft sft sft sft		
specific thick (1 comple Glazed Indoor Related Indoor Related Indoor Related Indoor Version Indoor	ed size in appro :3) cement pla ite in all respec- tiles 600mmx oom No. 36 D.Cill oom No. 45 oom No. 45 oom No. 42 nen store er er Ing and laying set plaster i/c the ite in all respec- tiles 600mmx	superb q oved des ster i/c th tot as app 600 mm 1 7 1 1 1 1 1 1 cost of a cost of a	uality Posign Cohe cost of cover and x y y x x y y x x y y x x y y x x y y x x y y x x y y x x y y x x y x	orcelain olor and of sealer and direct orcelain ade with ler for fir nd direct	glaze Shad for fi ted by x x x x x x x y glaze adhe	@ Rs. d tiles flooring e with adhesi inishing the jo y the Enginee 19 1-1/8 12 19 12 7 7 Rs. d tiles of Massive / bond or g the joints of	g of MASTER brand of ve / bond over 3/4" bints i/c cutting grinding r Incharge. Full body Total 341.95 ster brand ,skirting / ver 1/2" thick (1:2) cutting grinding		%Cft 171 32 60 171 60 37 644 358 1533 P-Sft	Sft ft ft St. Sf. Sf. Sf. Sf. Sf. Sf. Sf. Sf. Sf. Sf		136592

Indoor Room No. 42	. , ,2	× (5 +	12)	x ·	,5 · =	170	Sft
Indoor Linen store	2.	x, (5-5/8 +	6-1/2)	x .	5 =	121	Sft
Indoor Ver	2	х і (92 +	7)	×	5 =	990	Sft
Indoor Ver	i 2	× (51-1/8 +	7)	x	`_5 =	581	Sft
	1.			To	tal	· •	2593	Sft
	1.10	1						İ
				@ Rs.	341.9	5.	P-Sft 1	1

Providing and laying superb quality Ceramic tile floors of Master brand of specified size Glossy / Matt / Texture of approved Color and Shade as per approved design with adhesive bond, over 3/4" thick (1:2) cement sand plaster i/c the cost of sealer for finishing the joints i/c cutting grinding complete in all respects and asapproved and directed by the Engineer Incharge 12"x36".

	'		!		ര 'Rs.		241.40	P-9	Sft
1		٠				Total		=	649 Sft
D.Ciil	2	x ·	4 ·	x	1-1/8		•	= _	9 Sft
D.Cill	4	×	2-1/2	×	. 3/8		,	, =	4 Sft
и .	Ż	x	6-3/8	x	13-5/8	•	7.4	=	174 Sft
OPD Wash room	.4	x	3.	x'	4-1/4		;	=	51 Sft
D.Cill	1.	×	4 .	x	1-1/8			=	5 Sft
D.Cill	2	x	2-1/2	x	3/8			=	2 Sft
•	2	X	3-1/2	x	5 .			=	, 35 Sft
Labour room washrooms	1	×	7-5/8	x	8-1/4			=	63 Sft
D.Cill	2	x	4	x,	1-1/8			=	9 Sft
D.Cill	10	x	2-1/2	x	3/8			=	9 Sft
	1	x	8-5/8	x	6			=	52 Sft
• ;	- 3' - 1	X	10-1/2	×	9-1/4			=	97 Sft
	4	×	4-1/4	x	. 4-2/5	•		=	75 Sft
surgical ward washrooms	6	×	4-1/4	×	2-1/2		,	= -	64 Sft

241.40

156669 /-

12. Providing and laying superb quality Ceramic tiles dado of Master brand of specified -size, Glossy / Matt / Texture skirting / dado of approved Color and Shade with adhesive bond over 1/2" thick (1:2) cement sand plaster i/c the cost of sealer for finishing the joints i/c cutting grinding complete in all respects and asapproved and directed by the Engineer Incharge 12"x36".

-			1			:			_]:
6	2	x	(4-1/4	+	2-1/2)	X	.5	=	405	:
4 .	2	X	Ċ	4-1/4	.+	4-2/5)	X	5	=	347	Sft
2 .	2	×	(10-1/2	+	9-1/4)	x	5	=	395	Sft
2	2	x	(3-5/8	+ .	5)	x	5	=	173	Sit
¦ . 1	2	×	(7-5/8	4	8-1/4)	x	5	=		Sft
4 '	2	x	(3	+	4-1/4)	x	5	÷	290	Sft
2	2	χ̈́	(6-3/8	+	13-5/8)	x	5	= _	400	
							Tota	1		=	2168	Şft
deduction door		1	×	6 :	x	2-1/2		×	5	=	75	\$ft :
		1	x	4	×	3		x	, ,5	=	.60	Sft
		1	x	4	x	2-3/4		, x · ·	5	=	55 _.	Sft
		1	х,	ż [;]	×	2-3/4	٠,	x	5	=	28	\$ft
· ·		; 5	×	1 '	x	2-1/2		x	5	=	63	Sft
								Total		= _	281	Sft

In	door Block		<u>'</u> .	••	+	`.			· · ·	Ki i		•			
	W3	:		¦ 4		!	x.	6		X.	5-1/2		=	132 sf	t
•	; W4	•		26		,	χ,	, 4	•	×	5-1/2		=	572 sf	t
	H,W-1 '			10	!		x.	1 4	٠.	, x	3 -	·	=	120 sf	t
			• •			1	: .	•		• .		Total	= 22		sft
		į , į		·		1		<i>.</i> @		1354		10(0)		-Sft	0.1

3082489 /-


17 Providing and fixing M.S. grill fabricated with MS Square polished Vertical/horizontal Bars of specified size @ 4" c/c | passed through punched holes in MS Patti of 1-1/4"x1/8" i/c the cost of 1-1/4"x1/8" MS patti for Frame of windows and painting 3 coat complete in all respect as approved and directed by the Engineer Incharge. 3/8"

OPD	Block
-----	-------

	W-2	26	X,	4	X	5-1/2	=	572 sft
	W-4	8	x	6	×	5-1/2	=	264 sft
	H.W-1	11	x	4	x	3 .	=	132 sft
•	H.W-2	2	x	2	x	2	=	8 sft

Diagnostic Blo	ck ,								sft
W-1		1		·x	10	. x	5-1/2	=	55 sft
.W-2		1		x	8	x	11	=	88 sft
W-3	i	2.	•	×	6	. x	5-1/2	=	66 sft
' W-4	, ,	10	•	x	4	×	5-1/2	=	220 sft
H.W-1		4		x	4	x	3	=	' 48 sft
Indoor Block									
W3		4		x ,	6	×	5-1/2	=	132 sft
W4		26	•	· ×	4	×	5-1/2	=	572 sft
H W-1		10		×	4	x	3	=	120 sft

New Building



P-Sft

18 Providing and laying 3/4" thick full width Pre polished Marble slab for Vanities / Shelves / Treads / Window Cills, having Uniform texture (Spotless) with adhesive bond over 3/4" thick (1:2) cement sand mortor i/c the cost of matching sealer complete in all respects as approved and directed by the Engineer Incharge. China verona.

3690821 1-1965848/-

OPD Block

W-2	26	×	4	x	1-1/8	=	117 sft
· W-4	8	x	6	x	1-1/8	=	54 sft
Diagnostic Block							sft
W-1	, 1	x	10	×	1-1/8	=	11 sft
W-2	1	x	8	×	1-1/8	=	9 sft
W-3	2	x	6	x	1-1/8	=	14 sft
W-4	10	x	4	x	1-1/8	=	45 sft

		٠.			-							
	Indoor Block						;	,		t		
			\	i e la			1-		:·	27.64		
	W3	. 4	•)	€ 6	1, X	1-1/8		= ,. ·	27 sft		
	W4	26	:	· ×	4	X	1-1/8	i	<u> </u> ±1	17 sft	:	
	Alumina aquistas	, C	o.	1.1		/O.	1	:	= :	128 8	Sft	
	Nursing counter	6	x 8-1		c, 2-1/			•	•			
	Sitting Benches	5	x 10	· · · · · ·	c 1-1/	2 1			='	75 \$		1
		! !		1 ,	,t			Total	= '	, .	sft	e se e e
					`@			,	75 P-Sft			246905 /-
19.	Reinforced cement co	oncrete	in roof	slab, be	eams, coli	umn, linte	els girder 8	& other	t .		, '	•
	structural member laid						i member c	omplete				
	in all respect type 'C' n	ominai	mixture (1:2:4). GI	rouna ilpor	4		;				
	.			4					<u>.</u>	48 (Cfl	
	Nursing counter	:6	x 8	,	(2	x	1/2		- '			i.
	Sitting Benches	.5	x 10	. >	c , 1-1/	/2 , x	1/2		=	38 (
	For Roof	6 >	× 8	X	2	2 x	1/2	?'	=	. 48		:
		5 >	10	· x		1 1/2 x	1/2	· '	=	38		
	Expansion joint	6	x 8	>	· 2	· x	1/2	<u>'</u>	=	48 (Oft	
		5	x 10		(1-1/	/2 x	1/2		=	38 (Oft	
	:	•		·				•	,	258 (Oft.	
	,						Total		≓ ∵			
/ W	4:	1	•			@ F	ls.	559.2	P-Cft		•	143994 /-
20.	Fabrication of mild ste joints and fastening i/								ı			
	reinforcement (also inc									•		
	Take qty as above i	tem	25	58 >	6.7	5 x	0.4536	6	=	788 H	Kg	
					,		Total		=	788	Kg .	
	1.0											
	•	·		•		_		27.95	% kg			247652 <i> -</i>
21.	Providing and fixing Vincluding termite prod	ofing ar	nd polish	ing with	synthetic	enamel	as specifie					:
	handles hinges, screws		ompiete	n an resp			mout back.			400.0	24	. i
	Nursing counter	6.	x 8	>	c 2-1/	/2	•		=	120 8		:
			1				Total		=	120	Sft	
						@ F	ls.	1092	P-Sft	:		130980 /-
22												
	(225x113x40 mm) grd											
	earth (including mud p over a layer of bitumer							o gauge			-	
	_ /						<i>-</i> / ·					
, -;	P.D	, 1 >	x 233	<i>7</i> /8 x		7 1/8		•	= 11	021	Sft /	
	Dignostic /	1 >		х		5 5/8				,	Sff/	
	Indoor -	1)	x /142	5/8 x	57	7 1/2		_	= 82	201	<u>8ft</u>	
	/	•	./						= 22	592/	Sft	
	D/d Khuras	. /										
	. / :	5,6 >	x 2	· x	1 2		1 1		= 12:	24 .	Sft)
		7		٠.	' <u>/</u> :	11		-	= /22	368	Sft	/ /
					. /					,	',	
/	/	<u> </u>	·		1487	1.65	%Sfl				Rs.	2 3264€(<i>I-</i>
/23	Making Khuras on Roc	of 2' x 2'	'x 6"		3/					:	1.0.	/ /
720	waking kitalab biyitot	51 Z X Z	56		Non	2		• /	6	i e	No /	′ /
	· /		50		Nos			/ -			No /	
				/ /		0.40	/	7 .	= 5	00	Ńo /	1054
					2) 86	6.40	Each	·····			Rs.	485 / 8 <i>I-</i>
24									1	1		-
	conforming to (ISO:22							c ',	•			
	equipment placed over Engineer Incharge (a)					a and dire	cted by the	;				
	ОТ	4 >	v 30	X:	e Territoria. Territoria	. i			,_ · <u>^</u>	en ·	C#	
	O.T	,1)	X 20	Χ.	1,	9			= 3	60	Sft	
		•		1	J.,	S. W. As		1	= 3	60	Sft	
		1	4)	a	D)	1050	P-Sft				Rs.	37800Q /-
						,	~·•					
			4.1			\$ 1						

		•		114		4 .		,						
	Deducation									1	. ,	40	Sft	
	w4	•	20	X	4	X.	5 1/2			4. .1			1.1	
	hw1	*. *;	12	X	: 4	X	3	, ,			= 1		Sft	
	<u> </u>	'. •	₩ :				total					584		
		: Net =	= 1,	10	24646	-	584	;			= 2	24062	Sft	
)	: ¹ 1		·.	@	Rs.		1944	9	6Sft	1	467645 /-
31.	Preparing surfa	ce and p	aintin	ıa wil	th emulsic	n paint.	. @	;		β.		F		
01.	Walls.	,	-1						٠.	, !	1	•		
	1 '.	D Block							•					
	Room No. 2	2	X	(12-1/2	+	14	,	x	8	=	424	Sft	
					25-3/4	<u>+</u>	14	١	X	8	=	636	Sft	
	Room No. 3	. 2	X	(₁	٠.			;	,			416	4	
	Room No . 4	2	Х	- (12	+	14	;)	Χ .	8	=		•	
	ECG	. 2	X	(5-1/2	* 5	7٠ ,)	X ·	8 !	=	200		
	BATH	_ 2	x	(;	5-1/2	+	6-1/2)	X	8	=	192	Sft	
	Room No. 5	2	х	.(12	+	14)	X	8	=	416	Sft	
		•		,			7 510	,		, o	=	202	Ċff	
1	Exam Room	2	Χ.	,(5	+	75/8)	X	8	_	202	Oit	
	Room No. 6	2	×	(12	+	13-5/8)	X	8	=	410	Sft	
	Even Been	. 2		,	5	+	7-1/4).	x	8	-=	196	Sft	
	Exam Room	. 2	Х	(•	1	,	^					
	Room,No. 7	2	X	(+	12-3/4	+;	13-5/8)	Х	8	=	422	Sft	
	Room No. 8	2	x	(10	+	13-5/8)	X	8	=	378	Sft	
				,			12 5/0	,	v	8	=	346	Sff	
	Room No.9	2	X	ļ	8	+	13-5/8	,	Х		-			
	Room No.10	2	Х	(14	+	13-5/8)	X	8	=	442	Sft	
	Room No.11	2	x	(16	+	13-5/8)	x	8	=	474		
	1			٠,	:			,		0	=	410	C#	
	Room No.12	2	X	<u>:</u> (12 '	+,	13-5/8)	X	8	_	410	; ;	
	Room No.13	2	X	(12	+	13-5/8)	X	8 _i	=	410	Şft	
	•		:,		, ;								1	
			'											
	Room No.14	2	x	(17-3/4	+	13-5/8)	x	8	=	502	Sft	
	, '	'n		ļ	10		12 5/0	· ·	v	. Ω	· =	506	Sft	
	T.B Room.	2	X	(18	+	13-5/8)	X	8	-	300		
	Child specialist room	2	'n	(1.1	÷	13-5/8)	X	8	=	394	Sft	
	Room No.15	2	х	(11	! +	13-5/8)	x	8	=		Sft .	
	1		^	`									3	
	Room No.16	2	X	(13-3/4	+	13-5/8)	X	8	=	438	Sft I	
	Room No.17	_ 2	X	(15	+	14)	X	8	=		Şft	
	Exam Room	2	χ̈́		7-1/4	+	7-5/8	,	×	8	=	,, 238	Sft	
	Exam Noom		^		17 - 17 - 1	·	1 1	,	^	:		4.		
	Room No 18	2	Х	(10	+	14)	X	8	=	384	Şft	
	Room No.19	2	х	į.	12	+	14)	x	8	=	416	Śft	
				j	Ė		•	, ·		8	_	202		
	Exam Room	2	X	,	5 .	†	7-5/8)	X	×	Ξ	202	Şft	
	Room No.20	. 2	х	{	10	+	14)	x	8	=	384	Sft	•
	! '			ì			44.					440	04	
	Room No.21	2	X	(12	+	14)	Х	. 8	=	416	Sft	
	Exam Room	2	x	(5 :	+	7-5/8)	x	8	=	202	Sft	
	Room No.22	2	X	(12	+	14)	x	8	=	416	Sft	
	:	;		1						ř			ti.	
	Exam Room	2	X	(5 ;		7-5/8)	X	8	=	202	Sft	
	Room No.23	2	X	(13-3/8	+	17-1/4)	х	8	=	490	Sft	
	Room No.24	2	X		13-3/4	+	13-5/8	1	x	8	=	438	Sft	
	* , 1		^			r	* I	,	,			. 1		
	Room No.25	2	X	(8 :	+	13-5/8)	X	8	=	346	Şft	
			,		i									•

		,		13							
Room No 26	;	2	X	(10	+	13-5/8)	X	8 =	378 Sft
Room No.27		2	X	(.8	4 ;	13-5/8	j	x	8 =	346 Sft
Room'No.28	: :	2	×		16	: +:	13-5/8	.)	X.	8 =	474 Sft
Room No.29		2	×	(-	8-1/2	+	13-5/8 :)	x	8 =	354 Sft
Room No.30		2	×	(12	+	13-5/8)	x	8 =	410 Sft
Room No.31		2	X	. (13	+	18)	×	8 =	496 Sft
Record room		2	X.	; (7	+	6)	X.	8 =	208 Sft
Room No.32	•	2	x	(13-5/8	+	18)	т Х.	8 =	506 Sft
Room No.33		2	x	. (20	,+ ,	18)	. ' X	11 8 =	608 Sft
Room No.34		· 2	X	į	10	+ .	15-5/8) .	x	8 =	410 Sft
Room No.35		2	X	(10	+	15-5/8) .	x .	. 8 =	410 Sft
Room No.36		2	x	(12	+	19)	x	8 =	496 Sft
Room No.37		2	x	(9	+, '	· : 19)	х	8 =	448 Sft
BATH	7	2	х	į	5	+	6)	Х	7 =	1078 Sft
ватн	1	2	х	(7-1/4	+,	6)	x	7 =	186 Sft
ВАТН	2	2	x	(3	+	4-1/4)	х	7 =	203 Sft
BATH	1	2	x	(6-3/8	+	9)	x	7 =	215 Sft
coridor		2	Х		216	Х	11-1/2	,		=	4968 Sft
coridor		2	X		227-3/8	Х	.7			=	3183 Sft .
waiting hall	1	2	х	(19	+	14)	х	7 =	462 Sft
		1		:			•				•
Diagnostic	Block	k		1	•						
	1	2	x	(12	+	6)	х	11 1/2 =	414 Sft
	1	2	x	; (12	+	9-5/8)	х	11 1/2 =	497 Sft
	1	2	X	· (8	+	12-5/8	j	, X	11 1/2 =	474 Sft
	1	- 2	×	(8	+	5)	x	11 1/2 =	299 Sft
	1	ج 2	×	1	8	+	; 8-5/8	,	x	11 1/2 =	382 Sft
	1	2	×	i	8	+)	X	11 1/2 =	391 Sft
	2	2	, X	(8	+	9 13-5/8)	×	7 =	606 Sft
1	2	2	×	(3-5/8	+	5)	; x	; 7 =	242 Sft
	2	2	×	(3-5/8	+	5)	x	7 =	242 Sft
	1	:	î 2		80	•	×	,	^	7 =	1120 sft
•		•	2	:	84					7 =	1176 sft
	•	;	: 2	į	;		; X				222 sft
· 1	i	,		,	15-7/8		, 1 X	:		7 =	266 sft
		•	2	:	19						47
5 • .			2	1	7 ,		X			7 =	98 sft
			2		8		, X			7 =	112 sft
		1	1	,	13		. X	ŧ		7 =	91 sft
			1		9 !		X	.f.	þ	7 =	63 sft
	ı		1	;	28 ;;		X		÷	58 = .	1624 sft
Indoor Block			-	;	: i		4.	:	:		
ward	2	2	X	(12	+	19)	X	11.5 =	1426 Sft

4	1 #	٠.	1 1 1 1 1 1	•			٠		
pantry	2 2	×	(9	+ :	19)	x	11.5 =	1288 Sft
store	2 2	X	(5	+	12:)	x	11.5 =	782 Sft
. '					6-5/8	١	X.	; ; ; 7 =	1 1
tollet	5 2	X	(5.	, ·		.)		15 =	2700 Sft
toilet	2	X	(30	+ .	60) }	×	·	
toilet	2	X	(12	+	60)	×	15 =	2160 Sft
	1 2	x	(11)	+:	19)	X	11.5 =	- 対象の企業
	¹1 . 2	x	(11	+1	10	(,	x	7 =	294 Sft
	2 2	X	(11 .	+	12)	x	11.5 =	1058 Sft
	2 2	X	(5-5/8	+	6-2/5)	×	7 =	337 Sft
	2 2	X	(5	+	12) .	x	11.5 =	782 Sft
*	2 X	2	×		7-1/2	x		7 =	210 sft
	1 0	2			6	×		7 =	84 sft
À	1 x				,		v	: 7 =	
$\int_{\mathbb{R}^{n-1}} \frac{1}{1} \int_{\mathbb{R}^{n-1}} \frac{1}{$	1 2	X	(20	. +	10 ·)	X	_	4.
	6 X	2	X		4-1/4	Х		7 =	· 1
; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;	4 x - ',	2	x		9-1/4	X		7' =	518 sft
coridoor	1 x	2	x		132-5/8	X		7 =	1857 sft
coridoor	1 x :	2	x		25	X		7 =	0-0 6
; ; coridoor	1 x	2	X		22	X		7 -	308 sft
))			. ,			, · · · · · · · · · · · · · · · · · · ·
. (vi								1.
		i i	}						
	Roofs.		مد ما		i.			; _	175 sft
		1	x 12-1/2	X	14				261 off .
		1 1	x 25-3/4	X	14 14				169 off ::
	;	1	x 12 x 5-1/2	×	7				39 sft
	•	i 1	x 5-1/2	x	. 6-1/2 ·	:		. =	
→ ,	•	1	x 12	x	14			=	168 sft
	•	1	x 5	×	7-5/8	-9			_ 38 sft "
;		1	x 12	х	13-5/8	, '		=	164 sft
	•	1	x 5	x	7-1/4	1		· :	
T		1	x 12-3/4	x	13-5/8	,		,	₌ 174 sft ∤
	-	1	x 10	x	13-5/8			:	136 sft
i i	-	1	x 8 .	х	13-5/8				109 sft 🚊
		1	x 14	x	13-5/8			;	_ 191 sft
• ;		1	x 16 ·	x	13-5/8			;	_ 218 sft
		1	x 12	x	13-5/8			:	_ 164 sft
	•	1	x 12	x	13-5/8			. :	= 164 sft
		1	x 12 x 17-3/4 x 18	x	13-5/8			;	242 sft
		1	x 18	x	13-5/8				<u> </u>
		1	x 11	×	13-5/8			;	150 sft
	,	1	x 11	×	13-5/8	,			= 150 sft
		1	x 13-3/4	x	13-5/8				± 187,sft
•		1	x 15	X	14			· ;	= 210 sft
	٠,	1	x 7-1/4	X	7-5/8				= 55 sft
		1	x 10	x	14			•:	_ 140 sft _ 168 sft
		1	x 12 ·	X	14			:	= 100 sit = 38 sft
		4	·	1/	7 510				_ UQ ƏIL

7-5/8

	ļ									1	
3	1		; :	ا ا					٠.		140 sft
1	X	10	X	14	٠.					<u>F</u>	168 sft
1	X	12	x' ;	14	,	ŧ				=	38 sft
1	X	5	X	.7-5/8						=	
1	Χ̈́	12	X {	14						≟:	168 sft
	×:	5	X	7-5/8		-				<u> </u>	38 sft
1	X	13-3/8	X.	17-1/4	• '.			į		=	231 sft
1.	X	13-3/4	x	13-5/8	:					. <u>=</u>	187 sft.
1	X	8	x	13-5/8				1		· =	109 sft
1	X	10	x	13-5/8					'	=	136 sft
1	×	8	.· Х	13-5/8			•	•		=	109 sft
1	×	16	x	13-5/8						=	218 sft
1	x	8-1/2	x	13-5/8						=	116 sft
1	X	12	.^. Х	13-5/8						=	164 sft
1	×	13	×	18						: =	234 sft
	X X									:=	42 sft
1	ı	7	X	6						=	245 sft
·1	×	13-5/8	X	18						·	360 sft
1	X	20	X	18						=	156 sft
1	X	10	×	15-5/8 ·					,	= : =	156 sft
1	x :	10	×	15-5/8						=	
1	X	12	Х	19						=	228 sft
1	;										÷
•	•										
ì	X	9	×	19						=	171 sft
1	х	5	х	6						=	30 sft
1	X	7-1/4	x	6						=	44 sft
1	Х	3	х	4-1/4						=	13 sft
1	X - X	6-3/8	x	9						=	57 sft
1	, ;	19 ·	X	1 '						; =	266 sft
1	Ϋ́	12		6						=	72 sft
			X X	14 6 9-5/8						=	266 sft 72 sft 116 sft
1 1	X	12		9-5/0 10 E/0						=	101 sft
	X	8	X	12-5/8						· -	40 sft
1	X	8		5 8-5/8							69 sft
1	X	8	Х							=	72 éft
1	Х	8	X	ð.						=	100 cft
1	X	8	X	13-5/8						=	69 sft 72 sft 109 sft 18 sft 18 sft
1	X	3-5/8	X	5	'					=	10 511
1	X	3-5/8	×	5 8 8 8 8 8 8						=	18 Sπ
1	X	15-7/8	×	8						=	127 sft 152 sft 56 sft 64 sft
1	X	19	×	8						=	152 sft
1	X	,	x	.8						Ħ	56 sft
1	X		×	8						=	64 sft
i	X	8 13	×	8						≡ . • · · ≡	104 sft
1	х		x	8						=	72 sft
1	х	9 12	×	19						=	228 sft
1	×		x	19						=	171 sft
1	X	5	×	12				-		=	171 sft 60 sft
		74.26		6-5/8						÷	33 sft
1	X	9,5555 5 111	X	19							209 sft
1	X	111	X							= : =	33 sft 209 sft 110 sft 132 sft 36 sft
1	X	11	Х	10							132 eff
1	X	11	X	12 - 6-2/5							ایک وال
1	х	5-5/8	Х	6-2/5						=	०० डा

1	•				ĵ.	:		•		1		
1		,	1	х	5	x	12			. ≝	60 sft	
1	-				7.1/2		17			\ =	56 sft	
x 10				X	1-112		9.2			<u>:</u>	36 sft	,
1 x 10 x 10 x 10 1 18 sft 1 18 sft 1 18 sft 1 1 x 4-1/4 x 1-1/4		1	X	6	X	6			. = '4'	* #		
1			1		10	x	10			· 🕺		·
1	$(x_1, \dots, x_n) \in \mathcal{A}$	<i>(</i> ,	1	×	μ*	XI,	4-1/4	1		=	18 sft	
1 x 25 x 7-1/2 = 188 sft 165 sft Take 50 % one coat without scraping		100	1	- Ç.:-			9-1/4	•		. =	86 sft	
1 x 22 x 7-1/2 = 165 sft Total = 64024 Take 50 % one coat without scraping. 64024 x 50% 64024 x 50% 1169 %sft 374285 /- Take 50 % TWO coat with scraping. 64024 x 50% 64024 x 50% 2830 %sft 905924 /- 32. Painting to door and windows any type 02 coats old surface 25 x 2 x 3-1/2 x 81/2 = 1488 Sft 5 x 2 x 4 x 81/2 = 340 Sft 10 x 2 x 3 x 81/2 = 255 Sft 10 total Rs. 1695 %Sft 43942 /- 33. Painting to door and windows any type 03 coats new surface 12 x 2 x 3-1/2 x 7 = 588 Sft 5 x 2 x 4 x 7 = 280 Sft total Rs. 2771 %Sft 24050 /- Total = 187718487.	• 1		ا. ال		N 1	. :	,			· · · · <u>-</u>	188 sft	•
Total = 64024 Take 50 % one coat without scraping. 64024 x 50% Take 50 % TWO coat with scraping. 64024 x 50% Take 50 % TWO coat with scraping. 64024 x 50% Easilous 2 x 3-1/2 x 8 1/2 = 1488 Sft 5 x 2 x 4 x 8 1/2 = 340 Sft 10 x 2 x 3 x 8 1/2 = 510 Sft 10 x 2 x 3 x 8 1/2 = 255 Sft total Rs. 1695 % Sft 43942 /- 33. Painting to door and windows any type 03 coats new surface Rs. 1695 % Sft 43942 /- Rs. 2771 % Sft 24050 /- Total = 18771848 T/-			1	×	•					· -	e Programme	
Take 50 % one coat without scraping. 64024			1	X	22	Χ.	7-1/2			 .		·
64024 x 50%			ι,		,	* 1		Tot	al .	=	64024	
Take 50 % TWO coat with scraping. 64024	Take 50 %	one coat wi	ithout scr	aping.	0.400.4		E00/		•	12	32012 03	
Take 50 % TWO coat with scraping. 64024	·		1	1	64024	X	6.5				,	374285 /-
64024 x 50%	Taka 50 %	TIMO costs	with scree	; oina						, 100	t to	
25 x 2 x 3-1/2 x 8 1/2 = 1488 Sft 5 x 2 x 4 x 8 1/2 = 340 Sft 10 x 2 x 3 x 8 1/2 = 510 Sft 3 x 2 x 5 x 8 1/2 = 555 Sft 2593 Sft 10 x 2 x 3 x 8 1/2 = 5255 Sft 2593 Sft 2830 %Sft 905924 /- 25 x 2 x 4 x 8 1/2 = 1488 Sft 25 x 2 x 4 x 8 1/2 = 510 Sft 3 x 2 x 5 x 8 1/2 = 255 Sft 2593 Sft 2830 %Sft 905924 /- 25 x 2 x 4 x 7 = 258 Sft 43942 /- 271500 /-	1 ane 50 %	·	With Bolds)g.	64024	х	50%			!=	32012.03	
25 x 2 x 3-1/2 x 8 1/2 = 1488 Sft 5 x 2 x 4 x 8 1/2 = 340 Sft 10 x 2 x 3 x 8 1/2 = 510 Sft 3 x 2 x 5 x 8 1/2 = 255 Sft 2593 Sft total Rs. 1695 %Sft 43942 /- 33 Painting to door and windows any type 03 coats new surface 12 x 2 x 3-1/2 x 7 = 588 Sft 5 x 2 x 4 x 7 = 280 Sft total Rs. 2771 %Sft 24050 /- Total = 187718487/-			1.			٠,	• •			2830	%Sft	905924 /-
5 x 2 x 4 x 8 1/2 = 340 Sft 10 x 2 x 3 x 8 1/2 = 510 Sft 3 x 2 x 5 x 8 1/2 = 255 Sft 2593 Sft	32. Painting t	to door and	window	s any	type 02 co	oats old	d surface				• • •	
5 x 2 x 4 x 8 1/2 = 340 Sft 10 x 2 x 3 x 8 1/2 = 510 Sft 3 x 2 x 5 x 8 1/2 = 255 Sft 2593 Sft	•		,		.*						40.00	•
5 x 2 x 4 x 8 1/2 = 340 Sft 10 x 2 x 3 x 8 1/2 = 510 Sft 3 x 2 x 5 x 8 1/2 = 255 Sft 2593 Sft	\cap	.!		- :	11 :	1	, :		0.470	_	. "	
10 x 2 x 3 x 8 1/2 = 510 Sft 3 x 2 x 5 x 8 1/2 = 255 Sft total (a) Rs. 1695 %Sft 43942 /- 33. Painting to door and windows any type 03 coats new surface 12 x 2 x 3-1/2 x 7 = 588 Sft 5 x 2 x 4 x 7 = 280 Sft total (a) Rs. 2771 %Sft 24050 /- Total = 18771848 7-			25 !	×	2	X.	3-1/2	X		-	1488 Sft	
3 x 2 x 5 x 8 1/2 = 255 Sft total (a) Rs. 1695 %Sft 43942 /- 33. Painting to door and windows any type 03 coats new surface 12 x 2 x 3-1/2 x 7 = 588 Sft 5 x 2 x 4 x 7 = 280 Sft total (b) Rs. 2771 %Sft 24050 /- Total = 18771848 /-			5	x	2	X	4 .	X	8 1/2	÷	340 Sft	
3 x 2 x 5 x 8 1/2 = 255 Sft total Rs. 1695 %Sft 43942 /- 33. Painting to door and windows any type 03 coats new surface 12 x 2 x 3-1/2 x 7 = 588 Sft 5 x 2 x 4 x 7 = 280 Sft total Rs. 2771 %Sft 24050 /- Total = 18771848 7-			10	×	2 ,	x	3	x	8 1/2	=	510 Sft	•
total 2593 Sft @ Rs. 1695 %Sft 43942 /- 33. Painting to door and windows any type 03 coats new surface 12 x 2 x 3-1/2 x 7 = 588 Sft 5 x 2 x 4 x 7 = 280 Sft total @ Rs. 2771 %Sft 24050 /- Total = 18771848 /-					•	×	5	×	8 1/2	.=		
@ Rs. 1695 %Sft 43942 /- 33 Painting to door and windows any type 03 coats new surface 12 x 2 x 3-1/2 x 7 = 588 Sft 5 x 2 x 4 x 7 = 280 Sft total @ Rs. 2771 %Sft 24050 /- Total = 187718487/-				^		^	•	~	, <u>-</u>			
33. Painting to door and windows any type 03 coats new surface 12	•				,		total				£777.7	
12 x 2 x 3-1/2 x 7 = 588 Sft 5 x 2 x 4 x 7 = 280 Sft total 868 Sft				1		:	@	Rs.		1695	%Sft	43942 /-
12 x 2 x 3-1/2 x 7 = 588 Sft 5 x 2 x 4 x 7 = 280 Sft total 868 Sft	33. Painting t	to door and	l window	s any	type 03 c	oats ne	w surface					
5 x 2 x 4 x 7 = 280 Sft total 868 Sft	,	•		, ,	1.3		. •				$e=e_{\mathbf{r}}$	•
5 x 2 x 4 x 7 = 280 Sft total 868 Sft	:				!					,	. 4 1	
total 868 Sft @ Rs. 2771 %Sft 24050 /- Total = 18771848 /-			12	X	2	X	3-1/2	X	7	=	588 Sft	
total 868 Sft @ Rs. 2771 %Sft 24050 /- Total = 18771848 /-			5	х	Ż	×	4 .	x	7	=	11280 Sft	
@ Rs. 2771 %Sft 24050 /- Total = 18771848 /-					• •		total				7 868 Sft	
Total = 187718487-	‡		•		,,					•		
Total = 78771848 /-					, i.	. '	· . @	Rs.		2771	%Sft	24050 /-
		İ			\ddot{z}	1 :-	1.1				Total =	→877 18Z8¯/_
Say, = $\frac{8771500}{13309375} = \frac{13309375}{126145}$., .	•	₹ras Arm				Total –	107710407
$ \begin{array}{rcl} & & & & & & & & & & & & & & & & & & & $			1	0		•					Ť	
13309375/+86145 126145P2	, and					i'					Say, =	₹8771500 /- —
713 H	<i>y</i> ".		ī,				, · •				100-99	5-1-1867-5-
F13	•	•		,	1	1	11				133013	0/-
		A	13				\mathcal{A}					1264550

,Sub Engineer

Sub Divisional Officer, Buildings Sub Division Samundri

Executive Engineer
Buildings Division No. 3
Faisslaged

Detail For Converting Of OPD Rooms into Emergency Hall Size (51' x 37')

BASED ON 2nd BI-ANNUAL 2022

Dismantling reinforcemen	nt cement	concreté	i/c	seperating stee	<u>ا</u> إ
.= :=:	, '		4.7		

@ 18342.70 %Cft Rs. 21060 /-

2 Dismantling Brick work in lime or cement mortor.

Total = 2160 Cft

Add 25 % F&P

2160 x 25 / 100 =
$$\frac{540}{\text{Total}} = \frac{2700}{\text{Cft}}$$
 (A)

Deduction

@ 4330.90 %Cft 97229 /-

3. Dismantling cement concrete plain (1:2:4)

$$1 \times 52 \times 47 \frac{1}{4} \times \frac{1}{6} = 409 \text{ Cft}$$

4. Dismantling mud concrete.

$$1 \times 52 \times 47 \frac{1}{4} \times 2/3 = 1636 \text{ Cft}$$

6 Removing windows and sky lights with chowkat.

7 Removing vantilator & wooden sunshade etc.

8 Excavation in foundation of building bridges and structural member i/c cutting dag belling re filling around the structure in o/soil

9 Cement concrete brick or stone ballast 1½" to 2" gauge in foundation and plinth (1:6:18).

$$4 \times 6 \times \frac{10}{100} = \frac{72}{100} = \frac{100}{100} = \frac{100}{1$$

Total

@ 19801.40 %Cft Rs. 14257 I-

2804 /-

			1		1 ,		:					1		P		
10	Reinforce	d cen	ent	concre	te in	Raft/st	rip	114								
	foundation	n laid	in s	itu or p	re ca	ist laid i	n'pos	sition	٠.			,	. , !			
	pré strese	ed me	mbe	ers cas	t in si	tu com	olete	in all	•		• • •	1				
. '	respect T	ype 'C	ZN	ominal	mixtu	ure (1:2:	(4)	1 1 1	į.			sign s				
			Į,	6	ت	6	x	3/4		=	108	Cft				
		; , 4	E A	4	· ^ · X.	1 1/8	•	3/4		=	27	Cft				
· .		, ,	У.	. 7.				,	Total	=	135	Cft				•
								- i	;		- Ny 11		. ,			,
	1 - " .	:			. !	11					@ .		460.05	Cft	Rs.	62107 <i>I-</i>
		, ,	٠. ٠			.	.'	11	j.						1.4	
11	RCC in ro	of sla	ıb t	eams.	colúi	mni linte	els di	rder			1000					
	and other								1		. 4	, .;				
	laid in po	sition	in p	restres	sed r	nember	còm	plete	· ·			, (
	in all resp		pe '	B' nom	inal r	nixture	ratio	(1:1,								
	1/2:3) G/F	=					:	,				i	1	!		
		4	1 x	1 1/4	х	· 1 1/4	4 x	14 1/2		=	91	Ċft				
		2	2 x	53	×	1 1/4	4 x	1 1/2		=	199	Cft				
	,	2	2 x	39	x	<u></u> 1 1/	4 x	1 1/2		=	146	Cft				
\cap		. 2	2 x	39	х	1 1/2	2 x	2/5		=	49	Cft				
1			2,x	53	×	1.1 1/∂	2 ×	.2/5		=	66	Cft				
								•	Total	=	550	Ċft	•			•
;				f									0.45.05		_	0005404
											@	i	615.05	P-Cft	Rs.	338549 <i>I-</i>
12.								ent for o								
	conc	rete 1/0 faction	c ou	ting ber	laing hindir	iaying in na wire a	nd is	tion makin abour char	raes for							
	anu	iastiig	1/0	0031 01	Diridir	. <u>9</u> ******	•	- 1	goo .c.					-		
	Ot	່. ທ່ອຣ່ກເ	or ite	em No.1	In =	135	x;	6.72	x 0.454	¬=	Z96	Kg (1/3			
				em No.1		550			x 0.454			Kg /				·
	Q.	, ab p	J, IC				<u> </u>	50	Total	-			2411			
		:		:	- '		O	' /3		-		- "	<i>-</i> ,			
				1	. '						@		31,427.9	5 %Cft	Rs.	_1270318-I-
												:				
13	1/2" thick	ceme	ent	plaster	1:5 ւ	ipto 20f	t. He	ight.								757728
	1	-				<i>:</i>										
. ,			: 2 х	51	x	12	:	•		=	1224	Sft				
	•		2 x	37	·x	12	·	1 ×		=	888	Sft				
			1	•		:	å		Total	=	2112	Sft		,		
~ `	·, .)						@	'i	3,140.70	%Sft	Rs.	66332 <i>I-</i>
			:		: 1	!	.:				i ,					
14	S/laying	polyth	ene	e shèet	500	gauge i	ınder	r floors.			4,	•				
	•		. :		1	• : :	i				'	4				
			1 x	51	· ×	37 -		•		=	1887	Sft				
				•	-	:						į				
	. 1	٠.		1.1			;	1	Total	=	.1887	Sft!				
		. 1		'	1	4 /	;				:	į				
		- 1					•				@	1	8.05	P-Sft	Rs.	15190 <i>I-</i>
15	Supplyin	g fillir	ng s	and un	der fl	oor or p	luggi	ing in			· ••					
	well.					1		: .			<u> </u>	1				
			i x	51	X	37	x.	. 1/3		=	628	Cft				
						1			Total	=	628	Cft				
				, 1	•	•	,	1			1					
			1	100		<u>!</u> :		1.			@		2,944.60	%Cft	Rs.	18503 <i>I-</i>
		•				•					١.	•				
16	Dry rame	ned b	rick	or stor	ne ba	llast 1-1	1/2" t	o 2"								
	gauge.				•							þ				•
			1 x	51	×	37	χ.	1/3		=	628	Cft				•
		,		ė.					Total	=	628	- Çft		-		
		٠				1					•					
				•		1				-	@		9,035.40	%Cft	Rs.	56776 <i>I-</i>
17.	Cement of										٠,	•				
	finishing a		ring	comple	ete (in	cluding s	scree	ning and								
	Flooring	1				1					1.4					

1887 Sft 1887 Sft

313 Cft

Page 112

Total

1/6

Sft

Flooring

341.09

@

P-Sft

643637 I-

Providing and laying superb quality Porcelain glazed tiles flooring of MASTER brand of specified size in approved design , Color and Shade with adhesive / bond over 3/4" thick (1:3) cement plaster i/c the cost of sealer for finishing the joints i/c cutting grinding complete in all respect as approved and directed by the Engineer Incharge Full body Glazed tiles 600mmx 600 mm.

Flooring

1 x 51 x 37 =
$$\frac{1887 \text{ Sft}}{1887 \text{ Sft}}$$

19. Providing and laying superb quality Porcelain glazed tiles of Master brand ,skirting / dado of specified size , Color and Shade with adhesive / bond over 1/2" thick (1:2) cement plaster i/c the cost of and sealer for finishing the joints, cutting grinding complete in all respect as approved and directed by the Engineer Incharge. Full body Glazed tiles 600mmx 600 mm.

Dado / Skirting

2 ·	x 51	x	5		=	510 Sft				
	x 37	. 1	5	•	=	370 Sft				
i ·		1	:	Total	=	880 Sft				
			1			@	341.09	P-Sft	Rs.	300159 <i>I-</i>

20. Providing and fixing all types of partly fixed and partly openable glazed anodised bronze colour aluminium doors, using delux section of M/s Al-Cop or Pakistan Cables, having chowkat frame of size 40 x 100 mm (1½" x 4") and leaf frame of 60x40mm (21/2"x11/2") wide sections including the cost of $\ensuremath{\mbox{\sc M}}$ " (5 mm) thick imported tinted glass with aluminium triangular gola and rubber gasket to support the glass and leaf edging, using approved standard fittings, locks, 3" (75 mm) wide long

Take Extra cost for making-shuttering-/-Supporting (both sides) roof for removing brickwork walls to cast RCC

Rs. -400000<u>/</u>-

3637769-1-Total

Say

Sub Engineer

Sub Divisional Officer, Buildings Sub Division Samundri

Buildings Division N.

√ Faisalabad

Page 114

Page 115

DETAIL REPAIR OF PLINTH PROTECTION

Excavation in foundation of building bridges and other structural member i/c cutting dag belling dressing and re filling around the structure in o/soil

	·			= 5/4	_ ::	œ		107 12.00	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	0
2	Dry rammed bri	ick or stone ballast, l	1/2" to 2"(40 mm to 50		_ · ·					
	mm) gauge						7			
		1 x 170	x 1 1/2 x 1/2	2 = 127.50	Cft					
		• 1			_			'		= 0.0 .
	1 1		. ,	= 127.50	Cft.	ര		9035.40	%Cft Rs:	11520 /-

Pacca brick work in foundation and plinth ratio 1: 6.

Providing and laying conglomerate flooring (two coat work) with top layer of 1/2"(13mm) thick wearing surface, consisting of one part of cement and 2 parts of stone chips passing 3/16"(6 mm) sieve, over bottom layer of coment concrete 1:3:6, including surface finishing and dividing in panels:-11/2"(40 mm) thick.

1 x 170 x 3 = 510 Sft
$$\overline{\text{Total.}}$$
 = 510 Sft @ 7711.65 %Sft Rs. 39329 /-

Cement pointing deep struck jointing on walls ratio $\overline{(1:2)}$ cement sand i/c red oxide pigment to match with the color of bricks, up to 20ft height.

300838-1-> 28 4853

3005007/-

SUB DIVISIONAL OFFICER **BUILDING SUB DIVISION** SAMUNDRI

Buildings Dr. 21 40. 2 Faisalabad

REVISED ROUGH COST ESTIMATE FOR THE REVAMPING OF ALL T.H.Q. HOSPITALS IN PUNJAB " ON AT TEHSIL HEAD QUARTER HOSPITAL SAMUNDRI DISTRICT FAISALABAD ADP NO.658 FOR THE YEAR 2022-23.

THQ HOSPITAL SAMUNDRI Provision/installation of Electrical Equipment.

.S.#		C4 1	11-14	Doto	Amount
	Description 3	Qty	Unit	Rate	Aitiount
A 1	L.T. (LV) SUB-STATION EQUIPMENT:				•
i l	P/F floor mounted ATS (Auto Transfer Switch) panel board, fabricarted with 14S WG M.S sheet (Indoor Type) duly painted with 100 microns powder coated paint in approved colour, front access				
,	extendable insulation class of 600 volts IP-44, incoming & outgoing connections from bottom with flexible copper cable suitable for 415 VAC. 3-phase 4 wire, 50 HZ TPN& E system having rated service, short circuit breaking capacity at 400VAC conforming to IEC-947-2 to		1		
,	accomodate given no of circuit components, instruments & accessories assembled & wired with Electrolitic Copper bus bars at 50			•	
	deg and cables duly cleaned down to bare shining metal phosphate, nanual change Over i/c the cost of Lock, Indication lights,thimbles, Copper Comb, Wiring, Netural & Earth Bar, CTs, Contactors, Relays, Door Earthing, Brass glands complete in all respects as approved and				
	Door Earthing, Brass glands complete in all respects as approved and directed by the Engineer Incharge. (Breakers wil be paid additionally) ATS for Dual Supply (Incoming from 630 KVA Transformer & 400	<u> </u>			
	KVA Transfomer)	<u> </u>			<u> </u>
	b) 2.50 Ft deep	1	each	5100513	5100513
,	Incoming Breakers for ATS for Dual Supply (Incoming from 630 KVA Transformer & 400 KVA Transfomer)	1	each	3100313	3100332
	1 Supplying, Installation and commissioning of MCCB (Moulded Case Circuit Breaker) of specified rating made of LEGRAND FRANCE/ GE U.S.A / SCHNEIDER GERMANY / TERASAKI JAPAN/ABB SWITZERL(with adjustable Thermal-Magnetic Trip) in prelaid DBs and Panels i/c the cost of screws, necessary wire complete in all				,
1	respect as approved and directed by the Engineer Incharge.	· ·		<u>-</u>	
	/Electronic Trip (60-100%)			<u> </u>	
	(a) Tripple Pole 1250A(50 KA) (For 630 KVA Transformer)	1	each	234034	- 234034
	2 Supplying, Installation and commissioning of MCCB (Moulded Case Circuit, Breaker) of specified rating made of LEGRAND FRANCE/GE U.S.A / SCHNEIDER GERMANY / TERASAKI JAPAN/ABE SWITZERL(with adjustable Thermal-Magnetic Trip) in prelaid DBs and Panels i/c the cost of screws, necessary wire complete in all respect as approved and directed by the Engineer Incharge.				
	a) Tripple Pole With Adjustable Thermal-Magnetic Trip /Electronic Trip (60-100%)				
	(a) Tripple Pole 800A(36 KA) (For 400 KVA Transformer) Outgoing Breakers for ATS for Dual Supply (Incoming from	1	each	138634	138634
	630 KVA Transformer & 400 KVA Transformer) 3 Supplying Installation and commissioning of MCCB (Moulded Case Circuit Breaker) of specified rating made of LEGRAND FRANCE/ GE U.S.A / SCHNEIDER GERMANY / TERASAKI JAPAN/SIEMEN/ABB SWITZERLAND (with fixed Thermal-Magnetic Trip) in prelaid DBs and Panels i/c the cost of screws, necessary wire complete in all respect as approved and directed by the Engineer Incharge.				
	(a) Tripple Pole 400A(36.KA)	<u>2</u>	each	62434	124869
-	(b) Tripple Pole 200A(36 KA) Magnetic Contactor (For existing ATS Panel of Generator)	2_	each	39814	79629
2	(d)185A (AC3) 4-Pole	2	each	. 134434	268869
	P/F floor mounted Electric Panel board of required depth and size, fabricarted with 14SWG M.S sheet (Indoor/Outdoor Type), derusting, zinc Phosphated, finish with electro static powder coating in approved colour i/c the cost of Lock, Indication lights, thimbles, Copper Comb, Wiring, Netural & Earth Bar, glands, Current Transformers of specified capacity, Door Earthing, Brass glands, bus bars, controles complete in all respects as approved and directed by the Engineer Incharge (Breakers wibe Paid Separately).	11			

	Description	Qty	Unit	Rate	Amount
S.#	1ain DB for ACs for New Building		1		
. 	Incoming from ATS for Dual Supply				
	incoming from a to our pour output				
 -					
. 		; ,			
' ' ;	(i) LT Switchboards				
	a) 2.50 Ft deep,	,			
		!_	╁━━┿		
	(a) 400A (3.0x6'x2.5')	1	each	. 3438	154728
-	Incoming Breaker for Main DB for ACs for New Building		T- \		
	CACCO (Mould		 		
: 1	Case Circuit Breaker) of specified rating made of LEGRAND	²⁴ (;			
	Case Circuit Breaker) of specified rating made of LEGRAND	оет : I	1		
- 1	FRANCE/ GE U.S.A./ SCHNEIDER GERMANY / TERAS/	1 1		.	•
. 1	JAPAN/SIEMEN/ABB SWITZERLAND (with fixed Therma	" <u>'</u> ; ,	i		
	Magnetic Trip) in prelaid DBs and Panels i/c the cost of screv	vs,	. [
	necessary wire complete in all respect as approved and directe	g by			
Ų	the Engineer Incharge.				
	(a) Tripple Pole 400A(36 KA)	1	each	62434	62434
	`` `'		 • • • • 		
	Outgoing Breakers for Main DB for ACs for New Buildin	g	+		
	2 Supplying ,Installation and commissioning of MCCB (Mould	ed .	1.		
	Case Circuit Breaker) of specified rating made of LEGRAND	ì			
	FRANCE/ GE U.S.A / SCHNEIDER GERMANY / TERAS	AKI			
. \	JAPAN/SIEMEN/ABB SWITZERLAND (with fixed Therms	al	<u> </u>		
	(a) Tripple Pole 150A(36 KA)	4	each	18094	72377
4	P/F wall mounted DB (Distribution Board) made with 16SWG Sh		1		
4	Recessded/Surface mounted Type), Powder coated Paint, i/c the c	ost of	1		
1	Recessded/Surface mounted Type), Powder coaled Faint, We the Cook. Indication lights, Thimble, Copper Comb, Wiring, Netural &	Farth			
	Lock, Indication lights, I nimble, Copper Comb, Wiring, Netural &	tor			
	Bar, Door Earthing, Digital Voltmeter, Digital Ammeter, Volt Selec	los			
	Switch, Ammeter selector switch, Current Transformers and Contro	ies		•	
	Complete in all respect as approved and directed by the Engineer				1
1	Incharge (Breakers will be Paid Separately).				<u> </u>
	Sub Main DB for ACs for New Building				L
	Incoming from Main DB for ACs for New Building				
	Theoling from Main DD for Acos for New Dates and			. <u>.</u>	}
	(a) 12" deep				
	(ii) 150A (3'x3'x12")	3	each	5146	138953
	Breakers for Sub Main DB for ACs for New Building				
	1 Supplying ,Installation and commissioning of MCCB (Mould	ed			1
1	Case Circuit Breaker) of specified rating made of LEGRANE	,	1		
	FRANCE/ GE U.S.A. SCHNEIDER GERMANY / TERAS	AKI			
	JAPAN/SIEMEN/ABB SWITZERLAND (with fixed Therm			1 .	l
	JAPAN/SIEMEN/ABB SWITZERLAND (with fixed Therm	41-	ł	• `	
	Magnetic Trip) in prelaid DBs and Panels i/c the cost of scre				
	necessary wire complete in all respect as approved and direct	g by			
	the Engineer Incharge:		<u>.</u>	<u></u>	
	(a) Tripple Pole 150A(36 KA) (1*3=3)	4	each	18094	72376
	2 Suppling, Installation and comissioning of MCB (Miniature C	'ircuit]
	Breaker) of specified rating made of LEGRAND FRANCE/		1		
		JE	ŀ		
	U.S.A./SCHNEIDER GERMANY /SIEMEN			Į	
	GERMAN/TERASAKI JAPAN/ ABB SWITZERLAND in				
	DBs and Panels i/c the cost of screwes,necessary wire comple	ete in all			
'	respect as approved and directed by the Engineer Incharge.				<u> </u>
	(a) Tripple Pole 63A(10 KA) (2*3=6) , s	6	each	8434	50606
	(b) Tripple Pole 32A(10 KA) (2*3=6)	6	each	8434	50606
	(c) Single Pole 32A(10 KA) (2*3=6)	6	each	1300	7800
	(d) Single Pole 16A(10 KA) (20*3=60)	60	each	1300	77997
5	P/F floor mounted Electric Panel board of required depth and size		- 		
.3	fabricarted with 14SWG M.S sheet (Indoor/Outdoor Type), derust	ing			
	zinc Phosphated, finish with electro static powder coating in appro			:	
	colour i/c the cost of Lock, Indication lights, thimbles, Copper Cor				
	Wiring, Netural & Earth Bar, glands, Current Transformers of spec				
	capacity ,Door Earthing, Brass glands,bus bars,controles complete			}	
	respects as approved and directed by the Engineer Incharge (Break	cers will		,	
	be Paid Separately).]		1	İ
	Main DB for Old Building	 		†	†
	Incoming from Electrical Room/Main DB	 	+ -		1
		 -	+	 	+
	(i) LT Switchboards	-		<u> </u>	
	a) 2.50 Ft deep 1		 	-3.12.	
	(a) 400A (3.0x6'x2.5')		each	3438	154728
	Incoming Breaker for Main DB for Old Building		_	ļ	
	1 Supplying ,Installation and commissioning of MCCB (Moul				
	Case Circuit Breaker) of specified rating made of LEGRANI)	ŀ		
	FRANCE/ GE U.S.A / SCHNEIDER GERMANY / TERAS				
	JAPAN/SIEMEN/ABB SWITZERLAND (with fixed Thern				
	Magnetic Trip) in prelaid DBs and Panels i/c the cost of screen			1	
	necessary wire complete in all respect as approved and direct				
	the Engineer Incharge!				
					ļ
	(a) Tripple Pole 400A(36 KA)	1	each	62434	62434
	Outgoing Breakers to Main DB for Old Building				

i

٠.					- T	Amount
,S.#		Description	Qty	Unit	Rate	. Amount
		1		,]	:
	•					
	·					
	2	Supplying ,Installation and commissioning of MCCB (Moulded	,	•		
. 1		Case Circuit Breaker) of specified rating made of LEGRAND			1	ļ
		FRANCE/ GE U.S.A / SCHNEIDER GERMANY / TERASAKI JAPAN/SIEMEN/ABB SWITZERLAND (with fixed Thermal-				
			6	each	18094	108566
	(a)	Tripple Pole 150A(36 KA) vall mounted DB (Distribution Board) made with 16SWG Sheet		-		
6	P/F W	essded/Surface mounted Type), Powder coated Paint, i/c the cost of	ï]. }		
	Lock	Indication lights, Thimble, Copper Comb, Wiring, Netural & Earth	•	1	Ì	· •
٠,	Bar	Door Earthing, Digital Voltmeter, Digital Ammeter, Volt Selector		1 1		
	Swite	ch: Ammeter selector switch, Current Transformers and Controles	'	l	ļ.	
	Com	plete in all respect as approved and directed by the Engineer	•		ì	
	Incha	arge (Breakers will be Paid Separately).		1		
!	-	Main DBs for Lighting for Old Portion (All Old DBs in Old	_	1		
		·		ļ l	ì	
	Port	·		 - 		
ļ		Incoming from Electrical Room/Main DB	_	 		·
		6" deep (ii) 100A (30"x22"x6")	8	each	13,809.80	253133.634
	+	Breakers for Sub Main DBs for Lighting for Old Portion (All	- _	1 1		
		Old DBs in Old Portion)		1 1	1	j
ļ	1 1	· · · · · · · · · · · · · · · · · · ·		╂╾╌╌┤		
	'	Supplying Installation and commissioning of MCCB (Moulded		1		
	1 1	Case Circuit Breaker) of specified rating made of LEGRAND FRANCE/ GE U.S.A / SCHNEIDER GERMANY / TERASAKI				
İ	1	JAPAN/SIEMEN/ABB SWITZERLAND (with fixed Thermal-				
ļ		Magnetic Trip) in prelaid DBs and Panels i/c the cost of screws,		1 1		
E		necessary wire complete in all respect as approved and directed by		1		
		the Engineer Incharge.	i		· !	
L	<u> </u>		8	each	17,434.30	139474.4
	(a)	Tripple Pole 100A(36 KA) (1*8=8)		cacii	17,434.50	.55
	2	Suppling, Installation and comissioning of MCB (Miniature Circuit Breaker) of specified rating made of LEGRAND FRANCE/ GE	1			i
1		U.S.A / SCHNEIDER GERMANY /SIEMEN		l l		
ļ .	Į	GERMAN/TERASAKI JAPAN/ ABB SWITZERLAND in prelaid	<u> </u>			
		DBs and Panels i/c the cost of screwes, necessary wire complete in all	1			
		respect as approved and directed by the Engineer Incharge.		\		
		respect as approved and directed by the singmest manager				
	(a)	Triple Pole 32A(10 KA) (1*8=8)	8	each .	8434.3	67474.4
	(b)	Single Pole 32A(10 KA) (2*8=16)	16	each	1299.95	20799.2
-	(c)	Single Pole 16A(10 KA) (8*8=64)	64	each	1,299.95	83196.8
		Single Pole 10A(10 KA) (8*8=64)	64	each	1,299.95_	83196.8
В		POWER CABLE.				
			} _	-i -		
			 	+	 	
		400 mm sq (61/0.114") PVC insulated, PVC sheathed 4 core,	100	rft -	14,938.05	1493805
<u></u>		660/1100 volt non armoured cable (for Transformers)		4	 _	
Ì	2	150 mm sq (37/0.072") PVC insulated, PVC sheathed 4 core,			5 607 15	2842575
		660/1100 volt non armoured cable (for Main DB for ACs for New	<u>50</u>	rft	5,687.15	284357.5
<u> </u>	 -	Building) 70 mm sq (19/0.083") PVC insulated, PVC sheathed 4 core,	-	+	 	
	3	170 mm sq (19/0.083") PVC insulated, PVC sheatned 4 core, 660/1100 volt non armoured cable (for Sub Main DBs for ACs for	250		2 656 70	929845
		1	<u>350</u>	rft	2,656.70	727043
L	\bot	New Building)		+	 	 -
	4	7/1.12 mm (7/0.044") PVC insulated, PVC sheathed twin core,			1	ļ
		250/440 volts. copper conductor cables for service connection, in	<u>500</u>	rft	160.75	80375
		prelaid pipe/G.I. wire/trenches, etc (for ACs for New Building)	1	1		1
-	+	7/0.91 mm (7/0.036") PVC insulated, PVC sheathed twin core,	J	+ -	 	
	5	250/440 volts. copper conductor cables for service connection, in		;	1	
1.	١,	prelaid pipe/G.I. wire/trenches, etc (for Sub Main DBs for Old	<u>200</u>	rft	110.3	22060
		Portion)	<i>i</i>			1
	. 1				T-4-1 =	0205500
					Total =	9385590
ــــــــــــــــــــــــــــــــــــــ				$\overline{}$		

N6 !

Sub Divisional Officer Buildings Sub Division Samundri.

Page 123

Credit of old material (Roof tiles, doors and windows)

1. wooden doors						•		t ·
(3.5° ×7°)	12 • 1	1 1	No.s	@ ;	3 500	5000		42000- 1-
(4' ×7')	5	. 134		@ '	-4500	7000	: = · ·	-22500 357200/
(4' x9')	31		No.s	@	5500	2000	; =	16500 21900
(2.5' x 6')	10		•	@	2500>	4000	=	25000- drovo
2. Steel windowss		٠,	" ; ; 	-	:			•
(4' x 5.5')	62		No.s	@	-35 00 ⁺	4500	= .	21,7000 27500
, (6' x 5.5')	14		No.s	@	4000	2000	= ·	. 56000 7000/
(10' x 5.5')	· 1		No.s	@	_7000	10000	=	2000 10400/
(4' ×3')	25		No.s	@ ·	_2000	30.00	=	50000 7/000
(2' x2')	2 .		No.s ·	@	1500-	2500	=	3000 —_g20
Roof Tile								
Old Tiles.								,
	22592	×	60% x	3.5	5 @	= 48121 6000	No.s %0No	288726 <i>I-</i>
Tile Bats.	22592	×	40% x	1/	· '8	= 1130	· Cft	
			,		@	4000	%Cft	45184 <i> -</i>
						TOTAL		772910-1 HS 91-
•						- - -	Say Total	772910 7-
		•	//	•	: ;			\$65 910

,Sub Engineer

Sub Divisional Officer, Buildings Sub Division Samundri

Buildings Division No. 2

Faisalabad

いいが、いいでは、これが発生してはは、「他のでは、「他のでは、「他のでは、「他のでは、「他のでは、「他のでは、「他のでは、「他のでは、「他のでは、「他のでは、「他のでは、「他のでは、「他のでは、「他の では、「他のでは、 「他のでは、「他のでは 「他のでは、「他のでは、「他のでは、「他のでは、「他のでは、「他のでは、「他のでは、「他のでは、「他のでは、「他のでは、「他のでは、」」というない。「他のでは、「他のでは、「他のでは、「他のでは、「他のでは、「他のでは、「他のでは、「他のでは、「他のでは、「他のでは、」」というない。「他のでは、」」」というない。「他のでは、「他のでは、「他のでは、」」」というない。「他のでは、「他のでは、「他のでは、「他のでは、「他のでは、「他のでは、「他のでは、「他のでは、」」」というない。「他のでは、「他のでは、「他のでは、」」」

8. ANNUAL OPERATING COST (POST COMPLETION)

Financial Components: Capital Grant Number: Government Buildings - (PC12042)

Cost Center:OTHERS- (OTHERS)

LO NO:LO22010079

Fund Center (Controlling):LE4203 A/C To be Credited:Account-I

PKR Million

Sr#	Object Code	2025-2026		2026-2027		2027-2028		2028-2029		2029-2030	
		Local	Foreign	Local	Foreign	Local	Foreign	Local	Foreign	Local	Foreign
1	A05270-To Others	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
2	A12403-Other Buildings	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	Total	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

Financial Components: Capital Grant Number: Government Buildings - (PC12042)

Cost Center:OTHERS- (OTHERS)

LO NO:LO22010079

Fund Center (Controlling):LE4203 A/C To be Credited:Account-I

PKR Million

S	Sr # Object Code		2025-2026		2026-2027		2027-2028		2028-2029		2029-2030	
			Local	Foreign	Local	Foreign	Local	Foreign	Local	Foreign	Local	Foreign
	1	A05270-To Others	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	2	A12403-Other Buildings	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
		Total	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

8. <u>Annual Operating and Maintenance Cost after Completion of the Project</u>

The Annual operating and maintenance cost after completion of the project will be borne by the concerned District Health Authority (DHA) as well as Primary and secondary healthcare Department, Lahore.

9. DEMAND AND SUPPLY ANALYSIS

Semi modern health facilities and scientific diagnostics are presently available in this Hospital. This initiative of revamping Hospital will cover all departments and components of healthcare including Medical, Surgical, psychiatric, Cardiac, ENT, Ophthalmic and Pediatrician components. Moreover, women health components i.e. Gynecology and obstetric will also be emphasized upon. In emergency, calamities and natural disasters, valuable lives will be saved through revamping of Emergency Units.

10. FINANCIAL PLAN AND MODE OF FINANCING

10.1 FINANCIAL PLAN EQUITY INFORMATION

10.2 FINANCIAL PLAN DEBT INFORMATION

undefined

10.3 FINANCIAL PLAN GRANT INFORMATION

attached

Financial Plan and Mode of Financing

The project will be executed / financed through Annual Development Program under the sector Primary and Secondary Healthcare Department, the Government of Punjab. Year wise financial utilization is as under:

Revenue Side

(Rs.in Million)

Year	2017-18	2018-19	2019-20	2020-21	2021-22	2022-23	Total
Funds	56.000	19.783	3.185	3.349	5.572	7.913	95.802
Released	30.000	15.705	3.103	3.373	3.372	7.515	33.002
Utilization	31.891	19.380	3.163	3.185	5.416	1.202	64.238

Capital Side:

Year	2017-18	2018-19	2019-20	2020-21	2021-22	2022-23	Total
Funds	0	0	0	0	0	5.000	5.000
Released							
Utilization	0	0	0	0	0	0	0

<u>Balance funds may be provided for completion of the project in</u> <u>subsequent years through ADP</u>

10.4 WEIGHT COST OF CAPITAL INFORMATION

undefined

11. PROJECT BENEFITS AND ANALYSIS

11.1 PROJECT BENEFIT ANALYSIS INFORMATION

Social Benefits with Indicators

Social economic burden will be decreased due to availability of better medical services in the district. Time and money of community will be saved which were expended in other cities like Lahore Islamabad etc. on treatment of patients and for boarding and logging of attendants. The social status of community will rise.

11.3.1 Social Impact:

A number of patients lose their lives or suffer serious disabilities for want of timely access to the health facilities. The project will ensure that no one is left to reach the health facilities. The most important beneficiaries will be mothers having complicated delivery conditions. The number of patients transferred to the health facilities for treatment and lifesaving will serve as indicators for performance evaluation. In long term the project will help in improving socio-economic indicators of IMR and MMR.

Employment Generation (Director and Indirect)

Revamping of this Hospital will lead to generation of employment for highly skilled /professional staff and unskilled staff leading to reduction of unemployment. Huge employments opportunity will be created from the establishment of the project. The Medical doctors and paramedics who are trained in this discipline or intended to specialize in this field can make maximum use of training. A large number of gazette and non-gazette posts will be available for employment directly or indirectly.

11.2 ENVIRONMENTAL IMPACT ANALYSIS

It will have no hazardous effect on the environment. On the other hand, addition of horticulture and landscaping will provide healthy environment to the general public. All the more, the program is environment friendly having no adverse environmental effects. Simultaneously, this shall further improve environment by creating sense of responsibility among employed and beneficiaries of the service.

11.3 PACT ANALYSIS

undefined

11.4 ECONOMIC ANALYSIS

Delay in the implementation of the project will lead to increase in cost and increase financial burden on the Government and general population of Punjab. Since the project is one of the major needs and a long awaited desire of the community, therefore, Government of the Punjab contemplated plan for early execution of Revamping of Emergency Units. The delay will not only deprive the patients of the state of the art facility but also distort the public image of the Government.

11.5 FINANCIAL ANALYSIS

Financial Benefits & Analysis

Tremendous public benefits will be accrued from revamping of Emergency Units:

The Targets of Sustainable Development Goals (SDGs) will be achieved

The Human Development Index of Pakistan (HDI) will improve

Infant Mortality Rate will decrease

Mother Mortality rate will be decreased

The international commitments of Pakistan will be accomplished

Health standard of public will

Better Health Facilities to mother and

Prompt and scientific facility for operation

Rehabilitation of disables and injured

Blindness in this area will be decreased and controlled

Better social and mental health to addict

Provision of better health facilities at doorsteps

Awareness and control for communicable

Survival of heart failure

Social indicators of Pakistan will improve

This will decrease load of patients on teaching hospitals and specialized institutions by promoting physical and mental health. By adopting preventive and Hygienic principles, the number of patients and diseases will decrease. Resultantly budget load of Government for treatment will decrease and saving will be utilized for development programs.

11.1.1 Financial Impact:

In the beginning, It is extremely difficult to put a money value on each life saved by taking/shifting a critically ill patient to the appropriate health facility for treatment. However, the exact amount spent shall be calculated against each patient shifted by analyzing data collected during operations.

11.2 Revenue Generation

Revenue will be generated from:

Indoor fee

Laboratory fees

Diagnostic facility fees

Dental fee

ECG fee

Private room charges

Ambulance charges

From other fees prescribed by Government

12. IMPLEMENTATION SCHEDULE

12.1 IMPLEMENTATION SCHEDULE/GANTT CHART

Original Gestation period (From September, 2017 to June, 2019)

Extension in Gestation period for one year with no change in cost & Scope till June 2020.

1st Revised gestation period till June, 2021

2nd Revised gestation period till June, 2023.

3rd Revised gestation period till June, 2025

12.2 RESULT BASED MONITORING (RBM) INDICATORS

undefined

12.3 IMPLEMENTATION PLAN

undefined

12.4 M&E PLAN

The operation team will monitor the progress of the project and will hold regular weekly meeting to review the progress under the supervision of Project Director.

12.5 RISK MITIGATION PLAN

attached

RISK REGISTER

Programme for Revamping of all THQ Hospitals in Punjab

RISK DATA					itigation / Co		MITIGATION
Risk Item No	Risk Description/Event	Cause	Effect / Consequences	Likelihood (1 to 3)	Impact (1 to 3)	Risk Score (1 to 9)	Mitigation / Actions
1	Due date for the completion of some hospital sites may be extended due to increase in scope from the Client	Direct instructions from the Medical Superintendents / Hospital Administration to revamp the remaining areas	Significant scope increase requested by the Hospital administration will result in: 1. Project delays 2. Contractor claims 3. Increase in project cost along with variations	3	3	9	Hospital administration is requested to finalize the scope during joint field visits of C&W and PMU
2	Various unexpected structural issues are being encountered	Unforeseen structural issues are expected to face during execution in hospital buildings approaching end of life	Stoppage of work Performance of the Contractor has affected Delays in the project	3	3	9	Various items which are unforeseen and expected to be used during execution may be taken in estimates so that those can be executed to address these issues
3	Change in management of the Client	Management change	Re-briefing is to be carried out	2	2	4	Acceleration of understanding for smooth and expeditious transition, without affecting the project
4	Financial Issues	Funds for these schemes should be provided as per the targets	Delay in tendering Effect on quality as the Consultant supervision will not take place Inconvenience to the patients	3	3	9	Approval of PCIs and early release of funds is requested
5	Nationwide spread of pandemic i.e. COVID-19 in 2nd and 3rd quarter of this year	Work delays during nationwide lockdown.	Delays in completion of works Claim requests received by Contractor and Consultant	3	3	9	Contractor will be asked to depute fully vaccinated labor

12.6 PROCUREMENT PLAN

undefined

13. MANAGEMENT STRUCTURE AND MANPOWER REQUIREMENTS

The Organogram of New Management Structure is available in PC-I

14. ADDITIONAL PROJECTS / DECISIONS REQUIRED

NA

15. CERTIFICATE

Focal Person Name:Mr. KHIZAR HAYAT Designation:Project Director, PMU P&SHD

Email: Tel. No.:

Fax No:

Address:31/E1, Shahrah-e-imam Hussain? Road? Block E 1 Gulberg III, Lahore, Punjab

15. It is certified that the project titled "Revamping of THQ Hospital Samundar (3rd Revised)" has been prepared on the basis of instruction provided by the Planning Commission for the preparation of PC-I for Social Sector projects.

Prepared By:

DIRECTOR PLANNING & HR, PMU, PRIMARY & SECONDARY HEALTHCARE DEPARTMENT, LAHORE

> (042-99231206) (Oct-2022)

PROCUREMENT SPECIALIST, (PMU), PRIMARY & SECONDARY HEALTHCARE

DEPARTMENT, LAHORE (042-99231206)

(Oct-2022)

(HAMZA NASEEM)

PROJECT MANAGER CIVIL, PMU,

PRIMARY & SECONDARY HEALTHCARE DEPARTMENT, LAHORE

(042-99231206) (Oct-2022)

Checked By:

(Dr. AYESHA PARVEZ)

DEPPUTY PROJECT DIRECTOR (PMU), PRIMARY & SECONDARY HEALTHCARE

DEPARTMENT, LAHORE

(042-99231206)

(Oct-2022)

(KHIZAR HAYAT

PROJECT DIRECTOR (PMU). PRIMARY & SECONDARY HEALTHCARE

DEPARTMENT, LAHORE

(042-99231206) (Oct-2022)

Approved By:

(DR. IRSHAD AHMAD) SECRETARY.

GOVERNMENT OF THE PUNJAB PRIMARY & SECONDARY HEALTHCARE DEPARTMENT, LAHORE

(042-99204567)

(Oct-2022)

17. RELATION WITH OTHER PROJECTS