

PC-1
Revamping of THQ Hospital, Shahpur District Sargodha

ORIGINAL APPROVED COST	PKR Million. 296.920/-
ORIGINAL APPROVED GESTATION	72 Months Till June 2025
APPROVAL FORUM	DDSC (DDSC)

# 1. NAME OF THE PROJECT

Revamping of THQ Hospital, Shahpur District Sargodha

# 2. LOCATION OF THE PROJECT

- 2.1. DISTRICT(S)
  - I. SARGODHA

# 3. AUTHORITIES RESPONSIBLE FOR

- 3.1. SPONSORING AGENCY
  - PRIMARY AND SECONDARY HEALTH CARE
- 3.2. EXECUTION AGENCY
  - PRIMARY AND SECONDARY HEALTH CARE
- 3.3. OPERATIONS AND MAINTENANCE AGENCY
  - PRIMARY AND SECONDARY HEALTH CARE
- 3.4. CONCERNED FEDRAL MINISTRY
  - NATIONAL HEALTH SERVICES, REGULATIONS AND COORDINATION

•	AUTHORITIES RESPONSIBLE	
	3.1 Sponsoring	Government of the Punjab, Primary and Secondary Healthcare Department
	3.2 Execution	PMU for Revamping Program of Primary and Secondary Healthcare Department, District Health Councils and C&W Department.
	3.3 Operation & Maintenance	PMU for Revamping Program of Primary and Secondary Healthcare Department and District Health Authority
	3.4 Concerned Federal Ministry	Ministry of National Health Services, Regulation and Coordination Pakistan

# 4. PLAN PROVISION

Sr#	Description
1	Source of Funding: Scheme Listed in ADP CFY
2	Proposed Allocation: 0.000
3	GS No:5295
4	Total Allocation: 0.000
5	Funds Diverted:0.000
6	Balance Funds:0.000
7	Comments: Funded out of block provision reflected at G.S No.658 with an allocation of Rs. 1,800 million (Capital = Rs. 1,300 Million & Revenue = Rs. 500 Million).

# **5. PROJECT OBJECTIVES**

Attached.

# 5. Project objectives and its relationship with Sectorial Objectives and Components

The Government of Punjab is making strenuous efforts for a better and effective Health Care system. The Defining step in this direction was to recognize the importance of Health Care at Primary & Secondary Levels. As a first step towards better health care at primary and secondary level, the department under the guidance of Government of the Punjab has decided to launch massive revamping of 40 THQ & DHQ Hospitals in the financial year 2016-17 along with revamping of emergencies of 15 selected THQs and emergencies of all Hospitals. In addition to that, Government has assigned the task of revamping of all remaining 85 THQ Hospitals of Punjab during 2017-18. The Project Management Unit, Revamping Program, Primary and Secondary Healthcare Department has started the 2<sup>nd</sup> Phase of the said revamping program in September, 2017.

# 5.1 Background of Primary & Secondary Healthcare Department

Effective primary and secondary healthcare is particularly important in resource-poor countries. Effective delivery of vaccinations, maternal and child care (MCH) and treatment of common pathologies (such as malaria, gastroenteritis, respiratory tract infections and other vector borne diseases) is essential for the achievement of Sustainable Development Goals (SDGs). Effective diagnostic triage, an organized system of prescription and queue management, an effective and stringent sterilization regime, quality nursing and consultant care, implementation of minimum service delivery standards (MSDS) and delivery of care for chronic pathologies lie at the center for the provision of universal health care at a cost that the community can afford as envisaged in domains established by the 1978 Alma-Ata Declaration of WHO. Primary care serves as the cornerstone for building a strong healthcare system that ensures positive health outcomes and health equity. The deficiencies in quality of care represent neither the failure of professional compassion nor necessarily a lack of resources rather, they result from gaps in knowledge, inappropriate applications of available technology and unstructured planning. Local health care systems in our setup have practically not been able to implement department's objectives. Result is continuous lack of quality improvement to lower health outcomes.

Quality health care is actually provision of health care by timely, skillful application of medical technology in a culturally sensitive manner within the available resource constraints. Eliminating poor quality involves not only giving better care but also eliminating under provision of essential clinical services (system wide microscopy for diagnosing tuberculosis, for example); stopping overuse of some care (prenatal ultrasonography or unnecessary injections, for example); and ending misuse of unneeded services (such as unnecessary hysterectomies or antibiotics for viral infections). A sadly unique feature of quality is that poor quality can obviate all the implied benefits of good access and effective treatment. At its best, poor quality is wasteful and at its worst, it causes actual harm.

Keeping in view this basic essence of primary and secondary health care, The Government of Punjab is dedicated in making strenuous efforts for ensuring a better and effective Health Care system .The Defining step in this direction was to recognize the importance of Health Care at Primary & Secondary Levels. As a first step towards better health care at primary and secondary level, a separate department was created by bifurcating the Health department into two departments Specialized Health Care & Medical Education Department and Primary & Secondary Health Care (P&SH) Department. The principle reason for bifurcation has been to improve governance and service delivery in the spheres of health care across the province. Primary and Secondary Health Care Department has been entrusted the responsibility of primary and secondary level health facilities including preventive health services and Vertical Programs. P&SH Department accordingly has its functional responsibility in respect of 26 District Headquarter Hospitals (DHQs), 129 Tehsil Headquarter Hospitals (THQs), 322 Rural Health Centers (RHCs) and 2,504 Basic Health Units (BHUs). Moreover, specialized programs like Expanded Program for Immunization (EPI), TB Control (DOTS), Hepatitis Control Programs as well as special campaigns such as Dengue Campaign, Polio Eradication Campaigns also fall in purview of the department. The establishments like Director General Health Services (DGHS), Drug Testing Labs (DTLs) and Biomedical Engineering Workshops also assist the department in discharge of its functions efficiently. Establishment of Internal delivery Unit at Primary and Secondary Health Care Department has been aimed for institutional strengthening and capacity building of Primary and Secondary Health Care Department. Monitoring and follow up remains one of key ingredients for good governance and is at heart of all management models. Therefore, an Internal Delivery Unit, comprising well qualified and experienced persons, is being established within P&SH Department. Internal Delivery Unit shall be manned with qualified and experienced consultants. Internal Delivery Unit shall be responsible for every such task needed to strengthen the PSHD which may range from operational matters to monitoring e.g. tracking pace of all initiatives of the Department through the process such as tracking procurement of medicines by districts, procurement of vaccine by Director EPI, pace of various development schemes and performance of Drug Testing & Bio-mechanical Labs etc.

The basic mandate of Primary & Secondary Health Department is to focus on preventive health care in primary sector along with basic diagnostics and treatment facilities at secondary level. The context is to primarily lessen the load on tertiary care health establishments and to reduce treatment costs. The major challenge for Primary & Secondary Health Department is to boost the confidence of masses and raise the level of trust in the primary health care system. The reality is that most of the health care establishments at secondary level are not currently providing health care services up to the optimal level, owing to a myriad of reasons including heavy patient load, scarcity of resources, human resource constraints and dysfunctional biomedical and allied equipment.

Due to lack of structured planning and monitoring, previous efforts did not materialize into an integrated health care regime, rather these have resulted in haphazard construction, poor repair and maintenance, lack of basic amenities, absence of waiting areas, substandard diagnostics and therapeutics, shabby outlook and suboptimal level of patient care over all. Such state of affairs has severely jolted level of trust in health care system by common man and hence the patients prefer to visit tertiary level hospitals or even private health facilities for treatment of even very common pathologies. This subsequently has a cascade effect on socioeconomics of common man who has to spend more in shape of travelling from villages to district headquarters and then bearing costs of private treatment, secondly, this has also increased disease load on our tertiary health care establishments.

Keeping in view this importance of primary and secondary health care, the department decided to launch massive revamping program for all DHQs and THQs all over the Punjab.

# 5.2 Project Management Unit (PMU), Primary & Secondary Healthcare Department

In order to successfully complete the program objectives in the given timeframe, it is imperative to establish a dedicated Program Management Unit (PMU) having technical and administrative expertise and autonomy, as the regular machinery of the department is too busy with the routine work and cannot successfully steer the program. The PMU is responsible for the successful implementation of the Revamping Program through completion of all related projects. After the implementation of all these projects, the Primary & Secondary Healthcare network will be improved. The PMU shall ensure that the DHQ & THQ hospitals have a well-constructed physical infrastructure with vibrant management model for efficient service delivery and improved processes to focus on patient distress in prompt manner. It adheres to Minimum Service Delivery Standards (MSDS) to address the patients' needs in the most efficient and systematic manner.

In this regard, a dedicated team of Project Management Unit (PMU) has been established to execute the project. PMU's office is located at 31-E/1, Shahrah-e-Imam Hussain, Gulberg-III, near Qaddaffi stadium, Lahore. It is headed by a Project Director with a committed team comprising of Deputy Project Director, Finance and Administration, ICT), Project Managers, Project Officers, Engineers, supporting administrative and technical staff, experienced and qualified Health consultants., Directors (Operations, Human Resource & Planning and infrastructure, Outsourcing) as well as Procurement Specialist.

#### 5.3 Infrastructural Interventions

The construction of various new blocks of hospital complex is constructed without any proper planning and necessary connection to existing blocks. On the whole, the complete infrastructure of hospital is quite complex and scattered, access to various blocks of hospital is quite inadequate and there is no proper connection or link between different blocks of hospital. In the revamping program of

DHQ and THQ Hospitals, the placement of various facilities of hospitals are replanned keeping in view the layout of existing blocks for facilitation of patients and some modifications/alterations were proposed in the blocks for necessary link or connection between the blocks.

Major infrastructural interventions can be divided in the following four categories

- **5.3.1 External Development**
- **5.3.2 Internal Development**
- **5.3.3 Medical Infrastructure Development**
- **5.3.4 Emergencies Development**

#### 5.3.1 External Development

#### 5.3.1.1 External Platforms

In order to improve the communication between blocks, necessary interventions are taken to improve the existing internal metaled road network. Moreover, new internal metaled road network is also designed and proposed to access the blocks of hospital accordingly. Despite the improvement in metaled road network, external platforms except metaled road is also designed and proposed for patients to access the blocks by simply walking among the blocks.

#### **5.3.1.2 Façade Improvement**

In order to improve the aesthetics of hospital, façade uplift with aluminum composite panels with aluminum cladding, false steel structures, façade aluminum windows and aluminum doors are designed in order to give the feel of modern architectural era.

#### 5.3.1.3 Sewerage System

The most important entity of a hospital lies in its cleanliness. Infrastructural interventions to keep the hospital clean were taken in the form of <u>improvement of sewerage system</u> of the hospital. These interventions include the re designing of sewerage system, construction of new manholes, laying of new sewer lines and connection between trunk sewer and hospital sewer.

# **5.3.1.4 Landscaping (Horticulture)**

Landscaping in hospital adds aesthetic & beauty to the built environment as well as improves in reducing the pollution. Soft & hard landscape reduces dust particles moment in air, hence contributes in a clean environment. The hours spent

in a hospital can be stressful for patients, staff and visitors. According to research easy access to a natural environment can contribute to stress management and potentially improve health outcomes: physiological studies indicate that 3-5 minutes spent in such Hospital Outdoor Landscape Design environments reduces anger, anxiety and pain and induces relaxation. Research also shows that "positive distractions" can reduce stress and their visual forms include gardens, scenic views and artwork, which play a critical role in modern hospital design: gardens, fountains, and water features provide patients, staff and visitors with restorative experiences of nature. In this regard complete lawns development, placement of benches, dust bins, playing equipment, fruit trees, flower plants, fruit trees and gazebos are proposed in all hospitals under revamping program

#### 5.3.1.5 Water Filtration Plant

In the modern era, the access to clean water for everyone is becoming rare day by day. Especially in hospitals, the supply of water free from any harmful impurity is one of the most basic needs. To cope up with this problem water filtration system according to the existing nature of water is designed and water filtration plant is proposed accordingly. For ease of patients, drinking water supply network was designed to provide filtered water in wards and in various drinking stations within the hospital building

#### 5.3.1.6 External Electrification

One of the major hindrances in functionality and ineffectiveness of electro medical equipment and other facilitating electrical appliances is either interrupted power supply or power supply with lesser voltage than required. This problem was solved by providing express line or dual electrical supply in all hospitals under revamping. Despite these two facilities based, on the current and proposed electrical load of hospital new transformers were proposed to step down the voltage to desired level and complete generator backup system was designed and generators along with automatic transfer switches were proposed accordingly. Moreover, to fully lighten up the hospital for proper utilization of all facilities of hospital during the low/no-light hours of the day, external pole lights to lighten up the pathways and garden lights to lighten up the lawns were designed and proposed.

#### 5.3.1.7 Parking and Waiting area

Non-clinical facilitation of patients and attendants were specially considered in the revamping program. One such facilitation step is designing the parking and waiting areas on basis of daily influx of vehicles and patients/attendants during the

peak hours. <u>Parking and waiting areas</u> on several places of hospital were then proposed according to the design.

#### 5.3.1.8 External Signage

<u>Eexternal signage system</u> is designed including various signage types for complete guidance of patient attendants and to search concerned facility promptly.

#### 5.3.2 Internal development

#### **5.3.2.1 Aesthetic improvement**

In order to improve the aesthetics of hospital wards, corridors, rooms and toilet blocks, flooring and dado design of suitable material in these areas is proposed. Despite of aesthetics, the material of flooring and dado design were chosen to provide ease in cleaning process. For further improvement in aesthetics, paint on exterior and interior part of the hospital, poly-vinyl chloride paneling to conceal the dampness damaged areas and steel cladding of columns are proposed.

#### 5.3.2.2 Ramp and Stretcher improvement

For hospitals having more than one floor, there is a huge problem of patient transfer with stretcher. This problem is solved by proposing new ramps/stretcher ways where needed. Moreover, in order to further improve the communication between various floors of hospitals improvement of stair cases with hand rail or guard rails is proposed.

#### 5.3.2.3 Seamless flooring and Lead Lining

To keep high risk areas like Operation theaters, I.C.U, C.C.U, and Gynecology Operation Theater bacteria free is one of the basic medical practices. In the revamping program of hospitals low epoxy paint is proposed in these areas to provide seamless flooring so that the bacterial growth within the groves can be prevented. Moreover, to make the X-Ray rooms radio-resistant and to keep the patients away from the harm of rays, interventions are taken in X-ray rooms regarding provision of lead lining in walls, ceiling and floor.

Interventions were taken regarding hazardous radiation emitting areas to make them radio-resistant in order to keep patients/attendants away from harmful radiations. These interventions were in the form of provision of lead lining in ceiling, walls and roofs of X-Ray rooms.

#### 5.3.2.4 Aluminum doors and windows

In order to make sound and heat proof the doors and windows of wards, corridors and major health facilities are proposed as aluminum doors and windows. Which despite of above benefits are also aesthetically pleasing. Corridor wire mesh windows and rolling blinds for windows are proposed in order to invite or stop the day light within the wards according to the requirement. Moreover, existing wooden doors having shabby and dirty look are proposed to be re-polished and washroom doors are proposed to be replaced with PVC doors to make them resistant against water.

#### 5.3.2.5 Improvement of washroom blocks

The area of hospital which can be dirty at most is its washroom or toilet blocks. To improve the cleanliness of hospital the special interventions were taken regarding the renovation of toilet block of hospital. This renovation includes the re tiling of existing damaged flooring and skirting and addition of water closets etc.

#### 5.3.2.6 Facilitation of attendants and patients

The facilitation of attendants is also one of the most basic things to be provided in the hospital. The facilitation of attendants contributes towards the facilitation of patients. In order to facilitate the attendants, pantries are designed at that location of hospital where attendants can be effectively facilitated. These pantries include stoves and washing machines. Moreover, it is also very important to educate the patients and attendants regarding the seasonal and general diseases along with its cure and prevention. Installation of LED televisions in various locations of hospitals especially in wards and waiting areas is also proposed in the design in this regard.

#### 5.3.2.7 Furniture and Fixtures

One more step towards the facilitation of attendants or patients is placement of benches in waiting areas. The most rush positions of hospital are chosen in this regard and placement of benches is designed according to the patient number and flow. In order to improve the efficiency of consultants or doctors, interventions regarding the renovations of doctor or consultant office are designed in this regard. The doctor room furniture is designed for this purpose keeping in view the existing area of room and necessary required equipment. To carry and dispose of the medical and general waste material of hospital, waste bin sets are designed to place at various positions of the hospital. These positions are marked by keeping in view the general circulation of the public and sensitivity of the area.

#### 5.3.2.8 Air Conditioners, Refrigerators and LEDs

According to the different standards, there is a separate requirement of temperature to control the environment of particular place with respect to the nature of facility. In this regard, air conditioners are proposed according to the required tonnage of the specific area. For better efficiency and performance delivery, cabinet air conditioners are proposed in the wards and other facilities having larger areas. The maintenance and repair services of these air conditioners are outsourced so that uninterrupted performance can be delivered. For further facilitation of patients and attendants, placement of refrigerator is proposed on each nursing counter. These refrigerators are proposed for items requiring specific temperature for storage purposes. LEDs will also be placed at various points to facilitate the patients and attendants.

## 5.3.2.9 Internal Signage and Paintings

As described earlier, the information regarding the positions of major health facility especially emergency and labor room etc. is very much essential for any person entering inside the covered area of hospital. For these purposes, different types of signage are proposed including corridor hanging signage, floor map boards, room numbers and room names plaques. For general information duty rooster boards, janitorial station signage, waste bin set signage, emergency exit signage.

Different kinds of paintings are designed according to the nature of area where it is desired to be fixed. These paintings are beneficial in a sense that it improves the aesthetics of hospital and moreover, such painting patterns are designed so that it give the relaxation and soothing feelings to aid in the healing of patients. Moreover, in order to create a healthy, positive, entertaining and friendly environment for interest of children, paintings on children wards is proposed.

#### **5.3.3 Medical Infrastructure Development**

To cope with the emergency condition of clinically serious patient, oxygen supply system is designed by proposing an individual oxygen supply system for each major health facility. This oxygen supply network comprises on copper pipe line, flow meter with bed head units, cylinders and setup and individual central oxygen supply system. The contract of filling of oxygen gas in cylinders is outsourced for uninterrupted oxygen gas supply to the patients.

For patient receiving, information, guidance, appointment or for any other task, separate reception counters are proposed in various blocks so that, all necessary information regarding the block is available on the counter round the clock. In this way, utilization of clinical facilities will be optimized. For indoor patient department, complete facilitation and care of patients admitted in wards is ensured

by proposal of nursing counter in each ward. This nursing counter will be placed or constructed in such a placement that each bed can be monitored by the nurse available.

The design regarding architectural planning of above mentioned facilities are designed according to the patient facilities and architectural planning standards. These designed facilities are then designed in the existing building structure according to the patient flow and sensitivity of facility.

#### **5.3.3.1 Emergency Department:**

All THQS and DHQs are already providing emergency services to critical ill patients. As far as the existing sources including human resources & equipment are not sufficient to fulfill the requirement. Primary and secondary healthcare department is going to take the initiative to improve emergencies of hospitals by providing new equipment and human resource in form of recruitment of doctors, nurses and paramedical staff along with Infrastructure of Causality Department. Ultimate goal of revamping of emergencies is to enhance the quality of medical services to critical ill patient in golden hour to decrease the mortality and morbidity rate in causality department of each hospital.

### **5.3.3.1.1 General Overview of Emergency Department**

In any hospital, the most important and critical area is its emergency block. Specially, if hospital is situated on a highway where there is a huge flux of rapidly moving traffic which can be a major source of causalities, if patient treatment is not proper. Besides road trauma cases, cardiac cases and burn cases etc. are also more likely to be initially treated in emergency. Proper first aid to patient reduces morbidity and mortality. The emergency department of hospital is a block where in time service delivery is so much essential that delay in proper treatment can cause lot of lives to suffer from serious diseases for rest of their life. In a nutshell, the efficiency and in time service delivery of emergency block depicts the overall efficiency of the hospital.

In order to improve the emergency department and to ensure in time service delivery of the same, special initiatives are being taken in this regard. Infrastructure of emergency department depends a lot on its service delivery and efficiency. An emergency department with all necessary medical and general equipment and equipped with all essential medical facilities but without ineffective and poorly planned infrastructure will never fulfill its need. Conclusively, such infrastructural interventions are planned in this program so that the efficiency of emergency department can be optimized. Some of the following major interventions are listed below:

#### **5.3.3.1.2 Position of Emergency Department**

It is planned that new construction of building should be avoided at most because already existing blocks with no proper utilization are existing in all of the hospitals. The emergency block should be on such a location that the distance between that department and main entrance gate should be minimum with respect to other locations or positions of complex. To fulfill this purpose, that portion of this building block is selected for re planning of emergency department which is most near to the entrance gate. The far positioning of emergency department will result the lost in time for patient during its travelling which can be crucial.

# 5.3.3.1.3 Access towards the Emergency Department

The route leading towards the emergency department is important in this aspect that a smooth track and a widened path will be feasible for the movement of vehicle or stretcher. Initiatives are taken in this program for construction of new pathways or renovation of existing ones leading towards the emergency department. Such material of the external platform is selected so that a smooth movement should be observed over it rather than jerks bumps. Moreover, the width of the passage from entrance gate up to emergency department is designed by keeping in view the flux of the vehicles rushing towards the emergency block.

# 5.3.3.1.4 Medical Infrastructure Emergency:

The existing emergency department or other block of the hospital according to its access from entrance gate, is designed and re planned according to the above described emergency facilities. The changings or amendments in the existing covered area of the hospital are proposed according space availability. Due to the rush of patients and increased number of minor surgeries performed in the emergency department make it one of the dirtiest department of the hospital. Hence, in this regards it is very much essential to keep the floors of certain area of emergency department bacteria free. Seamless flooring is proposed in this regard to avoid the groves so that the cleaning process can be made easy. Low epoxy paint is designed and proposed in this regard on Minor OT, Gurney area and specialized healthcare unit.

Provision of medical gasses is essential to facilitate the patients suffering from breathing issue due to some disease and ailment. The filling process of oxygen in the cylinders is outsourced to ensure the continuous supply of the oxygen among the beds. The oxygen system comprises on copper pipe, central oxygen supply system for pressure maintenance, oxygen cylinders and flow meter with bed head units.

#### 5.3.3.1.5 General Building Interventions:

In order to improve the over building condition of emergency blocks following major interventions are taken:

- 1. Provision of flooring and skirting
- 2. Painting on interior and exterior side of department

- 3. Provision of false ceiling
- 4. Replacement of damaged and renovation of existing wooden doors
- 5. Provision of aluminum doors and windows
- 6. Public health work regarding supply of water and gas along with improvement of sewerage system
- 7. Provision of LED panel lights, ceiling fans, exhaust and wall bracket fans
- 8. Improvement of existing wiring and distribution including replacement of damaged equipment and proposal of new equipment

# 5.3.3.2 Monitoring and Quality Assurance (Process Interventions)

During construction phase, "Construction Supervision" will be carried out by the Procuring Agency (Director Infrastructure) along with Punjab Buildings department (C&W D) who will certify construction activity.

#### **5.3.3.2.1 MSDS (Minimum Service Delivery Standards)**

MSDS are minimum level of services, which the patients and service users have a right to expect. MSDS include minimum package of services, standards of care (level specific) and mandatory requirements/systems for delivery of effective health care services. The World Health Assembly in Alma-Atta in 1978 expressed the need of action to protect and promote the health for all the people of the world. Essential health is to be made universally accessible to individuals and families through their full participation and at a cost that the community and country can afford. MSDS is now being deemed to be of vital importance at Secondary HealthCare level. The THQ hospital provides promotive, preventive, curative, diagnostics, in patients, referral services and also specialist care.

THQ hospitals are supposed to provide basic and comprehensive EmONC. THQ hospital provides referral care to the patients including those referred by the Rural Health Centers, Basic Health Units, Lady Health Workers and other primary care facilities. The District Head Quarters Hospital is located at District headquarters level and serves a population of 1 to 3 million, depending upon the category of the hospital. The THQ hospital provides promotive, preventive, curative, advance diagnostics, inpatient services, advance specialist and referral services. Services package and standards of care at SHC level are also not well defined. Deficient areas include: weak arrangements to deal with non-communicable diseases, mental, geriatric problems and specialized surgical care especially at THQ. There is disproportionate emphasis on maternal and child health services at SHC facilities. Services-package being provided at PHC and SHC are also deficient in terms of Health care providers' obligations, patients' rights and obligations.

MSDS umbrella is very vast and it requires a very extensive and planned approach towards, gap analysis, planning, development, implementation,

monitoring and evaluation. MSDS comprises of 10 thematic area, 30 standards and 162 indicators. Government of Punjab has taken an initiative to standardize all hospitals of Punjab in accordance with Punjab Health Care Commission Minimum service delivery standards. PMU team segregated MSDS indicators into various targets and sub-targets to make these targets achievable. Manuals for both clinical and non-clinical specialties are being prepared comprising of departmental organizational plan, criteria for essential human resource, essential equipment, general and specialized SOPs, departmental safety guidelines etc. Standardized Medical Protocols (SMPs) are standard steps to be taken by a health facility during medical or surgical management of a patient. Standard Operating Procedure (SOPs) are detailed description of steps required in performing a task including specifications that must be complied with and are vital to ensure the delivery of these services .It requires literature review, departmental view, facility visits, consultative visits and development of action plan for implementation of MSDS. Effective MSDS implementation requires essential documentation. Documentation is a key for record keeping, monitoring and auditing. For this purpose, registers, forms, displays have to be designed with coding for effective tracking. In addition to this it also requires analysis from field from utilization point of view.

Displays constituting of public serving messages, health related information and general facility related guidelines. In order to monitor effective implementation, compliance monitoring is required to be carried out by field experts which is followed up by further planning to ensure continuous delivery of effective, accessible, continuous and quality services to masses in uninterruptable manner.

MSDS implementation is a complex procedure. Because it requires

- 1. Capacity building for understanding, development and continuous implementation of MSDS.
- 2. Ecosystem for establishing its implementation by full cooperation, collaboration, commitment of
- 3. Continuous monitoring
- 4. Continuous audit
- 5. Continuous training, refresher courses with purpose of reinforcement
- 6. Continuous quality improvement
- 7. Continuous Strengths, Weaknesses, Opportunities, and Threats (SWOT) analysis and gap identification
- 8. Continuous strategy making and implementation with backup plan for secondary options.
- 9. Responsibility designation for clinical and non-clinical procedures and activities.
- 10. Effective utilization, calibration and maintenance of equipment with record maintenance and their audit
- 11. Establishment of plans, implementation, analysis of gaps with alternate planning regarding fire evacuation plan, hospital inflectional control plan, hospital operational and

strategic plans, disaster plan both internal (partial / complete) and external.

# The PDSA cycle

- 1. Developing a plan to test the change (Plan),
- 2. Carrying out the test (Do),
- 3. Observing and learning from the consequences (Study), and
- 4. Determining what modifications should be made to the test (Act).
- 5. Monitoring effective load sharing of Human resource and equipment within hospitals.
- Addition of new HR/ rationalization on requirement of MSDS indicator compliance for effective departmental organization and their planned trainings by MPDD, UHS ETC
- 7. Standard optimization of Standard operating procedures and methods for their effective adoption by hospital human resource.
- 8. We have also extended our MSDS implementation in 20 more departments such as dentistry, ICU, CCU, Dialysis, mortuary, burn unit, physiotherapy, orthopedics, medicine, nursing, paeds, ophthalmology, derma, TB, urology, patient transfer system, store and purchase, audit and accounts, procurement, planning etc. We are also in process of preparing manuals, SOPS, plans, universal forms, and universal registers with universal tracking system of record.
- 9. We have developed an application for continuous monitoring of MSDS compliance.

Health managers are considered essential at both the strategic and operational levels of health systems. To gain an initial understanding of the management workforce for service deliver. Every health system desires managers who are competent and have the knowledge, skills and demeanor to be effective. The performance of health services managers will depend in part on how certain standard support systems function. Even good managers will have problems if procedures for running finances, staff, etc., are not working well. Functional systems should have clear rules and regulations, good guides and forms, effective monitoring and supervision and appropriate support staff, e.g. account staff, supplies and information staff and secretarial support A health manager is supposed to be competent in planning, budgeting, financial management systems personnel management systems, including performance management, procurement and distribution systems for drugs and other commodities, information management and monitoring systems, systems for managing assets and other logistics, infrastructure and transport. Support systems help to ensure uniformity in management practices and ensure that management and administrative systems function and get results.

#### 5.3.3.3 Laboratory

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the Laboratory in THQ hospitals. Majority of patients are suffering problems some time life threatening phases due to delay in diagnosis and treatment according to diagnosis in case of lack of laboratory in vicinity.

# 5.3.3.4 X-Ray

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the Radiology unit in THQ hospitals. Majority of patients are suffering problems some time life threatening phases due to delay in diagnosis and treatment according to diagnosis in case of lack of Radiology unit in vicinity. A healthy human being enables not only nutrition of the physical body but also enhances social interaction and promotes self-esteem and feelings of self-esteem and feelings of wellbeing. The radiology equipment serves as a "window "to the patient treatment regarding the body.

#### 5.3.3.5 CCU

Understanding these ground realities Primary and Secondary Healthcare Department, Government of the Punjab has decided to establish coronary care units (CCU) in THQ hospitals as a part of its Revamping Program. This will improve the quality of healthcare and timely provision of life saving treatment will be possible to large number of patients. A coronary care unit (CCU) is a special department of a hospital or health care facility that provide coronary care to patients. Coronary care units cater to patients with severe and life-threatening cardiac illnesses and which require constant, close monitoring and support from specialized equipment and medications in order to ensure normal bodily functions.

Coronary care units are staffed by highly trained doctors and nurses who specialize in caring for cardiac patients. They are also distinguished from normal hospital wards by a higher staff-to-patient ratio and access to advanced medical resources and equipment that are not routinely available elsewhere. Common conditions that are treated within CCUs including angina, myocardial infection, cardiac arrhythmia, cardiac shock etc. Patients may be transferred directly to coronary care unit from an emergency department or from a ward if they rapidly deteriorate, and immediately require cardiac care treatment.

#### 5.3.3.6 Dialysis Unit

Chronic kidney disease is now a significant public health problem worldwide. Chronic kidney disease globally affects almost 10 % of general population with Incidence in prevalence of disease are still rising especially in

developing countries .The rise in chronic kidney disease is by aging of the populations and growing problems of obesity, diabetes, high blood pressure and cardiovascular diseases.

Tehsil head Quarter Hospital (THQ) serve large catchment populations of the district and provide a range of specialist care in addition to basic outpatient and inpatient services. Patient who are in need of dialysis, are referred to tertiary care hospital due to non-availability or insufficient number of dialysis machines. Patient's condition not only deteriorate but also compromise the effectiveness of life saving intervention due to approaching to other cites or to costly private setups of dialysis. Primary and Secondary Healthcare Department has decided to establish & strengthening already existing 5 bedded dialysis unit at THQ hospitals. This will improve the quality of healthcare and timely provision of life saving treatment will be possible to large number of patients.

Dialysis unit is a special department of a hospital or health care facility that provides a lifesaving support to patients with chronic renal disease along with pre-existing diseases like diabetes, hypertension, ischemic heart disease to ensure normal bodily functions. Dialysis units are staffed by highly trained doctors, dialysis technicians and dialysis nurses who have done specialized training in caring for such patients. Patients are usually admitted from out door and often from emergency and registered for their timing and schedule of dialysis because these patients are given regular appointments twice or thrice a week as per defined by nephrologist/physician.

#### 5.3.3.7 <u>Labor Rooms/Nurseries</u>

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the Labor Rooms/Nursery unit in THQ hospitals.

#### 5.3.3.8 Operation Theater

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the Operation Theater in THQ hospitals. Majority of patients are suffering problems some time life threatening phases due to delay in treatment according to diagnosis in case of lack of Operation Theater in vicinity.

#### 5.3.3.9 Orthopedic unit

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the orthopedic unit in THQ

hospitals. Majority of patients are suffering problems some time life threatening phases due to delay in diagnosis and treatment according to diagnosis in case of lack of orthopedic unit in vicinity.

#### 5.3.3.10 Gynecology Department

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the gynecology unit in THQ hospitals. Majority of patients are suffering problems some time life threatening phases due to delay in diagnosis and treatment according to diagnosis in case of lack of gynecology unit in vicinity.

#### 5.3.3.11 Surgical Unit

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the surgical unit in THQ hospitals. Majority of patients are suffering problems some time life threatening phases due to delay in diagnosis and treatment according to diagnosis in case of lack of surgical unit in vicinity.

### 5.3.3.12 Intensive Care Unit (ICU)

Tehsil Headquarter Hospitals (THQ) serve catchment populations of the whole Tehsil (0.5-1 million) and provide a range of specialist care in addition to basic outpatient and inpatient services. They typically have about 80 to 150 beds and a broad range of specialized services including surgery, medicine, paediatrics, obstetrics, gynaecology, ENT, ophthalmology, orthopaedics, urology, neurosurgery etc. Patient who are in need of intensive care are usually referred to tertiary care hospital but due to long distance they had to travel and time consumed on road due to heavy traffic and other unavoidable circumstance ,patient's condition not only deteriorate but also compromise the effectiveness of life saving intervention. Understanding these ground realities Primary and Secondary Healthcare Department, Government of the Punjab has decided to establish intensive care units (ICU) in THQ hospitals as a part of its Annual Development Plan. This will improve the quality of healthcare and timely provision of life saving treatment will be possible to large number of patients.

Primary and Secondary Healthcare Revamping programme (PSHRP) is the initiative by the Chief Minister of Punjab to strengthen the healthcare delivery system in the province Acquisition of licenses for all THQ Hospital by developing and implementing uniform set of standard Operating procedures (SOPs) & standard medical protocol (SMP) for compliance to MSDS of PHC is planned as a part of PSHRP.

An **intensive care unit (ICU)** is a special department of a hospital or health care facility that provides <u>intensive treatment medicine</u>. Intensive care units cater to patients with <u>severe and life-threatening</u> illnesses and injuries, which require constant, close monitoring and support from specialized equipment and medications in order to ensure <u>normal bodily functions</u>. Intensive care units are staffed by highly trained <u>doctors</u> and <u>nurses</u> who specialize in caring for critically ill patients. They are also distinguished from normal hospital wards by a higher staff-to-patient ratio and access to advanced medical resources and equipment that are not routinely available elsewhere. Common conditions that are treated within ICUs include <u>ARDS</u>, <u>trauma</u>, <u>multiple organ failure</u> and <u>sepsis</u>. Patients may be transferred directly to an intensive care unit from an <u>emergency department</u> if required, or from a ward if they rapidly deteriorate, or immediately after surgery if the surgery is very invasive and the patient is at high risk of complications.

#### 5.3.3.13 Mortuary Unit

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the mortuary unit in THQ hospitals. Postmortem or autopsy is a part of medico legal investigation into a death which is conducted by a judicial medical officer. Realizing the problems countered medico legal process focusing on following important areas;

- 1. Improving quality and motivation levels of human resource conducting medico legal Examination.
- 2. Improve methods to collect and preserve samples so that so that these may best be available for further forensic analysis.
- Improving physical infrastructure at tehsil level to provide enabling environment for better conduct of medico legal cases including improvement in state of mortuaries at tehsil level.
- 4. Improvement in legal framework including improved forms.

#### **5.3.3.14 Dental Unit**

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the dental unit in THQ hospitals. Majority of patients are suffering problems some time life threatening phases due to delay in diagnosis and treatment according to diagnosis in case of lack of dental unit in vicinity.

# 5.3.3.15 Physiotherapy Unit (33 THQ Hospitals)

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the physiotherapy unit in all THQ hospitals. Majority of patients are suffering problems some time life threatening phases due to delay in diagnosis and treatment according to diagnosis in case of lack of physiotherapy unit in vicinity.

- 1. Physiotherapy is a "science of healing and art of caring". It pertains to the clinical examination, evaluation, assessment, diagnosis and treatment of musculoskeletal, Neurological, Cardio-Vascular and Respiratory systems 'functional disorders including symptoms of pain, edema, and physiological, structural and psychosomatic ailments. It deals with methods of treatment based on movement, manual therapy, physical agents, and therapeutics modalities to relieve the pain and other complications. Hence, Physical therapy covers basic parameters of healing sciences i.e. preventive, promotive, diagnostic, rehabilitative, and curative.
- Physiotherapy practice has a very long history and a modern clinical practice is heavily reliant on research and evidence based practice. The Primary and Secondary Healthcare Department Government of Punjab attests to this commitment by adopting and promoting the Standards of Practice for Physiotherapy.

#### Importance of Physiotherapy and Rehabilitation department

- 1. Physiotherapy provides services to individuals and populations to develop maintain and restore maximum movement and functional ability throughout the lifespan. This includes providing services in circumstances where movement and function are threatened by aging, injury, disease or environmental factors. Functional movement is central to what it means to be healthy.
- 2. Physiotherapy is concerned with identifying and maximizing quality of life and movement potential within the spheres of promotion, prevention, treatment/intervention, habilitation and rehabilitation. This encompasses physical, psychological, emotional, and social wellbeing. Physiotherapy involves the interaction between physical therapist, patients/clients, other health professionals, families, care givers, and communities in a process where movement potential is assessed and goals are agreed upon, using knowledge and skills unique to physical therapists.
- 3. The proposed project entails setting up a Physiotherapy and Rehabilitation Department. Being one of the major players in human service sector, rehabilitation Departments provide a wide range of services relating to physical impairments and disabilities of all age groups. These services range from assessment, evaluation, diagnosis, treatment and plan of care of individuals, from newborns to the very oldest, who have medical problems or other health-related conditions that limit their abilities to move and perform functional activities in their daily lives. These services will be provided by qualified Physiotherapists Consultants. Our consultants

examine each individual and develop a plan using treatment techniques to promote the ability to move, reduce pain, restore function, and prevent disability. In addition, our doctor work with individuals to prevent the loss of mobility before it occurs by developing fitness- and wellness-oriented programs for healthier and more active lifestyles. The proposed Physiotherapy and Rehabilitation Department will provide all these services under one roof.

# **Opportunity Rationale**

Due to vast media exposure over past few years, women, as well as men, have become more conscious about their health especially youngsters. In Pakistan, Rehabilitation Clinics and Fitness Centers have grown over the years. It is easy to open GP clinic as space and skill requirement is very basic. But a Rehabilitation clinic provides more professional services with qualified staff including Physiotherapy doctors and experienced support staff and therefore, requires more planning and arrangement. Quite a few Physiotherapy and Rehabilitation Departments have opened in Lahore, Islamabad, Karachi and other relatively larger cities of Pakistan, which are catering to the demand of the people, but still there is a lot of unfulfilled demand as can be judged from excessive rush at the existing Physiotherapy Departments. The patient's ratio and problems with musculoskeletal disorders and neurological disorders are same in the tehsils and districts levels of Punjab. The business is service-oriented and carries large potential for serving poor people due to its unique nature and uncontrolled spreading of joints and muscles, and neurological problems, especially in the areas where our THQ Hospitals are located. There is lot of potential in this domain, especially for those who are committed to providing quality service.

## 5.3.3.16 Queue Management System (QMS)

OPD in THQ has enormous patient load, due to the only big public sector serving hospital in Tehsils. At the moment the ticket system is prevailing but there is no mechanism to handle that ticket and assign number to the ticket and its being issued in manual format. This will also create dependency on the person issuing the ticket. After getting the tickets, patient will be provided with no guidance on where to go and when his term will come to meet the doctor and get the required service. This will create confusion and delayed service delivery. On the other hand it will waste lots of time on the end of doctor and patient as patient and doctor has no direct liaison with each other. Moreover, patient will again have to be dependent on some person to check that either doctor is free or any patient sitting in his facility. Here again, human intervention and dependency will come into play.

This project basically aims to remove all the human related dependency till the patient reach the doctors. Moreover, it also includes, recording basic information for a patient and guiding him to the doctors room from registration count to triage without any dependency on hospital staff. This will improve the transparency as per the vision of good governance and serve the patient in an efficient and transparent manner. This will also help the patient in estimating that time estimate till his term which will give him relief and more belief on the fair system. On the other hand doctor will always have an idea that how many patients will be in queue and give him direct liaison with the patient sitting outside.

The need of queue management system is evident in hospital from the fact of lack of proper mechanism of patient queue management at OPD's, human resource deficiency and non-functional equipment. The Implementation of Queue Management System will provide and streamline Patient Queue Management at OPD with Ticket Generation and Display of Numbers on the counters. This will help in maintaining the queue on First IN First OUT (FIFO) basis. The system will also provide the information counter to the general public to educate them in the use of queue management system and short description of the process. After implementation of this system, the incoming patient will be guided in a manner to get the service on his turn without any dependency or interference of an external resource. All will be handled in an automated way with patient are being served at their turn.

The system manages the patients load, organizes the patient's queues in an adequate manner and gives them the ease in waiting area; and they will be examined gracefully by doctors at their turn. Basic information of the patient is also linked with its ticket, being taken at the first counter. This will help established a unique ID against each patient. This will also lead to the establishment of Electronic Medical Record. The Process flow of Queue Management System at THQ is given as follows:

There are 25 counters at THQ level including basic registration counter, triage counter, consultant office and hospital pharmacy. There is one ticketing machine with a bifurcation of male, female and old age person. The ticket will be issued to the relevant category accordingly. After receiving the ticket the said number will be blinked on male, female and old age counter. The person will move to that counter where he will be asked about his basic details which will be entered in the basic registration form software linked with QMS and that specific token / ticket number. He will also be asked about the disease and accordingly the relevant consultant / specialty area e.g. pediatrics, ophthalmology etc. after registering, he will take the printout and give the slip to patient / attendant along with its token number.

The basic fee of OPD will be received at the registration counter and accounted for in the basic registration software linked with QMS. The same token number will be displayed on the triage counter where his vitals will be taken and written on the same registration slip available with the patient. Now, keeping in view the specialty area the token number will be displayed on the relevant consultant office and he will be checked by relevant consultant. The consultant than diagnosed the medicine or either to admit it after his examination. In case of medicine he will be sent to hospital pharmacy where again the same ticket number will be displayed. There have to be an option available with the doctor to either redirect him to the hospital pharmacy or other (medical tests, referred to IPD). On displaying the same token number at pharmacy counter the patient will move to pharmacy counter along with his token number and registration slip and take prescribed medicine. Patient will be disposed from that window and process of QMS will be completed. There will be no entry in the basic registration software on the counters of triage, doctor at the moment. Detail of equipment is attached.

The process described above for THQ will be implemented. The important constraints for the systems are:

- Same token number will be used at all the counters and patient will be getting the ticket from ticketing machine only once at the time of entry.
- 2. QMS will cater for missed, skipped or delayed patient at any counter.
- 3. There will be two LED displayed at different location in the waiting area to guide patients about the process details and to display token number along with announcement in URDU.
- 4. The gap between each display panel from ticketing machine to pharmacy can be customized according to requirement e.g. 5, 10, 30, 60 seconds etc.

# 5.3.3.17 Electronic Medical Record (EMR)

Establishment of network infrastructure, establishing a central data center, connectivity of different building through fiber, are also the major components of the revamping project in terms of ICT. This will including provision of networking point at all nursing stations and important areas where entries regarding patients' needs to be made e.g. Radiology/Pathology, Indoor, outdoor etc. This will serve as backbone to implement the Electronic Medical Record System in the Hospital which has the key feature of generating Unique Medical Record Number for each patient.

This MR number will serve as an identity for patients during their treatment, retrieval of records and for decision making.

EMR will also be able to log the patient for treatment being provided to him in different areas of hospital i.e. OPD, Pathology, Radiology, Surgery, Indoor, etc. and their integration. This will be achieved by entering the relevant information at each department against specific MR number of a patient in the Customized / Purpose build software (EMR) for these public healthcare facilities.

This entry of MR number against each patient in hospital will build a large database for patient and relevant diseases. This will help in analysis disease / epidemic prevention and better patient care through retrieval of patient history and proper diagnoses at physician end. Implementation of patient registration, Record keeping, physical queue management, E-prescription, supporting IT interventions for EMR and medicine dispensation. Detail of equipment is attached.

#### 5.3.3.18 <u>Video Surveillance through CCTVs</u>

Installation of network based CCTV cameras is an important module in the ICT part of revamping project. Scope of this component is to install 60 to 80 cameras in each hospitals at important location i.e. entry, exit, OPD, waiting areas, Parking for surveillance and security purposes. This will also serve as major input to the security services by Outsourced Security Company in the hospitals. Moreover, there will be small scale central control room at each hospital to monitor the allocated locations where the cameras have been installed. This system will also have the facility to record the video for 15 days for all the cameras so that recording of specific duration can be produced on demand. This will also have the facility of central control room which has the capacity to access the camera of THQ hospitals and to view and monitor the area of specific camera within specific hospital at any given time. Therefore, it will establish a centralized surveillance and security mechanism for these 85 public sector healthcare facilities. Detail of equipment is attached.

#### 5.3.3.19 Medicine Store

To improve the quality of medical care of patients, primary and secondary Healthcare Department has decided to improve the medicine store in THQ hospitals.

#### 5.3.3.20 Day Care Center

On-site (or near-site) child care would lead to improve workplace satisfaction by allowing employers more frequent contact with their children,

reducing stress and anxiety over scheduling, and potentially providing financial benefit to the hospital. Therefore, P&SH Department has decided to establish the Day Care Center at every THQ Hospital. The Medical Superintendent of the concerned hospital will be the overall in-charge of the Day Care Center.

#### 5.4 Out Sourcing of Non Clinical Services

It was planned to provide Outsourcing of following Non-clinical services through development Budget later on decided to shift to non-development Budget as per the decision of progress review meeting chaired by the Chairman P&D Board dated 01-01-2018 w.e.f. 30-06-2018:-

- 1. Janitorial services
- 2. Laundry services (On hold)
- 3. MEPG Services
- 4. CT scan
- 5. Security

# 5.4.1 Janitorial services

These services include cleaning of hospitals and its roads and ROW areas. Internal cleaning comprises of complete cleaning along with washrooms cleanliness and material for these services such as hand wash/sanitizer. The Outsourcing is hereby designed keeping in view the sizes of areas assigned to each sanitary worker along with condition and nature of service. Human resources are planned after measuring the total area of hospital, built up area excluding the areas of horticultural land and residential buildings. The workers shall work in three shifts in a day. Half of the total strength of sanitary workers shall work in morning shift due to patients load in OPD. The concerned sanitary work company is bound to provide cleaning services materials and their refilling as and when required.

The companies providing janitorial services will be required to provide quality janitorial services, complete their personnel strength on daily basis which will be ensured through biometric attendance. Also, the companies will be subject to pecuniary penalties by hospital authorities if services provided are not according to the contracts.

#### 5.4.2 Laundry Services

Different models were being applied by the hospital administrations individually which were not properly catering the basic requirement of washing and disinfection of different items used for hospitals. This model includes the initial procurement of different daily use items such as three different colors bed sheets and pillow covers and are to be changed thrice a day. Moreover, the concerned company must provide washing and cleaning services of bed sheets, pillow covers, blankets along with covers, apparels/OT clothes.

# 5.4.3 MEPG Services

The service of the hospitals is suffering badly due to improper functionality of the existing electrical and mechanical equipment which arises due to lack of maintenance. This model satisfies the need of proper maintenance plan which comprises of regular visits of technicians for looking after of electrical and mechanical equipment and accessories. Outsourcing company will be responsible for immediate response and above mentioned services.

# **5.4.4 CT Scan Services**

CT Scan Services in selected Hospitals of Punjab are also being undertaken as a component of Government's decision to revamp all Secondary Healthcare. The objective of this initiative is to provide high quality CT Scan Services to widely scattered population of low socio-economic groups at their door steps. It will ensure provision of satisfactory diagnose infections, muscle disorders, and bone fractures. The imaging technique of CT Scan can help doctor to study the blood vessels and other internal structures and assess the extent of internal injuries and internal bleeding.


#### 5.4.5 Security

The outsourcing model is designed due to non-provision of security arrangements and improper parking in different areas of premises of hospital. This model consists of guards who shall work in two shifts to provide security and surveillance for complete premises of hospital excluding residential areas. The devices required for this service to operate are arms, walkie talkie, Base set per unit and torch etc.


#### 5.6 HR & Management Interventions Structure

HR Interventions can be broadly classified into introduction of New Management Structure (NMS) staff.

# **New Organogram of Hospital**



# MS •AMS/ SUPPORT MANAGER •IT/Data Analysis •IT/ Statistical Officer •4 Data Entry Operators Admin Admin Officer •4 Monitors Security Transport Parking Janitorial Canteen •External House Keeping •Civil Works Technical works •Electrical Works •Internal House Keeping Laundry •Stores & Supplies



# 5.6.1 <u>Non Clinical HR Interventions (Human Resource (HR) Plan</u> <u>Management Structure)</u>

Institution will run under the administrative control of Medical Superintendent, who will control this with the collaboration and cooperation of 3 Additional Medical Superintendents including AMS (Admin), AMS (HR & Budget) and AMS (clinical), 3 Deputy Medical Superintendents (morning, evening and night) will be reporting to AMS Clinical. Each clinical facility will be further controlled by head of concerned department and 6 administrative posts of HR & Legal Officer, IT/Static Officer, Budget & Account Officer, Admin Officer, Procurement Officer and Audit Officer will be provided as supporting hands for AMS Admin and AMS HR & Budget for smooth execution of hospital tasks.

# Responsibilities / Job Descriptions, Eligibility & Financial Implications for Management Structure of Hospital

## 5.6.2.1 Medical Superintendent

Shall be overall responsible for all the affairs of the Hospital

#### 5.6.2.2 AMS Admin.

Shall be responsible for following functions in addition to his own duties:

- 1. General administration
- 2. IT/Data analysis/statistics keeping (biometric machines, etc.).
- In case of outsourced interventions like QMS/EMR he shall be responsible for enforcement of contract and in case of violation shall ensure action has been taken as envisaged in the contract.
- 4. He shall be responsible for entry of data on Citizen Feedback Model.
- 5. He shall be responsible for ensuring collection of report of actions taken on CFM reports and entry of that on CFM.
- 6. He shall be responsible for implementation of any IT related initiative in the hospital.
- 7. He shall be responsible for better record keeping of hospital
- 8. He shall devise and implement systems for better record keeping of hospital

9. He shall ensure generation of all types of reports/information required of hospital by District Government/P&SHD/any other authorized Public agency

#### **New Management Structure (NMS)**

In place of the clerical positions, the P&SH Department has introduced a New Management Structure (NMS), in all District and Tehsil Headquarters Hospitals. The officers recruited as a part of the NMS have a minimum of 16 years of education. Their minimum qualification is MBA / B.Sc. Engineering / M.Com / Pharm-D / M.Cs / LLB / MPA / CA Inter / ACCA / ACMA / Master Degree or equivalent in relevant field etc. Their recruitments were undertaken through a competitive process by a third party testing service.

#### 5.6.2.3 Admin Officer

Shall be responsible for general administrative affairs of hospital along with following functions:

- 1. Security
- 2. Transport
- 3. Parking
- 4. Janitorial
- 5. External housekeeping
- 6. Electrical works
- 7. Internal housekeeping
- 8. Laundry
- 9. Stores & supplies

In case these functions have been outsourced, he shall be responsible for enforcement of these contracts and shall ensure that penalties are imposed in case of violation of contract. In case he fails to enforce contract and the outsourced function is not performed at par as per contract and penalties have not been imposed he shall be liable for non-action. Moreover, only reporting of violation of contract shall not suffice but he has to ensure follow up till the penalty has been imposed and action as envisaged in contract in case of violation has been taken.

#### **Eligibility Criteria**

 Minimum qualification Masters' degree in Economics/ Public Administration/ Finance/ MBA Finance/Administration or equivalent from HEC recognized University 2. Minimum 2 years post degree experience of administration (Additional credit may be given for hospital administration/ Public sector administration of similar nature)

# 5.6.2.4 <u>Human Resource Officer</u>

Shall be responsible for following:

- Issuance of monthly Duty rosters & special duty rosters of Eid,
   Muhurram etc. of all clinical & non-clinical staff in hospital
- 2. Issuance of Transfer/postings orders within hospital
- 3. Taking of joining from new incumbents and charge relieving orders of relinquishing officials
- 4. File maintenance of all employees of hospital
- 5. Record of all enquires of employees of hospital
- 6. Leave record of employees
- 7. Adjustment of officials on duty during leave of concerned employee
- 8. Litigation/ legal issues of hospital (shall ensure all court cases are well attended and all legal matters of hospital are well taken care of)
- 9. Any other HR related function assigned by MS/AMS

# **Eigibility Criteria**

- Minimum qualification Masters' degree in Economics/ Public Administration/ Finance/ MBA HR/Management/ Finance/Administration or equivalent from HEC recognized University
- 2. Minimum 1 year post degree experience of administration (Additional credit may be given for hospital administration/Public sector experience of similar nature)

#### 5.6.2.5 IT/Statistical Officer

He shall be responsible for IT support for all IT interventions in the hospital.

He shall be in liaison with HISDU, P&SHD for proper reflection of hospital record on HISDU dashboard. In case there is any discrepancy or error he shall resolve the issue. Moreover, he shall be responsible for functionality of all IT equipment.

#### **Eligibility Criteria**

- Minimum qualification Masters' degree in Computer Science or equivalent from HEC recognized University
- 2. 2 years post degree experience of IT/Data analysis(Additional credit may be given for similar assignment experience)

### 5.6.2.6 Finance & Budget Officer

Shall be responsible for following:

- 1. Handling of all financial matters of hospital
- 2. Petty cash handling
- 3. Preparation of budget
- 4. Budget review
- 5. Maintenance of accounts and record
- Any other function assigned by AMR HR & Finance/MS/P&SHD

#### **Eigibility Criteria**

- Minimum qualification Masters' degree in Finance/ MBA Finance or equivalent from HEC recognized University (Additional credit may be given to Charter accountant/ACCA)
- Minimum 2 years post degree experience of Finance, Accounts
   Budget (Additional credit may be given for Public sector experience of similar nature)

#### **5.6.2.7 Procurement Officer**

Shall be responsible for following functions:

- 1. Procurement of all kinds for hospital
- 2. Shall be in liaison with P&SHD for procurements being conducted
- 3. Any other function assigned by AMS HR & Finance /MS/P&SHD

# Eigibility Criteria

- Minimum qualification Masters' degree in Finance/ MBA Finance or equivalent from HEC recognized University
- 2. 2 years post degree experience of procurement (Additional credit may be given for public sector experience of procurement)

# 5.6.2.8 **Quality Assurance Officer**

He shall be responsible for quality of all things in the hospital.

#### Eligible Criteria

 Masters in Total Quality Management / Masters in Public Health/ Masters in Health Administration/ Masters in Hospital Management / Masters in Biochemistry / Biotechnology / Molecular Biology / Microbiology from an HEC recognized University or equivalent.

OR

16 years education along with Post graduate diploma in Total Quality Management/ Post graduate diploma in Health Safety and Environmental Management System / Post graduate diploma in Healthcare and Hospital Management / Quality Assurance or equivalent.

2. Minimum 1 Year post degree relevant experience.

# 5.6.2.9 Logistics Officer

He shall be responsible for Supply Chain, logistics, fleet, warehousing and inventory management, clearing and forwarding in the hospital.

#### **Eligible Criteria**

- 1. M.Sc. Supply Chain Management/ MBA or Equivalent.
- 2. One year experience in Supply Chain, logistics, fleet, warehousing and inventory management, clearing and forwarding.

# 5.6.2.10 Data Entry Operators (DEO)

Four Data entry operators shall help IT officer in dispensation of his responsibilities.

# **Eligible Criteria**

 Minimum qualification BA / B.Sc / B.COM / BCS or equivalent from HEC recognized University. In case of BA/B.COM candidate must have six months computer course / Diploma.

- 2. Proficient in MS Word/ MS Excel/ MS Power point (additional credit may be given for additional relevant certified computer courses)
- 3. 1 years post degree relevant experience

#### 5.6.2.11 Assistant Admin Officer

Shall be responsible for general administrative affairs of hospital and assist the admin officer.

# **Eligibility Criteria**

- Minimum qualification Masters' degree in Social Sciences/Economics/ Public Administration/ Finance/ MBA Finance/Administration or equivalent from HEC recognized University
- 2. Minimum 2 years post degree experience of administration (Additional credit may be given for hospital administration/Public sector administration of similar nature).

# 5.7 HR for QMS and MSDS and Day Care Center.

# 5.7.1.1 QMS Supervisor / Information Desk Officer

Shall be responsible whole QMS networking

# Eligible Criteria

- M.Sc. (Comp. Engineering, Electronics, Electrical Engineering, IT, Telecommunication, Com. Science, Software Engineering, MCS), BCS (Comp. Engineering, Electronics, Electrical Engineering, IT, Telecommunication, Com. Science, Software Engineering, MBA, BBA, MPA, IT related 16 years Education.
- 2. Experience in the field of Software/Hardware/Network/DATA Quality Assurance, IT projects, IT enabled organizations, CCTV Control Room monitoring, Call Centre, Networking, Software Development will be considered as an added advantage during interview process.
- 3. Excellent communication Skill (Urdu, English) and IQ level
- 4. Age Limit of 21-28 years for Male & 21-30 years for Female
- 5. Typing Speed: 30WPM.

#### **5.7.1.2 Computer Operators**

Eight Computer operators shall help QMS Supervisor in dispensation of his responsibilities.

#### Eligible Criteria

- 1. Minimum qualification 14 year or Masters' degree from HEC recognized University
- 2. Proficient in MS Word/ MS Excel/ MS Power point (additional credit may be given for additional relevant certified computer courses)
- 3. 35 Word per Minute. Excellent communication in English and Urdu.

#### 5.7.2 Consultants (MSDS) Implementation & Clinical Audit

#### **Eligible Criteria**

- 1. MBBS & Masters in Public Health, or equivalent qualification.
- 2. The consultant must have 10 years of hands on experience of third party validation, clinical audit of hospitals, Minimum Service Delivery Standards (MSDSs) implementation / hand holding; Report Writing; working knowledge of international best practices in hospital management will be preferred. Proficiency in MS Office is must. Must have strong communication skills.

# 5.7.2.1 <u>Terms of Reference (TORs) for Consultants Minimum Service</u> <u>Delivery Standards (MSDS) Implementation & Clinical Audit</u>

Government of the Punjab, Primary and Secondary Healthcare Department (P&SHD) is implementing multiple initiatives to improve the quality of healthcare at DHQ/THQ level across the province. One of the initiatives is Primary and Secondary Healthcare Revamping program which is being implemented by the Project Management Unit (PMU). Currently PMU is also involved in the standardization of quality of care at facility level through uniform set of Standard Operating Procedures (SOPs) & Standard Medical Protocols (SMPs) for compliance. The department intends to make all DHQs and THQ hospitals of Punjab as MSDS compliant which have been devised by Punjab Healthcare Commission.

Punjab Healthcare Commission was established under the PHC Act 2010 as an autonomous regulatory body for health sector; with the purpose of improving the quality, safety and efficiency of healthcare service delivery for all Public and Private Healthcare Establishments (including Allopaths, Homeopaths and Tibbs) in the province of Punjab. The Punjab Healthcare Commission has developed

Minimum Service Delivery Standards (MSDS) for all hospitals to improve the quality of healthcare services all over the Punjab. All Healthcare Establishments are required to implement MSDS to acquire a License to deliver healthcare services in Punjab.

This standardization effort will not only ensure availability of minimum services delivery standards (MSDS), SOPs, SMPs at all levels, but also the other essential inputs for functioning of systems and processes to ensure the smooth and safe delivery of quality healthcare services. These will also create conducive working environment for healthcare providers.

#### 5.7.2.2 Objectives

The objective of this assignment is to implement & check all SOPs, SMPs, Minimum Service Delivery Standards (MSDS) & conduct clinical audit for 125 DHQ/THQ hospitals. Furthermore, the consultant will also monitor ongoing multiple trainings at DHQ/THQ hospitals.

#### 5.7.2.3 Scope of Work

- 1. Develop policy & strategy for clinical audit of 125 hospitals.
- 2. Develop detailed clinical audit plan, with expected deliverables from hospitals. 360 degrees clinical audit.
- Visit DHQ/THQ hospitals, to assess MSDS implementation and detailed report generation with short coming & highlight areas of improvement.
- 4. Review SOPs, SMPs & ISO Standards in hospitals to identify non-compliance.
- Visit DHQ/THQ hospitals to implement clinical audit as per devised strategy, as well as monitoring and implementing MSDS standards.
- 6. Prepare detailed visit reports of clinical short comings; and suggest, and implement improvement plan.
- 7. Monitoring & auditing of patient referral system, detailed report on error and recommendations on rectification of errors.
- Visit DHQ/THQ hospitals to implement clinical audit as per devised strategy, as well as monitoring and implementing MSDS standards.
- 9. Prepare detailed visit reports of clinical short comings; and suggest, and implement improvement plan.
- 10. Monitoring & auditing of patient referral system, detailed report on error and recommendations on rectification of errors.
- 11. Monitoring and evaluation of multiple trainings imparted at DHQ/THQ hospitals.
- 12. Any other relevant task assigned by Project Director/Director Quality Assurance / Project Manager.

#### 5.7.2.4 Reporting Arrangements

 The Consultant (MSDS & Clinical Audit) will report to the Project Director/Director Quality Assurance/Senior Project Manager, P&SHD

#### 5.7.2.5 <u>Duration of Assignment</u>

 The duration of assignment will initially be for THREE MONTHS / 120 DAYS which will be extendable subject to satisfactory performance.

#### 5.7.2.6 Outputs / Key Deliverables

- Study/desk review the relevant Minimum Service Delivery Standards (MSDS) prescribed by PHC & ISO Standards, train the hospital staff/monitor/facilitate their implementation.
- Study/desk review the existing Standard Operating Procedures (SOPs), train the hospital staff/monitor/facilitate their implementation and suggest improvements where necessary.
- Study/desk review the existing SMPs, train the hospital staff/monitor/facilitate their implementation and suggest improvements where necessary.
- Conduct hospital visits of 125 DHQ/THQ hospitals (each DHQ hospital to be visited monthly & each THQ hospital every three months).
- Conduct formal hospital survey for confirming the implementation of MSDS on the relevant Scoring Matrix.
- Submit detailed report of each hospital visit on a standard format prescribed for the purpose.
- Conduct a system, process analysis with special emphasis on clinical audit and submission of detailed report accordingly.

#### **5.7.2.7 Remunerations**

- The consultant will be paid amount of Rs. **4500-6500/- per day** with no other benefits.
- All logistics will be arranged/reimbursed by PMU for field visits (accommodation, refreshments etc).

#### 5.7.2.8 Terms of Payment

 Consultant will be paid on monthly basis throughout the contract period.

#### 5.7.3 HR for Day Care Center

#### 5.7.3.1 Manager Day Care Center (DCC)

Shall be responsible for general administrative affairs of DCC.

#### **Eligibility Criteria**

- Minimum qualification Masters' degree in Economics/ Public Administration/ Finance/ MBA Finance/Administration or equivalent from HEC recognized University
- 2. Minimum 2 years post degree experience of administration (Additional credit may be given for hospital administration/ Public sector administration of similar nature)

#### **5.7.3.2 Montessori Trained Teacher**

Shall be responsible for basic education of children.

#### **Eligibility Criteria**


- 1. Minimum qualification BA/BSC or equivalent from HEC recognized University along with B.Ed.
- Minimum 1 years post degree experience of teaching (Additional credit may be given for Public sector teaching of similar nature)

#### 5.7.3.3 Attendant / Care Giver

Shall be responsible for special care of the children.

#### **Eligibility Criteria**

Minimum qualification Matric or equivalent alongwith diploma in relevant field



The Planning & Development Board vide letter No.12(24)PO(COORD-II)P&D/2022 dated 14-07-2022 has informed that revised standard pay package were discussed and approved by the 83<sup>rd</sup> PDWP meeting held on 28-06-2022 under the chairmanship of Chairman P&D Board for all ADP funded Project posts of Department /Organizations working in Government of the Punjab:

Project Pay Scale (PPS)	Revised Project Pay Scales (Permissible Range) (PKR)	Annual Increment Up to % age
PPS-1	28,000 44,800	10
PPS-2	35,00056,000	10
PPS-3	43,750 70,000	10
PPS-4	52,500 84,000	10
PPS-5	70,000112000	10
PPS-6	105,000 172,200	8
PPS-7	157,500258,300	8
PPS-8	218,750358,750	8
PPS-9	306,250502,250	8

PPS-10	437,500700,000	5
PPS-11	612,500 980,000	5
PPS-12	875,0001,400,000	5

In view of the above the Pay package of NMS staff has been revised. Financial Implications of New Management Structure Model based on revised Standard Pay Package (PPS) approved by the 83<sup>rd</sup> PDWP meeting held on 28-06-2022:

	No. of	Original Pa	ay package	Revised Pa	ay package	
Name of Post	Employees	Per Month Salary	Salary for One Year	Per Month Salary	Salary for One Year	
Admin Officer	1	80,000	960,000	105,000	1,260,000	
Human Resource Officer	1	80,000	960,000	105,000	1,260,000	
IT/Statistical Officer	1	80,000	960,000	105,000	1,260,000	
Finance & Budget Officer	1	80,000	960,000	105,000	1,260,000	
Procurement Officer	1	80,000	960,000	105,000	1,260,000	
Quality Assurance Officer	1	80,000	960,000	105,000	1,260,000	
Logistics Officer	1	80,000	960,000	105,000	1,260,000	
Data Entry Operator (DEO)	2	35,000	840,000	44,000	1,056,000	
Assistant admin Officer	2	50,000	1,200,000	70,000	1,680,000	
Total	11		8,760,000	849,000	11,556,000	

#### **5.8 Other Initiatives:**

There are many other initiatives which government plans to undertake in order to improve healthcare services in the province. These include:

- Rehabilitation of Emergency Ward
- Fixture of Benches
- Addition of Bracket Fans/Water Coolers/LCDs with signage
- Supply of Laboratory/ Equipment/USG/ECG etc.
- CCU Improvement
- Installation of Water filtration plants
- Replacement of Bed sheets/Pillows/Matrasses
- Installation of Transformers/Dual Connection
- Improvement of Labor rooms/Nurseries

- Maintenance and replacement of Air-conditioners through Outsourcing
- Blood Bank improvement
- Installation of CCTV Cameras
- Installation of Basic Fire-fighting Equipment
- Up gradation of Pharmacy and medicine Store
- Improvement of Internal Roads and laying of Tough pavers
- External Development
- Rehabilitation of Hepatitis/T.B Control

The PMU is essential to deliver the project end-item within budget and time limitations, in accordance with technical specifications, and, when specified, in fulfillment of project objectives.

#### 5.9 Patient Management Protocol

#### 5.9.1 Emergency:

- 1. Initial reception and computerization of data, issuance of medical record number and preparation of record file.
- 2. Patients seen by C.M.O. initial assessment (brief history and physical examination) is entered on the emergency slip/file initial treatment is started.
- 3. C.M.O calls the medical officer / house officer of the relevant department who takes on of the following action:
  - i. Discharges the patient from emergency department after the patient is stabilized (himself or after consultation).
  - ii. Returns the patient in emergency department and inform the consultant or call such patient is either discharged after some time i.e. 2 hours of admitted later on
  - iii. Patient is straight way admitted by the medical officer himself or in consultation with the consultant
- A separate record is maintained by each department. Each patient discusses at the morning meeting and any pitfalls are any pitfalls are corrected.
- 5. The patient who is admitted is again entered into the computer in the ward, complete history and physical examination is carried out and relevant lab & radiological investigations are ordered. (If not already done in the emergency department).

- 6. The definitive management is either started by the medical officer himself or in consultation with the consultant. (Telephone or physically). The patient is prepared for surgery if required.
- 7. At the evening round of the ward, the patients admitted throughout the day (Through OPD or emergency) are seen by the specialist. Appropriate changes in the management are carried out.
- 8. During the night, medical officer & house officer will be on duty and they will remain in contact with consultant.
- 9. In the morning round all the new admissions and old patients are thoroughly discussed management / treatment changed, surgery ordered or discharge ordered.
- 10. The discharge certificate is either prepared by the house officer or medical officer. If prepared by the house officer, it is countersigned by the medical officer

Appropriate changes are made in the computer record after discharge. The file is sent to the central record.

#### 5.9.2 O.P.D:

- 1. After the initial registration and issuance of computerized number patient is sent to the relevant medical officer with the OPD slip/file.
- 2. The medical officer / house officer of the relevant department performs the initial assessment. The medical officer himself advises the treatment / investigation or refers the patients to the specialist or admits the patient.
- 3. After admission. The same routine is followed which has been mentioned in the case of admission through emergency.

#### 5.9.3 Death or End of Life Management.

- 1. The decision regarding resuscitation is made at the initial stages by the medical officer / house officer or specialist in consultation with the patient himself and / attendants.
- 2. The DNR (Do not resuscitate) patients are only seen by the medical officer/ hose officer at the time of death.
- 3. For the patients to be resuscitated, a special code (blue code) is declared when patient go onto cardiac or the terminal events.
- The policy for very sick / terminal and dying patients is formulated at the hospital administration level and appropriate modifications are decided in the relevant department for each patient.

Every death is discussed weekly at the mortality committee at the department and at the hospital level cleared by the Medical Superintendent.

#### **5.9.4 Inventory Control System**

The stock keeping and issuance of such items shall also be controlled and monitored through closer supervision and checks and balance system built in the software. The stock and expense of durable and consumable items will be kept in the system and also as hard copies. The main stores computers will be linked with the sub stores computers through networking. The areas like emergency. Outpatient department, Indoor registration desks, Laboratory and Radiology Department, ICUs, etc., will have linkages with the main and sub stores to know about:-

- 1. Stock in hand of various items
- 2. New receipt of these items
- 3. The items which have been issued to other departments
- 4. The Items which are not available
- 5. The expenditure incurred on the purchase.

The budget and details of account shall be linked with the financial control system.

#### **5.9.5 Project Monitoring Committee**

A Project Monitoring Committee is proposed hereby as under to monitor the project regarding Revamping of THQ Hospital:

1.	Deputy Commissioner	(Chairman)
2.	District Monitoring Officer	(Member)
3.	Executive Engineer Buildings	(Member)
4.	Assistant Commissioner Concerned	l (Member)
5.	MS THQ Hospital (S	Secretary/Member)

The committee will monitor the progress of the project and will hold regular weekly meeting to review the progress.

#### 5.10 Relationship with Sectoral Objectives

The Government of the Punjab, Primary & Secondary Healthcare Department is in the process of undertaking number of initiatives to improve health care delivery system in the province. The Government of the Punjab is firmly committed to provide health care services at the doorstep of the community through integrated approach. A number of projects to improve emergency health care service particularly targeting on the promptness and quality have been

initiated. Although major focus is on disease prevention and health promotion strategies by providing specialist health care services to victims of various diseases in the patients is one of the top most priority. The instant project will be a major wing to health department with line departments.

Mainly the linkage with social welfare and human empowerment, labour and manpower, Education Department, Special Education, Home of the project will be in a vibrant environment in the holistic manner. The scope of the project itself aims to establish horizontal linkage with all the stakeholders through multisectorial approach. The health care facilities and ongoing services provided in the hospital will seek strength and viability from its linkage and public ownership.

# 6. DESCRIPTION AND JUSTIFICATION OF PROJECT

# 6.1 JUSTIFICATION OF PROJECT

Attached

#### 6. <u>Description, Justification and Technical Parameters</u>

The scheme has been estimated on face of the factual basic requirements and if needed, alterations and has been quoted in this PC-I. The Population of Tehsil Shahpur District Sargodha is more than 0.517 million. The area of the THQ Hospital Shahpur District Sargodha is 459,110 SFT land.

#### 6.1 <u>Description and Justification</u>

The Project Management Unit, Revamping Program, Primary and Secondary Healthcare Department planned to start the 2<sup>nd</sup> Phase of the said revamping program. The instant PC-I is also meant for provision of requisite biomedical and non-biomedical equipment, Electricity, Furniture & Fixture, Signage, HR and outsourcing of services for Revamping of THQ Hospital, Shahpur District Sargodha.

Revamping of THQ Hospital Shahpur District Sargodha constitutes of value addition in all major domains of the hospital including improvement of Civil infrastructure, addition of water filtration plant facility, value addition in Emergency ward and making the health facility more equipped with modern bio-medical equipment. State of the art furniture and fixtures complemented by interior and exterior decors are also part of this revamping project backed by the thought of dedicated express line of electricity to ensure smooth operations of hospitals will bring the modern health facilities in healthy and comfortable environment at the door step of masses. Introduction of new model of outsourcing of laundry services to ensure provision of neat and clean bed sheets, pillow covers, blankets etc. round the clock is also a part of this project. Fool proof security and adequate cleanliness measures of whole health facility are also proposed in this PC-I.

Civil work component will be carried out through C&W Department instead of District Health Authority for this hospital. Value addition in Emergency block is proposed in four domains i.e. Triage, Minor O.T, Specialized care room and emergency ward. Addition of Water Filtration Plant facility where it is not available as unclean or polluted water is devastating for human health. A key consideration was made while selecting furniture and its compatibility with hospital grade cleaners, detergents and disinfectants. Signage is an effective interface between the user and intended facility. Effective signage promotes the healthcare facility in a patient friendly manner. Access is an important part of quality of care. A crucial aspect for patient satisfaction is their comfort levels with the facility itself i.e. a person's ease in navigating a facility, and the timeliness in receiving care. Clear and proper signage at strategic points helps patients in reaching their destination without losing much of their valuable time and saves lot of their efforts in unnecessary enquiring from persons. In this regard, the Equipment of Emergency, Bio-Medical, Non-Bio-Medical, Electricity, Signage, Janitorial, Security, Laundry, Maintenance of Generator and Horticulture have been added as per actual requirement of the Hospital. The Equipment of MSDS, IT, Furniture Fixture, Day

Care Center, HR, Medical Gases, Cafeteria are fixed in all hospitals as per yardstick established by P& SH Department. Prior to initiation of this exercise standardization of required facilities was done by committee of experts in P & SH Department and on the basis of it, gaps were identified which would be covered under this PC-I.

#### Justification for 3<sup>rd</sup> Revision of PC-I

- 1. Originally the Civil work component of the scheme was planned to be executed by the Health Council of the concerned District Health Authority based on cost estimates prepared by the Infrastructure Wing of PMU and approved by the DDSC. Accordingly, funds of Rs.3, Rs.5 and Rs.10 million were provided during FY 2017-18 for the execution of work as per parameters provided to these THQ Hospitals. However, no reasonable revamping civil work was carried out and hence did not fulfil the requirement and the objectives of the Revamping Program. Now P&SHD has decided to carry out further revamping of Civil work through Communication and Works Department Punjab to accomplish the uniformity of THQ Hospitals with already revamped hospitals of Phase-I. Hence the Rough Cost Estimates of the Punjab Buildings Department has been included in the civil work cost of this scheme.
- 2. Primary & Secondary Healthcare Department (P&SHD) made a decision to shift all the clerical posts in DHQ / THQ hospitals of Punjab to District Health Authorities as per notification dated 24th October, 2017. This administrative decision was taken due to a multiplicity of reasons which were adversely affecting healthcare service delivery in the hospitals. Primarily, these clerical posts were not specialized in any particular field, and therefore, the HR hired against these posts were generalized to the extent that they were not able to perform functions of Hospitals and Health Specific tasks that any medical administration should ideally perform. Additionally, public complaints against the clerical staff on issues such as behavior, performance created an environment of malfeasance in all hospitals. In place of the clerical positions, the Department introduced a New Management Structure (NMS), in all District and Tehsil Headquarters Hospitals. The officers/officials recruited as a part of the NMS have a minimum of 16 years of education. Introduction of New Management Structures (NMS) across all secondary hospitals in the Punjab, has allowed for the overall efficiency of District and Tehsil Headquarters Hospitals. In each Tehsil Headquarter Hospital HR under MNS has been provided for smooth running of the health services. Pay Package for NMS Staff was never been revised since 2017-18, therefore it was decided to approach the P&D Department for revision of Pay package. The PDWP approved revised pay page in its meeting held on 08-02-2022 based on PPS approved in 60<sup>th</sup> PDWP meeting as under: -

	60 <sup>th</sup> PDWP Meeting								
Name of Posts	PPS Assigned	Permissible Range (PKR) & Annual increment	Approved Pay Package						
HR & Legal Officer, IT & Statistical Officer, Admin Officer, Procurement Officer, Finance & Budget Officer, Logistics Officer, Quality Assurance Officer, Audit Officer and Biomedical Engineer	PPS-6	75,000-105,000 (8% annual incr.)	75,000						
Assistant Admin Officer	PPS-5	50,000-75000 (10% annual incr.)	50,000						
Data Entry Operator	PPS-3	35,000-55,000 (10% annual incr.)	35,000						

Now the Planning & Development Board vide letter No.12(24)PO(COORD-II)P&D/2022 dated 14-07-2022 has informed that revised standard pay package were discussed and approved by the 83<sup>rd</sup> PDWP meeting held on 28-06-2022 under the chairmanship of Chairman P&D Board for all ADP funded Project posts of Department /Organizations working in Government of the Punjab. Therefore, the revised Pay Package has been incorporated in the revised PC-I.

- 3. As the gestation period of the PC-I till 30.06.2023, therefore, the cost of NMS has been revised for smooth running of the Tehsil Headquarter Hospitals and hence PC-I has been proposed till 30- 06-2025.
- 4. Infrastructure team has conducted the Joint visits with the team of C&W Department. During the field visits, few alterations were recommended by the technical teams which have been incorporated in the Revised Rough Cost Estimates of the subject scheme and have been attached with the PC-I along with comparative statement. Therefore, Civil works component cost has been decreased from Rs. 48.997 million to Rs. 30.493 million due to few changes in the scope and MRS rates (2<sup>nd</sup> Bi-annual 2022).

## 85 THQ Hospitals covered under the Program:

The location map of the 85 THQ hospitals that will be taken up for rehabilitation in this program is given below:

# PROJECT MANAGEMENT UNIT PRIMARY & SECONDARY HEALTHCARE DEPARTMENT



#### LOCATION OF DHQ AND THQ HOSPITALS IN PUNJAB



## **6.2 SECTORAL SPECIFIC INFORMATION**

Social Sectors helath department

#### 7. CAPITAL COST ESTIMATES

Financial Components: Revenue Grant Number: Development - (PC22036)

Cost Center:OTHERS- (OTHERS)

LO NO:LO17011172

Fund Center (Controlling): N/A

A/C To be Credited: Assan Assignment

#### **PKR Million**

S r #	Object Code	2019-2020		2020-2021		2021-2022		2022-2023		2023-2024		2024-2025	
		Local	Foreign										
1	<b>A05270</b> -To Others	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
2	A12403-Other Buildings	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
	Total	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

Financial Components: Capital Grant Number: Government Buildings - (PC12042)

Cost Center:OTHERS- (OTHERS)

LO NO:LO22010077

Fund Center (Controlling):LE4203 A/C To be Credited:Account-I

#### **PKR Million**

S r #	Object Code	2019-2020		2020-2021		2021-2022		2022-2023		2023-2024		2024-2025	
		Local	Foreign										
1	A12403-Other Buildings	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
2	A05270-To Others	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

Total	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Total	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

				Abstra	act of (	Cost						
Name of THQ Hospital						THQ SH	AHPUR					
·	Original 1st Revised 2nd Revised								ed		3rd Revise	d
Scope of work					Cost in mill	ion						
•	Capital	Revenue	Total	Capital	Revenue	Total	Capital	Revenue	Total	Capital	Revenue	Total
Capital component												
Internal development	0.000	22.968	22.968	0.000	22.968	22.968	31.482	10.000	41.482	11.248	10.000	21.248
External development	0.000	4.620	4.620	0.000	4.620	4.620	14.825	0.000	14.825	19.245	0.000	19.245
Water filtration plant	0.000	5.600	5.600	0.000	5.600	5.600	2.691	0.000	2.691	0.000	0.000	0.000
Total Capital Component	0.000	33.188	33.188	0.000	33.188	33.188	48.997	10.000	58.997	30.493	10.000	40.493
Revenue component												
Emergency	0.000	20.117	20.117	0.000	20.117	20.117	0.000	27.178	27.178	0.000	45.210	45,210
MSDS	0.000	8.647	8.647	0.000	8.647	8.647	0.000	9.654	9.654	0.000	13.438	13,438
Med. Machinery and Equipment	0.000	43.141	43,141	0.000	43.141	43,141	0.000	55.300	55.300	0.000	80.280	80,280
Electricity	0.000	11,448	11,448	0.000	11.448	11.448	0.000	11.448	11.448	0.000	15.648	15,648
IT & QMS & Surveillance	0.000	14.515	14.515	0.000	14.515	14.515	0.000	16.715	16.715	0.000	20.120	20.120
Furniture and Fixtures	0.000	13.504	13.504	0.000	13.504	13.504	0.000	13.504	13.504	0.000	18.788	18,788
Interior and Exterior decorations/ Signage	0.000	3.066	3.066	0.000	3.066	3.066	0.000	4.271	4.271	0.000	4.271	4.271
Day Care Center	0.000	1.600	1.600	0.000	1.600	1.600	0.000	1.600	1.600	0.000	1.600	1.600
Human resource (HR) plan	0.000	17.220	17.220	0.000	17.220	17.220	0.000	38.480	38.480	0.000	54.862	54.862
LC Deficit during procurement (currency								2.211	2.211		2.211	2.211
fluctuation)												
Total Revenue component	0.000	133.258	133.258	0.000	133.258	133.258	0.000	180.360	180.360	0.000	256.427	256.427
Outsourcing component												
Janitorial Services	0.000	14.568	14.568	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Security and Parking services	0.000	7.491	7.491	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Laundry Services	0.000	2.400	2.400	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Maintenance (Generator)	0.000	1.670	1.670	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
MEP	0.000	4.686	4.686	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Medical Gases	0.000	1.304	1.304	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Cafeteria	0.000	6.743	6.743	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Horticulture services	0.000	8.405	8.405	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Total outsourcing cost	0.000	47.267	47.267	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Total	0.000	213.712	213.712	0.000	166.445	166.445	48.997	190.360	239.358	30.493	266.427	296.920
Contingency (1%) only on Civil Component	0.000	0.332	0.332	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Third Party Monitoring (TPM) (1%)	0.000	2.137	2.137	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Third Party Validation (TPV) (1%)	0.000	2.137	2.137	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Grand Total	0.000	218.318	218.318	0.000	166.445	166.445	48.997	190.360	239.358	30.493	266.427	296.920

				E	merge	ncy Eq	uipment								
				0	riginal	l	1st	Revise	ed	2nd	Revis	ed	3rd	Revis	ed
Sr. No.	Area	ITEM DESCRIPTION	Yard Stick	Required Quantity (T=4+S=0+E=4)	Actual Unit Price	Actual Total Cost(Rs)									
1	Pecentien	Table	0	0	99,750	-	0	99,750	-	0	99,750	-	0	99,750	-
2	Reception Area	Chairs	0	0	26,775	-	0	26,775	-	0	26,775	-	0	30,000	-
3		Computer Data Entry With Printer	1	1	141,750	141,750	1	141,750	141,750	1	141,750	141,750	1	195,000	195,000
4	3	Table (2.5 X 4)*(N)	0	0	101,850	-	0	101,850	-	0	101,850	-	0	101,850	-
5	4	Chairs *(N)	0	0	26,775	-	0	26,775	-	0	26,775	-	0	30,000	-
6		B.p apparatus wall type*(N)	3	4	15,750	63,000	4	15,750	63,000	4	30,000	120,000	4	30,000	120,000
7		Gurney WITH FOOT STEP)*(N)	3	4	420,000	1,680,000	4	420,000	1,680,000	4	460,000	1,840,000	4	800,000	3,200,000
8		Mercury B.P apparatus*(N)	2	3	33,600	100,800	3	33,600	100,800	3	36,000	108,000	3	36,000	108,000
9		Laryngoscope paeds &adult each*(N)	2	3	10,500	31,500	3	10,500	31,500	3	12,000	36,000	3	20,000	60,000
10		Diagnostic set*(N)	1	2	45,150	90,300	2	45,150	90,300	2	50,000	100,000	2	85,000	170,000
11		ECG Machine (with trolley) *(N)	1	2	169,785	339,570	2	169,785	339,570	2	180,000	360,000	2	300,000	600,000
12	Triage area	Central oxygen with accessories FOR each	0	0	420,000	-	0	420,000	-	0	-	-	0	-	-
13		NEBULIZER HD*(N)	2	3	125,265	375,795	3	125,265	375,795	3	215,000	645,000	3	300,000	900,000
14	1	SUCKER MACHINE*(N)	1	2	259,350	518,700	2	259,350	518,700	2	275,000	550,000	2	300,000	600,000
15	L	Resuscitation Trolley (fully equipped) )*(N)	1	2	244,733	489,466	2	244,733	489,466	2	400,000	800,000	2	600,000	1,200,000
16		INSTRUMENT CABINET*N	1	2	69,300	138,600	2	69,300	138,600	2	69,300	138,600	2	69,300	138,600
17		MEDICINE TROLLY*N	1	2	60,900	121,800	2	60,900	121,800	2	60,900	121,800	2	60,900	121,800
18	1	O.T table WITH foot step	2	2	1,417,500	2,835,000	2	1,417,500	2,835,000	2	2,000,000	4,000,000	2	2,500,000	5,000,000
19		Anesthesia Machine	1	1	2,509,554	2,509,554	1	2,509,554	2,509,554	1	3,000,000	3,000,000	1	7,000,000	7,000,000
20		Sucker machine	2	2	259,350	518,700	2	259,350	518,700	2	275,000	550,000	2	300,000	600,000
21		Portable O.T Lights	1	1	304,220	304,220	1	304,220	304,220	1	500,000	500,000	1	900,000	900,000
22		Ceiling o.t light	1	1	414,750	414,750	1	414,750	414,750	1	800,000	800,000	1	950,000	950,000
23	Minor O.T	Hot air oven	1	1	110,000	110,000	1	110,000	110,000	1	385,000	385,000	1	450,000	450,000
24	1	Autoclave	1	1	441,000	441,000	1	441,000	441,000	1	550,000	550,000	1	850,000	850,000
25	1	Instrument trolley*N	1	1	54,000	54,000	1	54,000	54,000	1	54,000	54,000	1	55,000	55,000
26	1	Defibrillator*N	1	1	310,000	310,000	1	310,000	310,000	1	650,000	650,000	1	800,000	800,000
27	1	Instrument cabinet	1	1	69,300	69,300	1	69,300	69,300	1	69,300	69,300	1	69,300	69,300
28		GURNEYS*N	0	0	420,000	_	0	420,000	-	0	460.000	-	0	850.000	-
29	1	Sucker machine *(N)	0	0	259,350	_	0	259,350	-	0	275,000	-	0	300,000	_
30	1	Nebulizer HD*(N)	0	0	125,265	-	0	125,265	-	0	215,000	-	0	300,000	-
31	1	Center Oxygen supply*N	0	0	420,000	_	0	420,000	-	0	-	-	0	-	_
32		Resuscitation Trolley (fully equipped) )*(N)	0	0	237,618	=	0	237,618	-	0	400,000	-	0	600,000	-
33	Constant / specialized	Defibrillator*N	0	0	302,605	-	0	302,605	-	0	650,000	-	0	800,000	-
34	care room	Pulse- oximeter*(N)	0	0	104,000	-	0	104,000		0	160,000	-	0	225,000	-
35	1	Bedside-monitor*(N)	0	0	301,665	-	0	301,665	-	0	550,000	-	0	1,200,000	-
36	1	ECG MACHINE)*(N)	0	0	169,785	-	0	169,785	-	0	169,785	-	0	300,000	-
37	1	BP APPARATUS*N	0	0	15,750		0	15,750		0	16,000		0	16,000	
38	1	FOOT STEP)*(N)	0	0	3,150	-	0	3,150	-	0	4,000	-	0	5,500	-
39	1	ATTANDANT BENCH)*(N)	0	0	5,250		0	5,250		0	8,000		0	10,000	
40	7	(MOTRIZED BEDS) with accessories (with foot steps*(N)	7	4	210,000	840,000	4	210,000	840,000	4	400,000	1,600,000	4	600,000	2,400,000
41	4	ECG machine(with trolley) *(N)	1	1	169,785	169,785	1	169,785	169,785	1	169,785	169,785	1	300,000	300,000
42		Pulse- oximeter *(N)	6	4	104,000	416,000	4	104,000	416,000	4	160,000	640,000	4	225,000	900,000
43	1	Bedside-monitor*(N)	3	2	301,665	603,330	2	301,665	603,330	2	550,000	1,100,000	2	1,200,000	2,400,000
44	1	B.P apparatus wall type *(N)	6	4	26,250	105,000	4	26,250	105,000	4	30,000	120,000	4	30,000	120,000

<b>Emergency</b>	Equip	ment
,	_qp.	

				0	riginal		1st	1st Revised			Revis	ed	3rd Revised		
Sr.	Area	ITEM DESCRIPTION	Yard	Required Quantity	Actual Unit	Actual Total									
45	•	Nebulizer HD *(N)	2	2	125,265	250,530	2	125,265	250,530	2	215,000	430,000	2	300,000	600,000
46		Resuscitation Trolley (fully equipped) )*(N)	1	1	237,618	237,618	1	237,618	237,618	1	400,000	400,000	1	600,000	600,000

## **Emergency Equipment**

					<u> </u>	··· / 1									
				C	rigina		1st	Revis	ed	2nd	Revis	ed	3rd	Revis	ed
Sr.	Area	ITEM DESCRIPTION	Yard	Required Quantity	Actual Unit	Actual Total									
47		Defibrillator*N	1	1	299,153	299,153	1	299,153	299,153	1	650,000	650,000	1	800,000	800,000
48		Sucker machine *(N)	2	2	259,350	518,700	2	259,350	518,700	2	275,000	550,000	2	300,000	600,000
49		Wheal chairs *(N)	0	0	31,500	-	0	31,500	-	0	35,000	-	0	35,000	-
50		Stretcher *(N)	0	0	69,300	-	0	69,300	-	0	69,300	-	0	69,300	-
51		ambo bag paeds with Mask*N	5	5	15,750	78,750	5	15,750	78,750	5	19,000	95,000	5	19,000	95,000
52	Generalized	ambo bag adult with Mask* N	5	5	15,750	78,750	5	15,750	78,750	5	19,000	95,000	5	19,500	97,500
53		patient stool * N	2	2	4,085	8,169	2	4,085	8,169	2	4,500	9,000	2	5,000	10,000
54		Portable x-rays (300 M.A)	1	1	3,450,350	3,450,350	1	3,450,350	3,450,350	1	4,300,000	4,300,000	1	9,800,000	9,800,000
55		Portable ultra-sound	1	1	1,403,325	1,403,325	1	1,403,325	1,403,325	1	1,500,000	1,500,000	1	2,400,000	2,400,000
		Total				20,117,265			20,117,265			27,178,235			45,210,200
		·				20.117	•		20.117	-		27.178			45.210

# MSDS

			Origina	al	1s	t Revi	sed	2n	d Revi	sed	3r	d Revi	sed
Sr. No.	ITEM DESCRIPTION	Quantity Required	Actual Unit Price	Actual Total Cost(Rs)									
1	Histology slide boxes	3	3,100	9,299	3	3,100	9,299	3	4,500	13,500	3	4,500	13,500
2	Labeling Device connected with Computer	3	60,000	180,000	3	60,000	180,000	3	80,000	240,000	3	80,000	240,000
3	Safe Transportation Boxes	2	15,750	31,500	2	15,750	31,500	2	18,000	36,000	2	18,000	36,000
4	Portable Safety Exhaust Hood	1	160,000	160,000	1	160,000	160,000	1	250,000	250,000	1	450,000	450,000
5	Centrifuge Machine	0	149,336	-	0	149,336	-	0	250,000	-	0	325,000	-
6	Hot plates	2	26,250	52,500	2	26,250	52,500	2	45,000	90,000	2	55,000	110,000
7	Water bath	1	157,500	157,500	1	157,500	157,500	1	157,500	157,500	1	300,000	300,000
8	Complaint boxes	10	3,150	31,500	10	3,150	31,500	10	3,150	31,500	10	3,150	31,500
9	Spine boards with Neck holders	4	31,080	124,320	4	31,080	124,320	4	31,080	124,320	4	31,080	124,320
10	Sensitometer	1	137,325	137,325	1	137,325	137,325	1	137,325	137,325	1	137,325	137,325
11	Densitometer personal	2	191,391	382,782	2	191,391	382,782	2	191,391	382,782	2	191,391	382,782
12	Box of Films	2	26,250	52,500	2	26,250	52,500	2	30,000	60,000	2	30,000	60,000
13	Aluminium Step Wedge	1	26,250	26,250	1	26,250	26,250	1	26,250	26,250	1	26,250	26,250
14	Non-Mercury thermometer	10	305	3,045	10	305	3,045	10	350	3,500	10	750	7,500
15	Brass or copper mesh screen	2	5,250	10,500	2	5,250	10,500	2	5,250	10,500	2	5,250	10,500
16	Wheel Chairs	0	31,500	-	0	31,500	ı	0	35,000	ı	0	35,000	-
17	Statures	0	67,830	-	0	67,830	-	0	75,000	-	0	75,000	-
18	Blood Warmer	3	246,750	740,250	3	246,750	740,250	3	275,000	825,000	3	275,000	825,000
19	Sequence Compression Device	2	210,000	420,000	2	210,000	420,000	2	230,000	460,000	2	600,000	1,200,000
20	Blood Bank Refrigerators with	0	682,500	-	0	682,500	-	0	700,000	-	0	1,469,900	-
21	Data Coder	1	84,000	84,000	1	84,000	84,000	1	100,000	100,000	1	-	-
22	Plasma Separator 1	0	4,200,000	-	0	4,200,000	-	0	4,500,000	-	0	4,500,000	-
23	Blood Storage Cabinet	1	682,500	682,500	1	682,500	682,500	1	700,000	700,000	1	1,469,900	1,469,900
24	Resuscitation Trolley	0	244,733	-	0	244,733	-	0	400,000	-	0	491,350	-
25	Ultra sound machine gyne	0	1,403,325	-	0	1,403,325	-	0	1,700,000	-	0	2,150,000	-
26	Delivery Table	0	47,250	-	0	47,250	-	0	47,250		0	48,500	-
27	Height and weight scale	4	8,400	33,600	4	8,400	33,600	4	10,000	40,000	4	31,500	126,000
28	Suction Electronic	0	259,350	-	0	259,350	ı	0	275,000	ı	0	275,000	-
29	Fetal Heart Rate Detector	1	144,375	144,375	1	144,375	144,375	1	175,000	175,000	1	275,000	275,000
30	Ambo bag	0	17,325		0	17,325		0	19,000		0	19,000	-
31	Neonatal size face mask	4	578	2,310	4	578	2,310	4	1,200	4,800	4	1,500	6,000
32	Exchange transfusion trays	2	10,000	20,000	2	10,000	20,000	2	10,000	20,000	2	12,000	24,000
33	Shoe racks SS	4	39,900	159,600	4	39,900	159,600	4	39,900	159,600	4	39,900	159,600
34	Sterilizer	0	2,940,000	-	0	2,940,000	ı	0	3,500,000	ı	0	7,800,000	-
35	Washer disinfector	0	-	-	0	-	-	0	-	-	0	-	-
36	Packing table	0	-	-	0	-	-	0	-	-	0	-	-
37	Digital Sealer Printer	1	420,000	420,000	1	420,000	420,000	1	480,000	480,000	1	520,000	520,000
38	Backup Auto Clave	0	441,000	-	0	441,000	-	0	550,000	-	0	789,625	-
39	Racks for Manual	10	21,000	210,000	10	21,000	210,000	10	37,500	375,000	10	56,160	561,600
40	Locked Racks for MSDS Data	2	21,000	42,000	2	21,000	42,000	2	37,500	75,000	2	56,160	112,320
41	Eye Wash Station with shower	3	300,000	900,000	3	300,000	900,000	3	350,000	1,050,000	3	350,000	1,050,000
42	Air Curtain	4	50,190	200,760	4	50,190	200,760	4	60,000	240,000	4	60,000	240,000
43	Fire Sand Buckets with stand	5	15,000	75,000	5	15,000	75,000	5	20,000	100,000	5	20,000	100,000
44	Smoke Detectors	10	7,350	73,500	10	7,350	73,500	10	8,500	85,000	10	8,500	85,000
45	Heat Detector	5	8,400	42,000	5	8,400	42,000	5	10,000	50,000	5	10,000	50,000
46	Gas Detector	5	6,300	31,500	5	6,300	31,500	5	7,500	37,500	5	7,500	37,500
47	Fire Blankets	10	2,783	27,825	10	2,783	27,825	10	3,200	32,000	10	3,200	32,000
48	Fire Alarms	10	5,250	52,500	10	5,250	52,500	10	6,500	65,000	10	6,500	65,000
49	Identification Bands	100	3	315	100	3	315	100	3	300	100	3	300
50	Wet Flooring Signages	0	431	-	0	431	-	0	550	-	0	750	-
51	Key Box	6	8,190	49,140	6	8,190	49,140	6	10,000	60,000	6	10,000	60,000
52	Dehumidifier	0	58,800	-	0	58,800	-	0	70,000	-	0	100,000	-

# MSDS

			Origina	al	1s	t Revi	sed	2n	d Revi	sed	3r	d Revi	sed
Sr. No.	ITEM DESCRIPTION	Quantity Required	Actual Unit Price	Actual Total Cost(Rs)	Quantity Required	Actual Unit Price	Actual Total Cost(Rs)	Quantity Required	Actual Unit Price	Actual Total Cost(Rs)	Quantity Required	Actual Unit Price	Actual Total Cost(Rs)
53	Tourniquet	4	840	3,360	4	840	3,360	4	850	3,400	4	1,500	6,000
54	LAB SAFETY BOX	2	3,150	6,300	2	3,150	6,300	2	4,000	8,000	2	4,000	8,000
55	densitometer	0	210,000	-	0	210,000	-	0	210,000	-	0	210,000	-
56	vending machine	0	630,000	-	0	630,000	-	0	630,000	-	0	630,000	-
57	Automatic shoe cover machine	2	296,100	592,200	2	296,100	592,200	2	332,500	665,000	2	332,500	665,000
58	Vein Finder	2	630,000	1,260,000	2	630,000	1,260,000	2	630,000	1,260,000	2	630,000	1,260,000
59	Blood Sample Vials (BOXES)	3	13	38	3	13	38	3	15	45	3	15	45
60	Bassinets	5	21,000	105,000	5	21,000	105,000	5	22,000	110,000	5	22,000	110,000
61	Chemical Spill Cleanup kit	2	100,000	200,000	2	100,000	200,000	2	100,000	200,000	2	100,000	200,000
62	Digital Tempurature Humidity Guage	4	15,000	60,000	4	15,000	60,000	4	15,000	60,000	4	15,000	60,000
63	Bio Cleaning and Disinfection System	1	650,000	650,000	1	650,000	650,000	1	650,000	650,000	1	2,200,000	2,200,000
	Total	, , , , , , , , , , , , , , , , , , , ,					8,647,094			9,653,822			13,437,942
				8.647			8.647			9.654			13.438

			1			Equip	1			_	1		_	_	1	_		
				Ori	iginal			1st R	Revise	d		2nd I	Revise	:d		3rd F	Revise	d
Sr. Area	Name of Equipment	Yard Stick	Available Quantity	Required Quantity	Cost per Unit	Total Cost	Available Quantity	Required Quantity	Cost per Unit	Total Cost	Available Quantity	Required Quantity	Cost per Unit	Total Cost	Available Quantity	Required Quantity	Cost per Unit	Total Cost
1	Semi Auto Clinical Chemistry Analyzer	1	2	0	449,295	-	2	0	449,295	-	2	0	550,000	-	2	0	550,000	-
2	Hematology Analyzer	1	1	0	427,350	-	1	0	427,350	-	1	0	550,000	-	1	0	750,000	-
3	Electrolyte Analyzer	1	1	0	427,350	-	1	0	427,350	-	1	0	550,000	-	1	0	550,000	
4	Blood Gas Analyzer	0	0	0	2,744,858	-	0	0	2,744,858	-	0	0	3,200,000	-	0	0	1,400,000	-
5	Clinical Microscope	1	4	0	132,825	-	4	0	132,825	-	4	0	180,000	-	4	0	250,000	-
6 Laboratory	Water Bath	1	1	0	60,000	-	1	0	60,000	-	1	0	157,500	-	1	0	325,000	-
7	Hot air Oven	1	0	1	210,000	210,000	0	1	210,000	210,000	0	1	385,000	385,000	0	1	450,000	450,000
8	Distilled water plant	1	0	1	52,500	52,500	0	1	52,500	52,500	0	1	75,000	75,000	0	1	125,000	125,000
9	Auto pipettes	10	2	8	31,500	252,000	2	8	31,500	252,000	2	8	40,500	324,000	2	8	45,000	360,000
10	glass wares	0	3	0	105,000	-	3	0	105,000	-	3	0	105,000	-	3	0	105,000	-
11	Centrifuge Machine	2	1	1	149,336	149,336	1	1	149,336	149,336	1	1	250,000	250,000	1	1	400,000	400,000
12	Static X-ray Machine	1	1	0	4,200,000	-	1	0	4,200,000	-	1	0	6,000,000	٠	1	0	#########	-
13	Mobile X-Ray Machine	0	0	0	3,850,524	-	0	0	3,850,524	-	0	0	4,300,000	-	0	0	9,800,000	-
14	Computerized Radiography System	0	0	0	4,018,245	-	0	0	4,018,245	-	0	0	4,500,000	-	0	0	4,500,000	-
X-Rays	Dental X-Ray	0	2	0	282,975	-	2	0	282,975		2	0	350,000	-	2	0	525,000	
16	Lead apron and PPE	2	1	1	52,500	52,500	1	1	52,500	52,500	1	1	60,000	60,000	1	1	85,000	85,000
17	Density meter personal (Add)	0	0	0	210,000	-	0	0	210,000	-	0	0	210,000	-	0	0	250,000	-
18	Lead glass /shield	0	2	0	105,000	-	2	0	105,000	-	2	0	105,000	-	2	0	150,000	-
19	Lead Walls	0	0	0	525,000	-	0	0	525,000	-	0	0	525,000	-	0	0	525,000	-
Ultrasound	Portable/Mobile Ultrasound	0	2	0	1,371,331	-	2	0	1,371,331	-	2	0	1,500,000	-	2	0	2,400,000	-
21 Oltrasound	Color Doppler RADIOLOGY	1	0	1	3,698,310	3,698,310	0	1	3,698,310	3,698,310	0	1	4,500,000	4,500,000	0	1	5,500,000	5,500,000
22	ICU MONITOR	2	2	0	301,665	-	2	0	301,665	-	2	0	900,000	-	2	0	1,250,000	-
23	Temporary pace maker	0	0	0	315,000	-	0	0	315,000	-	0	0	315,000	-	0	0	550,000	
24	Defibrillator	1	1	0	299,153	-	1	0	299,153	-	1	0	650,000	-	1	0	800,000	
5 CCU	ECG Machine Three Channel	2	2	0	169,785	-	2	0	169,785	-	2	0	169,785	1	2	0	300,000	-
26	ETT Machine	0	0	0	2,021,838	-	0	0	2,021,838	-	0	0	2,200,000	-	0	0	3,000,000	-
27	Color doplor CARDIOLOGY	0	0	0	4,681,790	-	0	0	4,681,790	-	0	0	4,800,000	-	0	0	6,000,000	-
28	Suction Pump	2	6	0	259,350	-	6	0	259,350	-	6	0	275,000	-	6	0	300,000	-
29	Blood Cabinet	1	1	0	690,539	-	1	0	690,539	-	1	0	700,000	-	1	0	1,500,000	-
30	Centrifuge Machine	2	1	1	149,336	149,336	1	1	149,336	149,336	1	1	250,000	250,000	1	1	400,000	400,000
Blood Bank	Slide viewer	1	1	0	42,000		1	0	42,000		1	0	55,000	-	1	0	55,000	-
32	Clinical Microscope	1	1	0	132,825		1	0	132,825		1	0	180,000	-	1	0	250,000	-
33 Dialysis Unit	Computerized Hemo Dialysis Machine	5	0	5	1,050,000	5,250,000	0	5	1,050,000	5,250,000	0	5	1,600,000	8,000,000	0	5	3,200,000	16,000,000
(10 beds)										5,250,000				8,000,000				16,000,000
34	Baby Cot	10	10	0	14,669	-	10	0	14,669	-	10	0	16,000	-	10	0	16,000	-
35	Phototherapy Unit	2	0	2	130,200	260,400	0	2	130,200	260,400	0	2	655,000	1,310,000	0	2	850,000	1,700,000
36	Infant Warmer	2	6	0	335,638	-	6	0	335,638	-	6	0	985,000	-	6	0	1,050,000	-
Nursery	Pulse Oximeter	6	1	5	104,500	522,500	1	5	104,500	522,500	1	5	160,000	800,000	1	5	225,000	1,125,000
38	Infant Incubator	2	3	0	858,932	-	3	0	858,932	-	3	0	900,000	-	3	0	1,750,000	-
39	Suction Pump	1	0	1	259,350	259,350	0	1	259,350	259,350	0	1	275,000	275,000	0	1	300,000	300,000
40	Hospital Grade Nebulizer Heavy Duty	2	2	0	125,265	•	2	0	125,265	-	2	0	215,000	-	2	0	300,000	-
41	Anesthesia Machine with Ventilator	1	1	0	2,509,554	•	1	0	2,509,554	-	1	0	3,000,000	-	1	0	7,000,000	-
42	BED SIDE PATIENT MONITOR	2	2	0	441,000	-	2	0	441,000	-	2	0	550,000	-	2	0	1,200,000	-
43	Defibrillator	2	1	1	308,713	308,713	1	1	308,713	308,713	1	1	650,000	650,000	1	1	800,000	800,000
14	Electrosurgical Unit	1	1	0	507,530	-	1	0	507,530	-	1	0	700,000	-	1	0	900,000	-
15	Operation Table	1	3	0	1,426,215	-	3	0	1,426,215	-	3	0	2,000,000	-	3	0	2,500,000	-
<sup>16</sup> O.T (04)	Ceiling Operating Light	1	3	0	413,013	-	3	0	413,013	-	3	0	800,000	-	3	0	950,000	-
17	STEAM STERILIZER	1	9	0	3,465,000	-	9	0	3,465,000	-	9	0	4,000,000	-	9	0	7,800,000	-
18	Suction Pump	2	0	2	259,350	518,700	0	2	259,350	518,700	0	2	275,000	550,000	0	2	300,000	600,000
19	Resuscitation trolley With Crash Cart	2	0	2	244,733	489,466	0	2	244,733	489,466	0	2	400,000	800,000	0	2	600,000	1,200,000
50	mayo table	4	0	4	21,000	84,000	0	4	21,000	84,000	0	4	23,000	92,000	0	4	23,000	92,000
51	MOBILE OPERATING LIGHT	1	0	1	304,220	304,220	0	1	304,220	304,220	0	1	400,000	400,000	0	1	900,000	900,000
52	Operation Table	0	0	0	1,426,215	-	0	0	1,426,215	-	0	0	2,000,000		0	0	5,000,000	
53	ORTHOPEDIC DRILL	0	1	0	1,108,740	-	1	0	1,108,740	-	1	0	1,500,000	-	1	0	4,000,000	-
54 Orthopedic	Plaster Cutting Pneumatic	1	1	0	276,250	-	1	0	276,250	-	1	0	450,000	-	1	0	1,500,000	-
55	Pneumatic Tourniquets	0	0	0	262,500		0	0	262,500		0	0	262,500	-	0	0	300,000	

					M	edical	Equip	ment											
					Ori	iginal			1st R	Revise	d		2nd I	Revise	d		3rd F	Revise	d
Sr	Area	Vard Available Required Cost par Available Required Cost par Available Required Cost par																	
56		Orthopedic Instruments	0	1	0	432,623		1	0	432,623	-	1	0	550,000	-	1	0	550,000	-
57		Portable/Mobile Ultrasound	1	0	1	1,418,958	1,418,958	0	1	1,418,958	1,418,958	0	1	1,500,000	1,500,000	0	1	2,400,000	2,400,000

			I		edical													
				Ori	iginal			1st F	Revise	d		2nd F	Revise	d		3rd F	Revise	d
Sr. Area	Name of Equipment	Yard Stick	Available Quantity	Required Quantity	Cost per Unit	Total Cost	Available Quantity	Required Quantity	Cost per Unit	Total Cost	Available Quantity	Required Quantity	Cost per Unit	Total Cost	Available Quantity	Required Quantity	Cost per Unit	Total Cost
58	Autoclave	1	1	0	441,000	-	1	0	441,000	-	1	0	550,000	-	1	0	850,000	-
59	Delivery Set	10	4	6	31,500	189,000	4	6	31,500	189,000	4	6	40,000	240,000	4	6	65,000	390,000
60	Delivery Table	2	2	0	47,250	-	2	0	47,250	-	2	0	47,250	-	2	0	55,000	-
61	BED SIDE PATIENT MONITOR	2	0	2	294,000	588,000	0	2	294,000	588,000	0	2	550,000	1,100,000	0	2	1,200,000	2,400,000
62 Cuman (20	D & C Set	2	2	0	34,650	-	2	0	34,650	-	2	0	40,000	-	2	0	60,000	-
63 Gynea (20 beds)	Vaccume Extractor	1	1	0	259,350	-	1	0	259,350	-	1	0	300,000	-	1	0	350,000	-
64	CTG Machine	1	0	1	628,049	628,049	0	1	628,049	628,049	0	1	725,000	725,000	0	1	900,000	900,000
65	ECG Machine Three Channel	1	0	1	169,785	169,785	0	1	169,785	169,785	0	1	180,000	180,000	0	1	300,000	300,000
66	Portable O.T Light	2	1	1	304,220	304,220	1	1	304,220	304,220	1	1	400,000	400,000	1	1	900,000	900,000
67	Baby Cot	2	1	1	14,669	14,669	1	1	14,669	14,669	1	1	16,000	16,000	1	1	16,000	16,000
68	Delivery trolly	2	2	0	47,250	-	2	0	47,250	-	2	0	47,250	-	2	0	47,250	-
69	Desktop Fetal Heart Rate Detector	1	0	1	144,375	144,375	0	1	144,375	144,375	0	1	175,000	175,000	0	1	200,000	200,000
70	Steam Sterilizer	0	1	0	3,355,849		1	0	3,355,849		1	0	4,000,000	-	1	0	7,800,000	-
71	Operation Table	0	1	0	1,426,215		1	0	1,426,215		1	0	2,000,000	-	1	0	2,500,000	-
72 Surgical Emergency (10	MOBILE OPERATING LIGHT	0	1	0	285,466	-	1	0	285,466	-	1	0	400,000	=	1	0	900,000	-
73 beds)	Suction Pump	0	1	0	259,350	-	1	0	259,350	-	1	0	275,000	=	1	0	300,000	-
74	Laryngoscope	0	1	0	9,744	-	1	0	9,744	-	1	0	12,000	-	1	0	20,000	-
75	Set of Surgical Instruments	0	1	0	141,750	-	1	0	141,750	-	1	0	160,000	-	1	0	220,000	-
76	Stretcher	10	0	10	68,250	682,500	0	10	68,250	682,500	0	10	69,300	693,000	0	10	69,300	693,000
77	wheel chair	10	0	10	31,500	315,000	0	10	31,500	315,000	0	10	35,000	350,000	0	10	35,000	350,000
78	foot support	6	0	6	4,200	25,200	0	6	4,200	25,200	0	6	4,500	27,000	0	6	5,148	30,888
79	Resuscitation trolly With Crash Cart	5	0	5	237,618	1,188,091	0	5	237,618	1,188,091	0	5	400,000	2,000,000	0	5	600,000	3,000,000
80	BP Appratus	15	1	14	15,750	220,500	1	14	15,750	220,500	1	14	16,000	224,000	1	14	16,000	224,000
81 Others	Ventilator	0	0	0	2,195,080	-	0	0	2,195,080		0	0	3,500,000	-	0	0	5,500,000	
82	CPAP	1	0	1	1,098,510	1,098,510	0	1	1,098,510	1,098,510	0	1	2,100,000	2,100,000	0	1	2,800,000	2,800,000
83	X-RAY PROCESSOR	1	0	1	858,440	858,440	0	1	858,440	858,440	0	1	925,000	925,000	0	1	1,200,000	1,200,000
84	Hand wash Scrub Double Bay	2	0	2	94,500	189,000	0	2	94,500	189,000	0	2	100,000	200,000	0	2	140,000	280,000
85	Image Inensifier	0	0	0	4,667,460	•	0	0	4,667,460	•	0	0	4,667,460	-	0	0	#########	-
86 87	Central Medical Gass Pipe Line System	7	0	7	850,000	5,950,000	0	7	850,000	5,950,000	0	7	-	-	0	7	-	-
87	Motorized Patient bed with bed side,Mattress,IV stand, Attendant Bench	4	0	4	210,000	840,000	0	4	210,000	840,000	0	4	400,000	1,600,000	0	4	600,000	2,400,000
88	Sphygmomanometer wall mtd	4	0	4	15,750	63,000	0	4	15,750	63,000	0	4	30,000	120,000	0	4	35,000	140,000
89	Resuscitation trolly With Crash Cart	2	0	2	244,733	489,466	0	2	244,733	489,466	0	2	400,000	800,000	0	2	600,000	1,200,000
90	Defibrilator	1	0	1	299,153	299,153	0	1	299,153	299,153	0	1	650,000	650,000	0	1	800,000	800,000
91	Defibrillator with Monitor	0	0	0	330,750	-	0	0	330,750	-	0	0	650,000	-	0	0	800,000	-
92	ECG Machine Three Channel	0	0	0	169,785	•	0	0	169,785		0	0	180,000	-	0	0	300,000	
93	Syringe pump	1	0	1	108,780	108,780	0	1	108,780	108,780	0	1	125,000	125,000	0	1	200,000	200,000
94 ICU	Suction Pump	0	0	0	259,350		0	0	259,350		0	0	275,000	-	0	0	300,000	-
95	ICU Monitor	0	0	0	298,200		0	0	298,200		0	0	900,000	-	0	0	1,250,000	-
96	Instrument Trolley	1	0	1	55,000	55,000	0	1	55,000	55,000	0	1	55,000	55,000	0	1	55,000	55,000
97	Ward instruments	0	0	0	-	-	0	0	-	-	0	0		-	0	0	-	-
98	Ventilator intensive care	2	0	2	1,600,000	3,200,000	0	2	1,600,000	3,200,000	0	2	3,500,000	7,000,000	0	2	5,500,000	11,000,000
99	CPAP with humidifier	0	0	0	1,098,510	i	0	0	1,098,510	1	0	0	2,100,000	-	0	0	2,800,000	-
100 101	DELIVERY TROLLY STAINLESS STEEL	1	0	1	23,835	23,835	0	1	23,835	23,835	0	1	47,250	47,250	0	1	47,250	47,250
102	Ambu-Bag, adult	4	0	4	17,325	69,300	0	4	17,325	69,300	0	4	19,000	76,000	0	4	19,000	76,000
103	Ambu-Bag, paeds TWO BODY REFRIGERATOR WITH	4	0	4	17,325	69,300	0	4	17,325	69,300	0	4	19,000	76,000	0	4	19,000	76,000
MORTUERY	CASTERS 220v 50Hz Along with Atopsy Table & Lifter Trolley	1	0	1	2,470,546	2,470,546	0	1	2,470,546	2,470,546	0	1	3,000,000	3,000,000	0	1	3,500,000	3,500,000
104	Dental Unit	2	0	2	2,190,000	4,380,000	0	2	2,190,000	4,380,000	0	2	2,820,000	5,640,000	0	2	2,820,000	5,640,000
105	Autoclave	1	0	1	441,000	441,000	0	1	441,000	441,000	0	1	550,000	550,000	0	1	850,000	850,000
106	Dental X-RAY Machine	1	0	1	282,975	282,975	0	1	282,975	282,975	0	1	350,000	350,000	0	1	525,000	525,000
107	Digital Intra Oral Camera	0	0	0	94,500	-	0	0	94,500	-	0	0	150,000	-	0	0	600,000	
108	DENTAL CAUTERY	0	0	0	84,000	1	0	0	84,000	-	0	0	160,000	-	0	0	900,000	
109 Dental Unit	Ultrasonic scaling	1	0	1	120,750	120,750	0	1	120,750	120,750	0	1	175,000	175,000	0	1	300,000	300,000
110	Curing lights	1	0	1	52,500	52,500	0	1	52,500	52,500	0	1	95,000	95,000	0	1	150,000	150,000
111	Endo motor system	1	0	1	199,601	199,601	0	1	199,601	199,601	0	1	265,000	265,000	0	1	500,000	500,000

					M	edical	Equip	ment											
					Ori	iginal			1st R	Revise	d		2nd F	Revise	d		3rd F	Revise	d
Sr. No.	Area	Name of Equipment	Yard Stick		Required Quantity	Cost per Unit	Total Cost		Required Quantity	Cost per Unit	Total Cost	Available Quantity	Required Quantity	Cost per Unit	Total Cost		Required Quantity	Cost per Unit	Total Cost
112		Dental cabinet	0	0	0	42,000		0	0	42,000		0	0	70,000	-	0	0	160,000	-
113		Dental examination/surgical instrument sets	4	0	4	157,500	630,000	0	4	157,500	630,000	0	4	175,000	700,000	0	4	175,000	700,000
114	Beds	Fowler beds with Mattress	40	0	40	70,000	2,800,000	0	40	70,000	2,800,000	0	40	110,000	4,400,000	0	40	150,000	6,000,000
		Total					43,140,834				43,140,834				55,300,250				80,280,138
							43.141				43.141				55.300				80.280

				Elec	tricity								
			Origina			1st Revis	ed	2	2nd Revis	ed	;	3rd Revis	ed
Sr. No.	Item Name	Quantity	Per Unit Cost	Total Cost	Quantity	Per Unit Cost	Total Cost	Quantity	Per Unit Cost	Total Cost	Quantity	Per Unit Cost	Total Cost
1	Transformers (200 KVA)	1	600,000	600,000	1	600,000	600,000	1	600,000	600,000	3	1,600,000	4,800,000
2	Transformers (100 KVA)	0	450,000	-	0	450,000	-	0	450,000	-	0	450,000	-
3	Generator (200 KVA)	0	4,000,000	-	0	4,000,000	-	0	4,000,000	-	0	4,000,000	-
4	Generator (100 KVA)	1	2,300,000	2,300,000	1	2,300,000	2,300,000	1	2,300,000	2,300,000	1	2,300,000	2,300,000
5	2 Ton air conditioners (split)	15	55,500	832,500	15	55,500	832,500	15	55,500	832,500	15	55,500	832,500
6	2 Ton air conditioners (Cabinet)	26	78,000	2,028,000	26	78,000	2,028,000	26	78,000	2,028,000	26	78,000	2,028,000
7	4 Ton air conditioners (Cabinet)	3	120,000	360,000	3	120,000	360,000	3	120,000	360,000	3	120,000	360,000
8	Ceiling Fans 56"	20	3,090	61,800	20	3,090	61,800	20	3,090	61,800	20	3,090	61,800
	Bracket Fans 18"	48	3,280	157,440	48	3,280	157,440	48	3,280	157,440	48	3,280	157,440
9	Exhaust Fans	36	3,000	108,000	36	3,000	108,000	36	3,000	108,000	36	3,000	108,000
	Dual Connection of Electricity / Express Line	1	5,000,000	5,000,000	1	5,000,000	5,000,000	1	5,000,000	5,000,000	1	5,000,000	5,000,000
	Total			11,447,740			11,447,740			11,447,740			15,647,740
				11.448			11.448			11.448			15.648

				IT	& QM	S & Sı	ırveilla	nce					
		(	Origina	ıl	19	t Revis	sed	2n	d Revi	sed	3r	d Revi	sed
Sr. No.	Item Name	Quantity	Per Unit Cost	Total Cost	Quantity	Per Unit Cost	Total Cost	Quantity	Per Unit Cost	Total Cost	Quantity	Per Unit Cost	Total Cost
1	Desktop, UPS, LED	30	75,000	2,250,000	30	75,000	2,250,000	30	130,000	3,900,000	30	216,000	6,480,000
2	MS Windows License	30	20,000	600,000	30	20,000	600,000	30	20,000	600,000	30	20,000	600,000
3	Scanner Flatbed with ADF	3	90,000	270,000	3	90,000	270,000	3	150,000	450,000	3	150,000	450,000
4	Heavy duty Printer	7	40,000	280,000	7	40,000	280,000	7	50,000	350,000	7	110,000	770,000
5	Multimedia Projector with Screen	duty Printer         7         40,000         280,0           edia Projector with         1         100,000         100,0				100,000	100,000	1	100,000	100,000	1	100,000	100,000
6	Tabs	4	50,000	200,000	4	50,000	200,000	4	50,000	200,000	4	50,000	200,000
7	Laptop	1	100,000	100,000	1	100,000	100,000	1	100,000	100,000	1	100,000	100,000
8	MS Windows License	1	20,000	20,000	1	20,000	20,000	1	20,000	20,000	1	20,000	20,000
9	QMS System	1	3,700,000	3,700,000	1	3,700,000	3,700,000	1	4,000,000	4,000,000	1	4,000,000	4,000,000
10	Networking	1	995,000	995,000	1	995,000	995,000	1	995,000	995,000	1	1,200,000	1,200,000
11	Monitoring & Surveillance (CCTV)	5,000,000	1	5,000,000	5,000,000	1	5,000,000	5,000,000	1	5,000,000	5,000,000		
12	Public Address System	1	1,000,000	1,000,000	1	1,000,000	1,000,000	1	1,000,000	1,000,000	1	1,200,000	1,200,000
	Total			14,515,000			14,515,000			16,715,000			20,120,000
				14.515			14.515			16.715			20.120

## **Furniture and Fixtures**

			Origin	al	19	st Rev	ised	2r	nd Rev	ised	3r	d Rev	ised
Sr. No.	Item Name	Quantity	Unit Price	Total									
1	Benches (internal)	60	30,000	1,800,000	60	30,000	1,800,000	60	30,000	1,800,000	60	40000	2,400,000
2	Benches (external)	10	10,000	100,000	10	10,000	100,000	10	10,000	100,000	10	40000	400,000
3	Electric Water Cooler	8	45,000	360,000	8	45,000	360,000	8	45,000	360,000	8	60000	480,000
4	Doctors rooms Furniture	30	70,000	2,100,000	30	70,000	2,100,000	30	70,000	2,100,000	30	125000	3,750,000
5	Examination couches	10	35,000	350,000	10	35,000	350,000	10	35,000	350,000	10	35000	350,000
6	Fire Blanket	5	2,500	12,500	5	2,500	12,500	5	2,500	12,500	5	3000	15,000
7	Fire Extinguisher (Water Based)	30	8,000	240,000	30	8,000	240,000	30	8,000	240,000	30	2500	75,000
8	Acrylic Board	150	2,200	330,000	150	2,200	330,000	150	2,200	330,000	150	2000	300,000
9	Rostrum	2	18,000	36,000	2	18,000	36,000	2	18,000	36,000	2	20000	40,000
10	Blinds for windows	6000	150	900,000	6000	150	900,000	6000	150	900,000	6000	200	1,200,000
11	Paintings	100	6,000	600,000	100	6,000	600,000	100	6,000	600,000	100	5000	500,000
12	Waste Bin Sets (3 bin)	40	6,000	240,000	40	6,000	240,000	40	6,000	240,000	40	9000	360,000
13	Printing			1,000,000			1,000,000			1,000,000			1,000,000
	Machinery and Equipment's												
14	Refrigerator(Domestic) front glass double door	2	160,000	320,000	2	160,000	320,000	2	160,000	320,000	2	150000	300,000
	Refrigerator glass single door	5	80,000	400,000	5	80,000	400,000	5	80,000	400,000	5	90000	450,000
16	Refrigerator 16 cft	5	36,000	180,000	5	36,000	180,000	5	36,000	180,000	5	50000	250,000
17	Air Curtain On Door	5	50,000	250,000	5	50,000	250,000	5	50,000	250,000	5	75000	375,000
18	Washing machines for pantries	3	13,000	39,000	3	13,000	39,000	3	13,000	39,000	3	11000	33,000
19	Gas Burner for pantries	10	4,800	48,000	10	4,800	48,000	10	4,800	48,000	10	80000	800,000
20	Fire Extinguishers DCP	30	4,800	144,000	30	4,800	144,000	30	4,800	144,000	30	6500	195,000
21	LED TV	15	55,000	825,000	15	55,000	825,000	15	55,000	825,000	15	140000	2,100,000
22	Industrial Exhaust	5	50,000	250,000	5	50,000	250,000	5	50,000	250,000	5	60000	300,000
23	Acrylic Display Board	4	20,000	80,000	4	20,000	80,000	4	20,000	80,000	4	20000	80,000
	Laundry & Washing												
24	Bed Sheets and pillow covers	300	1,250	375,000	300	1,250	375,000	300	1,250	375,000	300	2500	750,000
25	Pillows	150	400	60,000	150	400	60,000	150	400	60,000	150	500	75,000
26	Blankets with covers	100	5,000	500,000	100	5,000	500,000	100	5,000	500,000	100	4000	400,000
	Medicine Store												
27	Medicine (Iron Racks) 8x6x2 (Required)	20	50,000	1,000,000	20	50,000	1,000,000	20	50,000	1,000,000	20	60000	1,200,000
28	Moveable Iron Stairs (Required)	2	15,000	30,000	2	15,000	30,000	2	15,000	30,000	2	20000	40,000
29	Lifters (Required)	2	37,000	74,000	2	37,000	74,000	2	37,000	74,000	2	35000	70,000
30	Pallets 3x4 (Plastic) (Required)	20	12,000	240,000	20	12,000	240,000	20	12,000	240,000	20	10000	200,000
31	Dehumidifier (Required)	1	100.000	100,000	1	100.000	100,000	1	100.000	100,000	1	125000	125,000
32	Insect Killer (Required)	25	8.000	200,000	25	8.000	200,000	25	8.000	200,000	25	6500	162,500
33	Thermometer (Required)	20	16,000	320,000	20	16,000	320,000	20	16,000	320,000	20	600	12,000
- 55	Total	20	10,000	13,503,500	20	10,000	13,503,500	20	10,000	13,503,500	20	000	18.787.500
	I Olai			13,503,500			13,503,500			13,503,500			18.788

Signage	and p	laques
---------	-------	--------

		I												
			0	rigin	al	1st	Revi	sed	2nc	l Rev	ised	3rd	Rev	sed
Sr No	Туре	Kinds of Sign Boards	Quantity	Rates	Cost									
		External Sign Boards							_			_		
1	A1	External Platform/Road Signage (Circular)	6	10,017	60,102	6	10,017	60,102	6	13,951	83,706	6	13,951	83,706
2	A2	External Platform/Road Signage (Triangular)	6	9,163	54,978	6	9,163	54,978	6	12,762	76,574	6	12,762	76,574
3	B1	Main Directional Board	1	111,359	111,359	1	111,359	111,359	1	155,107	155,107	1	155,107	155,107
4	C1	Directional Board (Single Sheet)	10	14,308	143,080	10	14,308	143,080	10	19,929	199,290	10	19,929	199,290
5	C2	Directional Board (Two Sheets)	1	22,268	22,268	1	22,268	22,268	1	31,016	31,016	1	31,016	31,016
6		Directional Board (Three Sheets)	1	29,854	29,854	1	29,854	29,854	1	41,581	41,581	1	41,581	41,581
7	C4	Directional Board (Four Sheets)	1	36,867	36,867	1	36,867	36,867	1	51,351	51,351	1	51,351	51,351
8	C5	Directional Board (Five Sheets)	1	44,771	44,771	1	44,771	44,771	1	62,360	62,360	1	62,360	62,360
9	C6	Directional Board (Six Sheets)	1	52,274	52,274	1	52,274	52,274	1	72,810	72,810	1	72,810	72,810
10	C7	Additional Panel (For Fixation on existing Foundation & Posts)	3	7,864	23,592	3	7,864	23,592	3	10,952	32,857	3	10,952	32,857
11	D1	Departmental Signage on Building	6	46,729	280,374	6	46,729	280,374	6	65,087	390,524	6	65,087	390,524
12	E1	External Map Boards	2	40,771	81,542	2	40,771	81,542	2	56,788	113,576	2	56,788	113,576
		Internal Signage	0		-	0		-	0	-	-	0	-	-
1	F1	Internal Hanging Signage (Main Entrance)	5	89,955	449,775	5	89,955	449,775	5	125,294	626,472	5	125,294	626,472
2	F2	Internal Hanging Signage (Main Entrance 2)	5	68,489	342,445	5	68,489	342,445	5	95,396	476,980	5	95,396	476,980
3	F3	Internal Hanging Signage (Corridor)	4	50,724	202,896	4	50,724	202,896	4	70,651	282,604	4	70,651	282,604
4	F4	Internal Hanging Signage (Corridor 2)	4	51,312	205,248	4	51,312	205,248	4	71,470	285,880	4	71,470	285,880
5	G1	Internal Department Signage on wall	7	12,974	90,818	7	12,974	90,818	7	18,071	126,498	7	18,071	126,498
6	H1	Specialist Name Plaques fixed on wall	20	3,729	74,580	20	3,729	74,580	20	5,194	103,880	20	5,194	103,880
7	J1	Room Name Plaques and Numbers fixed on wall	100	858	85,800	100	858	85,800	100	1,194	119,420	100	1,194	119,420
8	K1	Internal Wall Signage	100	1,408	140,800	100	1,408	140,800	100	1,961	196,140	100	1,961	196,140
9	L1	Room Numbers Fixed on Wall	50	3,574	178,700	50	3,574	178,700	50	4,978	248,920	50	4,978	248,920
10	M1	Advance Fire Exit Sign	10	1,819	18,190	10	1,819	18,190	10	2,534	25,340	10	2,534	25,340
11	M2	Fire Exit Sign Mounted Above the Door	10	1,258	12,580	10	1,258	12,580	10	1,753	17,528	10	1,753	17,528
12	N1	Fire Safety/Equipment Signage	20	2,410	48,200	20	2,410	48,200	20	3,357	67,144	20	3,357	67,144
13	P1	Floor Map Board	5	20,875	104,375	5	20,875	104,375	5	29.075	145,376	5	29,075	145,376
14	Q1	Caution Signage	25	2,151	53,775	25	2,151	53,775	25	2,996	74,900	25	2,996	74,900
15	Q2	Caution Signage	5	647	3,235	5	647	3,235	5	902	4,508	5	902	4,508
16	Q3	Caution Signage	10	1,132	11,320	10	1,132	11,320	10	1,576	15,764	10	1,576	15,764
17	Q4	Caution Signage	15	879	13,185	15	879	13,185	15	1,225	18,375	15	1,225	18,375
		Total			2,976,983			2,976,983		.,0	4,146,482		.,	4,146,482
		Designing and Site Supervision			89,309			89,309			124,394			124,394
		Grand Total	İ		3.066.292			3.066.292			4,270,877			4,270,877
		[ w.			3.066			3.066			4.271			4,270,077

## **DAY CARE CENTER**

#### Yard Stick as per Women Dvelopment Department

		(	Original		1s	t Revised		2nd Revised			
Sr. No.	ITEMS	Yard Stick (DCC of 25 Kids)	Unit Cost	Total	Yard Stick (DCC of 25 Kids)	Unit Cost	Total	Yard Stick (DCC of 25 Kids)	Unit Cost	Total	
1	Cylinder Block	1	3,000	3,000	1	3,000	3,000	1	3,000	3,000	
2	Geometrical Cabinet (36 pcs)	1	4,000	4,000	1	4,000	4,000	1	4,000	4,000	
3	Geometrical Solids (10 pcs)	1	2,200	2,200	1	2,200	2,200	1	2,200	2,200	
Ë	Base for Geometrical Solids (14	· ·		·			·	<u> </u>	·	-	
4	pcs)	1	2,000	2,000	1	2,000	2,000	1	2,000	2,000	
5	Constructive Triangles (4 box)	1	400	400	1	400	400	1	400	400	
6	Metal Insets (10 - shape)	1	1,000	1,000	1	1,000	1,000	1	1,000	1,000	
7	Stand for metal insets	1	2,000	2,000	1	2,000	2,000	1	2,000	2,000	
8	Paper Board for metal insets (10 Boards)	1	5,000	5,000	1	5,000	5,000	1	5,000	5,000	
9	Sandpaper Alphabets (English)	3	2,000	6,000	3	2,000	6,000	3	2,000	6,000	
10	Sandpaper Alphabets (Urdu)	3	3,500	10,500	3	3,500	10,500	3	3,500	10,500	
11	Sandpaper Number	3	2,000	6,000	3	2,000	6,000	3	2,000	6,000	
	Hammer Case	2	1,000	2,000	2	1,000	2,000	2	1,000	2,000	
13	Soft Reading Book	15	200	3,000	15	200	3,000	15	200	3,000	
14	and a constant	2	500	1,000	2	500	1,000	2	500	1,000	
	Transport Set (Model)	2	700	1,400	2	700	1,400	2	700	1,400	
	Model Puzzles (S)	7	300 500	2,100	7 7	300 500	2,100	7 7	300 500	2,100	
17 18	Model Puzzles (B)	20		3,500 2,000	20	100	3,500 2,000	20	100	3,500 2,000	
19	Storybook Information Book (Large)	20	100 350	7,000	20	350	7,000	20	350	7,000	
20	Basket (L)	10	1,000	10,000	10	1,000	10,000	10	1,000	10,000	
21	Basket (S)	10	600	6,000	10	600	6,000	10	600	6,000	
22	Color table Box	2	1.000	2,000	2	1,000	2,000	2	1.000	2,000	
23	ABC Block	4	500	2,000	4	500	2,000	4	500	2,000	
24	Number Block	4	500	2,000	4	500	2,000	4	500	2,000	
	Color Pensils (Large)	5	450	2,250	5	450	2,250	5	450	2,250	
	Color Crayons (Large)	5	300	1,500	5	300	1,500	5	300	1,500	
27	Marker Color (Board and Permanent)	15	395	5,925	15	395	5,925	15	395	5,925	
28	Fruits Basket (Model Set)	2	1.000	2.000	2	1.000	2.000	2	1.000	2.000	
29	Vegetables Basket (Model Set)	2	1,000	2.000	2	1,000	2,000	2	1,000	2,000	
30	Animal Sets	2	600	1,200	2	600	1,200	2	600	1,200	
	Insects sets	2	400	800	2	400	800	2	400	800	
32	Shape Sorting House	2	1,500	3,000	2	1,500	3,000	2	1.500	3,000	
	Flash card (Small)	10	120	1,200	10	120	1,200	10	120	1,200	
	Flash card (Big)	10	325	3,250	10	325	3,250	10	325	3,250	
35	Sand Play	2	1,000	4,000	2	1,000	4,000	2	1,000	4,000	
36	Gym Play	2	2,000	3,000	2	2,000	3,000	2	2,000	3,000	
37	Straight Mats	20	1,500	40,000	20	1,500	40,000	20	1,500	40,000	
38		20	2,000	6,000	20	2,000	6,000	20	2,000	6,000	
39	Diaper Changing Mats	3	300	1,500	3	300	1,500	3	300	1,500	
40	Cube Cushion	2	500	1,000	2	500	1,000	2	500	1,000	
41	Square Cushion	2	500	600	2	500	600	2	500	600	
	Baby Mirror	3	300	2,400	3	300	2,400	3	300	2,400	
	Pink Tower With Stand	10	800	500	1 10	800	500	1 10	800 500	500	
44	Dressing Frames Monkey Stuffed	10	500 800	8,000 2,400	10 2	500 800	8,000 2,400	10 2	800	8,000 2,400	
46	Lion Stuffed	2	1,200	3,400	2	1,200	3,400	2	1,200	3,400	
47	Cater Pillar Stuffed	2	1,700	3,000	2	1,700	3,000	2	1,700	3,000	
	Stuffed toys (Animal shaped i.e.			,			,		i i		
48	Moneky, lion, caterpillar etc)	6	1,500	9,000	6	1,500	9,000	6	1,500	9,000	
49	Long Roads with Stands	1	1,500	1,500	1	1,500	1,500	1 1	1,500	1,500	
50	Number Rods	1	500	500	11	500	500	11	500	500	
51	Stand Number Rods	1	800	800	1	800	800	1	800	800	

## **DAY CARE CENTER**

### Yard Stick as per Women Dvelopment Department

		r	Original		15	Revised		2nd Revised			
-		Yard Stick			Yard Stick	1	-	Yard Stick		-	
Sr. No.	ITEMS	(DCC of 25 Kids)	Unit Cost	Total	(DCC of 25 Kids)	Unit Cost	Total	(DCC of 25 Kids)	Unit Cost	Total	
52	Soft toys	2	700	1,400	2	700	1,400	2	700	1,400	
	Infants Manual Weight Machine	1	1,000	1,000	1	1,000	1,000	1	1,000	1,000	
54	3	1	1,000	1,000	1	1,000	1,000	1	1,000	1,000	
55 56	Tri Cycles Wooden Cots	4 10	3,500 10,000	14,000 100,000	4 10	3,500 10,000	14,000 100,000	<u>4</u> 10	3,500 10,000	14,000 100,000	
57	Mattresses for Cots	10	1,200	12,000	10	1,200	12,000	10	1,200	12,000	
	Pillows	10	300	3,000	10	300	3,000	10	300	3,000	
59	Bed Sheets and pillow covers	20	400	8,000	20	400	8,000	20	400	8,000	
60	Nets	10	600	6,000	10	600	6,000	10	600	6,000	
61	High Chairs for feeding	15	3,000	45,000	15	3,000	45,000	15	3,000	45,000	
62	Rockers Cum Bouncer	8	2,500	20,000	8	2,500	20,000	8	2,500	20,000	
63	Cot Mobile	10	1,500	15,000	10	1,500	15,000	10	1,500	15,000	
64	Plastic Chairs (Round edges Animal Shapes)	7	600	4,200	7	600	4,200	7	600	4,200	
	Multi-Purpose Table	2	3,000	6,000	2	3,000	6,000	2	3,000	6,000	
	Writing Board	1	500	500	1	500	500	1	500	500	
	Electric Sterilizer Electric Warmer	2	5,000	10,000 10,000	2	5,000	10,000 10,000	2 2	5,000	10,000 10,000	
69	Table sets	2	5,000 4,000	8,000	2	5,000 4,000	8,000	2	5,000 4,000	8,000	
	Rocker	6	3,200	19,200	6	3,200	19,200	6	3,200	19,200	
71	Activity Gym (Infants)	5	2,000	10,000	5	2,000	10,000	5	2,000	10,000	
	Play Gym	5	2,700	13,500	5	2,700	13,500	5	2,700	13,500	
	Activity Gym (Toddlers)	5	2,000	10,000	5	2,000	10,000	5	2,000	10,000	
	Toiler Training Seat	10	3,000	30,000	10	3,000	30,000	10	3,000	30,000	
	Infant Toys	30	4,000	120,000	30	4,000	120,000	30	4,000	120,000	
	Bath Toys	15	1,000	15,000	15	1,000	15,000	15	1,000	15,000	
77	Fun Links Teether	15	300	4,500	15	300	4,500	15	300	4,500	
	Fun Pall Teether	15	500	7,500	15	500	7,500	15	500	7,500	
	Fun Rattle Mother feeding Chair	15 1	400 3,000	6,000 3,000	15 1	400 3,000	6,000 3,000	15 1	400 3,000	6,000 3,000	
81	Soft Books (duplication)	20	500	10,000	20	500	10,000	20	500	10,000	
	Bottle Brushes	3	300	900	3	300	900	3	300	900	
	of others Items i.e. Kitchen, Office,	Electric items		-			-			-	
1	Water Dispenser	1	14,000	14,000	1	14,000	14,000	1	14,000	14,000	
2	Microwave Oven	1	12,400	12,400	1	12,400	12,400	1	12,400	12,400	
4	Fridge Kitchen Accessories / Cutleries etc.	1 24	34,000 200	34,000 4,800	1 24	34,000 200	34,000 4,800	1 24	34,000 200	34,000 4,800	
5	Sofa Set	1	40,000	40,000	1	40,000	40,000	1	40,000	40,000	
7	Office Table	1	5,000	5,000	1	5,000	5,000	1	5,000	5,000	
8	Office Chairs Air Conditioner	5 2	10,000 42,000	50,000 84,000	5 2	10,000 42,000	50,000 84,000	5 2	10,000 42,000	50,000 84,000	
9	LCD	1	27,000	27,000	1	27,000	27,000	1	27,000	27,000	
	DVD player	1	5,000	5,000	1	5,000	5,000	1	5,000	5,000	
11	CCTV Cameras	1	100,000	100,000	1	100,000	100,000	1	100,000	100,000	
12	Fire Alarms	3	5,000	15,000	3	5,000	15,000	3	5,000	15,000	
13	UPS Vacuum Cleaner	1	10,000 7.000	10,000 7.000	1	10,000 7.000	10,000 7.000	<u>1</u> 1	10,000 7.000	10,000 7.000	
	Fire Extinguishers (Large)	2	5,000	10,000	2	5,000	10,000	2	5,000	10,000	
	Electric Insect Killer	2	7,800	15,600	2	7,800	15,600	2	7,800	15,600	
	Electric Hand Dryer	1	4,000	4,000	1	4,000	4,000	<u>Z</u>	4,000	4,000	
	Electric Harld Bryer	2	5,000	10,000	2	5,000	10,000	2	5,000	10,000	
	Ceiling/bracket Fans	4	8,000	32,000	4	8,000	32,000	4	8,000	32,000	
	Curtains	2	45,000	90,000	2	45,000	90,000	2	45,000	90,000	
-	Carpets	1	100,000	100,000	1	100,000	100,000	1	100,000	100,000	
22	Other miscellaneous items	1	218,675	218,675	1	218,675	218,675	1	218,675	218,675	
	TOTAL			1,600,000			1,600,000			1,600,000	
			1	1.600		1	1.600			1.600	

			Hur	man Re	source	e Model	of THO	Q Hosp	ital									
Original						1st Revised				2nd Revised				3rd Revised				
Sr. No.		No. of Employees	Per Month Salary	Per Month Salary for Person	Salary for One Year	No. of Employees	Per Month Salary	Per Month Salary for Person	Salary for One Year	No. of Employees	Per Month Salary	Per Month Salary for Person	Salary for Two Years	No. of Emplyees	Project Pay Scale	Per Month Salary	Per Month Salary for all Person	Salary for Two Years
1	ADMIN OFFICER	1	60,000	60,000	720,000	1	60,000	60,000	720,000	1	80,000	80,000	1,920,000	1	6	105,000	105,000	3,255,000
2	HUMAN RESOURCE & LEGAL OFFICER	1	60,000	60,000	720,000	1	60,000	60,000	720,000	1	80,000	80,000	1,920,000	1	6	105,000	105,000	3,255,000
3	IT/STATISTICAL OFFICER	1	60,000	60,000	720,000	1	60,000	60,000	720,000	1	80,000	80,000	1,920,000	1	6	105,000	105,000	3,255,000
4	FINANCE, BUDGET & AUDIT OFFICER	1	60,000	60,000	720,000	1	60,000	60,000	720,000	1	80,000	80,000	1,920,000	1	6	105,000	105,000	3,255,000
5	PROCUREMENT OFFICER	1	60,000	60,000	720,000	1	60,000	60,000	720,000	1	80,000	80,000	1,920,000	1	6	105,000	105,000	3,255,000
6	QUALITY ASSURANCE OFFICER	1	60,000	60,000	720,000	1	60,000	60,000	720,000	1	80,000	80,000	1,920,000	1	6	105,000	105,000	3,255,000
7	LOGISTICS OFFICER	1	60,000	60,000	720,000	1	60,000	60,000	720,000	1	80,000	80,000	1,920,000	1	6	105,000	105,000	3,255,000
8	DATA ENTRY OPERAOTOR (DEO)	2	25,000	50,000	600,000	2	25,000	50,000	600,000	2	35,000	70,000	1,680,000	2	3	44,000	88,000	2,728,000
9	ASSISTANT ADMIN OFFICER	2	40,000	80,000	960,000	2	40,000	80,000	960,000	2	50,000	100,000	2,400,000	2	5	70,000	140,000	4,340,000
10	HR FOR QMS and MSDS and Day Care Center																	
11	QMS Supervisor / Information Desk Officer	2	25,000	50,000	600,000	2	25,000	50,000	600,000	2	25,000	50,000	600,000	2		25,000	50,000	600,000
	Computer Operator	8	20,000	160,000	1,920,000	8	20,000	160,000	1,920,000	8	20,000	160,000	1,920,000	8		20,000	160,000	1,920,000
	Consultants (MSDS) Implementation & Clinical Audit	1	100,000	100,000	1,200,000	1	100,000	100,000	1,200,000	1	100,000	100,000	1,200,000	1		100,000	100,000	1,200,000
	Training on MSDS Compliance for Staff of THQ Hospital	1000	4,000	4,000,000	4,000,000	1000	4,000	4,000,000	4,000,000	1000	4,000	4,000,000	4,000,000	1000		4,000	4,000,000	4,000,000
					500,000				500,000			1	500,000		1		0	500,000
	Manager Day Care Center	1	45,000	45,000	540,000	1	45,000	45,000	540,000	1	45,000	45,000	540,000	1	1	45,000	45,000	540,000
	Montessori Trained Teacher	1	35,000	35,000	420,000	1	35,000	35,000	420,000	1	35,000	35,000	420,000	1	1	35,000	35,000	420,000
18		4	25,000	100,000	1,200,000	4	25,000	100,000	1,200,000	4	25,000	100,000	1,200,000	4	1	25,000	100,000	1,200,000
19	Office Boy	1	20,000	20,000	240,000	1	20,000	20,000	240,000	1	20,000	20,000	240,000	1	1	20,000	20,000	240,000
	Sub Total of H	R Model		4,860,000	17,220,000			4,860,000	17,220,000			5,040,000	28,140,000		1		5,273,000	40,473,000
					17.220				17.220				28.140		1			40.473
	Utilization of HR (								10.340			ı	14.39		]			
	Total of HR Cor		1									38.48					54.862	

Janitorial Services							
	(	Origin	al	From 1st Revised to onward			
Assumptions				In the light of decision made during the Progress Review Meeting of Revamping of DHO/THO Hospitals held on 01-01-2018 under the			
Covered area excluding residential area	24,204	sft		Chairmanship of Chairman, P&D Board; it was inter alia decided as under:			
Covered area assigned to one sweeper	7,500	sft		"It would be made sure by the P&SH Department that the outsourcing			
Number of sweepers required for covered area	3	Persons		would be shifted to the non-development side from 1st July 2018 next FY".			
Road and ROW area	129,682	sft		In view of above, Outsourcing cost has been excluded from this PC-I.			
Road and ROW assigned to one sweeper	15,000	sft		in view of above, outstanding cost has been excluded from this for it			
Number of sweepers required for road and ROW area	9	Persons					
Number of washroom blocks	9	blocks					
Number of washroom block assigned to one sweeper	3	Persons					
Number of sweepers required for total washroom blocks	3	Persons					
Total sweeper in morning shift	15	Persons					
Total number of sweepers in evening shift	8	Persons					
Total number of sweepers in night shift	8	Persons					
Total number of sweepers in all shifts	30	Persons					
Number of sewer men required	3	Persons					
Number of supervisors	3	Persons					
Salary componen	i			]			
Type of worker	No of	Salary per	Salary for	]			
	workers	month	One Year				
Sweepers / Janitors	30	22,000	8,039,962				
Sewer men	3	22,000	792,000				
Supervisors	3	26,000	936,000				
Cost of Supply per Month		400,000	4,800,000	]			
Sub Total (Salary component)			14,567,962	]			
			14.568	]			

	Sec	urity	and P	arking	
		Ori	ginal		From 1st Revised to onward
Assumptions	•				In the light of decision made during the Progress
Covered area excluding residences	24,204				Review Meeting of Revamping of DHQ/THQ
Covered Area per guard	15,000				Hospitals held on 01-01-2018 under the
Number of guards	2				Chairmanship of Chairman, P&D Board; it was inte
Open area excluding parking area	129,682				alia decided as under:
Area covered per guard per shift for	15,000				"It would be made sure by the P&SH Department that the outsourcing would be shifted
open area excluding parking	15,000				to the non-development side from 1st July 2018
Number of guards for total area	9				next FY".
excluding parking area	9				In view of above, Outsourcing cost has been
Number of gates	3				excluded from this PC-I.
Number of guards at gates	6				
Total No of Guard	16				
Total number of all guards for second	8				
shift	•				
Lady Searcher	4				
Number of parking areas	1				
Number of guards for parking lot per	2				
shift (Morning+ Evening)					
Total no. of Supervisors	2				
Type of worker	No of workers	Salary per month	Salary per Month for all Person	Salary for One year	
Supervisors	2	24,675	49,350	592,200	
Ex-Army	9	21,525	193,725	2,324,700	
Civilian	12	21,000	252,000	3,024,000	
Lady Searcher	4	21,525	86,100	1,033,200	
Parking	2	21,525	43,050	516,600	
Sub total				7,490,700	
Equipment cost					
Lump sum Provision (Walk Through					
Gate=1, Metal Detector=5, Walkies				500,000	
Talkies=10, Base Set=1)					
Sub total				500,000	
Subtracting Parking Fees	ļ			500,000	
Total Security and Parking Services				7,490,700	
	I	l		7.491	

Laundry Services								
		Origin	al	From 1st Revised to onward				
Number of beds	40							
Type of Item	No of Beds	Per bed cost per year	Total Cost	In the light of decision made during the Progress Review Meeting of Revamping of DHQ/THQ				
No of Bed	40	30,000	1,200,000	Hospitals held on 01-01-2018 under the Chairmanship of Chairman, P&D Board; it was inter alia				
Transport Charges			1,200,000	decided as under:				
Total for laundry items			2,400,000	"It would be made sure by the P&SH Department that the outsourcing would be shifted to the				
Total			2.400	non-development side from 1st July 2018 next FY".  In view of above, Outsourcing cost has been excluded from this PC-I.				

Maintenance of Generator								
		Origin	al	From 1st Revised to onward				
Item Name	Quantity	Cost per year	Total Cost					
Periodical Maintenance Cost								
Number of Generators (200 KVA)	-	500,000	-					
Number of Generators (100 KVA)	-	300,000	-	In the light of decision made during the Progress Review Meeting of Revamping of				
Number of Generators (50 KVA)	1	175,000	175,000	DHQ/THQ Hospitals held on 01-01-2018 under the Chairmanship of Chairman, P&D				
Repairs Cost	1	175,000	175,000	Board; it was inter alia decided as under:				
HR Cost				"It would be made sure by the P&SH Department that the outsourcing would be shifted to the non-development side from 1st July 2018 next FY".				
Supervisor	1	40,000	240,000	In view of above, Outsourcing cost has been excluded from this PC-I.				
Generator Operator	3	30,000	1,080,000	in view of above, outsourcing cost has been excluded from this r C-1.				
Technical Staff/Mechanic	-	30,000	-					
Total			1,670,000					

				M	EP
		Ori	ginal		From 1st Revised to onward
Type of worker / Component	No of workers	Salary per month	Salary per Month for all persons	Salary for One Year	In the light of decision made during the Progress Review Meeting of Revamping of DHQ/THQ Hospitals held on 01-01-2018 under the Chairmanship of Chairman, P&D Board; it was inter alia decided as under:  "It would be made sure by the P&SH Department that the outsourcing
Supervisors	1	56,420	56,420	677,040	would be shifted to the non-development side from 1st July 2018 next
Plumber	1	32,550	32,550	390,600	In view of above, Outsourcing cost has been excluded from this PC-I.
AC/ Technician	1	34,720	34,720	416,640	in view of above, outsourcing cost has been excluded from this i e-i.
Electrician	2	31,465	62,930	755,160	
Car painter	1	30,380	30,380	364,560	
Fotal (Salary compone	nt)		217,000	2,604,000	
	No.	Per Unit	Cost per	Cost for One	
		Cost per Year	Year for all Items	Year	
A/C	200	6,665	1,333,000	1,333,000	
Fridge	10	4,000	40,000	40,000	
UPS	15	8,000	120,000	120,000	
Water Cooler	20	4,000	80,000	80,000	
Exhaust	10	3,000	30,000	30,000	
Geyser	20	4,000	80,000	80,000	
Water Pump	8	3,000	24,000	24,000	
Carpentry Work		-	180,000	180,000	
Electrical Work		-	120,000	120,000	
Plumbing Work		-	75,000	75,000	
Sub Total				2,082,000	
General Total				4,686,000	
				4.686	

	Medical Gases							
			Origin	nal		From 1st Revised to onward		
	Scope of Work	Monthly Consumption per THQ Hospital	Annual Consumption per THQ Hospital	Rate per Cylinder	Total Annual Cost per THQs			
	Medical Oxygen Gas in 240 CFTCylinder (MM)	12	144	1850	266,400			
Oxygen	Medical Oxygen Gas in 48 CFTCvlinder (MF)	30	360	1,000	360,000	In the light of decision made during the Progress Review Meeting of Revamping of DHQ/THQ Hospitals held on 01-01-2018 under the		
	Medical Oxygen Gas in 24 CFTCylinder (ME)	40	480	800	384,000	Chairmanship of Chairman, P&D Board; it was inter alia decided as under: "It would be made sure by the P&SH Department that the outsourcing		
Nitrous	Nitrous Oxide in 1,620 Liter (XE)	2	24	5,000	120,000	would be shifted to the non-development side from 1st July 2018 next FY".  In view of above, Outsourcing cost has been excluded from this PC-I.		
Oxide Ni	Nitrous Oxide in 16,200 Liter (XM)	1	12	12,500	150,000			
Nitrogen Gas	trogen Nitrogen Gas		12	2,000	24,000			
		Total			1,304,400			
		•			1.304			

## Cafeteria

## **Pre-Fabrication Cateen (Procurement)**

1 stru 1 arou 1	oviding and laying Tuff pavers, having 7000 PSI, shing strength of approved manufacturer, over 2"	Cft Sft Cft Sft Cft Cft Cft	2545 4305 2268 998 318 1792 427	Rate (Rs)  6.13  2.21  15.62  39.15  43.34  180.25  170.72	Amount (Rs)  15,602  9,514  35,426  39,069  13,789  323,071  72,893	In the light of decision made during the Progress Review Meeting of Revamping of DHQ/THQ Hospitals held on 01-01-2018 under the Chairmanship of Chairman, P&D Board; it was inter alia decided as under:  "It would be made sure by the P&SH Department that the outsourcing would be shifted to the non-development side from 1st July 2018 next FY"  In view of above, Outsourcing cost has been excluded from this PC-I.
1 stru 1 arou 1	uctures, including dagbelling, dressing, refilling bund structure with excavated earth, watering and mming lead upto one chain (30 m) and lift upto 5 ft. 5 m) for ordinary soil raying anti-termite liquid mixed with water in the io of 1:40. pplying and filling sand of approved quality from tide sources under floors etc complete in all spects. poiding, laying, watering and ramming brick ballast: to 2"(40 mm to 50 mm) gauge mixed with 25% and, for floor and foundation, complete in all spects. poiding and laying damp proof course (1½" thick (40 m) ) of cement concrete 1:2:4, with one coat umen and one coat polythene sheet 500gauge ck work with cement, sand mortar ratio 1:5 ment concrete plain Ratio 1: 4: 8 including placing, mpacting, finishing and curing complete (including reening and washing of stone aggregate)  ment concrete plain Ratio 1: 2: 4 including placing, mpacting, finishing and curing complete (including reening and washing of stone aggregate)  ment concrete plain Ratio 1: 2: 4 including placing, mpacting, finishing and curing complete (including reening and washing of stone aggregate)  ment concrete plain Ratio 1: 2: 4 including placing, mpacting, finishing and curing complete (including reening and washing of stone aggregate)  ment concrete plain Ratio 1: 2: 4 including placing, mpacting, finishing and curing complete (including reening and washing of stone aggregate)  ment concrete plain Ratio 1: 2: 4 including placing, mpacting, finishing and curing complete (including reening and washing of stone aggregate)	Cft Sft Cft Sft Cft Cft Cft	4305 2268 998 318 1792 427	2.21 15.62 39.15 43.34 180.25	9,514 35,426 39,069 13,789 323,071	would be shifted to the non-development side from 1st July 2018 next FY"
2 ratic 3 sup 3 outs Fro 4 1½'s san resp 5 Pro 6 Bric 7 Cer com scre 8 Cer com scre 9 cer 116. Plac 9 cer 116. 11 dou resp Pro 11 dou resp Pro 12 glap 13 Fixil des Pro 14 includes	io of 1:40.  pplying and filling sand of approved quality from tiside sources under floors etc complete in all spects.  poiding, laying, watering and ramming brick ballast:  " to 2"(40 mm to 50 mm) gauge mixed with 25% and, for floor and foundation, complete in all spects.  poiding and laying damp proof course (1½" thick (40 m)) of cement concrete 1:2:4, with one coat umen and one coat polythene sheet 500gauge ck work with cement, sand mortar ratio 1:5  ment concrete plain Ratio 1: 4: 8 including placing, mpacting, finishing and curing complete (including reening and washing of stone aggregate)  ment concrete plain Ratio 1: 2: 4 including placing, mpacting, finishing and curing complete (including reening and washing of stone aggregate)  ment concrete plain Ratio 1: 2: 4 including placing, mpacting, finishing and curing complete (including reening and washing of stone aggregate)  icing Granite tiles (24"x24"x0.5") using white ment over a bed of %" (20 mm) thick cement mortar is.  poiding and laying Tuff pavers, having 7000 PSI, ishing strength of approved manufacturer, over 2"	Cft Cft Sft Cft Cft	2268 998 318 1792 427	15.62 39.15 43.34 180.25	35,426 39,069 13,789 323,071	
3 outs respond 1	uside sources under floors etc complete in all spects.  by voiding, laying, watering and ramming brick ballast "to 2"(40 mm to 50 mm) gauge mixed with 25% and, for floor and foundation, complete in all spects.  by viding and laying damp proof course (1½" thick (40 m)) of cement concrete 1:2:4, with one coat tumen and one coat polythene sheet 500gauge ck work with cement, sand mortar ratio 1:5  ment concrete plain Ratio 1: 4: 8 including placing, mpacting, finishing and curing complete (including reening and washing of stone aggregate)  ment concrete plain Ratio 1: 2: 4 including placing, mpacting, finishing and curing complete (including reening and washing of stone aggregate)  incing Granite tiles (24"x24"x0.5") using white ment over a bed of ¾" (20 mm) thick cement mortar is.  by viding and laying Tuff pavers, having 7000 PSI, ishing strength of approved manufacturer, over 2"	Cft Sft Cft Cft	998 318 1792 427	39.15 43.34 180.25	39,069 13,789 323,071	
4 1½' san resp san resp san resp san resp san resp san	"to 2" (40 mm to 50 mm) gauge mixed with 25% nd, for floor and foundation, complete in all spects.  Dividing and laying damp proof course (1½" thick (40 n)) of cement concrete 1:2:4, with one coat umen and one coat polythene sheet 500gauge ck work with cement, sand mortar ratio 1:5  ment concrete plain Ratio 1: 4: 8 including placing, mpacting, finishing and curing complete (including reening and washing of stone aggregate)  ment concrete plain Ratio 1: 2: 4 including placing, mpacting, finishing and curing complete (including reening and washing of stone aggregate)  ment concrete plain Ratio 1: 2: 4 including placing, mpacting, finishing and curing complete (including reening and washing of stone aggregate)  ucing Granite tiles (24"x24"x0.5") using white ment over a bed of ¾" (20 mm) thick cement mortar is.  Dividing and laying Tuff pavers, having 7000 PSI, ishing strength of approved manufacturer, over 2"	Sft Cft Cft	318 1792 427	43.34 180.25	13,789	
5 mm bitu 6 Bric 7 Cer com scre 8 Cer com scre 9 cern 10 crus to 3 finis Tot Pre-Fabi 11 dou resp Pro 12 glaz app 13 Fixii des Pro 14 iedg Plac	n) ) of cement concrete 1:2:4, with one coat umen and one coat polythene sheet 500gauge ck work with cement, sand mortar ratio 1:5  ment concrete plain Ratio 1: 4: 8 including placing, mpacting, finishing and curing complete (including reening and washing of stone aggregate)  ment concrete plain Ratio 1: 2: 4 including placing, mpacting, finishing and curing complete (including reening and washing of stone aggregate)  ment concrete plain Ratio 1: 2: 4 including placing, mpacting, finishing and curing complete (including reening and washing of stone aggregate)  licing Granite tiles (24"x24"x0.5") using white ment over a bed of %" (20 mm) thick cement mortar is.  poviding and laying Tuff pavers, having 7000 PSI, ishing strength of approved manufacturer, over 2"	Cft Cft	1792 427	180.25	323,071	
6 Brice 7 Cer con scre 8 Cer cor Place 9 Pro 116. Pro 11 dou resp Pro 12 glap 13 Fixit des Pro 14 inde pro 14 inde pro 15 inde pro 16 inde pro 17 inde pro 18 inde pro 19 inde pro 10 inde pro 10 inde pro 11 inde pro 12 inde pro 14 inde pro 15 inde pro 16 inde pro 17 inde pro 18 inde pro 19 inde pro 19 inde pro 10 inde pro 10 inde pro 11 inde pro 12 inde pro 14 inde pro 14 inde pro 15 inde pro 16 inde pro 17 inde pro 18 inde pro 19 inde pro 10 inde pro 10 inde pro 11 inde pro 12 inde pro 14 inde pro 15 inde pro 16 inde pro 17 inde pro 18 inde pro 18 inde pro 19 inde pro 19 inde pro 10 inde pro 11 inde pro 12 inde pro 14 inde pro 15 inde pro 16 inde pro 17 inde pro 18 inde pro 18 inde pro 18 inde pro 19 inde pro 10 inde pro 10 inde pro 10 inde pro 11 inde pro 12 inde pro 14 inde pro 15 inde pro 16 inde pro 17 inde pro 18 inde pro 18 inde pro 19 inde pro 10 inde pro 11 inde pro 11 inde pro 12 inde pro 12 inde pro 13 inde pro 14 inde pro 15 inde pro 16 inde pro 16 inde pro 16 inde pro 17 inde pro 18 inde	ck work with cement, sand mortar ratio 1:5  ment concrete plain Ratio 1: 4: 8 including placing, mpacting, finishing and curing complete (including reening and washing of stone aggregate)  ment concrete plain Ratio 1: 2: 4 including placing, mpacting, finishing and curing complete (including reening and washing of stone aggregate) acing Granite tiles (24"x24"x0.5") using white ment over a bed of 3/4" (20 mm) thick cement mortar is bright and laying Tuff pavers, having 7000 PSI, ishing strength of approved manufacturer, over 2"	Cft	427			
8 Cer com scree Place 9 cen 10 crus to 3 finis Tot Pre-Fabi Pro 11 dou resp Pro 12 glapp 13 Fixil des Pro 14 included Place Place Place Place Place Pro 15 pro 16 pro 17 pro 18 pro 18 pro 19 p	mpacting, finishing and curing complete (including reening and washing of stone aggregate)  ment concrete plain Ratio 1: 2: 4 including placing, mpacting, finishing and curing complete (including reening and washing of stone aggregate) using Granite tiles (24"x24"x0.5") using white ment over a bed of %" (20 mm) thick cement mortar is.  poviding and laying Tuff pavers, having 7000 PSI, ishing strength of approved manufacturer, over 2"	Cft		170.72	72,893	
8 com scre   Place   Place   Pro   Crus   Street   Pro   Crus   Street   Pro   Crus   Pro    mpacting, finishing and curing complete (including reening and washing of stone aggregate) licing Granite tiles (24"x24"x0.5") using white ment over a bed of 3/4" (20 mm) thick cement mortands.  Dividing and laying Tuff pavers, having 7000 PSI, Ishing strength of approved manufacturer, over 2"		1043				
9 cem 1:6.	ment over a bed of 3/4" (20 mm) thick cement mortar b. oviding and laying Tuff pavers, having 7000 PSI, ishing strength of approved manufacturer, over 2"	Sft		190.48	198,746	
10 crus to 3 finismost Tot Tot Pre-Fabri Pro 11 dou resp Pro 12 glaz app 13 des Pro 14 included edg Place	shing strength of approved manufacturer, over 2"		2160	200.00	432,000	
Pre-Fab Pro 11 dou resp Pro 12 glaz app 13 Fixii des Pro 14 incliedg Plac	3" sand cushion i/c grouting with sand in joints i/c shing to require slope . complete in all respect.	Sft	720	118.00	84,960	
Pro dou resp Pro 12 glaz app Pro 13 Fixind des Pro 14 included Place	tal Amount of Platform Construction				1,225,070	
12 glaz app 13 Fixii des Pro 14 incli edg	prication of Canteen Structure  oviding and fixing aluminium frame window with  uble glazzed glass 6mm+6mm thick complete in all  spect as approved by engineer	Sft	48	1100.00	52,800	
13 Fixion des Pro 14 included Place Place Pro 15 Pr	oviding and fixing aluminium frame door with single zzed glass 6mm thick complete in all respect as proved by engineer	Sft	56	700.00	39,200	
14 incluedg	ing of frameless Glass wall of approved quality and sign as approved by engineer	Sft	550	1500.00	825,000	
	oviding Granite skirting or dado 4/8"(13 mm) thick luding rounding of corner and straight ening of top ge and finishing to smooth surface afterplastering	Sft	491	212.00	104,177	
con	ncing & erection of pre-painted Box section tube lumns of M.S sheet 4mm thick of size 4" x4" mplete in all respect.	Kg	693	150.00	103,950	
Plac 16 Raf	cing & erection of pre-painted Box section tube fters of M.S sheet 4mm thick of size 3" x3" with all ngs, complete in all respect.	Kg	1040	150.00	155,925	
17 Pur	acing & erection of pre-painted Box section tube rlins of M.S sheet 1.6 mm thick (16 Gauge) of size x2", with all fittings, complete in all respect.	Rft	676	120.00	81,144	
18 San 50n	icing & erection of pre-painted, Galvanized ndwitched board of 0.5 mm thick M.S sheet with mm PU insulation with all fittings, complete in all spect.	Sft	2640	400.00	1,055,800	
19 Plac	acing & fixing glass wool complete in all respect.	Sft	3024	50.00	151,200	]
20 1	acing & fixing Gypsum False Ceiling, complete in all spect.	Sft	3024	70.00	211,680	
Pro 21 22 (	prect.  providing & Fixing corrugated galvanized iron sheets gauge with EPDM screw fittings, complete in all spect.	Sft	3629	145.00	526,176	
Tot	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,				3,307,052	
	tal Cost of Pre-Fabrication of Canteen Structure	·	1	l	4,532,121	1
	•				998,735	
	tal Cost of Pre-Fabrication of Canteen Structure  Total Amount (Rs)  extrification	_		1	410,000	_
∠4 KITC	tal Cost of Pre-Fabrication of Canteen Structure  Total Amount (Rs)			Ì	802,000	

# LANDSCAPE DEVELOPMENT WORKS COST FSTIMATE

	COST ESTIMATE								
			Or	iginal		From 1st Revised to onward			
Sr. No.	Description	Unit	Quantity	Unit Rate Rs.	Amount Rs.	In the light of decision made during the Progress Review Meeting of Revamping of DHQ/THQ Hospitals held on 01-01-2018 under the Chairmanship of Chairman, P&D Board; it was inter alia decided as under:			
1.1	SOFT LANDSCAPE TOP SOIL Providing, spreading and leveling of topsoil (sweet soil including					"It would be made sure by the P&SH Department that the outsourcing would be shifted to the non-development side from 1st July 2018 next FY".  In view of above, Outsourcing cost has been excluded from this PC-1.			
1.2	manure and fertilizers) as required complete in all respects as per Drawings, Specifications and as approved by the Engineer. STONE / PEBBLES	Cft	27,708	20	554,167				
1.3	Supply and laying a layer of pebbles/stone at specified locations with Landscape base as in Landscape Design approved by the Engineer.  GRASSING	Truck	2	34,375	68,750				
а	GRASSING (EXISTING NON MAINTANE LAWNS)								
	Providing and dibbing of Fine Dacca grass where required, including und filling/leveling and contour shape preparation confirming to the criteria outlined in the Specifications, complete in all respects as per Drawings, Specifications and as approved by the Engineer.	Sft	38,000	7	266,000				
b 1.4	GRASSING (NEW LAWNS)  Providing and dibbing of Fine Dacag grass, including mud filing/leveling and contour shape preparation confirming to the criteria outlined in the Specifications, complete in all respects as per Drawings, Specifications and as approved by the Engineer. TREE / SHRUBS (SPREADING)	Sft	47,500	11.25	534,375				
	Providing and planting tree / shrub as listed and as arrangement and type shown in the Drawings, in pits of size 305mm x 305mm x 305mm x 305mm bug in improved soil 610mm. deep filled by adding 10% cow dung manure and confirming to the criteria outlined in the Specifications, complete in all respects and to the satisfaction of Engineer.								
а	Trees 18" pot 6'-7' - Terminally, Cassia Fistula, Bauhinia Variegated, Alstonia Choirs, Ficus Yellow, Ficus Black, Jacaranda, Pilken, Mangifera etc.	No's	194	1,500	291,000				
ь	Trees 12" pot 3'-4' - Polyalthia Long folia, Terminally, Cassia Fistula, Baulinia Variegated, Latonia Choirs, Delonix Regia, Ficus Yellow, Focus Black, fichus Starlight, Melaluca, Mimuspps, Pine, Ficus Amestal, Pilken, Palms etc.	No's	45	270	12,150				
	Plantation of Fruit Plants in the vacant area 12" pot 3'- 4' - Am rood, Jaman, Berri, Mango, Citrus. Including site preparation, plantation, watering and maintenance for six months.	No's	400	600	240,000				
1.5	Shrubs and Ornamental Plants 10° pot Pittosporum Variegated, Murray Smal, bora Coccinea, Juniper Varigated, Hibiscus Varigated, Carronda Dwarf Spp, Jasmine Sambac(Mottya), Leucophyllum Frutescens(Silvery), Rose, Nerium, Lantana, Canna, Asparagrass, Conocarpus, Acalypha, Callistemon Dwarf, Cestrum, Thabernaemontara Variegated etc.	No's	17,273	69	1,191,837				
_	Shrubs and Ornamental Plants 12" pot Pittosporum Varigated, Ixora Cochineal, Juniper Variegated, Carronade Dwarf, Jasmine Thai, Plumier Robar, Cassia Malacca, Largest mea, Euphorbia, Jestropha Thai etc	No's	2,714	195	529,230				
1.6	GROUND COVERS								
	Providing and planting ground covers as listed and as arrangement and type shown in the Drawings, in pits of size 150mm x 150mm x 150mm x 150mm x 150mm the Drawings of 150mm deep filled by adding 10% cow dung manure and confirming to the criteria outlined in the Specifications, complete in all respects and to the satisfaction of Engineer.								
1.7	Ground Cover Plastic Bag Plants Alternant Hera, Dianella, Iresine (Red), Hemercollis(Davlilv), Duranta etc PALMS  Providing and planting palms as per Drawings, specifications and to	No's	18,447	12	221,364				
а	the satisfaction of Engineer . Palm 18" pot - Queen Palm, Wodyetia Bifurcate, Washingtonian Palm, Biskarkia etc.	No's	22	3,675	80,850				
b 1.8	Palm 18" pot - Phoenix Palm, Cyrus Palm  CREEPERS	No's	29	1,800	52,200				
	Providing and planting Creepers as listed and as arrangement and type shown in the Drawings, in pits of size 305mm x 3								
	Creepers 12" Pot - Bougainvillea, Bonsai, Qusqualus, Bombay Creeper etc.	No's	92	195	17,940				
2.1	HARD LANDSCAPE WALK WAYS								
a 2.2	Excavation of walkways and edging including brick ballast under 12°X14° curb stones fixing with1:2:4 PCC, supply of 7000PSI tuff tiles 60mmas per approved design fixing on 4° brick ballast compacted and grouting with sand.	Sft	3800	150	570,000				
2.3	BENCHES  Concrete Bench 5' wide complete in all respects and to the satisfaction of Engineer as per approved design.  DUSTBINS	No's	18	14,698	264,564				
2.4	Complete in all respects and to the satisfaction of Engineer as per approved design.  PLAYING EQUIPMENTS	No's	12	27,700	332,400				
	Complete in all respects and to the satisfaction of Engineer as per approved design.	No's	1	544,939	544,939				
2.5	PLANTERS  Concrete planters 2' X 2-1/2' complete in all respects and to the satisfaction of Engineer as per approved design.	No's	16	3,850	61,600				
3	WATER POINTS (Injector Pump 1HP)  SOFT LANDSCAPE MAINTENANCE (Including maintenance and up keeping of site for 6 months) after development as perspecifications and to the satisfaction of Engineer.  CONSTRUCTION OF PLANTERS	No's Sft	95,000	45,000 7.50	135,000 712,500				
4.1	Large Size with keystones fixed with cement with top concrete slab as per design and to the satisfaction of Engineer.	No's	370	550	203,500				
4.2	Medium Size with keystones fixed with cement with top concrete slab as per design and to the satisfaction of Engineer.	No's	48	550	26,400				
4.3	Small Size with keystones fixed with cement with top concrete slab as per design and to the satisfaction of Engineer.  GAZEEBO	No's	88	550	48,400				
5	Construction of Gazebo 12' X 12' with top fiberglass 3 layer canopy as per approved design and to the satisfaction of Engineer.	No's	1	200,000	200,000				

# LANDSCAPE DEVELOPMENT WORKS COST ESTIMATE

		Origi	inal	From 1st Revised to onward
Total Amount of - Landso	caping		7,159,166	
PRA(16%)			1,145,467	
Design Consultancy			100,000	
Grand Total			8,404,632	
			8.405	

# TOP PRIORITY / MOST URGERT OUT TODAY



Primary & Secondary Healthcare Department

PO(D-II)1-237/2021/DG/M&E GOVERNMENT OF THE PUNJAB

Dated: 28.09.2022

To.

The Project Director,

Govt. of the Punjab,

Project Management Unit (PMU), P&SH Department, 31-E, Shahrah-e-Imam Hussain, Gulberg-III, Lahore.

Subject:

SUBMISSION OF ROUGH COST ESTIMATE FOR THE WORK "PROGRAMME FOR REVAMPING OF ALL THO HOSPITAL IN PUNJAB"

With reference to the subject cited above and to enclose herewith original Rough Cost Estimates (RCEs) for the (03) sub schemes, as mentioned below, under the block scheme titled "Programme for Revamping of all THQ Hospitals in Punjab", received from the Chief Executive Officer (DHA) Sargodha, dully prepared by the Executive Engineer Buildings Division Sargodha.

SR. NO.	NAME OF THQ HOSPITAL	AMOUNT OF RCEs (Rs. in million)
1	THQ Hospital Shahpur District Sargodha	<del>37.998</del> 30.49
2	THQ Hospital Kotmomin District Sargodha	49.281
3	THQ Hospital Bhera District Sargodha	42.561

Submitted for your information and further necessary action, please.

PLANNING OFFICER (D-II

<u>C.C.:</u>

1. PS to Special Secretary (Development), P&S Departme

2. PA to Additional Secretary (D&F), P&SH Department.

3. PA to Deputy Secretary (D&C), P&SH Department.

Development Wing, P&SH Department 15-B Birdwood Road, Lahore Mr. Muan Sout to PD Africe

R	ECEIV	ED	
Diary No:	$-5^{2}$	<u>-30</u>	_
bate:	29	09-2	ب
	MU, P&S	HD	
Deputy P	D		
Finance 4	k Admin		
Procurem	ent		
Outsourc	ing		
infrastruc	ture		
Planning	042 <u>19</u> 920	5893	_
ICT			
Operation	ıs	,	
Health			
Legal		7	
I&C			
BERC		Page 8	Ī



# OFFICE OF THE CHIEF EXECUTIVE OFFICER DISTRICT HEALTH AUTHORITY SARGODHA

Email address CEO DIIA Sargodha: edohealth sargodha@punlab.gov.pk

29 048-9230030

No. 6:

/P&D

dated Sargodha the

9/09/ 1202

To

The Secretary,

Primary & Secondary Healthcare Department,

15-BirdWood Road Lahore.

248241

Attention: -

Director Infrastructure-PMU

SUBJECT:

4.140

SUBMISSION OF ROUGH COST ESTIMATE FOR THE WORK "PROGRAMME FOR REVAMPING OF ALL THO HOPSITAL IN PUNJAB"

poference on the subject cited above.

Please find enclosed herewith copies of Rough Cost estimate for the work

Programme for revamping of all THQ Hospital in Punjab duly prepared by the Executive Engineer

Buildings Division Sargodha for arranging Administrative Approval /Funds for further necessary

action please. The defail of THO Hospitals as under -

Sr.No.	Name of THQ Hospital	Amount of Rough Cost Estimates
1.	THQ Hospital Shahpur District Sargodha	37.998 (Million)
2.	THO Hospital Kotmomin District Sargodha	49.281 (Million)
3.	TIQ Hospital Bhera District Sargodha	42.561 (Million)

CHIEF EXICULITY OFFICER
DISTRIC VOICAL TH AUTHORITY
RANGODHA

No. & Date Even.

排列1581 克克特克曼

A copy is forwarded for information to;

- > The Deputy Commissioner/Administrator DHA Sargodha.
- > The Superintendent Engineer Building Circle Sargodha.
- > The Medical Superintendent THQ Hospital Shahpur, Kotmomin & Bhera

> The Superintendent P&D Branch of this office.

PO(DII)

July

26.9.7

PH #048-9230371 July 2022

Tos

The Chief Executive Officer, District Health Authority, Sargodah.

No. 4774/EST

Dated

10 /08 12022

Subject:

ROUGH COST ESTIMATE FOR THE WORK "PROGRAMME FOR REVAMPING OF ALL THO HOSPITAL IN PUNJAB ONE AT SHAHPUR" DISTRICT SARGDOAH.

30.491

Rough Cost Estimate amounting to Rs.37.998 (M) for the scheme cited as subject based on the plinth area rates 2<sup>nd</sup> Bi-annual 2022 is forwarded herewith duly vetted for arranging Administrative Approval / Funds from the competent authority.

**DA/Estimate** 

Superintending Engineer,
Building Circle,
Asargodha

No.

Dated

/2022

A copy is forwarded to the Executive Engineer Buildings Division, Sargodha, for information with reference to his letter No.2388/EST dated 30.07.2022.

DA/Nil

Superintending Engineer, Building Circle, Sargodha

D. No 11073 dt 17 od Establishment Br. 22 Budget & Actt: Br. P&D/Audit Cell. General Br. ITLAB. P. Cell/DOCB Br.

HOHAII Sargodha.

CIRCLE

BUILDINGS CIRCLE SARGODHA

DIVISION

BUILDINGS DIVISION SARGODHA.

SUB DIVISION

BUILDINGS SUB DIVISION, SHAHPUR.

NAME OF WORK

DETAILED ESTIMATE FOR THE WORK "REVAMPING OF TEHSIL HEADQUARTER HOSPITAL SHAHPUR DISTRICT SARGODHA"

Rate of MRs.

2ND BI-ANNUAL 2022

YEAR

2022-2023.

AMOUNT

30 49 1 37.998(m

# DETAILED ESTIMATE FOR THE WORK "REVAMPING OF TEHSIL HEADQUARTER HOSPITAL SHAHPUR DISTRICT SARGODHA"

#### **HISTORY:**

The Government of Punjab is very keen interested to provide the better Medical Facilities for the citizen of the area.

Therefore the detailed estimate has been framed amounting Rs.40.241 (M) for arrangement administrative approval / funds from the competent authority.

#### SCOPE OF WORK.

Sr. No.	Description of Items.				
1	Main Building Revamping				
2	Electric Installation	i ì			
3	Sanitary Installation	[			
4	Water Supply				
5	External Sewerage				
6	Street Light				
7	Tuff Paver	Î.			

#### SPECIFICATION.

The work will be carried out according to the latest specification of C&W Department.

#### **RATES:**

Rates provided are based on M.R.S. 1<sup>st</sup>July, 2022 to 31 Dec, 2022, District Sargodha. Market rates will be provided where ever applicable.

COST:

The cost of estimate works out to be Rs. 40.241 (M)

TIME:

It will take about 12-months to complete the work

#### **CARRYING OUT OF WORK:**

The work will be carried out through approved Government contractor of Buildings Department.

Sub Divisional Officer, Buildings Sub Division, Shahpur. Executive Engineer, Buildings Division, Sargodha.

### DETAILED ESTIMATE FOR THE WORK "REVAMPING OF TEHSIL HEADQUARTER HOSPITAL SHAHPUR DISTRICT SARGODHA"

#### ABSTRACT OF COST

1	MAIN	ROTITOR	٧G

- 2 ELECTRIC INSTALLATION
- SANITARY INSTALLATION:
- WATER SUPPLY
- 5 EXTERNAL SEWERAGE
- STREET LIGHT
- 7 ANALYSIS OF TUFF PAVER

Rs.. 1641000

9607000

28575M-Rs.. 4175900 -

Rs.. 3346000

Rs.. 2925000

Total

**ADD 3% CONTIGENCY** 

ADD 5% PRA

ADD-1% PHA

Rs.. 36918400 844974

1911623 - 4743055

**GTotal** 

30491065

30491000 Rs.

SUB Divisional Officer, Buildings Sub Division,

Shahpur.

Netted & R. B7-1998 M,

Execusive Engineer uilding Division MEREGODHA

# AMENDED ROUGH COST ESTIMATE FOR THE WORK "REVAMPING OF TEHSIL HEADQUARTER HOSPITAL SHAHPUR DISTRICT SARGODHA"

**COMPARATIVE STATEMENT** 

Sr. No.	Description of Item's	Amount as per Original Estiamte.	Amount as per Amended Estiamte.	Excess	Saving	Remarks
1	MAIN BUILLDING + (E.I. & S.I.)	28558700	23621700	_ 0.00	_ 4937000	Estiamte preapre on 2nd BI-Annual 2022
2	EXTERNAL WATER SUPPLY	1175000	4175000	_ 3000000	0.00	
3	STREET LIGHT	903400	2925000	_ 2021600	_ 0.00	
4	RAISING OF BOUNDARY WALL	971000	0	_ 0.00	_ 971000	
5	WATER FILTRATION PLANT	2538272	0	_ 0.00	_ 2538272	
6	EXTERNAL SEWERAGE	1302600	3346000	_ 2043400	_ 0.00	
7	EXTERNAL ROAD (TUFF PAVER)	2173000	793400	. 0.00	1379600	
8	CONSTRUCTION OF WAITING SHED	4018749	0	. 0.00	4018749	
9 (	CONSTRUCTION OF PARKING SHED	2687400	0	_ 0.00	2687400	
$\neg \top$	Total	44328121	34861100	- 7065000	. 16532021	
	3% Contingency Charges	1209281	1045833	- 0.00	_ 163448	
	5% for PRA TAX	2216406	1743055	0.00	_ 473351	
	1% Plantation Charges	443281	<del>348611</del>	0.00	94670	
	Total Total	48197089	37998599	_ 7065000	. 17263490	
	Add WAPDA Connection Charges.	800000	0	0.00	_ 800000	
	G.Total	48997089	37998599	- 7065000	_ 18063490	
_	Say	48997000	37998600		_ 10998490	
	Or Rs: in Million	48.997	37.998		. 10.998	

Sub Divisional Officer, Buildings Sub Division, Shahpur.

Executive Engineer, Buildings Division, Sargodha.

## MAIN BUILDING

	-				
Dismantling cement concrete 1:2:4 Plain 1x29 1/4 x15 1/4x 1/8	56	Cft			
1x22.1/2x24x1/8	68		•		
1x11.1/4x8x1/8`	11				
18x15 1/4x1/8	4				•
1x15 1/4x11 1/4x1/8	21				
Ix11 1/4x15 1/4x1/8	21				
1x11 1/4x15 1/4x1/8	21				
1x11 1/4x15 1/4x1/8	21				
1x11 1/4x15 1/4x1/8	21				
1x11.1/4x14.3/4x1/8	21				÷
2x5.7/16x6.1/8	8	1			
1x5.716x12.1/8	8	1			
2x5.7/16x5.3/4x1/8	8			÷	
2x5/7/16x6x1/8	8	1.			
1x11.1/4x24x1/8	34	1			
1x11.1/4x15.1/4x1/8	21				
1x24.3/4x8x1/8	25	I			
1x12.3/4x8x1/8	13		•		
1x11.1/4x15.1/8	21	<u>"</u> 1			
1x11.1/4x15.1/4x1/8	21		•		
1x1/4x14.3/4x1/8	21		•		
1x5.7/16x6x1/8	4	t.			
2x5.7/16x5.3/4x1/8	8	:			
1x5.7/16x6x1/8	4				
1x11.1/4x15.1/4x1/8	21				
1x28.3/4x15.1/4x1/8	55				
1x24x8.1/8	24		,		
1x5.7/16x12.1/8	8				
1x5.7/16x12.1/8	8				•
1x5.7/16x6x1/8	4 8				
1x5.7/16x5.3/4x1/8					
1x5.7/16x12.1/8	4				
1x11.1/4x14.3/4x1/8	21				
1x40x6x1/8	3.0	)' '			
2x50x8x1/8	100				
1x25x8x1/8	25 20	ļ	•		
(16x24)/2x8x1/8	20	1		ı	
4x24x1.1/2x1/8	18				
1x20x4x1/8	10 12				
1x8x12x1/8	12.				
1x9x3/4x1/8	2				
3x7x3/4x1/8 10x3.1/2x3/4x1/8	3				
10x3.1/2x3/4x1/8 13x2.1/2x3/8x1/8	2		<b>5</b> .		
1x2.1/2x3/4x1/8	23				
1'otal	868	Cft			
868 x 10 / 100	87	Rs.	11209.45	%Cft	9730.
Cement concrete plain including placing, compacting, fin		1			
(including screening and washing of stone aggregate): (f)	Ratio 1:	: 2: 4	-		
Take Qty as per above	87	Cft			
	Ò	Rs.	38271.8	%Cft	33220
Providing and laying superb quality Porcelain glazed tiles flooring of M	ASTER b	and of spe	cified size	•	
in approved design. Color and Shade with adhesive/bond over 3/4"thick	(1:3) cerr	ient plaster	i/c the cost	•	
of sealer for finishing the joints i/c cutting grinding complete in all resp the Engineer Incharge a) Full body Glazed tiles (ii) 600mmx 600 mm	ect as app		meeten by		•
1011 1/Av15 1/A	171	Sft			

•	171
•	438
•	192
Tri-Act	446
	540
Landing Transfer	-90
Commence of the first of a	275
•	172
·	172
	172
	in a way of the way. The solution of the solut

•							
1x11.1/4x15.1/4		•	172				
1x11.1/4x14.3/4			166				
2x5.7/16x6			65				
2x5.7/16x5.3/4			63				
1x11.1/4x24			270				
1x11.1/4x15.1/4			171				
			198				
1x24.3/4x8		•	102		,		
1x12.3/4x8	0		1				
1x11.1/4x15.1/4			172				
1x11.1/4x15.1/4	•		172				
1x11.1/4x14.3/4	,		166				
2x5.7/16x5.3/4			63		i		;
1x5.7/16x6			33				
1x5.7/16x6			33				
1x5.7/16x5.3/4			3 }				
1x11.1/4x14.3/4			166	•			
1x8x12			96				
10x3.1/2x3/4	•		26				
1x2.1/2x3/4			2				
1x9x3/4			7				
3x7x3/4			16				•
<i>Ş</i> ХГХЭГ <del>Ч</del>	•	Tota	<del></del>	Sft			1
4950 - 10 / 100	•	1044	486	Rs.	341.95	P.Sft	166154
4859 x 10 / 100	quality Porcelain glazed tiles o	of Master 1				1.510	100124
size. Color and Shade with ad	duanty Porceian grazed these dhesive / bond over 1/2"thick of g grinding complete in all res	(1:2) ceme	ent plaster	i/c the cost	of and sealer	er	•
Incharge, a) Full body Glazed							
1x2(11.1/4+15.1/4)x6			318	Sft			
1x2(28.3/4+15.1/4)x6			440				1
2x24x6	·		528				٠,
1x2(29.1/4+15.1/4)x6			534				1
1x2(22.1/2+24)x6	•		558	•			.1
1x2(11.1/4+8)x6			231				ĺ
• •			i i				
1x2(15.1/4+11.1/4)x6	1		318				3
1x2(11.1/4+15.1/4)x6		•	318				
1x2(11.1/4+15.1/4)x6			318		•	•	:
1x2(11.1/4+15.1/4)x6		1	318		•		
1x2(11.1/4+14.3/4)x6			312				
2x2(5.7/16+6)x6			275		•	•	
2x2(5.7/16+6.3/4)x6			268				
1x2(11.1/4+24)x6			423				
1x2(11.1/4+15.1/4)x6			318				
2x24.3/4x6			297	'			
2x12.3/4x6			153		•	•	•
1x2(11.1/4+15.1/4)x6			318				
lx2(11.1/4+15.1/4)x6			318				
1x2(11.1/4+14.3/4)x6			268				; }
2x2(5.7/16+6.3/4)x6	•		134				şi.
1x2(5.7/16+6)x6			137			-	i :
1x2(5.7/16+6)x6			137		•		1
		•	1				v.
1x2(5.7/16+6.3/4)x6			134				<b>∤</b>
1x2(11.1/4+14.3/4)x6		•	312				1
1x2(8+12)x6			240	····			
		Total	7925				
1x9x6			54				
3x7x6			126				
10x3.1/2x6	e e		210		:		
1x2.1/2x6			15	}			
	•	Total	405	<u></u>			
		Net	7520	Sft			:
7520 x 10 / 100			752	Rs.	341.95	P.Sft	257146
Providing and laying superb qu	ality Porcelain glazed tiles flo	oring of N				011	23/140
in approved design, Color and S							*
of sealer for finishing the joints	i/c cutting grinding complete	in all resp					·
the Engineer Incharge a) Full be	ody Glazed tiles (ii) 600mmx	600 mm					•
1x11.1/4x15.1/4			172	Sft			
				I			

65

65

D/D

2x5.7/16x6

1x5.7/16x12

				33				
	1x5.7/16x6			65		•		
	1x5.7/16x12	2.751	Nation 1	6				
	1x5.7/16x6	و بند و د		32				
	1x5.7/16x12			65	}	•		
	8x2.1/2x3/8			8.				
٠	OKE. ITERESTO		Total	505	Sft	0.44.05	TO CA	177605
		· ·	•				P.SII	1/2005
D/đ	Providing and laying superb quality size, Color and Shade with adhesing for finishing the joints, cutting grid Incharge. a) Full body Glazed Tile 1x2(11.1/4+15.1/4)x7 2x2(5.7/16+6)x7 1x2(5.7/16+6)x7 1x2(5.7/16+6)x7 1x2(5.7/16+12)x7 4x2(3+5)x7  Providing and laying conglux2(192.3/8+44.1/2)x4 1(50+50+48)x4	omerate flooring (	s of Master brack (1:2) cement espect as appro	371 320 244 137 244 448 1764 140 1624 ork) 1895 592 2487	Sft Rs.  Sft	341.95 10614.4	P.Sft P.Sft	172685 555327 263980
				@			70511	203900
	Providing and fixing marbl	e strip of any shad	le for dividi	ng the m	osaic floo	oring into		
	panels a) s Size 1½" x 3	•			]			
	2487x60%	•		1492	Rft			
	248/X0070				-			
			Total	1492	}			
	Providing and laying flooring wit	adheeste hond AVPC 1	/# INISK DEGUI	II⊼ OT (1'≂	1 CCITIONE DO	.,	P.Rft	29542
	de la constantinación	g, grinding and chemi	le having unifo /4" thick beddi cal polishing c	@ orm texture ng of (1:2 omplete in 6")	(Spotless) cement sa all respect	of required nd mortor i/c		29542
	Providing and laying flooring wit size and specified thickness, with the cost of matching sealer, cuttin and directed by the Engineer Incl	g, grinding and chemi	le having unifo /4" thick beddi cal polishing c	@ orm texture ng of (1:2 omplete in	(Spotless) cement sa	of required nd mortor i/c		29542
	Providing and laying flooring wit size and specified thickness, with	g, grinding and chemi	le having unifo /4" thick beddi cal polishing c	@ orm texture ng of (1:2 omplete in 6")	(Spotless) cement sa all respect	of required nd mortor i/c		
	Providing and laying flooring wit size and specified thickness, with the cost of matching sealer, cuttin and directed by the Engineer Incl 1x(16x24)/2.x8	g, grinding and chemi narge i) ii) 1/2" thick (	te having unifo /4" thick beddi cal polishing c 12"x24"/12"x3 Total	@ orm texture ng of (1:2 omplete in 6")  160  160	(Spotless) ) cement satisfied respect  Sft  Rs.	of required and mortor i/c as approved 333.9		
	Providing and laying flooring with size and specified thickness, with the cost of matching sealer, cutting and directed by the Engineer Incl. 1x(16x24)/2.x8  Providing and laying flooring with size and specified thickness, with the cost of matching sealer, cutting and directed by the Engineer Incl.	g, grinding and cheminarge i) ii) 1/2" thick (  th China Verona Marb adhesive bond over 3	le having unifo /4" thick beddi cal polishing co 12"x24"/12"x3 Total le having unifo /4" thick beddi cal polishing c	mrm texture ng of (1:2) complete in 6")  160  160  @ comm texture ng of (1:2) complete in mexicon for the formula in form	Sft  Rs. (Spotless) cement satisfies the sat	of required and mortor i/c as approved  333.9 of required and mortor i/c	P.Sft	
	Providing and laying flooring with size and specified thickness, with the cost of matching sealer cutting and directed by the Engineer Incl. 1x(16x24)/2.x8  Providing and laying flooring with size and specified thickness, with the cost of matching sealer cutting sealer cutting.	g, grinding and cheminarge i) ii) 1/2" thick (  th China Verona Marb adhesive bond over 3	le having unifo /4" thick beddi cal polishing co 12"x24"/12"x3 Total le having unifo /4" thick beddi cal polishing c	mrm texture ng of (1:2) complete in 6")  160  160  @ orm texture ng of (1:2) complete in 144	(Spotless) cement satisfies Sft  Rs. (Spotless) cement satisfies	of required and mortor i/c as approved  333.9 of required and mortor i/c	P.Sft	
	Providing and laying flooring with size and specified thickness, with the cost of matching sealer, cutting and directed by the Engineer Incl. 1x(16x24)/2.x8  Providing and laying flooring with size and specified thickness, with the cost of matching sealer, cutting and directed by the Engineer Incl.	g, grinding and cheminarge i) ii) 1/2" thick (  th China Verona Marb adhesive bond over 3	le having unifo /4" thick beddi cal polishing co 12"x24"/12"x3 Total le having unifo /4" thick beddi cal polishing c	mrm texture ng of (1:2) complete in 6")  160  160  mrm texture ng of (1:2) complete in 144 119	Sft  Rs. (Spotless) cement satisfies the sat	of required and mortor i/c as approved  333.9 of required and mortor i/c	P.Sft	
	Providing and laying flooring with size and specified thickness, with the cost of matching sealer, cutting and directed by the Engineer Inch. 1x(16x24)/2.x8  Providing and laying flooring with size and specified thickness, with the cost of matching sealer, cutting and directed by the Engineer Inch. 4x24.1.1/2 2x17x3.1/2x1	g, grinding and cheminarge i) ii) 1/2" thick (  th China Verona Marb adhesive bond over 3	le having unifo /4" thick beddi cal polishing co 12"x24"/12"x3 Total le having unifo /4" thick beddi cal polishing c	mrm texture ng of (1:2) complete in 6")  160  160  @ orm texture ng of (1:2) complete in 144	Sft  Rs. (Spotless) cement satisfies the sat	of required and mortor i/c as approved  333.9 of required and mortor i/c	P.Sft	
	Providing and laying flooring with size and specified thickness, with the cost of matching sealer, cutting and directed by the Engineer Incl. 1x(16x24)/2.x8  Providing and laying flooring with size and specified thickness, with the cost of matching sealer, cutting and directed by the Engineer Incl. 4x24.1.1/2 2x17x3.1/2x1 2x1x12x3.1/2	g, grinding and cheminarge i) ii) 1/2" thick (  th China Verona Marb adhesive bond over 3	le having unifo /4" thick beddi cal polishing co 12"x24"/12"x3 Total le having unifo /4" thick beddi cal polishing c	mrm texture ng of (1:2) complete in 6")  160  160  mrm texture ng of (1:2) complete in 144 119	Sft  Rs. (Spotless) cement satisfies the sat	of required and mortor i/c as approved  333.9 of required and mortor i/c	P.Sft	,
	Providing and laying flooring with size and specified thickness, with the cost of matching sealer, cutting and directed by the Engineer Incl. 1x(16x24)/2.x8  Providing and laying flooring with size and specified thickness, with the cost of matching sealer, cutting and directed by the Engineer Incl. 4x24.1.1/2 2x17x3.1/2x1 2x1x12x3.1/2 1x10x40	g, grinding and cheminarge i) ii) 1/2" thick (  th China Verona Marb adhesive bond over 3	le having unifo /4" thick beddi cal polishing co 12"x24"/12"x3 Total le having unifo /4" thick beddi cal polishing c	mrm texture ing of (1:2) complete in 6")  160  160  mrm texture ing of (1:2) complete in 144  119  84	Sft  Rs. (Spotless) cement satisfies the sat	of required and mortor i/c as approved  333.9 of required and mortor i/c	P.Sft	
	Providing and laying flooring wit size and specified thickness, with the cost of matching sealer, cuttin and directed by the Engineer Incl. 1x(16x24)/2.x8  Providing and laying flooring wit size and specified thickness, with the cost of matching sealer, cuttin and directed by the Engineer Incl. 4x24.1.1/2 2x17x3.1/2x1 2x1x12x3.1/2 1x10x40 3x10x1.1/2	g, grinding and cheminarge i) ii) 1/2" thick (  th China Verona Marb adhesive bond over 3	le having unifo /4" thick beddi cal polishing co 12"x24"/12"x3 Total le having unifo /4" thick beddi cal polishing c	mrm texture ng of (1:2) complete in 6")  160  160  @ orm texture ing of (1:2) complete in 144  119  84  400  45	Sft  Rs. (Spotless) cement satisfies the sat	of required and mortor i/c as approved  333.9 of required and mortor i/c	P.Sft	,
	Providing and laying flooring with size and specified thickness, with the cost of matching sealer, cutting and directed by the Engineer Incl. 1x(16x24)/2.x8  Providing and laying flooring with size and specified thickness, with the cost of matching sealer, cutting and directed by the Engineer Incl. 4x24.1.1/2 2x17x3.1/2x1 2x1x12x3.1/2 1x10x40	g, grinding and cheminarge i) ii) 1/2" thick (  th China Verona Marb adhesive bond over 3	le having unifo /4" thick beddi cal polishing co 12"x24"/12"x3  Total  le having unifo /4" thick beddi cal polishing co 2"/12"x24")	@ orm texture ng of (1:2) omplete in 6")  160  160  @ orm texture ng of (1:2) omplete in 144 119 84 400 45 45	Sft  Rs. (Spotless) cement satisfies the sat	of required and mortor i/c as approved  333.9 of required and mortor i/c	P.Sft	,
	Providing and laying flooring wit size and specified thickness, with the cost of matching sealer, cuttin and directed by the Engineer Incl. 1x(16x24)/2.x8  Providing and laying flooring wit size and specified thickness, with the cost of matching sealer, cuttin and directed by the Engineer Incl. 4x24.1.1/2 2x17x3.1/2x1 2x1x12x3.1/2 1x10x40 3x10x1.1/2	g, grinding and cheminarge i) ii) 1/2" thick (  th China Verona Marb adhesive bond over 3	le having unifo /4" thick beddi cal polishing co 12"x24"/12"x3 Total le having unifo /4" thick beddi cal polishing c	@ orm texture ing of (1:2) omplete in 6")  160  160  0 orm texture ing of (1:2) omplete in 144  119  84  400  45  45  837	Sft  Rs. (Spotless) ) cement satisfies the s	of required and mortor i/c as approved  333.9 of required and mortor i/c as approved	P.Sft	5342
	Providing and laying flooring wit size and specified thickness, with the cost of matching sealer, cuttin and directed by the Engineer Incl  1x(16x24)/2.x8  Providing and laying flooring wit size and specified thickness, with the cost of matching sealer, cuttin and directed by the Engineer Incl  4x24.1.1/2  2x17x3.1/2x1  2x1x12x3.1/2  1x10x40  3x10x1.1/2  1x11.1/4x4  Providing and laying 3/8" thick I size 24"x6" of approved quality a complete in all respect i/c the cost	g, grinding and cheminarge i) ii) 1/2" thick ( The China Verona Marba adhesive bond over 3 g, grinding and cheminarge 3/4" thick(12"x1)  Prepolished Marble ski and shade with adhesive to f matching sealer to	le having unifor /4" thick beddi cal polishing co 12"x24"/12"x3  Total le having unifor /4" thick beddi cal polishing co 2"/12"x24")  Total irting/riseRs. have bond over 3/	@ orm texture ing of (1:2) omplete in 6")  160  160  @ orm texture ing of (1:2) omplete in 144  119  84  400  45  45  837  @ aving unif (4" thick (1)	Sft  Rs. (Spotless) ) cement satisfies the s	of required and mortor i/c as approved  333.9 of required and mortor i/c as approved  371.7 (spot less) of sand mortor	P.Sft	5342
	Providing and laying flooring with size and specified thickness, with the cost of matching sealer, cutting and directed by the Engineer Incl. 1x(16x24)/2.x8  Providing and laying flooring with size and specified thickness, with the cost of matching sealer, cutting and directed by the Engineer Incl. 4x24.1.1/2 2x17x3.1/2x1 2x1x12x3.1/2 1x10x40 3x10x1.1/2 1x11.1/4x4  Providing and laying 3/8" thick Inc. 248% (" of surround quality in the cost of matching sealer).	g, grinding and cheminarge i) ii) 1/2" thick ( The China Verona Marba adhesive bond over 3 g, grinding and cheminarge 3/4" thick(12"x1)  Prepolished Marble ski and shade with adhesive to f matching sealer to	le having unifor /4" thick beddi cal polishing co 12"x24"/12"x3  Total le having unifor /4" thick beddi cal polishing co 2"/12"x24")  Total irting/riseRs. have bond over 3/	@ orm texture ng of (1:2) omplete in 6")  160  160  @ orm texture ng of (1:2) omplete in 144 119 84 400 45 45 837  @ aving unif 4" thick (1) its as approximate the second of (1:2) of	(Spotless) ) cement satisfies all respect  Sft  Rs. (Spotless) ) cement satisfies all respect  Sft  Rs. orm texture 2) cement oved and dispersed and dispers	of required and mortor i/c as approved  333.9 of required and mortor i/c as approved  371.7 (spot less) of sand mortor	P.Sft	5342
	Providing and laying flooring wit size and specified thickness, with the cost of matching sealer, cuttin and directed by the Engineer Incl  1x(16x24)/2.x8  Providing and laying flooring wit size and specified thickness, with the cost of matching sealer, cuttin and directed by the Engineer Incl  4x24.1.1/2  2x17x3.1/2x1  2x1x12x3.1/2  1x10x40  3x10x1.1/2  1x11.1/4x4  Providing and laying 3/8" thick I size 24"x6" of approved quality a complete in all respect i/c the cost	g, grinding and cheminarge i) ii) 1/2" thick ( The China Verona Marba adhesive bond over 3 g, grinding and cheminarge 3/4" thick(12"x1)  Prepolished Marble ski and shade with adhesive to f matching sealer to	le having unifor /4" thick beddi cal polishing co 12"x24"/12"x3  Total le having unifor /4" thick beddi cal polishing co 2"/12"x24")  Total irting/riseRs. have bond over 3/	@ orm texture ng of (1:2) complete in 6")  160  160  0 orm texture ng of (1:2) complete in 144  119  84  400  45  45  837  @ aving unif 4" thick (1) thick (	Sft  Rs. (Spotless) ) cement satisfies the s	of required and mortor i/c as approved  333.9 of required and mortor i/c as approved  371.7 (spot less) of sand mortor	P.Sft	53424
	Providing and laying flooring wit size and specified thickness, with the cost of matching sealer, cuttin and directed by the Engineer Inch 1x(16x24)/2.x8  Providing and laying flooring wit size and specified thickness, with the cost of matching sealer, cuttin and directed by the Engineer Inch 4x24.1.1/2 2x17x3.1/2x1 2x1x12x3.1/2 1x10x40 3x10x1.1/2 1x11.1/4x4  Providing and laying 3/8" thick I size 24"x6" of approved quality a complete in all respect i/c the cost Engineer Incharge. China Verona 5x2x1/2	g, grinding and cheminarge i) ii) 1/2" thick ( The China Verona Marba adhesive bond over 3 g, grinding and cheminarge 3/4" thick(12"x1)  Prepolished Marble ski and shade with adhesive to f matching sealer to	le having unifor /4" thick beddi cal polishing co 12"x24"/12"x3  Total le having unifor /4" thick beddi cal polishing co 2"/12"x24")  Total irting/riseRs. have bond over 3/	@ orm texture ng of (1:2) omplete in 6")  160  160  @ orm texture ng of (1:2) omplete in 144 119 84 400 45 45 837  @ aving unif 4" thick (1) its as approximate the second of (1:2) of	(Spotless) ) cement satisfies all respect  Sft  Rs. (Spotless) ) cement satisfies all respect  Sft  Rs. orm texture 2) cement oved and dispersed and dispers	of required and mortor i/c as approved  333.9 of required and mortor i/c as approved  371.7 (spot less) of sand mortor	P.Sft	53424
	Providing and laying flooring with size and specified thickness, with the cost of matching sealer, cuttin and directed by the Engineer Inch. 1x(16x24)/2.x8  Providing and laying flooring with size and specified thickness, with the cost of matching sealer, cuttin and directed by the Engineer Inch. 4x24.1.1/2 2x17x3.1/2x1 2x1x12x3.1/2 1x10x40 3x10x1.1/2 1x11.1/4x4  Providing and laying 3/8" thick I size 24"x6" of approved quality a complete in all respect i/c the cost Engineer Incharge. China Verona.	g, grinding and cheminarge i) ii) 1/2" thick ( The China Verona Marba adhesive bond over 3 g, grinding and cheminarge 3/4" thick(12"x1)  Prepolished Marble ski and shade with adhesive to f matching sealer to	le having unifor /4" thick beddi cal polishing co 12"x24"/12"x3  Total le having unifor /4" thick beddi cal polishing co 2"/12"x24")  Total irting/riseRs. have bond over 3/	@ orm texture ng of (1:2) complete in 6")  160  160  0 orm texture ng of (1:2) complete in 144  119  84  400  45  45  837  @ aving unif 4" thick (1) thick (	(Spotless) ) cement satisfies all respect  Sft  Rs. (Spotless) ) cement satisfies all respect  Sft  Rs. orm texture 2) cement oved and dispersed and dispers	of required and mortor i/c as approved  333.9 of required and mortor i/c as approved  371.7 (spot less) of sand mortor	P.Sft	53424
	Providing and laying flooring wit size and specified thickness, with the cost of matching sealer, cuttin and directed by the Engineer Inch 1x(16x24)/2.x8  Providing and laying flooring wit size and specified thickness, with the cost of matching sealer, cuttin and directed by the Engineer Inch 4x24.1.1/2 2x17x3.1/2x1 2x1x12x3.1/2 1x10x40 3x10x1.1/2 1x11.1/4x4  Providing and laying 3/8" thick I size 24"x6" of approved quality a complete in all respect i/c the cost Engineer Incharge. China Verona 5x2x1/2	g, grinding and cheminarge i) ii) 1/2" thick ( The China Verona Marba adhesive bond over 3 g, grinding and cheminarge 3/4" thick(12"x1)  Prepolished Marble ski and shade with adhesive to f matching sealer to	le having unifor /4" thick beddical polishing control of the having unifor /4" thick beddical polishing control of the having unifor /4" thick beddical polishing control of the having unifor /4" thick beddical polishing control of the having control of finish the join of the having unifor /4" thick beddical polishing control of the having unifor /4" thick beddical polishing control of the having unifor /4" thick beddical polishing control of finish the join of finish the join of the having unifor /4" thick beddical polishing control	@ rm texture ng of (1:2) complete in 6")  160  160  0 orm texture ng of (1:2) complete in 144 119 84 400 45 45 837  @ aving unif 14" thick (1 ots as approximate as a proximate as a proxi	(Spotless) ) cement satisfies all respect  Sft  Rs. (Spotless) ) cement satisfies all respect  Sft  Rs. orm texture 2) cement oved and dispersed and dispers	of required and mortor i/c as approved  333.9 of required and mortor i/c as approved  371.7 (spot less) of sand mortor	P.Sft	5342 <sup>4</sup>
	Providing and laying flooring with size and specified thickness, with the cost of matching sealer, cuttin and directed by the Engineer Incl. 1x(16x24)/2.x8  Providing and laying flooring with size and specified thickness, with the cost of matching sealer, cuttin and directed by the Engineer Incl. 4x24.1.1/2 2x17x3.1/2x1 2x1x12x3.1/2 1x10x40 3x10x1.1/2 1x11.1/4x4  Providing and laying 3/8" thick I size 24"x6" of approved quality a complete in all respect i/c the cost Engineer Incharge. China Verona 5x2x1/2 4x10x1/2	g, grinding and cheminarge i) ii) 1/2" thick (she China Verona Marba adhesive bond over 3 g, grinding and cheminarge 3/4" thick(12"x1) and shade with adhesive tof matching sealer to a	le having unifor /4" thick beddical polishing control of the having unifor /4" thick beddical polishing control of the having unifor /4" thick beddical polishing control of the having unifor /4" thick beddical polishing control of the having control of finish the join of the having unifor /4" thick beddical polishing control of the having unifor /4" thick beddical polishing control of the having unifor /4" thick beddical polishing control of finish the join of finish the join of the having unifor /4" thick beddical polishing control	@ orm texture ing of (1:2) omplete in 6")  160  160  0 orm texture ing of (1:2) omplete in 144 119 84 400 45 45 837  @ aving unif 4" thick (1 ots as approximate the first as a proximate the first	Rs. (Spotless) cement savall respect  Sft  Rs. (Spotless) cement savall respect  Sft  Rs. (Spotless) cement savall respect  Sft	of required and mortor i/c as approved  333.9 of required and mortor i/c as approved  371.7 (spot less) of sand mortor rected by the	P.Sft	53424 31111
	Providing and laying flooring wit size and specified thickness, with the cost of matching sealer, cuttin and directed by the Engineer Incl  1x(16x24)/2.x8  Providing and laying flooring wit size and specified thickness, with the cost of matching sealer, cuttin and directed by the Engineer Incl  4x24.1.1/2  2x17x3.1/2x1  2x12x3.1/2x1  2x10x40  3x10x1.1/2  1x11.1/4x4  Providing and laying 3/8" thick I size 24"x6" of approved quality a complete in all respect i/c the cost Engineer Incharge. China Verona 5x2x1/2  4x10x1/2  a) Removing door with ch	g, grinding and cheminarge i) ii) 1/2" thick (she China Verona Marba adhesive bond over 3 g, grinding and cheminarge 3/4" thick(12"x1) and shade with adhesive tof matching sealer to a	le having unifor /4" thick beddical polishing control of the having unifor /4" thick beddical polishing control of the having unifor /4" thick beddical polishing control of the having unifor /4" thick beddical polishing control of the having control of finish the join of the having unifor /4" thick beddical polishing control of the having unifor /4" thick beddical polishing control of the having unifor /4" thick beddical polishing control of finish the join of finish the join of the having unifor /4" thick beddical polishing control	@ orm texture ing of (1:2) complete in 6")  160  160  0 orm texture ing of (1:2) complete in 144  119  84  400  45  45  837  @ aving unif 4" thick (1 orts as approximate in 150  25  @ approximate in 150  26  27  28  29  20  20  20  20  20  20  20  20  20	Rs.  CSpotless) Coment satisfies (Spotless) Coment satisfi	of required and mortor i/c as approved  333.9 of required and mortor i/c as approved  371.7 (spot less) of sand mortor rected by the	P.Sft	5342 <sup>4</sup>
	Providing and laying flooring with size and specified thickness, with the cost of matching sealer, cuttin and directed by the Engineer Incl. 1x(16x24)/2.x8  Providing and laying flooring with size and specified thickness, with the cost of matching sealer, cuttin and directed by the Engineer Incl. 4x24.1.1/2 2x17x3.1/2x1 2x1x12x3.1/2 1x10x40 3x10x1.1/2 1x11.1/4x4  Providing and laying 3/8" thick I size 24"x6" of approved quality a complete in all respect i/c the cost Engineer Incharge. China Verona 5x2x1/2 4x10x1/2	g, grinding and cheminarge i) ii) 1/2" thick (she China Verona Marba adhesive bond over 3 g, grinding and cheminarge 3/4" thick(12"x1) and shade with adhesive tof matching sealer to a	le having unifor /4" thick beddical polishing control of the having unifor /4" thick beddical polishing control of the having unifor /4" thick beddical polishing control of the having unifor /4" thick beddical polishing control of the having control of finish the join of the having unifor /4" thick beddical polishing control of the having unifor /4" thick beddical polishing control of the having unifor /4" thick beddical polishing control of finish the join of finish the join of the having unifor /4" thick beddical polishing control	@ orm texture ing of (1:2) omplete in 6")  160 160 @ orm texture ing of (1:2) omplete in 144 119 84 400 45 45 837 @ aving unif 4" thick (1 this as approximate in 15 20 25 @ 15	Rs.  (Spotless) cement saviall respect  Rs. (Spotless) cement saviall respect  Sft  Rs.  Sft  Rs.  Rs.  Sft  Rs.  Rs.  Rs.  Nos	333.9 of required as approved  3371.7 (spot less) of sand mortor rected by the	P.Sft	53424 5151
	Providing and laying flooring wit size and specified thickness, with the cost of matching sealer, cuttin and directed by the Engineer Incl. 1x(16x24)/2.x8  Providing and laying flooring wit size and specified thickness, with the cost of matching sealer, cuttin and directed by the Engineer Incl. 4x24.1.1/2 2x17x3.1/2x1 2x1x12x3.1/2 1x10x40 3x10x1.1/2 1x11.1/4x4  Providing and laying 3/8" thick I size 24"x6" of approved quality a complete in all respect i/c the cost Engineer Incharge. China Verona 5x2x1/2 4x10x1/2  a) Removing door with ch. 1x15	g, grinding and cheminarge i) ii) 1/2" thick (she China Verona Marba adhesive bond over 3 g, grinding and cheminarge 3/4" thick(12"x1) and shade with adhesive tof matching sealer to a cowkat.	le having unifor thick beddical polishing or 12"x24"/12"x3  Total  le having unifor thick beddical polishing or 2"/12"x24")  Total  irting/riseRs. have bond over 3/o finish the join Total	@ rm texture ng of (1:2) omplete in 6")  160  160  0 om texture ng of (1:2) omplete in 144 119 84 400 45 45 837  @ aving unif 4" thick (1 of the sas approximate a	Rs.  CSpotless) Coment satisfies (Spotless) Coment satisfi	of required and mortor i/c as approved  333.9 of required and mortor i/c as approved  371.7 (spot less) of sand mortor rected by the	P.Sft	53424 5151
	Providing and laying flooring wit size and specified thickness, with the cost of matching sealer, cuttin and directed by the Engineer Incl  1x(16x24)/2.x8  Providing and laying flooring wit size and specified thickness, with the cost of matching sealer, cuttin and directed by the Engineer Incl  4x24.1.1/2  2x17x3.1/2x1  2x12x3.1/2x1  2x10x40  3x10x1.1/2  1x11.1/4x4  Providing and laying 3/8" thick I size 24"x6" of approved quality a complete in all respect i/c the cost Engineer Incharge. China Verona 5x2x1/2  4x10x1/2  a) Removing door with ch	g, grinding and cheminarge i) ii) 1/2" thick (she China Verona Marba adhesive bond over 3 g, grinding and cheminarge 3/4" thick(12"x1) and shade with adhesive tof matching sealer to a cowkat.	le having unifor thick beddical polishing or 12"x24"/12"x3  Total  le having unifor thick beddical polishing or 2"/12"x24")  Total  irting/riseRs. have bond over 3/o finish the join Total	@ orm texture ng of (1:2) complete in 6")  160  160  0 orm texture ng of (1:2) complete in 144  119  84  400  45  45  837  @ aving uniff 4" thick (1 or sas approximates as ap	Rs. (Spotless) cement savall respect  Rs. (Spotless) cement savall respect  Rs. Sft  Rs. Sft  Rs. Norm texture 2) cement oved and divided	333.9 of required as approved  3371.7 (spot less) of sand mortor rected by the	P.Sft	5342 <sup>4</sup> 5151
	Providing and laying flooring wit size and specified thickness, with the cost of matching sealer, cuttin and directed by the Engineer Incl. 1x(16x24)/2.x8  Providing and laying flooring wit size and specified thickness, with the cost of matching sealer, cuttin and directed by the Engineer Incl. 4x24.1.1/2 2x17x3.1/2x1 2x1x12x3.1/2 1x10x40 3x10x1.1/2 1x11.1/4x4  Providing and laying 3/8" thick I size 24"x6" of approved quality a complete in all respect i/c the cost Engineer Incharge. China Verona 5x2x1/2 4x10x1/2  a) Removing door with ch. 1x15	g, grinding and cheminarge i) ii) 1/2" thick (she China Verona Marba adhesive bond over 3 g, grinding and cheminarge 3/4" thick(12"x1) and shade with adhesive tof matching sealer to a cowkat.	le having unifor thick beddical polishing or 12"x24"/12"x3  Total  le having unifor thick beddical polishing or 2"/12"x24")  Total  irting/riseRs. have bond over 3/o finish the join Total	@ rm texture ng of (1:2) omplete in 6")  160  160  0 om texture ng of (1:2) omplete in 144 119 84 400 45 45 837  @ aving unif 4" thick (1 of the sas approximate a	Rs.  (Spotless) cement saviall respect  Rs. (Spotless) cement saviall respect  Sft  Rs.  Sft  Rs.  Rs.  Sft  Rs.  Rs.  Rs.  Nos	333.9 of required as approved  3371.7 (spot less) of sand mortor rected by the	P.Sft	29542 53424 5151 6727

Supply and installation premimum graded/scratch-resistant Hygienic anti-microbial Pvc wall cladding of specified thickness duly thermoplastic welded conforming to (ISO:22196) and pasted over 12mm thick gypsum board with adhesive/solvent fixed over 14-SWG G.I Channael of size 3.5"X 2"X3.5" duly screwed on wall i/c the cost of hardwares as approved and directed by the Engineer In-charge

(b) 2.5mm thick

Supply and installation of Clip-in tile of specified thickness non-porous Alumnium false ceiling of specified size fitted with 'Clip-in' suspension system hanged on Concealed T/Shiplap edge/runners @ 600 mmX600 mm grid, Edge Trims fasten on wall with plug and screw @ 500 mm c/c i/c cutting charges of tiles to required size, suspension rods and joints sealed with silicon if required of DAMPA/Demark, as approved and directed by the Engineer Incharge.

(b) Bevelled edges & flange 21.5 mm

(iii)600 mmX 600 mm

Supply and installation anti microbial Hygenic flooring (with anti bacterial agent) conforming to (ISO:22196) of specified thickness duly welded with thermoplastic equipment placed over self levelling adhesive as approved and directed by the Engineer Incharge.

(a) Cementitious Urethane

(b) Epoxy

(c) Polyurethane

(d) Urethane

Providing and fixing 2"X2" Stainless Steel 14 SWG Corner Guard angle with bevelled corner and 0.8 mm bend at edges duly pasted with premium grade self-adhesive glue strips with excellent hold/(double sided Tape) as approved and directed by the Engineer

it etc.		ŧ	
		:	
4400.75	%Sft	73361	
		,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	
•			
		•	
		•	
•			
3726.4	%Sft	181699	
		•	
		a.	
1.500	D 00		
<del>1500</del>	P.SII	<del>297450</del> 0	
		012100	
192		27172	-
<del>-290</del> -	P.Rft	<del>_36540</del> →	
- '			
<del>-15000</del> -	-Each	<del>600000 -</del>	
<del>-15000</del>	-Each	600000	
<u> 15000</u>	Each	-600000-	
	-Each	2/1298	· ]
15000		2/1298	<b>\</b>
1273.8	Each %Sft	211298 346741	,
		2/1298 346741	
1273.8 shove		2/1298 -346741	
1273.8 r shove		2/1298 -346741 14074	
1273.8 r shove 1 2547.8		2/1298 -346741 14074 -23116	
1273.8 r shove 1 2547.8 mm) mud		2/1298 -346741 14074 -33116	
1273.8 r shove 2547.8 mm) mud th 34 lbs. per	%Sft		
1273.8 r shove 2547.8 mm) mud th 34 lbs. per	%Sft		
1273.8 r shove 2547.8 mm) mud th 34 lbs. per	%Sft		
1273.8 r shove 2547.8 mm) mud th 34 lbs. per	%Sft		
1273.8 r shove 2547.8 mm) mud th 34 lbs. per	%Sft	2/1298 -34674) 14074 -33116	
1273.8 r shove 2547.8 mm) mud th 34 lbs. per	%Sft	-23116 1  Lay Amson	
1273.8 r shove 1 2547.8 mm) mud th 34 lbs per	%Sft		
1273.8 r shove 2547.8 mm) mud th 34 lbs. per	%Sft	-23116 1  Lay Amson	
1273.8 r shove 1 2547.8 mm) mud th 34 lbs per	%Sft	-23116 1  Lay Amson	
1273.8 r shove 1 2547.8 mm) mud th 34 lbs per	%Sft	-23116 1  Lay Amson	
1273.8 (shove  2547.8 mm) mud th 34 lbs per  8 No	%Sft %oCt	-23116 - 1  Lay Amson  2053113  -2251829	
1273.8 (shove) 2547.8 mm) mud th 34 lbs. per 12377.1	%Sft	-23116 1  Lay Amson	
1273.8 (shove  2547.8 mm) mud th 34 lbs. per  12377.1  866.4 , but	%Sft %oCt	-23116 - 1  Lay Amson  2053113  -2251829	
1273.8 (shove) 2547.8 mm) mud th 34 lbs. per 12377.1	%Sft %oCt	-23116 - 1  Lay Amson  2053113  -2251829	
1273.8 (shove  2547.8 mm) mud th 34 lbs. per  12377.1  866.4 , but	%Sft %oCt	-23116 - 1  Lay Amson  2053113  -2251829	
1273.8 (shove  2547.8 mm) mud th 34 lbs. per  12377.1  866.4 , but	%Sft %oCt	-23116 - 1  Lay Amson  2053113  -2251829	
1273.8 (shove  2547.8 mm) mud th 34 lbs. per  12377.1  866.4 , but ie.	%Sft %oCt	-23116 - 1  Lay Amson  2053113  -2251829	
1273.8 (shove  2547.8 mm) mud th 34 lbs. per  12377.1  866.4 , but se.	%Sft %Sft  %Sft  Each	-23116 2053113 2053113 -3251829 30324	
1273.8 (shove  2547.8 mm) mud th 34 lbs. per  12377.1  866.4 , but ie.	%Sft %Sft  %Sft  Each	-23116 2053113 2053113 -3251829 30324	
1273.8 (shove  2547.8 mm) mud th 34 lbs. per  12377.1  866.4 , but se.	%Sft %Sft  %Sft  Each	-23116 2053113 2053113 -3251829 30324	
1273.8 (shove  2547.8 mm) mud th 34 lbs. per  12377.1  866.4 , but se.	%Sft %Sft  %Sft  Each	-23116 2053113 2053113 -3251829 30324	
1273.8 (shove  2547.8 mm) mud th 34 lbs. per  12377.1  866.4 , but se.  328.35 holdfast	%Sft %Sft  Sft  Fach	2053/13 2053/13 30324	
1273.8 (shove  2547.8 mm) mud th 34 lbs. per  12377.1  866.4 , but se.  328.35 holdfast	%Sft %Sft  %Sft  Each	-23116 2053113 2053113 -3251829 30324	
	4400.75 3726.4 ————————————————————————————————————	4400.75 %Sft  3726.4 %Sft	4400.75 %Sft 73361  3726.4 %Sft 181699  1500 P.St 2974500  192 24192

	Shoes, bends or offse painting.	ets for cast iron rain water d	own pip	e, inch	uding fix	king and		
	1x35	'		-35	<u>. No</u>	).' ·		
	•		Total	35				
				@	Rs		Each	16571
		kay etc. complete item as ap	proved t	y the 1	_	_		,
	1x2x(22-1/2+24)x12 2x2x(8+10)x12	,		864	, 31	ı		
	2x2x(0+10)x12		Total	1980	_			
		•	Total	@	Rs	. 480	P.Sft	950400
	Providing and applying w	eather shield paint of approved qu	ality on ex					, ,
		urface, application of primer comp	lete in all	- 1				
	1x2x(87+143)x15	,	771-4-1	9900		t '		•
		• •	Total	9900 @	'. Rs	. 1943.5	P.Sft	192407
	Emulsion paint 3 coat on a	new surface after removing old.		·	100	. 1343.3	1.511	192407
	1x11.1/4x15.1/4	, , , , , , , , , , , , , , , , , , ,		171	Sfi	t		
	1x28.3/4x15.1/4			438		•		
	1x24x8		-	192	1	•		
	1x29.1/4x15.1/4			446	Ţ.			
	1x22.1/2x24			540	1		a.	
	1x11.1/4x8			90				2
11	Ix18x15.1/4			275	,			*
	1x15.1/4x11.1/4			172				
	1x11.1/4x15.1/4 1x11.1/4x15.1/4			172 172				
	1x11.1/4x15.1/4 1x11.1/4x15.1/4			172	,			•
	1x11.1/4x14.3/4	•		166	•	٠.		•
	2x5.7/16x6			66			1	,
	2x5.7/16x5.3/4			63		·		r
	1x11.1/4x24			270				ſ
	lx11.1/4x15.1/4		,	171	,			••
	1x24.3/4x8			198				
	1x12.3/4x8			102				
	1x11.1/4x15.1/4 1x11.1/4x15.1/4			172 172				•
	1x11.1/4x14.3/4	;		166				
	2x5.7/16x5.3/4			63	1			
	1x5.7/16x6			33				
	1x5.7/16x6			33				÷
	1x5.7/16x5.3/4			31	, ' 			
	1x11.1/4x14.3/4			166	•			:
	1x8x12			96				!
	10x3.1/2x3/4			26	,			
	1x2.1/2x3/4 1x9x3/4			2 7		;	-	į
	3x7x3/4	•		16			1	1
	1x2(11.1/4+15.1/4)x6			318				1
	1x2(28.3/4+15.1/4)x6			440	,			: .
2	2x24x6	•		528	1			1
1	1x2(29.1/4+15.1/4)x6			534	,			,
	1x2(22.1/2+24)x6			558				.· 
	lx2(11.1/4+8)x6			231				•
	x2(15.1/4+11.1/4)x6			3.18	١.			
	x2(11.1/4+15.1/4)x6	•		318				•
	x2(11.1/4+15.1/4)x6 x2(11.1/4+15.1/4)x6	•		318 318				
	x2(11.1/4+13.1/4)x6 x2(11.1/4+14.3/4)x6	•		312				;
	x2(5.7/16+6)x6			275				
	x2(5.7/16+6.3/4)x6			268	` '	•		
	x2(11.1/4+24)x6	•		423				•
	x2(11.1/4+15.1/4)x6			318		:		!
	x24.3/4x6			297				
2	x12.3/4x6			153	'	-		
	x2(11.1/4+15.1/4)x6			318				
	x2(11.1/4+15.1/4)x6			318	;			. 2
1:	x2(11.1/4+14.3/4)x6		;	268			•	
	5.				1			

	_	
T - T - A		 DING)
н. в		
		/1// I   T   T

	E.I. (MAIN BUILDING)				
1	Dismentling light /fan point				
	918 ` No				,
	@ 79.	35 Ea	ch Rs	72843.00	
2	S/E of PVC Pipe for wiring purpose 3/4" dia	•			
	918x30 27540 Rf	ft.		631198 -	_
	@ 83.		ift Rs	<del>2305098.00</del>	
L ,	4-19-4-				
b	do 1" dia 131x40 5240 Rf				
	131x40 5240 Rf @ 96.8		ft Rs	507494.00	
		,5 1.10	10 10	, 30,9494.00	
3	Supply and erection of single core PVC insulated copper cor				
	cables, in prelaid PVC pipe/M.S. conduit/G.I pipe/wooden st				
	batten/wooden casing an capping/G.I. wire/trenches (rate for	cables only	y):-	•	•
	a) 250/440 volts, PVC insulated: i) 3/0.74 mm (3/0.029") 918x45 41310 Rf				
	918x45 41310 Rft @ 26.1		ft Rs	1079101 00	
	20.1	v r.K	it KS.,	1078191.00	
ь	do 7/.029			•	
	297x60 17860 Rft				
	@ 41.1	5 P.Ri	t Rs	734939.00	
С	Supply and erection of copper conductor cables for service d	itta			
	connection, in prelaid pipe/G.I. wire/trenches, etc. (rate for ca			•	
	a) PVC insulated, PVC sheathed twin core, 250/440 volts iv)				
	(7/0.036")				
	1x6000 6000 Rft				
	@ 110.3	0 P.Rf	Rs	661800.00	
d	Supply and erection of copper conductor cables for service co	nnection i	n	•	
	prelaid pipe/G.I. wire/trenches, etc. (rate for cable only):- c) F		AI.		
	insulated, PVC sheathed 4 core, 600/1000 volt non armoured		0		
•	mm sq (19/0.083")				
	1x900 900 Rft		_		
	@ 2656.7	0 P.Rft	Rs	2391030.00	
4	المستعمل والمستعمل والمستعمل والمستعمل والمستعمل	,		;	
ř	P/F PVC double-layer Switch kit Face plate with specified switch			<b>†</b> •	
1	O3 holes i/c the cost of switches / sockets / dimmer made of Hi-Life /			r I	
	Bush / Schenider, screws complete as approved and directed by t	he		•	
	(a) One way Gange Switch			li li	
	Small				
	(iii) 03 Gange	20	745.8	14916	
	(iv) Three pin Light Plug 10/13 Amp	30	613.8	18414	
	(vi) Fan Dimmer	30	601.8	18054	
	(vii) Bell push	5	481.8	2409	
	(viii) Three Pin Power Plug 15-32 Amp	25	757.8	18945	
	Large			ı	
	(i) 04 Gange	25	805.8	20145	
	(iii) 06 Gange	20	1,165.80	23316	
	Providing and fixing SMD lights				
	7 Watts	400	700.00	280000	
	Supply and erection of pole mounted street light, holders, shade a			i i	
!	glass, etc., for fitting 125/250 watts mercury vapour lamp (exclud	ing		•	
	ii) Philips design	8	8,773.10	70184.8	
	il/ i illips design	٥	0,775.10	70104.0	
	ii i i iii pa desigii	0	0,775.10	7010 <del>4</del> .0	
	ny i mips design	٥	0,773.10	70104.0	_

of 6543779\_

	•					
\$210	S.E of braket with shade complete					
(a) 10	B.E of braker with braker complete	16	Nos			
		@	9457.40	Each	Pcs	151318.00
			, 9437.40	Eacii	<b>/ 1 1 1 1 1 1 1 1 1 1</b>	131310.00
	. /		} '	/		/ .
<b>Ž</b> 11	S.E of house service pipe 2" dia		}			
4	126	6	Nos /			/· ":
妙.		@	655,20	Each	Rs /	3931.00
79) - 85	, .	(L)	055/10	٠		, •••
37 t 38 '- 6 '-			}			
ål2	S.E of pannel board (main) You Amp		1			
7	, .,		Nos			
r.	1	<del>-@</del>	<del>171394.00</del>	Each	Rs	<del>- 171394.00</del> -
, `	D/Ball - Zoro Axalo					
4.0	D Ball - Zoo AM/2 S.E of pannel board 38"x16"x8"	_				
13	S.E of pannel board 36 x10 x6	u	Nos			14111711
		- <b>a</b>	Nos		_	441711
		@	26854.00	Each	Rs	-214652.00
	•		110427	-20		
14	S.O ceiling fan 56" sweep					
	3.0 cening rain 50 sweep	24	Nos			156000
				To all	D.,	10000000
		@	<del>7500.00</del>	Each	Rs	<del>-10</del> 0000.00
•			6150		•	7 · · · · · · · ·
15	Errection of celing fan	·	4	•		,
15		24-	Nos-			
	•		469.65	Each	Rs	11272.00
		@	405.03	Lacii	10	مالكنى المالك
			1			
16	Earthing of main switch		Ì			
		9	Nos			
		@	9675.35	Each	Rs	87078.00
•	•	(49)	1	*****		
			;			
17	S/E of Ligh Protection System complete					
	_item.					
		1	Nos	•		
	,	<u>@</u> :	15000.00	Each_	Pa.	15000.00
•		w	15000,00		xw	
			<b>\</b> ,			0.404.000.00
	,			Total:-	Rs =	<del>9,194,338.00</del> -
•	•					9190823
	D/D cost of old material		'			7077 560-
	D/D cost of old material		} .			7072565-
					7.0	. 10000
1 .	Old Cable Swite etc.				L.S.	` 10000
	_					•
			,		Total	10000
					Total	710000
*			{ '			4/30-895
•	· · · · · · · · · · · · · · · · · · ·				Net	<del>- 9.184.338.00</del>
	/ / /					91208 ATT
	/· \ /				~	9,0000
•	$\sim$ // / /				Say	<del>- 9184000</del>
	/ ) (\ \ <b>\</b> /	,	1			7012028-
		•	1/ As. h			7062588-
			4/11111/			J. C.
•	Executive Enginee	: 1				) . }
	Sur Engineer Building Divisio	6 S	B Division	ıl Office	r,	) i
	SARGODHA	R	uildings Sub			<b>:</b>
	17 37514 22011		Shehm		,	*

Shahpur.

	S.I. (MAIN BUILDING)									
1	P/f w.c Orisa pattern i.c pipe									
	-	13	No.							
	•	13	No.							
		@	2524.00	Each	Rs	52,812				
2	P/f of pvc pipe dia 4"									
-	40x13	520	l rft							
	TORIS	520				•				
		@	440.95	P.R <del>f</del> t	Rs	229,294				
b	do 3" dia		•							
•	9x13	117	Rft							
		117		,		-				
		@	278,35	P.Rft	Rs	32,567				
3	P/f plastic made flushing cistern			•						
,	F/1 plastic made husning distern	13	No.							
		13	No.							
		@	4046.60	Each	Rs	52,606				
					123	32,000				
4	P/F wash and basin 22x16 with pedestal									
-		6	Nos							
	·	6	Nos	•						
		@	5187.45	Each	Ŗs	31,125				
5	P/F c.p bib cock 1/2" dia									
•		28	Nos							
		28	Nos		_					
		@	777.20	Each	Rs	21,762				
6	P/F c.p stop cock 1/2" dia					•				
		20	No.			•				
		20	No.							
		@	957.20	Each	Rs	19,144				
7	D/F 1 1/9// 1' /									
1	P/F c.p swan neck 1/2" dia two way.	_	N							
		6 j	Nos Nos							
		@	481.60	Each	Rs	2,890				
8	P/F looking glass 22"x16"	•		Lucii	13	2,090 !.				
		6	Nos		•	, , F				
•	· · · · · · · · · · · · · · · · · · ·	6	Nos			,				
		@	642.30	Each	Rs	3,854				
				•		•				
9	P/F bath accesseries set		,		-					
	·-	6	Nos							
		6	Nos	<b>Γ</b> 7∞1.	ъ	40.000				
<u>.</u> !		@	7600.00	Each	Rs	45,600				
10	P/F pvc tee 4" dia	.			±'					
·	prosect with	13	Nos		•					
	<del></del>	13	No.			1				
	•	@	1590.20	Each	Rs	20,673				
<del></del> !		-				. 1				
11	P/F cutting jointing laying g I pipe 1/2"	:								
ς.	dia 1x600	600	p <sub>A</sub>							
į.	1,000		<u>Rft</u> 168.50	P.Rft	Rs	101,100				
t:		@		1 .1/11	I/2	101,100				

b	do 3/4" dia	1					
	1x1200	1200	Rft			•	
-		@	216.20	P.Rft	Rs	259,440	
3	do 1.1/4" dia						
	1x500	500	Rft				
		500	Rft				
		@	414.05	P.Rft	Rs	207,025	
12	S/E of handle valve 3/4" dia						
•		12	Nos				
	•	@	470.00	Each	Rs	5,640	
13	P/F G.I. pipe 4" dia.						
	6x50	300	Rft				
	•	300	Rft				
		@ ;	1935.45	P.Rft	Rs	580,635	
		1					
· ·	h / /			Total:-	Rs	1,646,167	_
•	D/D cost off old material G I pipe				(L.S).	5,000	
				Total:-	Rs	1,641,167	_
· ·					Say	1,641,000	
	Executive Engineer Building Division		1				
i.	Varchous.	. A				•	
; i.	Sub Engineer	\$01		al Officer			
	. \	Bui	ldings Sub	Division Division	<b>.</b>	•	
	V		Shahp	ur.			
,							

# EXTERNAL WATER SUPPLY

	EXIEMAL WA
1	Excavation in trench for water supply.
	1x1200x2.1/2x2
2	HDPE P/L cutting jointing (M) pipe 3"dia 1x1200
3	Rehandling of earth with single throw of kasi
	6000x2/3
4	P/F Handle valve 3/4"dia
5	P/F centrifugal pump 2.1/2"x3"
6	P/L cutting jointing G.I pipe 1.1/4"dia 1x700
b.	P/L cutting jointing G.I pipe 3/4"dia 1x450  Exact ve Engineer  Building Olvision Sub Engineer.
	SMCGODHA

(hur)		Say	4 <del>175000</del> 2857500 -
	Total:-	Rs	4 <del>174767</del> 2857467
@ 271.80	P.Rft	Rs.,	122310
450 Rft			
700 Rft @ 533.35	P.Rft	Rs	373345
2 Nos @ 975000.00	Each	Rs	1950000
12 Nos @ 470.00	Each	Rs	5640
4000 Cft @ 2547.60	%0Cft	Rs	10190
1200 Rft @ <del>1389.50</del> <b>291-75</b>	P.Rft	Rs	<del>1667400-</del> 35010-
6000 cft @ 7647.00	%0cft	Rs	45882



# EXTERNAL SEWERAGE

Execavation in open cutting for sewerage main jole to 7' depth

1x100x2.1/2x3

P/L RCC pipe 9" dia 1x50

do- 12"

1x50

Rehandling of earth with single throw of kassi

750x1/2

Construction of man hole 2.1/2x3

Rate/ Rft = 157960/100

1200x1580

P/F non clogging pump 3/x4'

Engineer Division AHGO

750 cft

· @ 8062.75 %0cft

Rs.. 6C47

50 Rft

@ 529.90

P.Rft

Rs.. 26495.00

50 rft

@ 697.25

P.rft

Rs.. 34863

375 cft

@ 2547.60

%0cft

Rs.. 955

2 Nos

@ 44800.00

Each

Rs. 89600

Total 157960

1580 P.Rft

1896000.00

1 Nos

@ 1450000.00 Each

Rs.. 1450000.00

Total:-

Rs.. 3,346,000.00

Say 3346000

SUB Divisional Officer, Buildings Sub Division,

Shahpur.



		SI	REE	T LIG	HT		
1 Excav	ation in foundation					es.	
i/c dag	gbelling, dressing,	refiling	around	structu	e with excavat	ed	
earth,	watering and ram	ıming lea	d upto	one ch	ain (30m) and	lif	
upto 5	ft (1.5m) (in ordir	nary soil)	•	,	· ()		
1*3*3		• ,	36	ć	Cft ·		
			,	i,	a 10712.60	0 %0Cf	386
					20 10712.00	J /00CI	. 300
2 Cemen	t concrete brick or	r stone hai	llaet 1-1	1/2" to 2	" gange 1.6.12		
36*.5/4		biolio ou.	5		ft		
	•		5	(_	-	0/04	1000
				ا	21158.60	) %Cft	1058
3 P.C.C 1	l:2:4 Plain			1			
	2*2-1/2*4		25		Δ		
1 2-1/2	. L-1/2 T	Total		C			
		Total	25	C			
		•		@	38271.80	%Cft	9568
4 Supply	and anation of 1	D3777:	C				
includir	and erection of l	PVC pipe	or w	uring re	cessed in walls	3,	
including	ng inspection box	es, pun	ooxes,	nooks,	cutting jharries	3,	
1*(50+4	airing surface, etc.	, complete		1			
1 (50)-	r)	70-4-1	54	Cf	•		
		Total	54	Cf			
	•		•	a	186.05	P.Cft	10047
6 Supply as	nd erection of coppe	ar conducto	w ooklaa				
prelaid pi	pe/G.I. wire/trenches	etc (rate	for cabl	e only):-	/ice connection, if	1	
PVC shear	thed twin core, 250/44	40 volts iv)	7/0.91 m	ım (7/0.0)	a) i ve nisulaleu 36")	,	
1x72			72	No			
		Total	· 72	No	S		
				(a)	110.30	Each	7942
				)	•		
7. S/E of s	street light pole c	complete	as app	royed b	y the Engineer		
Incharge	•			1	J		
			1 .	Nos	}		
		Total	1	Nos	•		
				@	106336.15	Each	106336
•	·						100559
8 Supplying, insta	allation and commissioning of	f LED Cobra-h	ad Lumina	ries of speci	fied wattage and lumens		
Alummum hous	IP 66 & IK 08 or above Phili ing, silicon gasket in special g	roove, UV stabl	e & scratch	resistant syn	hetic materials thermally		
hardened glass o	complete with LED Chip (Phili rvard / TCI / Lumotech / Philip	ps Lumiled/Cree	/Nichia/Osra	am make or e	quivalent) neogrammable		
10kV surge prot	ection rating i/c the cost of all a	accessories/comp	onents requ	ired for proba	er operation fully flevible	•	
for future upgrace directed by the E	dation and easy replacements for Engineer Incharge, a) 140 Lm/W	or maintenance p /att (vii) 150 Wa	urposes, but with 2100	cket elevator	charges as approved and		
1x1	<b>5</b> ,	(11)	1	Nos			
		Total	1	Nos			
•			•	@	59634.00	Dook	50/24
	Λ	<i>[</i> ]		œ.	J9034.00 _	Each	59634
				į	To	tal Rs.	194970
	\.	/		Ì		,	
•	\\ \ <b>\</b>	/ 19	4970	<b>X</b> .	15		2924550
		· ·		 	-Core De		<b>ጎበላ</b> ጀበስላ
	Execution	ngineer	•	12	Say Rs.		2925000
////////	- Building D		ł		149/		
	ARGDI	AHO	•				
Qh.W. ngin	اا		CT	ind million	i1 OCC		

SUB Divisional Officer, Buildings Sub Division, Shahpur.

Engineer.



1		including shuttering section and dimensions.	ng of wooden	vertical plan	nks, struts an	ıd beam	s, dressi	ing to orrec	t		
		in all	sion accordin	g to templat	es and leven	and 16	movnig	Surface was	UI.		
		1x5x5.1/2x3				83	· ··· Cf	<del>}</del>			
					Total	1	Cf				٠,
		•			10141	@	Rs		5 %0Cft	669	
2		Cement concrete b			to 2" (40 m	m to 20		mm) gauge	e,		
		in foundation and p	olinth (b) Rat	io l: 4: 8.							
		83x0.5/3				14 @	Cfl Rs.		4 %Cft	3477	
_							{   •				
3		Pacca brick work o				.1 i) Th	e compe	osite rate is			
		to be height i) ceme	ent, sand mor	tar:- Ratio I	:4.	50					
		1x2(4+3)x3/4x5			T-4-1	53	' Cft				
					Total	53 @	Rs.	33131.9	%Cft	17560	
							}				,
4		Cement concrete pl									
		complete (including 1x2.1/2x1/4	3 screening a	nd washing o	of stone aggr	_ 1	,				
		1X2.1/2X1/4		:		2	, Cft	-	%Cft	765	٠.
						@	Rs.	302/1.0	%CII	765	•
5		1/2" thick cement p	laster on wal	ls (1:3) i/c fl	ushing ceme	nt neat		ck etc.			κ.
		complete item.		, ,			!				i.
		1x2(2-1/2+3)x5				55	' Sft	• •			ļ
		•	•	•	Total	55	1			•	1
						@	Rs.	5445	%Sft	2995	
6		Coment plaster 1.4		N N Is ! - 1.4.	1.) 1/0 /14		ļ! 	: *		•	1
U		Cement plaster 1:4 $1x2x(4+3)x3/4$	upto 20' (6.00	m) neight:-	· b) ½" (13 1	· ·	1 1				
		1x2x(4+3)x3/4 1x2x(4+4-1/2)x2-1/2	<b>'</b> 7		•	11 43	Sft				ĺ
		1727(414"112)72-17	<b>4</b>		Total -	54	<u>l</u> .; l:1				1
					·	@	Rs.	3289.75	%Sft	1776	
_											
7		(a) (i) Reinforced ce									
		other structural mem members cast in situ									1
		1x4x4-1/2x1/4	i, complete n	i an respects	s (3) Type (	c (nom	inai inix Cft	. 1: 2: 4)		-	1
		IN IN I I WALL			Total	5.		•			
	D/D .	.785x(22/12)2x1/4	,		Total	1		•			۱
,					Total	1	i . I				
		•			Net	4	Sft				1
i F			•		,	@	Rs.	559.2	P.Cft	2237	
8	Ī	Fabrication of mild steel r	einforcement for	r cement concre	ete, including c	utting, be	nding, lay	ing in			
	· S	position, making joints an teel reinforcement (also i	a rastenings, inc ncludes removal	auding cost of l	oinging wire an ars):- (b) Defort	ned hars	charges fo (Grade-40	or binding of			1
		1x6.75x0.454			.,. (0) 201011	12	Kg	• •			1
					Total: -	12					
į.						@	Rs.	31438.4	%Kg	3773	1
9	P	roviding and fixing 3" (7	5 mm) thick R.O	C.C. manhole co	over, 22" (550 i	mm) dia,	with tee s	haped C.I.	_		1
	fi	rame of 20" (500 mm) cle TD/PD No. 5, of 1977, c	ear i/d (frame we omniete in all ea	ighing 37.324 l	Kg. or one mau	nd) as pe	r Standaro I I	d Drawing			1
		x1	brace at an 10	-p-000.		1	No.			•	
	-	,			Total: -	1	140.				
6			Λ	/ /		<u>a</u>	Rs.	11566.55	Each	11567	
		-				<b></b>	1		V41	•	-
		^	V	\ /	٠.		[ 	_	Total	44819	1
		( ) .	}	1	•		1//	7			ļ
200		(No.10) "	1 €	W.			1/1/11	1/	Say	44800	
	1	/ 105/	Enclose	ivo Engi	na -	. ,	47/1/2				
	- [		ببنيل الما	n () () ()	пеод	· · /	, July				
	Ś	ul Engineer.	1 SA	Mond.	Δ <b>ΙΟ))</b>	į į		onal Office	•		
		1	U	1	···· <b>*</b>	Bui	ldings S	ub Division	ι,		

Shahpur.

# **ANALYSIS OF TUFF PAVER**

Excavation in foundation of building, bridges and other structures, including dagbelling, dressing, refilling around structure with excavated earth, watering and ramming lead structure with excavated earth, watering and ramming lead a) By Manual ii) in ordinary soil. 300 Cft 2x100x1.1/2x1 300 Total Rs., 3214 @ 10712.60 %0Cft Dry rammed brick or stone ballast, 11/2" to 2"( 40 mm to 50 mm) gauge. 2 75 Cft 300x.25/1 Total 75 Rs.. 6678.00 @ 8903.40 %Cft Pacca brick work in foundation and plinth in i) Cement, sand mortar:-3 Ratio 1:6. 2x100x1.1/8x1/4 56 Cft 300 2x100x3/4x2 356 Total Rs.. 108042.00 @ 30348.85 Filling water Reling earth under floor with new earth out side and lead up to 1 mile 660 Cft 1x100x25x0.55 660 Total Rs.. 12358.00 @ 18724.50 %0Cft 88km P/F sub base couRs.e of couRs.e stone lead upto 600 Cft 1x100x25x1/2 600 Total Rs.. 78282.00 @ 13046.94 %Cft P/F Tuff paver 60mm thick 6 1200 Sft 1x100x12 1200 Total Rs.. 188160.00 @ 156.80 P.Sft Total:- 396734 P.Rft 3967 396734/100 Rate /P.Rft 793400 200 Rft 3967 P.Rf Say Rs. 793400 Executive Engineer iding Division SUB Divisional Officer, **Buildings Sub Division,** Shahpur.

# 8. ANNUAL OPERATING COST (POST COMPLETION)

Financial Components: Capital Grant Number: Government Buildings - (PC12042)

Cost Center:OTHERS- (OTHERS)

LO NO:LO22010077

Fund Center (Controlling):LE4203 A/C To be Credited:Account-I

#### **PKR Million**

Sr#	Object Code	2025	-2026	2026-2027		2027-2028		2028-2029		2029-2030	
		Local	Foreign	Local	Foreign	Local	Foreign	Local	Foreign	Local	Foreign
1	A05270-To Others	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
2	A12403-Other Buildings	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Total		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

Financial Components: Capital Grant Number: Government Buildings - (PC12042)

Cost Center:OTHERS- (OTHERS)

LO NO:LO22010077

Fund Center (Controlling):LE4203 A/C To be Credited:Account-I

## **PKR Million**

Sr	r #   Object Code   2025-2026		2026-2027		2027-2028		2028-2029		2029-2030		
		Local	Foreign	Local	Foreign	Local	Foreign	Local	Foreign	Local	Foreign
1	A12403-Other Buildings	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
2	A05270-To Others	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000
Total		0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000	0.000

# 8. <u>Annual Operating and Maintenance Cost after Completion of the Project</u>

The Annual operating and maintenance cost after completion of the project will be borne by the concerned District Health Authority (DHA) as well as Primary and secondary healthcare Department, Lahore.

# 9. DEMAND AND SUPPLY ANALYSIS

Semi modern health facilities and scientific diagnostics are presently available in this Hospital. This initiative of revamping Hospital will cover all departments and components of healthcare including Medical, Surgical, psychiatric, Cardiac, ENT, Ophthalmic and Pediatrician components. Moreover, women health components i.e. Gynecology and obstetric will also be emphasized upon. In emergency, calamities and natural disasters, valuable lives will be saved through revamping of Emergency Units.

#### 10. FINANCIAL PLAN AND MODE OF FINANCING

#### 10.1 FINANCIAL PLAN EQUITY INFORMATION

#### 10.2 FINANCIAL PLAN DEBT INFORMATION

#### 10.3 FINANCIAL PLAN GRANT INFORMATION

Attached

# 10. Financial Plan and Mode of Financing

The project will be executed / financed through Annual Development Program under the sector Primary and Secondary Healthcare Department, the Government of Punjab. Year wise financial utilization is as under:

#### **Revenue Side**

(Rs.in Million)

Year	2017-18	2018-19	2019-20	2020-21	2021-22	2022-23	Total
Funds Released	54.000	19.509	3.276	2.998	4.510	7.273	91.567
Utilization	32.782	19.509	2.891	2.043	4.385	0.748	62.359

# **Capital Side:**

Year	2017-18	2018-19	2019-20	2020-21	2021-22	2022-23	Total
Funds	0	0	0	0	0	F 000	F 000
Released	U	U	U	U	U	5.000	5.000
Utilization	0	0	0	0	0	0	0

Balance funds may be provided for completion of the project in subsequent years through ADP

#### 10.4 WEIGHT COST OF CAPITAL INFORMATION

#### 11. PROJECT BENEFITS AND ANALYSIS

#### 11.1 PROJECT BENEFIT ANALYSIS INFORMATION

#### 11.3 Social Benefits with Indicators

Social economic burden will be decreased due to availability of better medical services in the district. Time and money of community will be saved which were expended in other cities like Lahore Islamabad etc. on treatment of patients and for boarding and logging of attendants. The social status of community will rise.

#### 11.3.1 Social Impact:

A number of patients lose their lives or suffer serious disabilities for want of timely access to the health facilities. The project will ensure that no one is left to reach the health facilities. The most important beneficiaries will be mothers having complicated delivery conditions. The number of patients transferred to the health facilities for treatment and lifesaving will serve as indicators for performance evaluation. In long term the project will help in improving socio-economic indicators of IMR and MMR.

#### 11.2 ENVIRONMENTAL IMPACT ANALYSIS

It will have no hazardous effect on the environment. On the other hand, addition of horticulture and landscaping will provide healthy environment to the general public. All the more, the program is environment friendly having no adverse environmental effects. Simultaneously, this shall further improve environment by creating sense of responsibility among employed and beneficiaries of the service.

#### 11.3 PACT ANALYSIS

undefined

#### 11.4 ECONOMIC ANALYSIS

**Employment Generation (Director and Indirect)** 

Revamping of this Hospital will lead to generation of employment for highly skilled /professional staff and unskilled staff leading to reduction of unemployment. Huge employments opportunity will be created from the establishment of the project. The Medical doctors and paramedics who are trained in this discipline or intended to specialize in this field can make maximum use of training. A large number of gazette and non-gazette posts will be available for employment directly or indirectly.

#### 11.6 Impact of Delays on Project Cost and Viability

Delay in the implementation of the project will lead to increase in cost and increase financial burden on the Government and general population of Punjab. Since the project is one of the major needs and a long awaited desire of the community, therefore, Government of the Punjab contemplated plan for early execution of Revamping of Emergency Units. The delay will not only deprive the patients of the state of the art facility but also distort the public image of the Government.

#### 11.5 FINANCIAL ANALYSIS

Project Benefits and Analysis

Financial Benefits & Analysis

Tremendous public benefits will be accrued from revamping of Emergency Units:

The Targets of Sustainable Development Goals (SDGs) will be achieved

The Human Development Index of Pakistan (HDI) will improve

Infant Mortality Rate will decrease

Mother Mortality rate will be decreased

The international commitments of Pakistan will be accomplished

Health standard of public will

Better Health Facilities to mother and

Prompt and scientific facility for operation

Rehabilitation of disables and injured

Blindness in this area will be decreased and controlled

Better social and mental health to addict

Provision of better health facilities at doorsteps

Awareness and control for communicable

Survival of heart failure

Social indicators of Pakistan will improve

This will decrease load of patients on teaching hospitals and specialized institutions by promoting physical and mental health. By adopting preventive and Hygienic principles, the number of patients and diseases will decrease. Resultantly budget load of Government for treatment will decrease and saving will be utilized for development programs.

#### 11.1.1 Financial Impact:

In the beginning, It is extremely difficult to put a money value on each life saved by taking/shifting a critically ill patient to the appropriate health facility for treatment. However, the exact amount spent shall be calculated against each patient shifted by analyzing data collected during operations.

#### 11.2 Revenue Generation

Revenue will be generated from:

Indoor fee

Laboratory fees

Diagnostic facility fees

Dental fee

ECG fee

Private room charges

Ambulance charges

From other fees prescribed by Government

#### 12. IMPLEMENTATION SCHEDULE

## 12.1 IMPLEMENTATION SCHEDULE/GANTT CHART

From September, 2017 to June, 2019

#### 12.2 RESULT BASED MONITORING (RBM) INDICATORS

undefined

#### 12.3 IMPLEMENTATION PLAN

Implementation Schedule

Original Gestation period (From September, 2017 to June, 2019)

Extension in Gestation period for one year with no change in cost & Scope till June 2020.

1st Revised gestation period till June, 2021

2nd Revised gestation period till June, 2023.

3rd Revised gestation period till June, 2025

# **12.4 M&E PLAN**

The Operation team will monitor the progress of the project and will hold regular weekly meeting to review the progress under the supervision of Project Director.

#### 12.5 RISK MITIGATION PLAN

Attached

# RISK REGISTER

# Programme for Revamping of all THQ Hospitals in Punjab

RISK DATA					itigation / Co		MITIGATION
Risk Item No	Risk Description/Event	Cause	Effect / Consequences	Likelihood (1 to 3)	Impact (1 to 3)	Risk Score (1 to 9)	Mitigation / Actions
1	Due date for the completion of some hospital sites may be extended due to increase in scope from the Client	Direct instructions from the Medical Superintendents / Hospital Administration to revamp the remaining areas	Significant scope increase requested by the Hospital administration will result in:  1. Project delays 2. Contractor claims 3. Increase in project cost along with variations	3	3	9	Hospital administration is requested to finalize the scope during joint field visits of C&W and PMU
2	Various unexpected structural issues are being encountered	Unforeseen structural issues are expected to face during execution in hospital buildings approaching end of life	Stoppage of work     Performance of the Contractor has affected     Delays in the project	3	3	9	Various items which are unforeseen and expected to be used during execution may be taken in estimates so that those can be executed to address these issues
3	Change in management of the Client	Management change	Re-briefing is to be carried out	2	2	4	Acceleration of understanding for smooth and expeditious transition, without affecting the project
4	Financial Issues	Funds for these schemes should be provided as per the targets	Delay in tendering     Effect on quality as the Consultant supervision will not take place     Inconvenience to the patients	3	3	9	Approval of PCIs and early release of funds is requested
5	Nationwide spread of pandemic i.e. COVID-19 in 2nd and 3rd quarter of this year	Work delays during nationwide lockdown.	Delays in completion of works     Claim requests received by Contractor and Consultant	3	3	9	Contractor will be asked to depute fully vaccinated labor

#### 12.6 PROCUREMENT PLAN

undefined

## 13. MANAGEMENT STRUCTURE AND MANPOWER REQUIREMENTS

The Organogram of New Management Structure is available in PC-I

## 14. ADDITIONAL PROJECTS / DECISIONS REQUIRED

NA

#### 15. CERTIFICATE

Focal Person Name:Mr. KHIZAR HAYAT Designation:Project Director, PMU P&SHD

Email: Tel. No.:042-99231206

Fax No:

Address:31/E1, Shahrah-e-imam Hussain? Road? Block E 1 Gulberg III, Lahore, Punjab

15. It is certified that the project titled "Revamping of THQ Hospital Shah Plar."

(3<sup>rd</sup> Revised)" has been prepared on the basis of instruction provided by the Pismang Commission for the preparation of PC-I for Social Sector projects.

Prepared By:

(HISSAN ANEES)

DIRECTOR PLANNING & HR, PMU,
PRIMARY & SECONDARY HEALTHCARE
DEPARTMENT, LAHORE
(042-99231206)
(Oct-2022)

(RIZWAN SHOUKAT)

PROCUREMENT SPECIALIST, (PMU).
PRIMARY & SECONDARY HEALTHCARE
DEPARTMENT, LAHORE
(042-99231206)

(Oct-2022)

(HAMZA NASEEM)

PROJECT MANAGER CIVIL, PMU,
PRIMARY & SECONDARY HEALTHCARE DEPARTMENT, LAHORE
(042-99231206)
(Oct-2022)

Checked By:

(Dr. AYESHA PARVEZ)

DEPPUTY PROJECT DIRECTOR (PMU), PRIMARY & SECONDARY HEALTHCARE DEPARTMENT, LAHORE

> (042-99231206) (Oct-2022)

(KHIZAR HAYAT)

PROJECT DIRECTOR (PMU).
PRIMARY & SECONDARY HEALTHCARE

DEPARTMENT, LAHORE (042-99231206)

(Oct-2022)

Approved By:

(DR. IRSHAD AHMAD)

SECRETARY,

GOVERNMENT OF THE PUNJAB

PRIMARY & SECONDARY HEALTHCARE DEPARTMENT, LAHORE (042-99204567)

(Oct-2022)

# 17. RELATION WITH OTHER PROJECTS